

**F1100-C-RS** **FLOOR DRAIN WITH RECTANGULAR STRAINER**

FLOOR DRAIN WITH RECTANGULAR STRAINER			
Model Number	Weight (Lbs.)	Strainer Diameter X Height	List Price
			NICKEL BRONZE (-1) STAINLESS STEEL (-3)
F1102,3,4-C-RS48	10.50	4" x 8"	\$ 833.00
F1102,3,4-C-RS412	11.00	4" x 12"	\$ 1,130.00
F1102,3,4-C-RS517-	14.00	5" x 17"	\$ 1,203.00

*\*ADD 3/8" TO DIAMETER AND 3/16" TO HEIGHT FOR (-1), (-3), NB OR SS VENEER WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$64.00*

F1100-C-K, F1100-C-N, F1100-C-RS, and F1100-C-S OPTIONAL VARIATIONS		
Suffix	Description	List Price
-5	Sediment bucket (A1-PB)	\$ 85.00
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 44.00
-7	Trap seal primer tapping	Standard
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 299.00
-10	Decorative polished top	\$ 133.00
-11	Acid resistant epoxy coated body (and clamp if needed)	\$ 206.00
-13	Galvanized body (and clamp if needed)	\$ 155.00
-15	Extension (DD-50)	\$ 109.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 49.00
-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$ 952.00
-30	PVC Socket Connection Body (2", 3" or 4")	No Add

-31	<b>ABS Socket Connection Body (2", 3" or 4")</b>	<b>No Add</b>
-34	Closure plug (C1440 Series)	\$ 287.00
-40	Underdeck clamp (A1-C3)	\$ 118.00
-41	Sump receiver (A1-BP)	\$ 202.00
-49	Chrome plated strainer assembly (add to -1 only)	\$ 31.00
-69	Stainless steel sediment bucket (A1-SSB)	\$ 168.00
-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 172.00
-90	4" threaded side outlet (N/A in -30,-31)	\$ 323.00
-95	Client logo	\$ 708.00
-C	Membrane clamp (A1-C1)	\$ 64.00
-C2	High rough-in membrane clamp (A1-C2)	\$ 64.00
-F4-(1,3)	4" NB or SS round funnel	\$ 332.00
-F4-50	4" cast iron round funnel	\$ 140.00
-F6-(1, 3)	6" NB or SS round funnel	\$ 498.00
-F6-50	6" cast iron round funnel (F1530-TA or F1540-TA)	\$ 225.00
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 693.00
-G-50	4" x 9" C.I. oval funnel	\$ 130.00
-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 336.00
-J-50	3" x 1" cast iron oval funnel	\$ 140.00
P	Push on outlet (2", 3" or 4")	<b>No Add</b>
T	Threaded outlet (2", 3" or 4")	\$ 62.00
-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 1,037.00
X	Inside caulk outlet (2", 3" or 4")	<b>No Add</b>
5	5" no hub outlet	\$ 519.00
5T	5" threaded outlet	\$ 519.00
5X	5" inside caulk outlet	\$ 519.00
6	6" no hub outlet	\$ 519.00
6P	6" push on outlet*	\$ 519.00

\* Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.

\* Add -NH to -90 for no hub outlet - No Add.

