



**JOSAM - MIFAB CROSS REFERENCE**
**FLOOR AND AREA DRAINS**

JOSAM	MIFAB
31120 (pg. 53)	F1320-C-5-14*
31200 (pg. 54)	F1340-14
31210 (pg. 54)	F1340-90
31220 (pg. 54)	F1340-5-14
31600 (pg. 53)	F1320-C*
31720 (pg. 54)	F1340-C*
31800 (pg. 62)	F1440-4-5
32100 (pg. 53)	F1320-C-Y-14*
32120 (pg. 53)	F1320-C-Y-5-14*
32200 (pg. 54)	F1340-C-Y-14-Q*
32220 (pg. 54)	F1340-C-Y-5-14-Q*
32300 (pg. 58)	F1350-C-5*
32320 (pg. 54)	F1340-C-Y-5-14*
32330 (pg. 58)	F1350-C-5*
34720 (pg. 60)	F1370-C-Y-5-14*
34920 (pg. 60)	F1370-C-TFB*
35130 (pg. 61)	F1430C-33-5
35230 (pg. 40)	F1100-C-SHG8-3-5*
35330 (pg. 66)	F1480-FL-5
35430 (pg. 66)	F1480-FL-5-9
35440 (pg. 62)	F1440-14
35460 (pg. 65)	F1460-Y
35580 (pg. 66)	F1480
35620A (pg. 62)	F1440-5-6
35720A (pg. 64)	F1450-5-6
36000 (pg. 53)	F1320-C-Y*
36100 (pg. 54)	F1330C-Y
36210 (pg. 56)	F1340-Y-Q
36340 (pg. 58)	F1350-5
36410 (pg. 59)	F1360-C-Y*
36640 (pg. 62)	F1440-5-9-90
36820A (pg. 65)	F1470-Y-5-14
36850 (pg. 75)	F1760-FL
37500 (pg. 61)	F1420-Y-14
37770A (pg. 62)	F1440-5-33
37800 (pg. 62)	F1440-Y-14
37810 (pg. 62)	F1440-C-Y-5-4*
37820 (pg. 62)	F1440-C-Y-5-4*
38040 (pg. 49)	F1140C-9
38250A (pg. 49)	F1140C-9
38420 (pg. 60)	F1370-17
38620-40 (pg. 175)	C1600
38830 (pg. 70)	F1560
38930 (pg. 194)	MI-OS
39000 (pg. 74)	F1650-25-1
39150 (pg. 73)	F1640-C
39240 (pg. 58)	F1350-Y-36-16
39420 (pg. 60)	F1370-18
39600 (pg. 76)	F1810
39720 (pg. 58)	F1350-Z-5
39960	"X"

**PLASTIC DRAINS**

JOSAM	MIFAB
JPD (pg. 51)	F1230-30-5-1
JPD-5PVC (pg. 51)	F1230-30-5-1
JPDF-3200	"X"
JPG3x4-J5 (pg. 51)	F1220-30-5-1
JPG3x4-J5PVC (pg. 51)	F1220-30-5-1
JPG3x4-J6 (pg. 51)	F1220-30-6-1
JPG3x4-J6SQ (pg. 51)	F1220-30-S6-1
JPDF-J5 (pg. 33)	F1100-C-30-5-1*
JPDF-J5PVC (pg. 33)	F1100-C-30-5-1*
JPDF-J6 (pg. 33)	F1100-C-30-6-1*
JPDF-J6SQ (pg. 39)	F1100-C-30-S6-1*
JPFS-PVC	"X"
JPRD-CI (pg. 120)	R1100-M-30
JPVC-1600 (pg. 164)	C1230-30-1
JPFC-3x4 (pg. 156)	C1100-R-30-1

**FLOOR AND AREA DRAINS  
OPTIONAL VARIATIONS**

JOSAM	MIFAB
-1	Nickel Bronze (pg. 319, 320) -1
-2	Polished bronze (pg. 319, 320) -2
-3	Buffed polished NB (pg. 319, 320) -10
-4	Buffed polished bronze (pg. 319, 320) -10
-5	Rough NB top "X"
-6	Rough bronze top "X"
-7	Ductile iron grate (pg. 319, 320) -4
-8	SS screen dome (pg. 319, 320) -83
-10	Less grate (pg. 319, 320) -22
-11	Extra heavy duty grate (pg. 319, 320) -4
-12	Square top (pg. 319, 320) -16
-13	Dome grate (pg. 319, 320) -20
-13-1	NB dome grate (pg. 319, 320) -20-1
-13-2	PB dome grate (pg. 319, 320) -20-2
-14	Hinged grate (pg. 319, 320) -14
-15	Chained grate (pg. 319, 320) -23
-16	Locking grate (pg. 319, 320) -6
-17	Vandal proof (pg. 319, 320) -6
-19	C.I. undergrate with NB top (pg. 319, 320) 3
-20	CI undergrate with satin bronze top (pg. 319, 320) -2
-21	Loose set grate (pg. 319, 320) -14
-22	Less locking device "X"
-24	Less dome (pg. 319, 320) -(D)
-33	Galvanized sed. Bucket (pg. 319, 320) -5-13
-40	Less flange (pg. 319, 320) -33
-41	Membrane clamp (pg. 319, 320) -C
-42	Membrane clamp (pg. 319, 320) -C
-43	Levelling studs "X"
-44	Extension (pg. 319, 320) -15
-44-92	Galvanized extension (pg. 319, 320) -15-13
-45	Integral extension (pg. 319, 320) -15
-49	3/4" TSP tapping (pg. 319, 320) -3/4"
-50	TSP tapping (pg. 319, 320) -7
-51	1-1/2" aux. threaded inlet (pg. 319, 320) -44
-52	2" aux. threaded inlet (pg. 319, 320) -44T
-53	2" auxiliary hub inlet (pg. 319, 320) -44NH
-54	2" aux. spigot inlet (pg. 319, 320) -44X
-60	Backwater valve (pg. 319, 320) -8
-61	Less backwater valve "X"
-62	T handle closure plug "X"
-63	Spanner wrench (pg. 319, 320) H-1042
-64	Bronze closure plug (pg. 319, 320) -34B
-66	No hub side outlet (pg. 319, 320) -90NH
-70	Less bucket "X"
-71	Solid sediment bucket (pg. 319, 320) -5
-72	Solid bucket with bronze screen ports "X"
-74	Solid alum. bucket "X"
-75	Solid alum. bucket with bronze screen ports "X"
-80	SS sediment bucket (pg. 319, 320) A1-SSB
-81	Slotted cast iron bucket (pg. 319, 320) -5
-82	Aluminum bucket (pg. 319, 320) -5
-84	SS mesh lined bucket (pg. 319, 320) -5-83
-88	Secondary strainer (pg. 319, 320) -21
-89	Underdeck clamp (pg. 319, 320) -40
-91	Rough bronze body (pg. 319, 320) -27
-92	All galvanized (pg. 319, 320) -13
-93	All cast iron "X"
-94	Bronze dome (pg. 319, 320) -81
-98	Control box (pg. 319, 320) MI-VB
-99	Extension (pg. 319, 320) -15
-T	Threaded outlet (pg. 319, 320) T
-W	Extension (pg. 319, 320) -15
-X	Inside caulk outlet X
-Y	Push on outlet (pg. 319, 320) P
-Z	No hub outlet (pg. 319, 320) St

**30000 SERIES STRAINER  
OPTIONAL VARIATIONS**

JOSAM	MIFAB
A	(pg. 46) Std
5A	(pg. 46) 5-1
6A	(pg. 46) 6-1
7A	(pg. 46) 7-1
8A	(pg. 46) 8-1
9A	(pg. 46) 10-1
10A	(pg. 46) 10-1
AD	(pg. 46) FC
6AD	(pg. 46) FC7-1
9AD	(pg. 46) FC9-1
AF	(pg. 46) FT6
6AF	(pg. 46) FT6-1
AJ	(pg. 46) Std-8
5AJ	(pg. 46) 5-1-8
6AJ	(pg. 46) 6-1-8
7AJ	(pg. 46) 7-1-8
C	(pg. 46) 5-5
5C	(pg. 46) 5-1-5
D	(pg. 46) K
5D	(pg. 46) K5-1
6D	(pg. 46) K5-1
E	(pg. 46) N
6E	(pg. 46) N7-1
7E	(pg. 46) N7-1
9E	(pg. 46) N9-1
E1	(pg. 46) ER
6E1	(pg. 46) ER7-1
7E1	(pg. 46) ER7-1
9E1	(pg. 46) ER9-1
E2	(pg. 46) EF4
7E2	(pg. 46) EF4-1
E3	(pg. 46) EG
7E3	(pg. 46) EG-1
EJ	(pg. 46) N-8
6EJ	(pg. 46) N7-1-8
7EJ	(pg. 46) N7-1-8
9EJ	(pg. 46) N9-1-8
F	(pg. 47) T
6F	(pg. 47) T6-3
F4	(pg. 46) F4-1
F6	(pg. 46) F6-1
F8	(pg. 46) J-1
F9	(pg. 46) G-1
F52	(pg. 46) F4-1
F53	(pg. 46) F4-1
G	(pg. 47) VD
5G	(pg. 47) VD5-3
H	(pg. 46) HG
5H	(pg. 46) HG5-3
6H	(pg. 46) HG7-3
7H	(pg. 46) HG7-3
8H	(pg. 46) HG8-3
M	(pg. 47) WD
2M	(pg. 47) WD-3
3M	(pg. 47) WD-3
P	(pg. 46) AS
4P	(pg. 46) AS-1
6P	(pg. 46) AS-1
R	(pg. 46) RS
5R	(pg. 46) RS-48-1
6R	(pg. 46) RS-412-1
7R	(pg. 46) RS-517-3
8R	(pg. 46) RS-517-3
S	(pg. 47) S Standard
5S	(pg. 47) S5-1
6S	(pg. 47) S6-1
8S	(pg. 47) S8-1
9S	(pg. 47) S10-1
"X"	Contact MIFAB

CROSS REFERENCE

 Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit [www.mifab.com](http://www.mifab.com) for the most recent product information.

**MIFAB, Inc.**, 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

JOSAM - MIFAB CROSS REFERENCE

CROSS REFERENCE

30000 SERIES STRAINER  
OPTIONAL VARIATIONS

Table with columns JOSAM and MIFAB. Includes items like SJ (S5-8), 5SJ (S5-1-8), 6SJ (S6-1-8), etc.

\*Includes "-C" membrane clamp in areas with waterproof membrane. As a recommended alternate, use F1100 in non membrane areas, delete "-C" membrane clamp

FLOOR SINKS

Table with columns JOSAM and MIFAB. Includes items like 49000 (FS1520-FL-1), 49010 (FS1520-1), 49020AS (FS1720-FL-1), etc.

FLOOR SINK OPTIONAL VARIATIONS

Table with columns JOSAM and MIFAB. Includes items like -2 (Less grate), -3 (Half grate), -4 (3/4 grate), etc.

STAINLESS STEEL DRAINAGE  
PRODUCTS

Table with columns JOSAM and MIFAB. Includes items like 52000 (F1000-S8-3-28), 52010 (FS1920-FL), 52020 (F1000-S10-3), etc.

CLEANOUTS

Table with columns JOSAM and MIFAB. Includes items like 56000 (C1100-R), 56000-12 (C1100-T), 56000-14 (C1100-RC), etc.

CLEANOUT OPTIONAL VARIATIONS

Table with columns JOSAM and MIFAB. Includes items like -1 (Nickel bronze), -2 (Polished bronze), -5 (Ductile iron cover), etc.

"X" .....Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit [www.mifab.com](http://www.mifab.com) for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

**JOSAM - MIFAB CROSS REFERENCE**
**CLEANOUT OPTIONAL VARIATIONS CONT**

JOSAM	MIFAB
-19 ..... Plug tap. for center scr. (pg. 319, 320).	"X"
-20 ..... Raised head br. plug (pg. 319, 320).	-34B
-22 ..... Taper thread br. plug (pg. 319, 320).	-34B
-24 ..... Spanner wrench (pg. 319, 320).	H-1042
-26 ..... Gasketed cover (pg. 319, 320).	Std
-31 ..... All galvanized (pg. 319, 320).	-13
-41 ..... Membrane clamp (pg. 319, 320).	-C and flange
-E ..... Extension (pg. 319, 320).	-15
-F ..... Anchor flange (pg. 319, 320).	Std
-WF ..... Wide flange (pg. 319, 320).	Std
-X ..... Inside caulk outlet (pg. 319, 320).	X
-Y ..... Push on outlet (pg. 319, 320).	P
-Z ..... No hub outlet (pg. 319, 320).	Std

**INTERCEPTORS**

JOSAM	MIFAB
60000A ..... (pg. 190)	MI-G-SDH
60010A ..... (pg. 190)	MI-G-L-SDH
60030A ..... (pg. 190)	MI-G-SDH w/ MI-CSD
60040A ..... (pg. 190)	MI-G-SDH w/ MI-CSD-EN
60100A ..... (pg. 187)	MI-G
60100A-EGLD ..... (pg. 201)	MI-E-G
60100A ..... (pg. 187)	MI-G-E
60100-50A ..... (pg. 190)	MI-G-SDH
60110A ..... (pg. 187)	MI-G-L
60110-50A ..... (pg. 190)	MI-G-L-SDH
60120A ..... (pg. 187)	MI-G-C
60130A ..... (pg. 187)	MI-G w/ MI-CS
60130-50A ..... (pg. 190)	MI-G-SDH w/ MI-CSD
60140A ..... (pg. 187)	MI-G w/ MI-CS-EN
60140-50A ..... (pg. 190)	MI-G-SDH w/ MI-CSD-EN
60200A ..... (pg. 188)	XL-MI-G-C
60210A ..... (pg. 188)	XL-MI-G
60210A-EGLD ..... (pg. 188)	XL-MI-E-G
60100A ..... (pg. 188)	XL-MI-E-G
60300 ..... (pg. 200)	MI-G-AD
60500A ..... (pg. 192)	MI-O
60520A ..... (pg. 192)	MI-O-C
60600A ..... (pg. 192)	MI-O-C
60610A ..... (pg. 192)	MI-O
61000 ..... (pg. 194)	MI-HAIR
61020 ..... (pg. 194)	MI-SOLID-LB
61030 ..... (pg. 194)	MI-SOLID-S
61040 ..... (pg. 194)	MI-SOLID-L
61070 ..... (pg. 194)	"X"
61080 ..... (pg. 194)	"X"
61800 ..... (pg. 198)	MI-LINT
61850 ..... (pg. 194)	MI-OS
GI 2000 ..... (pg. 200)	MI-G-AD

**INTERCEPTOR OPTIONAL VARIATIONS**

JOSAM	MIFAB
-4 ..... All galvanized (pg. 319, 320).	-13
-15 ..... Stainless steel basket (pg. 319, 320).	-SSB
-30 ..... ARE coating, inside/out. (pg. 319, 320).	"X"
-31 ..... ARE coating, inside (pg. 319, 320).	"X"
-32 ..... ARE coating, outside (pg. 319, 320).	"X"
-40 ..... Cover recessed for tile (pg. 319, 320).	-TL
-41 ..... Extension (pg. 319, 320).	-C
-61 ..... Anchor flange and (pg. 319, 320).	-FLC membrane clamp
-62 ..... 4" inlet and outlet (pg. 319, 320).	"X"
-65 ..... Hub inlet, spigot outlet, 2" (pg. 319, 320).	"X"
-66 ..... Hub inlet, spigot outlet, 3" (pg. 319, 320).	"X"
-67 ..... Hub inlet, spigot outlet, 4" (pg. 319, 320).	"X"
-68 ..... 3" inlet and outlet (pg. 319, 320).	"X"
-80 ..... Sediment bucket (pg. 319, 320).	-SB
-85 ..... Enzymatic port (pg. 319, 320).	"X"

**BACKWATER VALVES**

JOSAM	MIFAB
67100A ..... (pg. 258)	BV1260
67350 ..... (pg. 260)	BV1300
67360 ..... (pg. 260)	BV1300
67400 ..... (pg. 257)	BV1000
67500 ..... (pg. 257)	BV1000
67520 ..... (pg. 257)	BV1000
67600 ..... (pg. 257)	BV1000
67650 ..... (pg. 258)	BV1210
67720 ..... (pg. 259)	BV1280
67800 ..... (pg. 259)	BV1280

**BACKWATER VALVE OPTIONAL VARIATIONS**

JOSAM	MIFAB
-5 ..... All galvanized (pg. 319, 320).	-13
-28 .. 12" CI extension (pg. 319, 320).	"X"
-29 .. 24" CI extension (pg. 319, 320).	"X"

**HYDRANTS**

JOSAM	MIFAB
71000 ..... (pg. 247)	MHY-26
71020 ..... (pg. 248)	MHY-35
71050 ..... (pg. 247)	MHY-10
71070 ..... (pg. 248)	MHY-30
71600 ..... (pg. 253)	MHY-60
71650 ..... (pg. 249)	MHY-45

**HYDRANT OPTIONAL VARIATIONS**

JOSAM	MIFAB
-72 ..... Wall clamp (pg. 319, 320).	-WC
-73 ..... Solder inlet (pg. 319, 320).	Std
-91 ..... 1" thr. Outlet (pg. 319, 320).	-0
-95 ..... Cylinder key lock (pg. 319, 320).	-K
-97 ..... 1/8" drain hole (pg. 319, 320).	-9 tapped in box

**WATER HAMMER ARRESTORS**

JOSAM	MIFAB
75000 ..... (pg. 274)	WHB
75001 ..... (pg. 274)	WHB-A
75002 ..... (pg. 274)	WHB-B
75003 ..... (pg. 274)	WHB-C
75004 ..... (pg. 274)	WHB-D
75005 ..... (pg. 274)	WHB-E
75006 ..... (pg. 274)	WHB-F
75007 ..... (pg. 275)	WHS
75000-S ..... (pg. 274)	MWH
75001-S ..... (pg. 274)	MWH-A
75002-S ..... (pg. 274)	MWH-B
75003-S ..... (pg. 274)	MWH-C
75004-S ..... (pg. 274)	MWH-D
75005-S ..... (pg. 274)	MWH-E
75006-S ..... (pg. 274)	MWH-F

**TRENCH DRAINS**

JOSAM	MIFAB
76000 ..... (pg. 82)	T1320-FL-4
76010 ..... (pg. 82)	T1350-FL-4
76300 ..... (pg. 81)	T1200-4
76400 ..... (pg. 81)	T1200-F-4
76500 ..... (pg. 81)	T1200-4
76501 ..... (pg. 81)	T1200-F-4
76700 ..... (pg. 81)	T1200
76701 ..... (pg. 81)	T1200-F-4
76800 ..... (pg. 81)	T1200-F2-4

**TRENCH DRAIN OPTIONAL VARIATIONS**

JOSAM	MIFAB
-1 ..... NB veneer (pg. 319, 320).	-1
-2 ..... PB veneer (pg. 319, 320).	-1
-7 ..... DI grate (pg. 319, 320).	-4
-20 ..... Vandal proof (pg. 319, 320).	-6
-30 ..... Anchor flange (pg. 319, 320).	-FLC and membrane clamp
-40 ..... All galvanized (pg. 319, 320).	-13
-65 ..... Backwater valve (pg. 319, 320).	-8
-70 ..... Sediment bucket (pg. 319, 320).	-5
-X ..... Inside caulk outlet (pg. 319, 320).	X

**TRAP SEAL PRIMERS AND SPECIALITIES**

JOSAM	MIFAB
85220 ..... (pg. 143)	R1320
85800 ..... (pg. 75)	F1760-FL
85810 ..... (pg. 75)	F1760-FL
88100 ..... (pg. 261)	MI-950
88210 ..... (pg. 261)	MI-950-F
88230 ..... (pg. 260)	TS1000
88250 ..... (pg. 268)	MI-TSP-2
88250-90 ..... (pg. 268)	MI-TSP-1
88250-91 ..... (pg. 268)	MI-TSP-3
88350 ..... (pg. 263)	MI-850
88550 ..... (pg. 263)	"X"
88560 ..... (pg. 263)	MI-830
88600 ..... (pg. 263)	MI-830
88900 ..... (pg. 262)	MI-CAG-NH
88910 ..... (pg. 262)	MI-CAG-T
88950 ..... (pg. 262)	MI-GRILL
88970 ..... (pg. 262)	MI-GRILL

**Note:** This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the Josam catalog number referred to. Due to the simplified modular design of MIFAB products, this index indicates the product which is closest in design, based on function: eg. Free Area, Loading Rating, Depth, Material etc.

"X" ..... Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit [www.mifab.com](http://www.mifab.com) for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.