


# IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • [www.iapmort.org](http://www.iapmort.org)



## CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at [pld.iapmo.org](http://pld.iapmo.org)

Effective Date: May 2018 Void After: May 2019

Product: Siphonic Roof Drains File No. 6009

Issued To: MIFAB, Inc.  
1321 WEST 119TH STREET  
CHICAGO, IL 60643

Identification: Each siphonic roof drain shall be permanently marked at the dome, bodies, and baffle plates with the manufacturers name or trademark. The baffle plate and drain body shall also be marked with the baffle plate model number, resistance value, K, and the words, "REPLACE MISSING BAFFLE WITH MODEL\_\_\_." The marking shall be located at a location visible after installation. The product shall also bear the UPC® certification mark.

Characteristics: The roof drains in this listing are designed, manufactured, and installed in piping systems that are intended to operate under depressurized siphonic conditions created by the connected piping system. To be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

Products are in compliance with the following standard(s):

ASME A112.6.9-2005 (R2015)

### MODELS:

#### Model No.

MH-200  
MH-205-G  
MH-300  
MH-301  
MH-305-G  
MH-400  
MH-401  
MH-500  
MH-500-28  
MH-501  
MH-501-28

MH-505-G  
MH-505-G-OF  
MH-600  
MH-601  
R1200-R-SR  
R1200-SR  
R1270-SR  
50PDSS036  
75PDSS037