

Location: _____



CESHW

WIDEBODY HEAVY LOAD SERIES

- CESHW Heavy Duty Series
- Built for high load-bearing applications
- Supports piping, cable tray, conduit, and HVAC equipment
- Suitable for most types of roofing materials and flat surfaces
- Versatile for a wide range of applications
- Strut is available in corrosion-resistant galvanized steel, stainless steel, or aluminum

**LIMITED
LIFETIME WARRANTY**


**MAY QUALIFY FOR
L.E.E.D CREDITS**

**RECOMMENDED SPACING:
REFER TO LOCAL CODE**

Function: The CESHW Series can support gas and refrigeration piping systems, cable tray, electrical conduit, multiple lines, HVAC equipment and many other applications. It is designed for rooftop applications requiring a heavier load bearing, and is suitable for most types of roofing material or other flat surfaces.



CONSULT WITH A ROOFING CONSULTANT
FOR ALLOWABLE LOADS.



Strut Clamps sold separately.

SCAN FOR V-SPEC
VIDEO SPECIFICATION




MATERIALS

BASE (C-PORT CXW12):
100% RECYCLED RUBBER, UV RESISTANT

STRUT:
14-GAUGE GALVANIZED STEEL STRUT (13/16" HIGH)

CROSSBEAM & VERTICAL STRUT:
12-GAUGE GALVANIZED STEEL STRUT
(1 5/8" WIDE X 3 1/4" HIGH) - CROSSBEAM
(1 5/8" WIDE X 1 5/8" HIGH) - VERTICAL STRUT



MODEL NO.	HEIGHT (H)	CROSSBEAM WIDTH	BASE LENGTH	WEIGHT	MAX. UNIFORM LOAD
CESHW-1624	16" (406 mm)	24" (610 mm)	12" (305 mm)	38.4 lbs.	2800 lbs.
CESHW-1636	16" (406 mm)	36" (914 mm)	12" (305 mm)	42.2 lbs.	2800 lbs.

Channel also available in corrosion resistant stainless steel or aluminum.

Note: All measurements may vary by +/- 3%

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Job Name: _____

Page No: _____

Section No: _____

Contractor: _____

Schedule No: _____

Purchase Order No: _____