

Location: _____



CE

EXTENSION SERIES

- CE Channel Support Series
- Adjustable height from 5" to 16"
- Ideal for sloped pipe installations
- Supports gas/refrigeration piping, conduit, and more
- Compatible with various clamps and straps (not included)
- Strut is available in corrosion-resistant galvanized steel, stainless steel, or aluminum

**LIMITED
LIFETIME WARRANTY**

**MAY QUALIFY FOR
L.E.E.D CREDITS**

Function: The CE Series is designed for extended support of gas and refrigeration piping systems, cable tray, electrical conduit, multiple lines, HVAC equipment and many other applications. It is suitable for most types of roofing material or other flat surfaces.

**RECOMMENDED SPACING:
REFER TO LOCAL CODE**

Installation Instructions: The rubber bases can be directly placed on the roof surface. Adjust the crossbeam by loosening the nuts and adjust the strut to desired height and re-tighten nuts. Space the bases according to local plumbing/gas code.





CONSULT WITH A ROOFING CONSULTANT
FOR ALLOWABLE LOADS.

A wide range of pipe clamps and straps can be used with this support.



U.S. Patent No. 7,866,093



Strut clamps sold separately.

CE10-8


MATERIALS

BASE (C-PORT CXP):
100% RECYCLED RUBBER
UV RESISTANT

STRUT:
14-GAUGE GALVANIZED
STEEL STRUT
(13/16" HIGH)

ROD:
TWO 1/2"-13
ZINC-PLATED
ALL-THREADED
ROD RISERS

Note: All measurements may vary by +/- 3%



MODEL NO.	HEIGHT (H)	WIDTH (W)	LENGTH (L)	WEIGHT	MAX. LOAD
CE10-8	8" (203 mm)	6" (152 mm)	9.5" (241 mm)	6.6 lbs.	400 lbs.
CE10-12	12" (305 mm)	6" (152 mm)	9.5" (241 mm)	7.1 lbs.	400 lbs.
CE10-16	16" (406 mm)	6" (152 mm)	9.5" (241 mm)	7.5 lbs.	400 lbs.

Channel also available in corrosion resistant stainless steel or aluminum.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Job Name: _____

Page No: _____

Section No: _____

Contractor: _____

Schedule No: _____

Purchase Order No: _____