

\*NOTE  
85 db e 10 SOLID TONE  
ALARM HORN INSIDE BOX.

FOR USE WITH 120 VAC  
WEATHERPROOF  
RATED NEMA 4/4X


ALARM LIGHT  
RED LEXAN SHIELD  
360° VIEWABLE

REMOVE LABEL ON LID,  
REPLACE WITH MIFAB'S LABEL

THERMOPLASTIC  
JUNCTION BOX  
W/ FOUR (4) MOUNTING HOLES

Ø .225 MOUNTING  
HOLES (4 PLCS)

ATTACHED 6' POWER CORD 120 VAC  
CONNECT TO A GFI OUTLET.



CONNECT HIGH LVL. ALARM SWITCH TO THESE PORTS.  
(IF YOU HAVE A BUILDING MANAGE MANAGEMENT  
SYSTEM USE THESE PORTS AS WELL.)

4.225

\*NOTE  
CONTROL BOX SHALL BE  
MOUNTED TO THE NEAREST WALL  
OR PERMANENT STRUCTURE.



TITLE:  
HIGH LEVEL ALARM SYSTEM

SIZE DWG. NO. REV  
C HIGH LEVEL ALARM SYSTEM

SCALE: 1:1 WEIGHT: SHEET 1 OF 1

LASER/SHEAR:	UNLESS OTHERWISE SPECIFIED:	NAME	DATE
BRAKE PRESS:	DIMENSIONS ARE IN INCHES	DRAWN	JH 05/28/13
WELDED BY:	TOLERANCES:	CHECKED	XX
CLEAN/PAINT:	FRACTIONAL ±1/16	ENG APPR.	
COMPLETED BY:	ANGULAR: MACH ±1° BEND ±1°	MFG APPR.	
REVIEWED BY:	TWO PLACE DECIMAL ±.015	Q.A.	
NEXT ASSY	THREE PLACE DECIMAL ±.010	QUANTITY:	
USED ON	TYPICAL DRAFT ANGLE 2°	SEE-BOM	
APPLICATION	MATERIAL DESCRIPTION SEE-BOM	FINISH PART#	XX
	DO NOT SCALE DRAWING		

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
MIFAB, INC. ANY REPRODUCTION IN  
PART OR AS A WHOLE WITHOUT THE  
WRITTEN PERMISSION OF MIFAB, INC. IS  
PROHIBITED.