

Location: _____



MHY-55

MODERATE CLIMATE ENCASED WALL HYDRANT

Specification: MIFAB® Series MHY-55 self draining, low lead, moderate climate narrow wall hydrant with A.S.S.E. 1011 certified antisiphon vandal resistant vacuum breaker. Operating key furnished with each hydrant.

Function: Designed for commercial applications in moderate climate areas to fit within a 4" (102) wall.

The wetted surface contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.

MODEL NO.	DESCRIPTION	WEIGHT		WALL THICKNESS		OVER LENGTH		SWIVEL INLET CONNECTION
		Lbs.	Kgs.	IN	MM	IN	MM	IN
MHY-55	4 3/4" Overall Depth	6.50	2.95	3 1/2"	114	3 15/16	100	1" MALE THREADED X 3/4" SWT.

FEATURES:

- **INTERNAL COMPONENTS** - hardened bronze operating stem and one piece neoprene plunger.
- **VACUUM BREAKER** - unique self draining vandal resistant integral vacuum breaker protects from anti-siphon conditions.
- **FACE PLATE** - polished chrome plated.
- **WATER SUPPLY CONNECTION** - swivel 360° to any position.
- **APPROVALS** - MHY-55 wall hydrant is listed with I.A.P.M.O. and manufactured with an anti-siphon vacuum breaker that is tested and certified to the A.S.S.E. Standard 1011.

SUFFIX	OPTIONAL VARIATIONS
-0	1" Hose Connection (HY-HC1)
-1	Cast Nickel Bronze Box (HY-1500-1)
-3	Cast Type 304 Stainless steel box (HY-1500-3)
-49	Cast Chrome Plated box (HY-1500-49)
-S	1" x 1/4" Slots in box (2 on top & bottom), 2 on sides) Includes 3 mounting brackets (HY-PC)
-K	Cylinder key lock (RETRO-C)
MHY-CIA-30/50	Hydrant Repair Kit
-RB	Fabricated stainless steel hydrant box with round back for tilt up construction (MHY-3-RB-5 7/8" round back with 2" x 3.81" rectangular opening to receive hydrant)
-WC	Wall Clamp (HY-H01)

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Job Name: _____	Page No: _____
Section No: _____	Contractor: _____
Schedule No: _____	Purchase Order No: _____