

|        |   |
|--------|---|
| MI-200 | <b>ELECTRONIC TRAP SEAL PRIMER WITH AIR GAP</b> |
|--------|---|

| MI-200            |                                     |                                   |              |
|-------------------|-------------------------------------|-----------------------------------|--------------|
| MODEL NUMBER      | DESCRIPTION                         | LIST PRICE                        | SHIPPING WT. |
| MI-200-500-24VDC  | connections for 1/2" piping, 24VDC  | <b>See current TSP price book</b> | 4 lbs.       |
| MI-200-625-24VDC  | connections for 5/8" piping, 24VDC  |                                   | 4 lbs.       |
| MI-200-500-120VAC | connections for 1/2" piping, 120VAC |                                   | 4 lbs.       |
| MI-200-625-120VAC | connections for 5/8" piping, 120VAC |                                   | 4 lbs.       |
| MI-200-500-220VAC | connections for 1/2" piping, 220VAC |                                   | 4 lbs.       |
| MI-200-625-220VAC | connections for 1/2" piping, 220VAC |                                   | 4 lbs.       |

| MI-100, MI-200, MI-300, MI-350 OPTIONAL VARIATIONS |   |  |                   |                              |                      |
|--|---|--|-------------------|------------------------------|----------------------|
| SUFFIX   | DESCRIPTION   | MI-100, MI-100-DR LIST PRICE                   | MI-200 LIST PRICE | MI-300, MI-300-DU LIST PRICE | MI-300-BP LIST PRICE |
| -3P  | 120VAC 3 Prong plug   | See current TSP price book.                    |                   |                              |                      |
| -A   | Allen key lock for access door (door is separate)   | See current TSP price book.                    |                   |                              |                      |
| -AD  | Cabinet Cover (bolted to cabinet frame and non hinged) (16 gauge powder epoxy coated steel (white)) | 1-10 Outlets<br>11-20 Outlets<br>21-30 Outlets | See current       | See current                  | See current          |

|               |  | 1-10 Outlets<br>11-20 Outlets<br>21-30 Outlets | See current TSP price book | TSP price book.             | TSP price book.            | TSP price book.            |
|---------------|--|--|----------------------------|-----------------------------|----------------------------|----------------------------|
| <b>-ADSS</b>  | Stainless Steel (Type 304) Cabinet Cover (bolted to cabinet frame and non hinged) (16 gauge fabricated stainless steel (Type 304)) |  |                            |                             |                            |                            |
| <b>-BA</b>    | Buy American Act compliant product   | P.O.A.   |                            | P.O.A.                      | P.O.A.                     | P.O.A.                     |
| <b>-BP</b>    | Battery Pack   | N/A  |                            | No Add                      | No Add                     | Included                   |
| <b>-C</b>     | Cylinder key lock for access door (door is separate)   | See current TSP price book.                    |                            |                             |                            |                            |
| <b>-DW</b>    | Drywall bead frame for access door (5" cabinet depth) (door is separate)   | P.O.A.   |                            | See current TSP price book  | See current TSP price book | See current TSP price book |
| <b>-ENC</b>   | Steel Cabinet to enclose MI-200 / MI-300 (16 gauge powder epoxy coated steel (white) cabinet)                                      | N/A  |                            | See current TSP price book. |                            |                            |
| <b>-ENCSS</b> | Stainless Steel (Type 304) Cabinet to enclose MI-200 / MI-300 (16 gauge fabricated stainless steel (Type 304))                     | N/A  |                            |                             |                            |                            |
| <b>-MFRU</b>  | Uninsulated fire rated access door, flush mount (6" minimum overall depth) (door is separate)                                      | (See Access Door Price Book for List Prices)   |                            |                             |                            |                            |
| <b>-PL</b>    | Paddle latch for access door (door is separate)  | See current TSP price book                     |                            | See current TSP price book  | See current TSP price book | See current TSP price book |
| <b>-SS</b>    | Stainless Steel (Type 304) Cabinet (16 gauge fabricated stainless steel (Type 304)) ((MI-100, MI-100-DR))                          | 1-10 Outlets<br>11-20 Outlets<br>21-30 Outlets | See current TSP price book | N/A                         | N/A                        | N/A                        |
| <b>-UA</b>    | Access door, prime coated (5" minimum overall depth)   | (See Access Door Price Book for List Prices)   |                            |                             |                            |                            |
| <b>-UASS</b>  | Access door, stainless steel (5" minimum overall depth)  | (See Access Door Price Book for List Prices)   |                            |                             |                            |                            |
| <b>-24VAC</b> | 24VAC  | No Add   |                            | No Add                      | No Add                     | No Add                     |
| <b>-24VDC</b> | 24VDC  | No Add   |                            | No Add                      | No Add                     | No Add                     |
| <b>-75WS</b>  | 3/4" water supply connection   | Standard                                       |                            | See current TSP price book. |                            |                            |

**MIFAB®****MPB-2024-USA**

|                |                                   |               |               |               |               |
|----------------|-----------------------------------|---------------|---------------|---------------|---------------|
| <b>-120VAC</b> | 120VAC                            | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> |
| <b>-220VAC</b> | 220VAC                            | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> |
| <b>-500</b>    | 1/2" compression connection ports | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> |
| <b>-625</b>    | 5/8" compression connection ports | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> | <b>No Add</b> |