

T1500-3 Stainless Steel Integral Rails												
Body Part Number				Invert Body Depth		Overall Body Depth		Maximum Flow			Weight (Less	
Stainless Steel Integral Rails	List Price, Each, Add (1 Meter long) Each, Add	Body type	Slope	E1 (Min.)	E2 (Max.)	E1 (Min.)	E2 (Max.)	GPM*	LPS*	CFS*	Lbs.	kg.
T1500N-3	\$310.00	Neutral	0%	4.72"	4.72"	5.31"	5.31"	47.60	3	0.11	28.66	13.00
T1501-3	\$310.00	Sloped	.5%	4.72"	4.92"	5.31"	5.51"	47.60	3	0.11	29.54	13.40
T1502-3	\$310.00	Sloped	.5%	4.92"	5.12"	5.51"	5.71"	47.60	3	0.11	31.08	14.10
T1503-3	\$310.00	Sloped	.5%	5.12"	5.31"	5.71"	5.91"	47.60	3	0.11	32.63	14.80
T1504-3	\$310.00	Sloped	.5%	5.31"	5.51"	5.91"	6.10"	47.60	3	0.11	32.95	15.40
T1505-3	\$310.00	Sloped	.5%	5.51"	5.71"	6.10"	6.30"	47.60	3	0.11	35.05	15.90
T1505N-3	\$310.00	Neutral	0%	5.71"	5.71"	6.30"	6.30"	47.60	3	0.11	35.49	16.10
T1506-3	\$310.00	Sloped	.5%	5.71"	5.91"	6.30"	6.50"	47.60	3	0.11	36.16	16.40
T1507-3	\$310.00	Sloped	.5%	5.91"	6.10"	6.50"	6.69"	47.60	3	0.11	37.04	16.80
T1508-3	\$310.00	Sloped	.5%	6.10"	6.30"	6.69"	6.89"	47.60	3	0.11	38.36	17.40
T1509-3	\$310.00	Sloped	.5%	6.30"	6.50"	6.89"	7.09"	47.60	3	0.11	39.68	18.00
T1510-3	\$310.00	Sloped	.5%	6.50"	6.69"	7.09"	7.28"	47.60	3	0.11	40.79	18.50
T1510N-3	\$310.00	Neutral	0%	6.69"	6.69"	7.28"	7.28"	95.10	6	0.21	41.23	18.70
T1511-3	\$310.00	Sloped	.5%	6.69"	6.89"	7.68"	7.87"	95.10	6	0.21	45.30	20.60
T1512-3	\$310.00	Sloped	.5%	6.89"	7.09"	7.87"	8.07"	95.10	6	0.21	46.08	20.90
T1513-3	\$310.00	Sloped	.5%	7.09"	7.28"	8.07"	8.27"	95.10	6	0.21	46.96	21.30
T1514-3	\$310.00	Sloped	.5%	7.28"	7.48"	8.27"	8.46"	95.10	6	0.21	50.49	22.90
T1515-3	\$310.00	Sloped	.5%	7.48"	7.68"	8.46"	8.66"	95.10	6	0.21	50.93	23.10
T1516-3	\$310.00	Sloped	0.005	7.68"	7.87"	8.66"	8.86"	95.1	6	0.21	52.47	23.8
T1517-3	\$310.00	Sloped	0.005	7.87"	8.07"	8.86"	9.05"	95.1	6	0.21	53.13	24.1
T1518-3	\$310.00	Sloped	0.005	8.07"	8.27"	9.05"	9.25"	95.1	6	0.21	59.3	26.9
T1519-3	\$310.00	Sloped	0.005	8.27"	8.46"	9.25"	9.45"	95.1	6	0.21	61.73	28
T1520-3	\$310.00	Sloped	0.005	8.46"	8.66"	9.45"	9.65"	95.1	6	0.21	61.07	27.7
T1520N-3	\$310.00	Neutral	0	8.66"	8.66"	9.65"	9.65"	152.2	9.6	0.34	69.9	31.7

Note: The maximum flow rate represents the maximum flow in the trench itself.
The number and size of the outlets will determine the maximum flow rate of the trench system.

1500-3"	1500-3" - SYSTEM PRICING	
Model No.	Description	\$ / per foot
T1500-3 - 4" internal width - \$ / foot List Prices (channel and stainless steel edge rails with grate and fiX grate locking clips)		
FSSA	Class A stainless steel slotted steel grate	\$163.11
WW	Class B stainless steel wedgewire grate	\$342.99
FSSC	Class C stainless steel slotted steel grate	\$252.29
FSPC	Class C stainless steel perforated steel grate	\$308.31
PGC	Class C plastic perforated honeycomb grate	\$160.98
FMSC	Class C stainless steel mesh grate	\$295.73
SSL	Class C stainless steel Paverslot grate	\$275.30
ADA	Class C ductile iron longitudinal bar grate	\$147.10
KIA	Class D ductile iron, KIA pattern grate	\$167.68
VIA	Class D ductile iron, VIA pattern grate	\$167.68
WVY	Class D ductile iron, WAVE pattern grate	\$167.68
VILLE	Class E ductile iron VILLE ADA grate	\$195.12
-4	Class E ductile iron slotted grate	\$158.54
-4-13	Class E ductile iron, galvanized slotted grate	\$231.71

T1500 - 4" Internal body width					
Model Number	Description	Material	Weight		List Price, Each, Add
			LBS	Kg.	
T1500-CB620	Inline catch basin for T1500 bodies with galvanized steel rails and 6" outlet seal to receive 6" PVC or cast iron pipe, complete with plastic sediment bucket.	FILCOTEN HPC	71.42	32.4	\$415.00
T1500-3-CB620	Inline catch basin for T1500 bodies with stainless steel rails and 6" outlet seal to receive 6" PVC or cast iron pipe, complete with plastic sediment bucket.	FILCOTEN HPC	71.42	32.4	\$739.00
T1500-CB620-SB	Plastic sediment bucket for catch basin (included with every catch basin)	plastic	0.44	0.2	\$64.00
T1500-PBO2	2" No Hub Bottom Outlet	plastic	0.44	0.2	\$49.00
T1500-PBO3	3" No Hub Bottom Outlet	plastic	0.44	0.2	\$49.00
T1500-PBO4	4" No Hub Bottom Outlet	plastic	0.44	0.2	\$49.00
T1500-PEO4	4" No Hub End inlet / outlet and combination front / end cap	plastic	0.44	0.2	\$49.00
T1500-PGLVP	Vandal proof grate lockdown* (Not for perforated grates) (1 piece)	stainless steel	0.22	0.1	\$41.00
T1500-REB	Installation Device	galvanized steel	0.22	0.1	\$35.00
T1500-PBDS	Bottom Dome Strainer	plastic	0.20	0.1	\$49.00
T1500-ST	Step Connector (to connect the T1500 neutral bodies)	galvanized steel	0.22	0.1	\$42.00
T1500-CUT	Cutting / per cut - (includes body and grate)	-	-	-	\$400.00
Tees	Fabricated tee (available in T1500N-TEE, T1505N-TEE, T1510N-TEE models) (includes grate)	-	-	-	\$500.00 (\$688.00 for the -3 (S.S.) bodies)
45°	45° body section (includes grate)	-	-	-	\$500.00 (\$688.00 for the -3 (S.S.) bodies)
90°	90° body section (includes grate)	-	-	-	\$500.00 (\$688.00 for the -3 (S.S.) bodies)

*GPM = Gallons per Minute

*LPS = Litres per Second

*CFS=Cubic Feet per Second

Accessory details including additional images on page 22