

SM-MI-G-PL-500 SUPERMAX® GREASE INTERCEPTOR - 500 GALLONS LIQUID HOLDING CAPACITY

GREASE INTERCEPTOR													
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE
SM-MI-G-PL-500	500 U.S. Gallons 1,890 Litres	250 (Note: the flow rate is 100 GPM for the PDI model)	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	26.25" 667m m	24.25" 616mm	45" 1143m m	61.50" 1562mm	4" 102mm	950	\$ 17,500.00

SM-MI-G-PL-750 SUPERMAX® GREASE INTERCEPTOR - 750 GALLONS LIQUID HOLDING CAPACITY

GREASE INTERCEPTOR													
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE
SM-MI-G-PL-750	750 U.S. Gallons 2,840 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	34.88" 886m m	32.88" 835mm	53.63" 1362m m	70.13" 1781mm	4" 102mm	1,015	\$ 18,900.00

SM-MI-G-PL-1000 SUPERMAX® GREASE INTERCEPTOR - 1000 GALLONS LIQUID HOLDING CAPACITY

GREASE INTERCEPTOR													
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE
SM-MI-G-PL-1000	1000 U.S. Gallons 3,790 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	45.25" 1149m m	43.25" 1099m m	64" 1626m m	61.50" 1562mm	4" 102mm	1,075	\$ 23,000.00

SM-MI-G-PL-1300

SUPERMAX® GREASE INTERCEPTOR - 1300 GALLONS LIQUID HOLDING CAPACITY

GREASE INTERCEPTOR													
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE
SM-MI-G-PL-1300	1300 U.S. Gallons 4,921 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	56.25" 1429m m	54.25" 1378m m	75" 1905m m	91.50" 2324mm	4" 102mm	1,150	\$ 26,000.00

SM-MI-G-PL-1500

SUPERMAX® GREASE INTERCEPTOR - 1500 GALLONS LIQUID HOLDING CAPACITY

GREASE INTERCEPTOR													
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE
SM-MI-G-PL-1500	1500 U.S. Gallons 5,680 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	64" 1626m m	62" 1575m m	82.75" 2102m m	99.25" 2521mm	4" 102mm	1,250	\$ 28,000.00

SM-MI-O-PL-500

SUPERMAX® OIL INTERCEPTOR - 500 GALLONS LIQUID HOLDING CAPACITY

OIL INTERCEPTOR														
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE (Oil Interceptor)	LIST PRICE (Holding Tank)
SM-MI-O-PL-500	500 U.S. Gallons 1,890 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	26.25" 667m m	24.25" 616mm	45" 1143m m	61.50" 1562mm	4" 102mm	960	\$ 22,500.00	\$ 16,875.00

SM-MI-O-PL-750

SUPERMAX® OIL INTERCEPTOR - 750 GALLONS LIQUID HOLDING CAPACITY

OIL INTERCEPTOR														
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE (Oil Interceptor)	LIST PRICE (Holding Tank)
SM-MI-O-PL-750	750 U.S. Gallons 2,840 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	34.88" 886m m	32.88" 835mm	53.63" 1362m m	70.13" 1781mm	4" 102mm	1,025	\$ 23,900.00	\$ 17,925.00

SM-MI-O-PL-1000

SUPERMAX® OIL INTERCEPTOR - 1000 GALLONS LIQUID HOLDING CAPACITY

OIL INTERCEPTOR														
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE (Oil Interceptor)	LIST PRICE (Holding Tank)
SM-MI-O-PL-1000	1000 U.S. Gallons 3,790 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	45.25" 1149m m	43.25" 1099m m	64" 1626m m	80.50" 2045mm	4" 102mm	1,085	\$ 28,000.00	\$ 21,000.00

SM-MI-O-PL-1300

SUPERMAX® OIL INTERCEPTOR - 1300 GALLONS LIQUID HOLDING CAPACITY

OIL INTERCEPTOR														
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE (Oil Interceptor)	LIST PRICE (Holding Tank)
SM-MI-O-PL-1300	1300 U.S. Gallons 4,921 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	56.25" 1429m m	54.25" 1378m m	75" 1905m m	91.50" 2324mm	4" 102mm	1,160	\$ 31,000.00	\$ 23,250.00

SM-MI-O-PL-1500

SUPERMAX® OIL INTERCEPTOR - 1500 GALLONS LIQUID HOLDING CAPACITY

OIL INTERCEPTOR														
MODEL NUMBER	LIQUID HOLDING CAPACITY	FLOW RATE (GPM)	A	WIDTH B	C ¹ Dim.	C ² Dim.	D ¹ Dim.	D ² Dim.	E ¹ Dim.	E ² Dim.	F Connection Size	Shipping Weight (lbs.)	LIST PRICE (Oil Interceptor)	LIST PRICE (Holding Tank)
SM-MI-O-PL-1500	1500 U.S. Gallons 5,680 litres	250	111" 2820m m	64" 1630mm	18.75" 476mm	37.25" 946mm	64" 1626m m	62" 1575m m	82.75" 2102m m	99.25" 2521mm	4" 102mm	1,250	\$ 33,000.00	\$ 24,750.00