

www.mifab.com



Engineered Plumbing and Drainage Products Price Guide

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA Toll Fi

Toll Free 1-800-465-2736, Fax 773-341-3049 www.mifab.com

Proudly American





TERMS AND WARRANTIES

WHOLESALE DISCOUNT:

Contact MIFAB or your local representative for your applicable discount structure.

FREIGHT ALLOWANCE: Ex Works, MIFAB'S Chicago, Illinois Distribution Center or Manufacturer Representative's warehouse with full motor freight allowed on shipments of \$5000 Net or more, within the continental U.S.A., except Alaska, Hawaii and Puerto Rico. MIFAB reserves the right to choose the carrier and route of shipment. Alaska: Ex Works, Seattle, WA. Hawaii: Freight allowed on shipments of \$5000 more only when shipped from West Coast, U.S. Puerto Rico: Ex Works, Miami, Florida. There is no allowance for United Parcel Service, Federal Express or Shipment by air service.

QUOTATION TERMS: List Price and discount protected for 45 days from bid and due date. Orders received within this period must be released for shipment within 90 days from date of purchase order, otherwise, prices will be those that are in effect at the time of shipment.

<u>PAYMENT TERMS:</u> 2% cash discount allowed to approved accounts if paid on or before the 10th of the following month. Invoices not paid 30 days after invoice date are subject to a monthly 1 1/2% service charge.

Minimum invoice amount - \$50 Net. Confirmed irrevocable letter of credit or payment in advance required for accounts without an established credit line.

RETURNED GOODS RESTOCKING CHARGE: Standard product may be returned within a one year period only with written permission of Seller. All products in catalog are not considered Standard. Standard product to be determined by Seller. Returned goods are subject to 25% restocking charge, plus cost of reconditioning, if necessary, to make material saleable. Transportation charges must be paid by buyer. Credit allowance will be in the form of merchandise credit only-not cash credit which must be used within 12 months of the date of issue. The value of a return must total \$100.00 to qualify for credit allowance. Galvanized material will be credited at value of cast iron, and chrome plated at value of nickel bronze. No credit will allowed for auxiliary tappings, discontinued, or made to order items. The letters SP following on item in the acknowledgment of a purchase order indicates that the item has been made especially for the job and is not subject to return, modification, or cancellation.

<u>LIMITED WARRANTY:</u> MIFAB warrants each product against defects in material and workmanship for a period of one year from the date of original shipment. In event of such defects within the warranty period, MIFAB will, at its option, replace or recondition the product without charge. This shall constitute the exclusive remedy for breach of warranty, and MIFAB shall not be responsible for any incidental or consequential damages including, without limitation, damages or other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemicals, or any other circumstances over which MIFAB has no control. This warranty shall be invalidated by any abuse, misuse, misapplication or improper installation of the product.

MIFAB MAKES NO OTHER WARRANTIES EXPRESSED OR IMPLIED AS PROVIDED IN THIS LIMITED WARRANTY.

<u>ILLUSTRATIONS OR TYPICAL INSTALLATIONS:</u> The typical installations for various products in each product found in each section are intended to illustrate the products and their options. Under no circumstances are they to be construed as recommended installation procedures. Consult local codes and project specifications for proper installation instructions.

NOTE: Prices and terms are subject to change without notice and supersede all previous quotations. The right is reserved to change or modify product design or construction without prior notice and without incurring any obligation to make similar changes and modifications to product previously or subsequently sold. Contact MIFAB for any clarification.

All sales subject to MIFAB's Terms and Warranties.

CONTENTS © MIFAB INC. 2012

DESIGN AND DIMENSIONS ARE SUBJECT TO MODIFICATION. PRICES DO NOT INCLUDE APPLICABLE TAXES.



ORDER OF PRODUCTS IN PRICEBOOK

www.mifab.com

Floor & Area Drains, Trench Drains	Floor Sinks	Roof Drains & Downspout Nozzles	Cleanouts & Access Covers	Grease & Oil & Solids Interceptors	Closet & Fixture Carriers	Wall & Post Hydrants	Backwater Valves	Trap Seal Primers	Water Hammer Arrestors
						TOM			
Page 32	Page 97	Page 120	Page 156	Page 187	Page 212	Page 247	Page 257	Page 268	Page 27

PRODUCT BY CATEGORY

Parts-Pages 276-291			Cross reference-Pages 292-319			
PRODUCT CATEGORY	MODEL NUMBER	PAGE	PRODUCT CATEGORY	MODEL NUMBER	PAGE	
Access Doors	UA, etc	176	Interceptors	MI-G to MI-G-RL	187-204	
Backwater Valves	BV1000 to BV1300	257-260	Miscellaneous Products	TS-1000 to MI-750	260-263, 271	
Cleanouts & Access Covers	C1000-R to UA	156-176	No Hub Couplings	MI-HUB, MI-XHUB	107	
Fixture Carriers	MC-10 to MC-70	212-239	Parts	All Products	276-291	
Floor and Area Drains	F1000 to F1890	32-78	Roof Drains	R1100 to R1960	120-152	
Floor Sinks	FS1520 to FS1940-FL	97-106	Trap Seal Primers	MR-500, etc	268-271	
Hydrants	MHY-10 to MHY-95	247-256	Trench Drains	T1000 to T2000	81-92	
,			Water Hammer Arrestors	MWH to WHS	274, 275	

OTHER MANUFACTURERS TO MIFAB PRODUCT CROSS REFERENCE292-319

ALPHABETICAL PRODUCT LISTING BY FUNCTION / APPLICATION

Access Covers, floor	165
Wall	166-173, 176
Access Doors	176
Access Housing	166
Adapters	263
AdaptersAir Gap Fitting, Cast Iron and c	opper 262
Backwater Valves	257-260
Carriers, Closet	212-237
Auxiliary Inlet	215, 216
Extension	
Long Barrel	
Prison Fixture	225
Residential	224
Vertical, Adj	218-221
Vertical, Fixed	
Cooler	226,228
Lavatory	227-236
Residential, Closet	224
Sink	
Urinal	226, 227
Cleanouts, Carpet Marker	157
Covers	165,166
Deck	
Deep Seal Trap	175
Ferrule	163
Floor	
Isolation Floor	162
Line	167-171
Stack	172, 173
Tile and Terrazzo	
Urinal	
Utility	
Wall [*]	167-173
Cross Reference Guides	292-319
Josam to MIFAB	292-295
JR Smith to MIFAB	296-301
Wade to MIFAB	301-303
Watts to MIFAB	
Zurn to MIFAB	
Deep Seal Traps,	261
Downspout Boots	146-147
Downspout Nozzles	
Drains, Area	52-73

Balcony Blood	73 7, 276, 277 7, 279, 280
Elbow Adapter	
Expansion Joints	
Fresh Air Inlet	
Hydrants, Boxes	
Ground	253

	MI-HUB	1	
Тако Сарр		_	
Water Suppl	v Control Box	. 214,	74
vvater Hamr	ner Arrestors, ton, Extra Large	274	27F
	el, Indirect Waste		/5
Vent Cap, R	oof		149
Vandal Proo	f Screwdrivers		280
Universal M	embrane Clamp		148
Tailpiece.			271
Electronic	S		269
Continuo	us Flow, Pressure Drop		268
Trap Seal Pi		0	Z-44
	eel Floor Drains		
Stainless St	eel Cleanouts	97. 156	164
Masta Drain	or Area and Indirect s (Floor Sinks)	9/-	100
Replacemer	nt Grates and Covers	.280,	286
Parts and Ad	ccessories	276	-291
Parapet Scu	pper Sleeve		.147
No Hub Cou	plings		.107
	1		
Oil w/inte	gral hold. Tank	193,	203
Oil	192-194, 197	, 202,	203
Lint			198
Heliport F	uel		197
Fish Scal	e, Oil, Solids192-	195. 1	98
Grease	187-190	200	201
	······································		
	xtensionsrouds		
Root	, Automatic Recovery		254
Non Free	ze247	, 249,	253
Narrow V	Vall247		250
Moderate	Climate	. 248,	250
Hot and 0	Cold		249

MR-500 (TRAP SEAL PRIMER)

(see page 268)



CL-LAUNDRY (WATER HAMMER ARRESTOR)



UA (ACCESS DOORS)

(see page 176)



(NO HUB COUPLINGS)

(see page 107)



MIFAB's pressure drop activated Trap Seal Primers, Access Doors, No Hub Couplings and residential Water Hammer Arrestors are priced in the CLPB-2012 Price Guide.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







BV BV BV BV⁻



MIFAB MODEL NUMBER INDEX

BACKWATER VALVES		
MODEL	PAGE	
BV1000	pg. 257	
BV1200-R	pg. 257	
BV1210		
BV1250		
BV1260	pg. 258	
BV1280		
D) (4.000		

CLEANOUTS				
	F3:			
1300	pg. 260			
	pg. 259			
	pg. 259			
	pg. 258			
1250	pg. 258			
1210	pg. 258			
	pg. 201			

DEEP SEAL TRAPS

MI-940	pg.	261
MI-950	pg.	261
MI-950-F	pg.	261
TS1000	pg.	260

FIXTURE CARRIERS

pg. 212
pg. 212
pg. 213
pg. 214
pg. 215
pg. 216
pg. 218
pg. 219
pg. 220

MC-13-HS pg. 221	
MC-14pg. 222	
MC-15 pg. 223	
MC-21 pg. 224	
MC-22 pg. 224	
MC-24 pg. 224	
MC-25pg. 224	
MC-26 pg. 225	
MC-27 pg. 225	
MC-28 pg. 225	
MC-31 pg. 226	
MC-32 pg. 226	
MC-33 pg. 227	
MC-34 pg. 227	
MC-35 pg. 228	
MC-37 pg. 228	
MC-38 pg. 228	
MC-39 pg. 228	
MC-40 pg. 230	
MC-41 pg. 230	
MC-41-Rpg. 231	
MC-41-TRpg. 229	
MC-41Dpg. 231	
MC-41D-R pg. 232	
MC-42 pg. 232	
MC-42-R pg. 232	
MC-42D pg. 233	
MC-42D-Rpg. 234	
MC-51 pg. 234	
MC-51-LPpg. 235	
MC-53 pg. 235	
MC-54pg. 235	
MC-55pg. 235	
MC-56pg. 236	
MC-60pg. 236	
MC-61 pg. 236	
MC-62 pg. 236	
MC-70 pg. 237	
ivio-70 pg. 237	

FLOOR DRAINS

F1000	. pa.	32
F1000-C	pa.	32
F1100	. pa.	33
F1100-C	pa.	33
F1100-AS	pa.	34
F1100-C-AS	pa.	34
F1100-DD	. pg.	34
F1100-C-DD	pg.	34
F1100-EF	pq.	35
F1100-C-EF	pg.	35
F1100-EG	pg.	35
F1100-C-EG	pg.	35
F1100-ER	pg.	36
F1100-C-ER	pg.	36
F1100-FC	.pa.	36
F1100-C-FC	pg.	36
F1100-FT	.pg.	. 37
F1100-C-FT	pg.	37
F1100-HG	. pg.	. 37
F1100-C-HG	pg.	37
F1100-K	pg.	38
F1100-C-K	. pg.	. 38
F1100-N	pg.	38
F1100-C-N	pg.	38
F1100-RS	pg.	39
F1100-C-RS	pg.	39
F1100-S	pg.	39
F1100-C-S	. pg.	. 39
F1100-SD	pg.	40
F1100-C-SD	pg.	40
F1100-SHG	. pg.	. 40
F1100-C-SHG	pg.	40
F1100-T	pg.	41
F1100-C-T	pg.	41
E1100 V/D		

F1100-C-VD	pg. 41
F1100-W(D)	pg. 42
F1100-C-W(D)	pg. 42
F1100-X	pg. 42
F1100-C-X	pg. 42
F1100-XS	pg. 43
F1100-C-XS	pg. 43
F1100-Z	
F1100-C-Z	pg. 43
F1100-ZS	pg. 44
F1100-C-ZS	pg. 44
F1100-90	pg. 44
F1100-C-90	
F1120	pg. 48
F1120-C	pg. 48
F1130C	
F1140C	
F1154-SD	
F1160	
F1160-C	
F1170	
F1170-C	pg. <u>5</u> 0
F1170-SD	pg. <u>5</u> 0
F1170-C-SD	
F1210C	na 51

F1000	
F1000-C	pg. 32
F1100	pg. 33
F1100-C	pg. 33
F1100-AS	pg. 34
F1100-C-AS	
F1100-DD	
F1100-C-DD	pg. 34
F1100-EF	pa. 35
F1100-C-EF	pg. 35
F1100-EG	pg. 35
F1100-C-EG	
F1100-ER	
F1100-C-ER	
F1100-FC	pg. 36
F1100-C-FC	pg. 36
F1100-FT	pg. 37
F1100-C-FT	pg. 37
F1100-HG	pg. 37
F1100-C-HG	pg. 37
F1100-K	pg. 38
F1100-C-K	pg. 38
F1100-N	
F1100-C-N	pg. 38
F1100-RS	pg. 39
F1100-C-RS	pg. 39
F1100-S	pa. 39
F1100-C-S	pg. 39
F1100-SD	pg. 40
F1100-C-SD	
F1100-SHG	
F1100-C-SHG	pg. 40
F1100-T	
F1100-C-T	pg. 41
F1100-VD	pg. 41
	. 3

F1100-W(D)	pg. 42
F1100-C-W(D)	pg. 42
F1100-X	pg. 42
F1100-C-X	pg. 42
F1100-XS	pg. 43
F1100-C-XS	pg. 43
F1100-Z	pg. 43
F1100-C-Z	pg. 43
F1100-ZS	
F1100-C-ZS	
F1100-90	pg. 44
F1100-C-90	pg. 44
F1120	pg. 48
F1120-C	
F1130C	
F1140C	pg. 49
F1154-SD	pg. 322
F1160	pg. 49
F1160-C	pg. 49
F1170	pg. 50
F1170-C	pg. 50
F1170-SD	pg. 50
F1170-C-SD	pg. 50
F1210C	pg. 51
F1220	pg. 51
F1230	

F1240pg. 52 F1320 pg. 53 F1320-C pg. 53 F1320-TFB F1320-C-TFB pg. 53 F1330Cpg. 54

F1340-TFBpg. 55 F1340-C-TFBpg. 55 F1340-Y-Qpg. 56

F1350pg. 58

F1340-C

	F1350-C	ng 50
g. 32	F1350-0	Jy. 50
g. 32		
g. 33		og. 59
g. 33		og. 59
g. 34		pg. 59
g. 34	F1360-C-TFB	og. 59
g. 34		pg. 60
g. 34		og. 60
g. 35	F1420	pg. 61
g. 35		og. 61
g. 35	F1430C	g. 61
g. 35	F1440ı	pg. 62
g. 36	F1440-C	og. 62
g. 36	F1440-Y-Q	og. 63
g. 36	F1450	oa. 64
g. 36	F1450-C	oa. 64
g. 37	F1460	pa. 65
ğ. 37	F1460-C	oa. 65
g. 37	F1470	na. 65
g. 37		na. 65
g. 38	F1480	na 66
g. 38	F1480-FL	na 66
g. 38		
g. 38	F1490-FL	
g. 39	F1510	
g. 39	F1530	pg. 00
g. 39	F1530	py. 00
g. 39		
ig. 40		
g. 40		pg. 70
		og. 70
g. 40		pg. <u>/</u> 1
g. 40		pg. <u>/</u> 1
g. 41)g. /1
g. 41		pg. 72
g. 41	F1600-C	ງg. 72

1000	
⁻ 1650-G	pg. 7
1660	pq. 7
1670	pa. 7
1720	pg. 7
-1760-FL	
1780	pg. 7
1790	pg. 7
1810	ng. 7
1820	pg. 7
-1830-P	na 7
1830-PL	na 7
1840	
1860	na 7
1870	ng 7
1880	pg. 7
1890	pg. 7
1030	py. /

F1620pg. 72

F1620-Cpg. 72

F1640-L pg. 73

FLOOR SINKS

HYDRANTS

MHY-15 MHY-16 MHY-20 MHY-25 MHY-30 MHY-35 MHY-40 MHY-45 MHY-58 MHY-60 MHY-61 MHY-66 MHY-68 MHY-68 MHY-68 MHY-68 MHY-68	 pg. pg. pg. pg. pg. pg. pg. pg. pg. pg.	24 24 24 24 24 24 25 25 25 25 25 25 25 25 25
MHY-61 MHY-65 MHY-66 MHY-68 MHY-90 MHY-91 MHY-92 MHY-95	pg. pg. pg. pg. pg. pg. pg.	25 25 25 25 25 25 25 25

INTERCEPTORS

MI-CS	pg. 191
MI-CSD	
MI-E-G	pg. 201
MI-E-0	pg. 202
MIEOHII	ng 203

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







MIFAB MODEL NUMBER INDEX

INTERCEPTORS	CONT.
MI-FISH	pg. 198
MI-G	
MI-G-AD	
MI-G-BO	
MI-G-L	
MI-G-RL	
MI-G-SD	
MI-G-SDH	pg. 190
MI-G-SS	pg. 189
MI-HAIR	pg. 194
MI-HEL	
MI-LINT	
MI-0	
MI-0-B0	
MI-0-HU	
MI-OS	pg. 194
MI-RICE	pg. 199
MI-SAND	
MI-SAND/OIL	
MI-SD	pg. 196
MI-SOLID-S	pg. 194
MI-SOLID-M	pg. 194
MI-SOLID-L MI-SOLID-LB	
MI-SOLID-EB	
MI-SOLID-3A	ng 105
XL-MI-G	ng 188
XL-MI-G-BO	ng 204
/L IVII G DO	pg. 207

MISCELLANEOUS

MI-800	pg. 263
MI-830	pg. 263
MI-850	pg. 263
MI-860	pg. 263
MI-940	. pg. 261
MI-950	
MI-950-F	
MI-CAG	
MI-GAP	
MI-GRILL	
TS1000	

NO HUB COUPLINGS

⁄II-HUB .	 pg.	107	
ЛІ-ХНUВ	 pq.	107	

ROOF DRAIN	IS
R1100	pg. 120
R1100-EU	
R1100-F	pg. 121
R1100-G	pg. 121
R1100-JC	
R1100-PJ	pg. 123
R1100-PR	
R1100-RS R1100-90	
R1150	
R1200	
R1200-BUV	
R1200-EU	
R1200-F	
R1200-G	pg. 127
R1200-HC	
R1200-JC	
R1200-PR	
R1200-PR15	
R1200-R	pg. 130
R1200-R-SR	µg. 140
R1200-RS R1200-SO	
R1200-SR	
11120U-011	pg. 140

R1200-Z R1200-90 R1220 R1220-EU R1220-G	. pg. pg. pg.	134 134 134
R1220-JC		
R1220-PR		
R1220-R		
R1220-RS	Da.	135
R1250		
R1260		
R1270		
R1270-SR	pg.	14
R1300	pg.	142
R1310	pg.	142
R1320	pg.	143
R1330	pg.	143
R1400		
R1410		
R1420	pg.	14
R1510	pg.	146
R1520		
R1530		
R1640		
R1810		
R1850		
R1900		
R1930 R1940		
R1940		

TRAP SEAL PRIMERS

MI-200 MI-300 MI-600 MI-700 MI-730 MI-750	pg. 269 pg. 269 pg. 269 pg. 269 pg. 270 pg. 270 pg. 271 pg. 270 pg. 270
	pg. 268
	pg. 268
MI-TSP	pg. 268

TRENCH DRAINS

T1000	pg. 81
T1000-F	pg. 81
T1100	
T1100-F	
T1150	pg. 81
T1150-F	
T1200	pg. 81
T1200-F	pg. 81
T1320-FL	pg. 82
T1350-FL	
T1400	pg. 84
T2000	pg. 89

WATER HAMMER ARRESTORS

MIFAB'S PRODUCTS COMPLY WITH THE **FOLLOWING ANSI/ASME AND ASSE STANDARDS**:

R1220-JC				
R1220-PR	pg. 135		Air Gaps in Plumbing Systems	
R1220-R			(for Plumbing Fixtures and	MI-CAG Series,
R1220-RS	pg. 135		1,	· ·
R1250		A112.1.2-2004	Water-Connected Receptors)	MI-GAP
R1260			Air Gap Fittings For Use With	
R1270			-	
R1270-SR			Plumbing Fixtures, Appliances,	MI-CAG Series,
R1300		A112.1.3-2000	and Appurtenances	MI-GAP
R1310		4440444 0000	B 1 1 1/1	DV 0
R1320		A112.14.1-2003	Backwater Valves	BV Series
R1330 R1400		A112.36.2M-1991	Cleanouts	C Series
R1410		71112.00.2.1111001		0 001100
R1420			Floor-Affixed Supports for	
R1510			Off-The-Floor Plumbing	
R1520		A112.6.1M-1997	Fixtures for Public Use	MC Series
R1530	pg. 147	A112.6.1W-1997	1 ixtures for 1 ublic ose	IVIC Series
R1640		A112.6.3-2001	Floor and Trench Drains	F and T Series
R1810	pg. 148			
R1850		A112.6.7-2010	Floor Sinks (Sanitary)	FS Series
R1900		PDI G-101,		
R1930	pg. 149	A112.14.3-2000	Grana Intercentors	MI-G Series
R1940		7.1.12.17.0-2000	Grease Interceptors	IVII-O SELLES
R1940-SJ		A112.14.4-2001	Grease Removal Devices	MI-G-AD Series
R1960	pg. 152		De of Deals and Delegans	
TRAP SEAL PRIMI	EDC		Roof, Deck, and Balcony	
THAP SEAL PHINI	ENO	A112.6.4-2003	Drains	R Series
MI-100	ng. 269	A112.6.9-2005	Poof Draine Sinhonia	R1200-SR Series
MI-200		A112.6.9-2003	Roof Drains, Siphonic	N1200-3N 3elles
MI-300			Shielded Couplings Joining	
MI-600			Hubless Cast Iron Soil Pipe	
MI-600-50	pg. 270	A OTA A O1077 11	and Fittings	MILLIUD Carias
MI-700		ASTM C1277-11	and Fittings	MI-HUB Series
MI-730			Shielded Couplings (Heavy	
MI-750			Duty) Joining Hubless Cast	
M-500	pg. 268	A OTNA O4 5 40 00		MINITE O
MI-DU MI-TSP		ASTM C1540-09a	Iron Soil Pipe and Fittings	MI-XHUB Series
WII 101	pg. 200		Specification for Rubber	
TRENCH DRAIN	S		Gaskets for Cast Iron	MI-HUB and
T1000	na 01	ASTM C564-09a	Soil Pipe and Fitings	
T1000 F	pg. 8 i		John F. Po and F. Kinigo	MI-XHUB Series
T1000-F	pg. 81			MI-XHOB Series
T1100	pg. 81 pg. 81		Stainless Steel Drainage	MI-XHOB Series
T1100 T1100-F	pg. 81 pg. 81 pg. 81		Stainless Steel Drainage Systems for Sanitary, DWV,	MI-XHOB Series
T1100 T1100-F T1150	pg. 81 pg. 81 pg. 81 pg. 81		Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum	MI-AHUB Series
T1100 T1100-F T1150 T1150-F	pg. 81 pg. 81 pg. 81 pg. 81 pg. 81		Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and	MI-XHUB Series
T1100 T1100-F T1150 T1150-F	pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81	A112.3.1-2007	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum	ProFormer Series
T1100 T1100-F T1150 T1150-F T1200 T1200-F	pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81	A112.3.1-2007	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground	ProFormer Series
T1100	pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 82		Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves,	ProFormer Series MI-TSP, MR-500,
T1100	pg. 81 pg. 82 pg. 82	A112.3.1-2007 ASSE 1018	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground	ProFormer Series
T1100	pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 82 pg. 82		Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed	ProFormer Series MI-TSP, MR-500,
T1100	pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 81 pg. 82 pg. 82		Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices -	ProFormer Series MI-TSP, MR-500,
T1100	pg. 81 pg. 82 pg. 82 pg. 82		Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed	ProFormer Series MI-TSP, MR-500,
T1100	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89		Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic	ProFormer Series MI-TSP, MR-500, M1-500, M2-500
T1100	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS	ASSE 1018	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series
T1100 T1100-F T1150-F T1150-F T1200-F T1320-F T1320-FL T1350-FL T1400 T2000 WATER HAMMER ARR MWH WHB	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018 ASSE 1044	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types Vacuum Breakers	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series MHY-30, 50,
T1100	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series
T1100 T1100-F T1150-F T1150-F T1200-F T1320-F T1320-FL T1350-FL T1400 T2000 WATER HAMMER ARR MWH WHB	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018 ASSE 1044	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types Vacuum Breakers (Hose Connection)	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series MHY-30, 50,
T1100 T1100-F T1150-F T1150-F T1200-F T1320-F T1320-FL T1350-FL T1400 T2000 WATER HAMMER ARR MWH WHB	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018 ASSE 1044	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types Vacuum Breakers (Hose Connection) Vacuum Breaker Wall	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series MHY-30, 50, 90 Series
T1100 T1100-F T1150-F T1150-F T1200-F T1320-F T1320-FL T1350-FL T1400 T2000 WATER HAMMER ARR MWH WHB	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018 ASSE 1044 ASSE 1011	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types Vacuum Breakers (Hose Connection) Vacuum Breaker Wall Hydrants, Freeze Resistant,	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series MHY-30, 50, 90 Series MHY 10, 20,
T1100 T1100-F T1150-F T1150-F T1200-F T1320-F T1320-FL T1350-FL T1400 T2000 WATER HAMMER ARR MWH WHB	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018 ASSE 1044	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types Vacuum Breakers (Hose Connection) Vacuum Breaker Wall	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series MHY-30, 50, 90 Series
T1100 T1100-F T1150-F T1150-F T1200-F T1320-F T1320-FL T1350-FL T1400 T2000 WATER HAMMER ARR MWH WHB	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018 ASSE 1044 ASSE 1011	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types Vacuum Breakers (Hose Connection) Vacuum Breaker Wall Hydrants, Freeze Resistant, Automatic Draining Type	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series MHY-30, 50, 90 Series MHY 10, 20, 40 Series
T1100 T1100-F T1150-F T1150-F T1200-F T1320-F T1320-FL T1350-FL T1400 T2000 WATER HAMMER ARR MWH WHB	pg. 81 pg. 82 pg. 82 pg. 82 pg. 84 pg. 89 ESTORS pg. 274 pg. 274	ASSE 1018 ASSE 1044 ASSE 1011	Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications, Above and Below Ground Trap Seal Primer Valves, Water Supply Fed Trap Seal Primer Devices - Drainage Types and Electronic Design Types Vacuum Breakers (Hose Connection) Vacuum Breaker Wall Hydrants, Freeze Resistant,	ProFormer Series MI-TSP, MR-500, M1-500, M2-500 MI-100, 200 and 300 Series MHY-30, 50, 90 Series MHY 10, 20,

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA





PICTORIAL	INDEX					
F1000-C HEAVY DUTY SS	F1000-C-S SQUARE SS	F1100-C NB	F1100-C-AS	F1100-C-DD	F1100-C-EF	F1100-C-EG
FLOOR DRAIN.	FLOOR DRAIN.	FLOOR DRAIN.				
PAGE 32	PAGE 32	PAGE 33	PAGE 34	PAGE 34	PAGE 35	PAGE 35
F1100-C-ER	F1100-C-FC	F1100-C-FT	F1100-C-HG	F1100-C-K	F1100-C-N	F1100-C-RS
PAGE 36	PAGE 36	PAGE 37	PAGE 37	PAGE 38	PAGE 38	PAGE 39
F1100-C-S	F1100-C-SD	F1100-C-SHG	F1100-C-T	F1100-C-VD	F1100-C-W(D)	F1100-C-X
PAGE 39	PAGE 40	PAGE 40	PAGE 41	PAGE 41	PAGE 42	PAGE 42
F1100-C-XS	F1100-C-Z	F1100-C-ZS	F1100-C-90	F1100-C SERIES OPTIONS	ADJUSTABLE STRAINERS	F1120-C
PAGE 43	PAGE 43	PAGE 44	PAGE 44	PAGE 45	PAGE 46 & 47	PAGE 48
F1130C	F1140C	F1160-C	F1170-C	F1170-C-SD	F1210C	F1220
						MIT AB
PAGE 48	PAGE 49	PAGE 49	PAGE 50	PAGE 50	PAGE 51	PAGE 51
F1230 F1230-WF	F1240	F1300-C	F1320-C	F1320-C-TFB	F1330C	F1340
PAGE 51	PAGE 52	PAGE 52	PAGE 53	PAGE 53	PAGE 54	PAGE 54
Design and dimensions are		Nice and a medical color and the	-1-1- t \ \C - 1t			A 1 - 6 A1

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049





 \oplus





FICTORIAL	IIIDEX					
F1340-TFB	F1340-Y-Q	F1350	F1350-Y-36	F1360	F1360-TFB	F1370
PAGE 55	PAGE 56	PAGE 58	PAGE 58	PAGE 59	PAGE 59	PAGE 60
F1420-C	F1430C	F1440	F1440-Y-Q	F1450	F1460	F1470
PAGE 61	PAGE 61	PAGE 62	PAGE 63	PAGE 64	PAGE 65	PAGE 65
F1480(-FL)	F1490(-FL)	MIFAB BODY DIMENSIONS	F1510	F1530	F1540	F1550
PAGE 66	PAGE 66	PAGE 67	PAGE 68	PAGE 68	PAGE 69	PAGE 69
F1560	F1570	F1580	F1590	F1590-90	F1600-C	F1620-C
PAGE 70	PAGE 70	PAGE 71	PAGE 71	PAGE 71	PAGE 72	PAGE 72
F1640/-L	F1650	F1660	F1670	F1720	F1760-FL	F1780
	F1650-G					
PAGE 73	PAGE 74	PAGE 74	PAGE 74	PAGE 75	PAGE 75	PAGE 75
F1790	F1810	F1820	F1830-P F1830-PL	F1840	F1860	F1870
PAGE 75	PAGE 76	PAGE 76	PAGE 77	PAGE 78	PAGE 78	PAGE 78
		ricas da natinaluda annlia	abla tayaa Miait sanan			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









Design and dimensions are subject to modification. Prices do not include applicable taxes.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA











Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.











Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







MI-LINT	MI-RICE	MI-G-AD	MI-E-G	MI-E-O	MI-E-O-HU	MI-G-BO
PAGE 198	PAGE 199	PAGE 200	PAGE 201	PAGE 202	PAGE 203	PAGE 204
XL-MI-O-BO	MI-O-BO	MI-G-RL	MC-10 MC-10D	MC-10-HDX	MC-10-EXT MC-10D-EXT	MC-10-27 MC-10D-27
PAGE 204	PAGE 204	PAGE 204	PAGE 212	PAGE 213	PAGE 214	PAGE 215
MC-10D-27-37	MC-12	MC-12-HS	MC-13 MC-13D	MC-13-HS	MC-14	MC-15
					MIFAB	MIFAB
PAGE 216	PAGE 218	PAGE 219	PAGE 220	PAGE 221	PAGE 222	PAGE 223
MC-21	MC-24	MC-25	MC-26	MC-27	MC-28	MC-31
PAGE 224	PAGE 224	PAGE 224	PAGE 225	PAGE 225	PAGE 225	PAGE 226
MC-32	MC-33	MC-34	MC-35	MC-36 TO MC-39D	MC-41-TR	MC-40
PAGE 226	PAGE 227	PAGE 227	PAGE 228	PAGE 228	PAGE 229	PAGE 230
MC-41	MC-41D	MC-41-R	MC-41D-R	MC-42	MC-42D	MC-42-R
			1		#	
PAGE 230	PAGE 231	PAGE 231	PAGE 232	PAGE 232	PAGE 233	PAGE 233

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



 \bigoplus





Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







OUR REPUTATION IS STAINLESS

KEY FEATURES AND BENEFITS:

- Modular system with fewer parts, reduced confusion on job site, and fewer returns.
- Standard A1 body serves as a floor drain, cleanout and roof drain. This reduces inventory.
- Cast 304 stainless steel grates and cleanout covers for same price as nickel bronze. Prevents dishing, corrosion and discoloration.
- 4" NPSM threads at top of A1 body allows drain to be installed without membrane clamp for nonwaterproof slab on grade floors.
- A1 body with no hub connection is only 3" deep for compact rough-in.
- A1 body always shipped tapped and plugged for trap seal primer connection.
- All area drain grates are adjustable and made of ductile iron with a load rating of over 10,000 lbs. for maximum on site adjustment and load bearing.
- Closet and lavatory carriers designed and packaged with features to save installation time and handling cost.

NOW YOU CAN SPECIFY STAINLESS STEEL AT THE SAME PRICE AS NICKEL BRONZE. SPECIFY MIFAB STAINLESS FOR A LASTING IMPRESSION



AREA DRAIN FEATURES



MIFAB AREA DRAIN STANDARD BENEFITS

- Ductile iron grate offers greater than 10,000 lb. load rating.
- Non-tilt grate is safer in all traffic areas.
- 3/8" slots prevent large debris from entering the drainage system.
- Fully adjustable top assembly for ease of installation.
- Stainless Steel at the same price as Nickel Bronze.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049




P12 Saturday, December 31, 2011 11:14:37 PM



Introduction to the MIFAB ® Specification Catalog

The beginnings of the modern specification drainage product can be traced back to the early part of the twentieth century. Architects began to demand a drain with secondary drainage to protect both the aesthetics and structural integrity of their buildings. Until this time, a drain was

usually nothing more than a grate fitted in the end of a pipe which terminated at the floor level. Unfortunately, this led water seeping around the pipe and the ruining of ceilings, etc., in the floors below. The design of drain with secondary drainage meant that a drain



body had to be designed that allowed weepholes to remove water that may seep around the rim of the drain. Since then, architects and mechanical designers have been able to specify products that featured a variety of design considerations that were made necessary by the rapidly changing building techniques we have experienced since the beginning of the twentieth century.

As we built both higher and faster, architects and engineers realized the need for a drain with not only secondary drainage, but also a clamping device to secure a waterproofing membrane in multi-story buildings. These developments ushered in the era of competition in the specification drainage market, as new manufacturers duplicated and expanded upon the

products of those who had produced before. More recently, advent of the adjustable drain and the floor mounted carrier for off the floor fixtures added to the already overwhelming variety of specifiable products available to the architect and mechanical designer. Today, a specifier can

choose from literally thousands of products from many manufacturers. A mechanical designer has to be careful at every turn to make sure he has decided between non tilt or tractor grates, between ductile and gray cast iron, between adjustable and non-adjustable top assemblies, heel proof or non heel proof grates. In short a baffling array of options that do little to improve the basics of the design, i.e. free area and load bearing characteristics.

The MIFAB ® Advantage

A logical, function driven product line that replaces confusion with simplicity and offers all the features required by today's building practices without all the unnecessary duplication.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





Among the many outstanding design features of the MIFAB product line, the following are unique:

• Bodies/Modular design. The majority of floor drains, roof drains and cleanouts illustrated in this catalog incorporate the use of only three different bodies. The A1 body is used with floor drains, roof drains and cleanouts which are subject to pedestrian or heavy traffic loads and low flow



rates. The shallow design of the A1 body allows for installation in slabs of minimum thickness. Because a membrane clamp is usually not required (the majority of drains and cleanouts are installed slab on grade), MIF AB's A1 body design incorporates an integral female thread (4" N.P.S.M.) to receive adjustable strainers or cleanout tops.

The A2 body with a 6" deep sump is used for floor and roof drains for most other applications. The A3 body with the 12" deep sump is designed for high flow applications in floors or roofs.

• Top Assemblies/Modular Design. MIFAB introduces the F1000/C1000 Series floor drains and cleanouts with Type CF8 (304) cast stainless steel strainers/top assemblies. This material offers superior corrosion resistance and will not discolor due to oxidization as well as the heavy duty load bearing characteristics



of stainless steel. This means the elimination of dished and discolored strainers and cleanout tops when this product is specified.

MIFAB's adjustable round and square top assemblies for unfinished areas incorporate

standard ductile iron grates which insure flush installation of the drains at the low point of the drainage area to be serviced and eliminates any unwanted movement or dishing of the grate due to heavy wheel loads. These top assemblies are available with optional stainless steel veneers to provide an attractive and heavy-duty installation in any application where an area drain with a cast or ductile iron grate alone would be unsightly, such as public promenade areas.

Maximum 3/8" wide grate drainage slots. This eliminates the need for the designer to differentiate between regular and pedestrian grates. In addition these narrow slots restrict solids from entering the drain, which reduces the

need for a sediment bucket or secondary strainer, both which can reduce the flow rate of the drain by as much as 60%.



Other Modular Options. MIFAB's roof drain clamps are interchangeable as flashing clamp rings, deck clamps and extensions. This greatly



simplified system eliminates significant number of parts found in other manufacturer's designs.

Cleanouts. MIFAB's cleanout design incorporates a combined gasketed cover and cleanout plug at floor level which insures the cleanout will be gas tight so long as the cover/plug is in place. The elimination of secondary plugs made of plastic, brass or iron assures quick and simple emergency access to the drain line. An exclusive O-ring on the adjusting threads insures 100% test seal. When MIFAB's C1000-3 stainless steel Series is specified, you can be assured that this cleanout will not discolor or dish for the life of the building.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





- · Carrier Fittings for off the floor Water Closets. MIFAB's unique design allows one carrier to be used for most standard or ADA rough in heights. In addition a reversible faceplate alllows the installation of either siphon jet or blowout bowl closets. Carriers are designed for any type of wall construction. Compact design insures minimum pipe space requirement.
- MIFAB Availability/Cost products inventoried by full-line distributors in major cities throughout North America. Modular, interchangeable parts ensure fast delivery. MIFAB's products are realistically priced and in all cases are competitive with products of similar design and materials.

Materials and Finishes

MIFAB Stainless Steel, Suffix -3 Mifab cast stainless steel strainers are produced in Type CF8 (304) stainless steel which is an 18-8 austenitic stainless steel possessing excellent corrosion resistant characteristics. Fabricated SS veneers are formed from Type 304 SS sheet. Both cast & stainless products are polished to a number 4 satin finish. In highly corrosive areas strainers and cleanout covers are available with the option -29, Type 316 stainless steel. Body and collars assemblies in highly corrosive areas may be specified in solid cast Type 304 (-28) or solid cast Type 316 (-29).

MIFAB Nickel Bronze Suffix -1 MIFAB nickel bronze is a copper/nickel alloy (copper alloy 997) that is broadly used for adjustable strainers, funnels and cleanout tops and as veneers on standard ductile iron tops. In areas where there is a concern for discoloration due to oxidization, MIFAB stainless steel strainers, cleanout covers and area drain assemblies are recommended to be specified with solid cast strainers or cast or fabricated SS veneers.

MIFAB Acid Resistant Porcelain Enamel -A.R.E. Acid resistant porcelain enamel is a vitreous or glassy inorganic coating bonded to metal by fusion at a high temperature above 800°F. This coating is extremely hard and is ideal for sanitation in drainage applications. MIFAB's acid resistant procelain enamel coating conforms to the requirements of F.D.A. (Food and Drug Administration) Regulation 21-CFR5 117.1360.

MIFAB Ductile Iron Suffix -4 Most MIFAB ferrous grates are supplied in ductile iron that has superior shock resisting qualities in addition to greater strength when compared to gray iron.

MIFAB's ductile iron complies to ASTM specification A 536-84, Grade 60-45-10. Recommended for all areas subjected to heavy vehicular traffic. Ductile iron also exhibits superior corrosion resistance when compared to regular gray iron.

MIFAB Coated Cast Iron Suffix -50 All MIFAB floor drain, roof drain and cleanout bodies, collars and clamping rings are manufactured with cast iron material that conforms to ASTMspecification for Gray Iron Castings A 48-83, Class 25. MIFAB cast iron has excellent resistance to corrosion in normal drainage applications because of the high quality coating which prevents rusting or discoloration in normal applications.

MIFAB Acid Resistant Epoxy Coating, Suffix

-11 Acid resistant epoxy coating is a baked-on powder coating, which produces a smooth, hard, high gloss finish. This epoxy based coating offers high impact resistance and long life expectancy in all applications. MIFAB's -11 coating conforms to the requirements of the F.D.A. (Food and Drug Administration) Regulation 21-CFR5 117.1360.

MIFAB Galvanized Cast Iron, Suffix –13 MIFAB galvanized cast iron is a process applied to specially prepared gray or ductile iron castings. This coating contains 95% zinc and increases longevity and is recommended where the discoloration or oxidization of iron or steel is objectionable. Galvanizing is recommended in coastal or industrial areas where a corrosive atmosphere may be encountered. galvanizing meets or exceeds Government specification MIL-P-26433, MIL-P-21035, MIL-P 26915A and MIL-C-10578 (Type II). It also meets ASTM A239-89.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







(Do you need a clamp?)

Except for MIFAB, the specification drain manufacturers include a membrane clamp in most, if not all of their floor and area drains to receive fixed (non-adjustable) or adjustable top assemblies.

Most floor and area drains are installed in "slab on grade" areas where no waterproofing membrane is required.


The MIFAB body design incorporates a female thread to accept adjustable top assemblies up to 9" diameter or 8" square and lugs on the larger bodies which receive top assemblies 12" diameter and larger. THIS FEATURE SIGNIFICANTLY REDUCES THE INSTALLED COST OF MOST FLOOR AND AREA DRAINS BECAUSE THE INSTALLER CAN AVOID USING AND PAYING FOR THE CLAMP RING.


When MIFAB drains are installed in waterproofed areas, an optional (Suffix -C) membrane clamp is available.

Non membrane floors (no waterproofing) (90% of "on grade" applications)

Membrane floors (with waterproofing) (10% of applications)

WITH MEMBRANE CLAMP





Specify MIFAB'S floor drains with heavy duty stainless steel strainers FOR THE SAME PRICE as conventional floor drains with membrane clamps and light duty nickel bronze strainers.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





THE MIFAB MODULAR SYSTEM



A Floor Drain



Is an Area Drain



Is a Roof Drain



Is a Cleanout



In 90% of today's "slab on grade" installations, there is no need for a membrane clamp, as there is no waterproofing membrane installed. Because MIFAB's unique design allows the strainer assembly to install directly into the throat of the drain body, the use of a membrane clamping collar is optional.

This is an opportunity for cost savings.

Why use a drain with a membrane clamp if it is not neccessary?

The MIFAB Modular System

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

 ф

__






Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

FLOOR AND AREA DRAINS



MIFAB FLOOR DRAIN FEATURES



F1000-S FLOOR DRAIN WITH HEAVY DUTY SQUARE STAINLESS STEEL STRAINER 5"x5"(125x125) 6"x6"(150x150) 8"x8"(200x200) **WEEPHOLES** FOR DOUBLE **VANDAL RESISTANT** STAINLESS STEEL **DRAINAGE SCREWS** HEAVY DUTY STAINLESS STEEL **STRAINER** FULL 4" (102) THROAT WIDE ANCHOR **FLANGE** A1 8"(203) **DIAMETER BODY** MACHINED INTEGRAL TRAP PRIMER BOSS **BODY THREADS** (4" (102) N.P.S.M.)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


Toll Free 1-800-465-2736, Fax 773-341-3049


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





MIFAB AREA DRAIN FEATURES





MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

P20 Saturday, December 31, 2011 11:17:13 PM





MIFAB Floor Drain Selection Guide

Floor drains and accessories combine to form the upstream or entrance terminals of a building's floor drainage system. Area drains serve in a similar capacity for drainage of surface areas immediately adjacent to the building. The selection and specification of drains for interior floor areas and exterior surface areas merit careful consideration. Such factors as size, shape, function and anticipated drainage requirements of the area must be taken into account when planning for adequate and proper drainage of the area. These elements are of equal importance when sizing and locating the drains and drainage lines to which they are connected. Furthermore, many factors concerning plumbing and building codes apply, so it is recommended that they be consulted at the outset of selection and specification considerations.

SIZING

The potential volume of drainage to be accommodated by drains serving interior areas can, as a rule, be calculated with reasonable accuracy using the total amount of water within the area as a basis for sizing. The area's function as well as types of water use equipment used within the area must be considered. For example, a public restroom, with its numerous types of water use fixtures, must include drains sized and located to handle potential overflow due to stoppage as well as routine custodial waste from cleaning byproducts. In addition to plumbing fixtures, water requiring floor drainage emanates from man's sources such as run-off from vehicles in garage areas, condensate waste and processed water discharge from equipment hose stations, and emergency drainage as from sprinkler systems or spills. It is a good practice to provide floor drains in any area where a water source is located. Moreover floor drains should be adequately sized and strategically located to avoid standing water on the floor, a potentially hazardous condition. Sizing of area drains for surfaces adjacent to the building is normally based on rainfall and size of the area to be drained. Information concerning such sizing is provided in the MIF AB Roof Drain section of this catalog. Placement of area drains depends on the topography of the area with drains placed at the low points where run-off is anticipated.

SPECIFIC POINTS FOR CONSIDERATION

After the preceding drainage requirements have been resolved and the drainage piping system is developed, the proper floor and area drains to serve the system must be selected and specified. There are a number of points to consider for such selection, knowledge of which will be of assistance in arriving at the proper decision, Comprehensive information on each of the following points for consideration is essential:

- •location requirements
- •floor construction
- traffic conditions
- drain top and outlet sizes
- drain top, materials and appearance
- trapping of sediment
- backflow prevention
- indirect waste
- · drain outlet connections

LOCATION REQUIREMENTS

The locations within and adjacent to the building structure which require provisions for drainage are many. Some significant locations for which drains must be selected are toilet and shower rooms, boiler and equipment rooms, basements, garage and parking areas, kitchens, laundry, utility and service rooms, elevator pits, entry areas, machining and processing areas, refrigeration rooms.... the list goes on and on. Drains should be considered and selected for any location where water is supplied and surface drainage must be accommodated.

FLOOR CONSTRUCTION

Floor construction has a distinct influence on drain selection and therefore must be considered at the outset of the selection process. Such elements as slab type and thickness, surface finish, depth of fill, waterproofing membrane and/or finishing materials will influence the selection. Installation drawings, on pages iv through vii of this section, depict various MIF AB floor drains in different types of construction for reference.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





MIFAB Floor Drain Selection Guide (Cont'd)

TRAFFIC CONDITIONS

Once installed, floor drains become integral components of the floor or area in which they are located. Therefore, the drain selected for each installation must have tops or grates capable of sustaining the type of load to be supported by the floor. This is particularly significant where drains selected are installed in traffic locations. It is recognized that top-loading requirements vary with the location, type of construction and service conditions. These requirements for floor and area drains are addressed in American National Standards Institute, Floor Drains, A112.6.3-2001.1M-2001 with the following five top loading classifications:

LIGHT DUTY - all grates having safe live load under 2000 lbs.

MEDIUM DUTY - all grates having safe live load between 2000 and 4999 lbs.

HEAVY DUTY - all grates having safe live load between 5000 and 7499 lbs.

EXTRA HEAVY DUTY- all grates having safe live load between 7500 and 10,000 lbs.

SPECIAL DUTY- all grates having safe live load over 10,000 lbs. shall be considered special and treated accordingly

The safe live load is computed by dividing the load at failure by two when the grate is loaded in accordance with the test procedure stipulated in the standard. A 3 1/2" (89) diameter platen was used during the load rating test and applied to the center of the grate. Using these top-loading classifications as a guide when loading requirements for the drains in a given location have been determined, the duty type required can be selected. MIFAB floor drains in this catalog are duty rated as an aid to selection. For additional information where a rating is not clear for unusual service conditions, contact MIF AB Customer Service.

DRAIN TOP AND OUTLET SIZES

A drain's top size, regardless of its shape-round, square, etc.-influences the number and size of openings between support members, which in total account for the grate's open or free area. Normally, the larger the top the greater the free area. Free area is the key factor used in evaluating the grate's ability to permit sufficient drainage to enter the drain for efficient utilization of the drainage system and prevent build-up of water on the floor or area served by the drain. Codes and standards stipulate that for proper

drainage, interior floor drains should have a grate free area equal to one and one-half times the transverse area of the connecting pipe and exterior area drains, subject to rain-fall, two times that of the connecting pipe. Thus, it is important in the selection of floor and area drains to consider the top and outlet sizes as they relate to each other. The following tabulation, taken from ANSI Floor Drain Standard A112.6.3-2001.1M-2001 provides at a glance the grate free area requirements for outlet sizes, thus connecting pipes, based on the ratios given.

DRAIN OUTLET CONNECTION SIZE (SQ. INCHES)	TRANSVERSE AREA CONNECTING PIPE (SQ. INCHES)	GRATE FREE AREA, MINIMUM (SQ. INCHES) INTERIOR	EXTERIOR
2	3.14	5.0	6.5
3	7.06	11.0	14.0
4	12.5	18.0	25.0
5	19.6	30.0	40.0
6	28.3	42.0	56.0

DRAIN TOP MATERIALS AND APPEARANCE

Cast iron is the primary material used in the production of floor drain components. MIFAB floor and area drains are cast in gray cast iron having a tensile strength of 25,000 to 30,000 psi. The ASTM specification for MIFAB's gray iron castings is A 48-83, class 25. Cast ductile iron tractor grates are usually recommended according to duty type for most locations where service, more than appearance, determining factor. For example, warehouses, equipment rooms, garages, basements, and service and machine areas in locations where severe service conditions, such as shock or impact loading are factors. Beyond ductility, ductile iron has superior strength to regular cast iron. The combination of strength and ductility make ductile iron the logical choice for such locations. In addition to our ductile iron grates for unfinished areas, MIFAB manufactures adjustable strainers of type CF8 (304) cast stainless steel. For larger capacity drains, with 7" to 24" top assemblies, MIFAB provides cast or fabricated stainless steel veneers polished to a number 4 satin finish. The use of stainless steel versus conventional nickel or polished bronze ensures that there will be no broken or dished grates or any discoloration due to oxidization. Most MIFAB stainless steel top assemblies and strainers are priced competitively with our conventional nickel bronze products.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free 1-800-465-2736, Fax 773-341-3049

22

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

1011 FIEE 1-000-405-2750, Fax 775-541-5048

Visit www.mifab.com for the most recent product information.



MIFAB Floor Drain Selection Guide (Cont'd)

TRAPPING OF SEDIMENTS

There are few, if any, floors and areas that are free of sediments, debris, and bits of non-liquid waste that will gravitate to the floor drains. Such materials, if permitted to enter drains and drain lines unchecked, will inevitably lead to messy stoppage of the lines. Obviously proper custodial maintenance of the locations will preclude excessive amounts of such materials from entering the drains. However, the presence of a certain amount of debris is unavoidable. Therefore, preventive measures should be taken to assure free drainage without stoppage. Most MIFAB drains are designed with maximum 3/8" openings, which allows only solids that are transportable through the drainage system. Sediment buckets or baskets may be used in areas such as washrooms and showers to intercept valuables and hair. Floor drains, area drains and catch basins which have indicated openings in their grates in excess of 3/8" should have secondary strainers or sediment buckets specified in areas where sediments may clog drain lines. Specification of sediment buckets in all MIFAB drainage products may be indicated by specifying suffix –5.

BACKFLOW PREVENTION / TRAP SEAL PRIMING

Backflow through floor drains, a most undesirable and sometimes damaging condition, due to either clogged interior drain lines or overloaded sewers. can be effectively retained through employment of backwater valves. The most common type of backwater valve used in floor drains is the swing check and float types; either of which with proper maintenance will perform effectively for the purpose intended. When selecting drains for locations below curb or street elevation, where gravity drainage to the main sewer is planned, backwater valves should be used in any locations where backflow conditions could develop. When considering backflow prevention, it is the logical time to also consider prevention of inflow of noxious sewer gas. Most codes specify that floor drains shall connect into a trap and that the trap

seal be maintained to prevent the inflow of sewer gas. In locations where floor drains with integral traps or connected traps will be subject to infrequent use, evaporation with



loss of trap seal is probable. Therefore such drains should be provided with trap seal primer connections, to permit hook-up of seal water replenishment piping from a trap seal primer valve to maintain the trap seal. Specify suffix -7

INDIRECT WASTE

In locations where equipment will be producing indirect waste such as condensation, which cannot be piped directly into the drainage system, the drainage is normally directed to a

floor drain through discharge piping terminating above the drain. In these locations the floor drains should be equipped with funnels to direct the discharge into the drain and to



avoid splashing. The remaining grate free area outside the funnel in such drains is open for normal floor drainage. Floor drains with funnels must not be installed in traffic areas. Round funnels accommodate drainage from a single indirect source, while oval funnels are designed to receive drawings from more than one source. MIFAB offers a broad range of independent funnels for attachment to floor drains of the specifier's choice, and floor drains featuring funnels as standard equipment. These products merit consideration when specifications for handling indirect drainage in such locations are being developed.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



MIFAB Typical Floor Drain Installations

SHOWER ROOM DRAIN


Shower drains are available with round, square or rectangular grates of different sizes to provide the drainage capacity or shape desired. This drain is provided with a seepage flange and clamping means to secure the waterproofing membrane to the floor drain body. The strainer is vertically adjustable to allow for variations in finished floor thickness. The strainer at floor level is an attractive polished Stainless Steel, suffix -3. Polished Nickel Bronze, suffix -1 is optional.


UNIVERSAL FLOOR DRAIN


Too often, a shower drain is selected for use in areas where the traffic load (either pedestrian or vehicular) may be unknown and too heavy for a shower drain grate. We have developed a universal floor drain that is suitable for use in shower or toilet rooms as well as any other finished or unfinished floor area. It is furnished with a round or square heavy duty stainless steel grate, to prevent Some of the optional dishing. variations available on the basic floor drain are a trap primer tapping, internal sediment bucket, internal backwater valves and top funnels for use as an indirect waste drain.

INDIRECT WASTE DRAIN

The F1100-EG version is shown here with an oblong funnel to provide an indirect waste connection. Open site or drip drains are primarily for condensate producing equipment and other mechanical equipment where a direct connection is not desired or permitted. The funnels are available in a round design for a single pipe waste and in oblong sizes for multi-pipe waste lines.







Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P24



FLOOR DRAIN SELECTION GUIDE

TRAPPING OF SEDIMENTS

There are few, if any, floors and areas that are free of sediments, debris and bits of non-liquid waste that will gravitate to the floor areas. Such materials, if permitted to enter drains unchecked will lead to messy stoppage of the lines. Therefore, preventive measures should be taken to ensure free drainage without stoppage. MIFAB offers a complete range of sediment buckets for all applications (see details below). In addition, the specifier should consider that all of MIFAB's area drains are engineered with 3/8"maximum openings in the grates to prevent large matter from entering the drains, thus often rendering the sediment bucket unnecessary. Elimination of sediment buckets in area drains can increase flow by 60% since clogged sediment buckets are infrequently cleaned. Larger openings in grates often require sediment buckets that then clog and get thrown away, exposing the drainage system to unfiltered sediments, leading to expensive drain line maintenance. Sediment buckets may be used with MIFAB's floor drains in areas such as washrooms and showers to intercept valuables and hair. Choose Suffix-5 for the specification of sediment buckets. When sediment buckets are not available, a secondary dome strainer (Suffix-20) or a secondary flat strainer (Suffix-21) may be specified.



True-fit bucket design ensures bucket replacement after cleaning since the top grate cannot be inserted unless the bucket is in place because the grate is set into the bucket and the bucket suspends within the top assembly. Integral with F1320-TFB, F1340-TFB and F1360-TFB area drains.



Stainless steel (A1-SSB-3) and plastic sediment buckets (A1-PB) are engineered to suspend from the inside ledge of floor drain strainer shanks.



Cast iron (A1-MB) sediment buckets are engineered to suspend from the recessed, inside ledge, of the small area drain (F1300-TA, F1320-TA, F1420-TA) top assemblies. Stainless steel (A1-MB-3) sediment buckets are also available for use with nickel bronze and stainless steel top assemblies




A2-MB




Cast iron (A2-MB) sediment buckets are engineered to suspend from the recessed, inside ledge, of the large area drain (F1340-TA, F1360-TA, F1440-TA, F1460-TA) top assemblies.


EXTENSIONS



The SPR-5-3(-1 for NB) is used with 5-1 and 5-3 strainers to increase the height of the strainer to match discrepancies in the finished floor grade. Any number of rings can be added on top of each other. Each ring adds 3/8" of height. Simply remove the grate, place the SPR-5-3(-1 for NB) into the cast in place shank, and then screw the grate into the ring. Longer bolts are provided by MIFAB. The vertical height of the strainer can be adjusted after the drain is poured in place.



The DD-50 extension is used with A1 and A4 bodies to receive any strainer or cleanout top with a 4" N.P.S. shank. The DD-50 has an adjustment range of 1 1/2" to 2 5/8".



The A2-XY is used with A2 and A3 bodies to receive the F1340-TA, F1360-TA, F1440-TA and F1460-TA top assemblies. It has an adjustment range of 3 7/8" to 5 3/8". The top assembly can be adjusted side to side to align with the floor tiles without changing vertical height. This is a benefit in promenade areas where the installer must align square tiles with the drain top assembly. The A2-XY is independent of the body and the top assembly is independent of the A2-XY.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





FLOOR DRAIN SELECTION GUIDE


DRAIN OUTLET CONNECTIONS


Floor drains, are available in a variety of outlet connection types. The drain's outlet connection must be compatible with those of the drainage piping system to which it is connected. The most commonly employed connection types are as

1. NO-HUB (NH) (A/K/A Mechanical Joint)

The most widely used connection. A No-Hub connection is achieved by butting No Hub soil pipe or plastic pipe to the bottom of the drain and securing it with a NO HUB coupling. (MI-HUB and MI-XHUB no hub couplings are available from MIFAB - see page 121).

Unless specified otherwise, all of MIFAB drains are shipped standard with No-Hub connections.






	Α	В
2" No hub outlet	2"	2 3/8"
3" No hub outlet	3"	3 3/8"
4" No hub outlet	4"	4 3/8"
5" No hub outlet	5"	5 3/8"
6" No hub outlet	6"	6 3/8"
8" No hub outlet	8"	8 3/8"
10" No hub outlet	10"	10 1/2"
12" No hub outlet	12"	12 1/2"
I	1	

2. PUSH-ON (P)

MIFAB "Push-on" is a unique labor saving compression gasketed connection designed to simply push on the stub end of the pipe. The Push-on drain body and gasket can be utilized with plastic, steel, No-Hub and service weight soil pipe. A unique pipe stop cast in each MIFAB Push-on drain body ensures that water will not accumulate around the connecting pipe. Specify suffix P for MIFAB's Push-on connections.

	A	В	C
2" Push on outlet	2"	3 3/8"	3"
3" Push on outlet	3"	4 3/8"	4"
4" Push on outlet	4"	5 1/2"	5 1/8"
6" Push on outlet	6"	7 3/4"	6 1/4"



SPECIAL NOTE:

MIFAB's 2", 3" and 4" gaskets are designed to be used with both PVC and service weight (cast iron) pipe.

MIFAB "Push-on" gaskets are designed for use exclusively with MIFAB drainage products. They are not sold separately and all warranties either than a MIFAB drainage product.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

2" PVC / ABS socket

2" PVC / ABS socket

2" PVC / ABS socket

3. THREADED (T)

MIFAB Iron Pipe Threaded connection is an old industry standard. The female (NPT) threaded outlet is often specified on industrial and institutional applications. Specify suffix T for MIFAB's threaded connection.




TH	THREADED (T)					
-	Α	В	C			
2" Threaded outlet	2"	3 1/4"	9/16"			
3" Threaded outlet	3"	4 1/2"	3/4"			
4" Threaded outlet	4"	5 5/8"	15/16"			
5" Threaded outlet	5"	6 3/4"	15/16"			
6" Threaded outlet	6"	7 3/4"	15/16"			
8" Threaded outlet	8"	9 3/8"	1 1/8"			

4. INSIDE CAULK (X)

The Inside Caulk drain outlet connection is a bottomless hub into which the drainage pipe is inserted. The bottom of the outlet is sealed with oakum in the annular space between the pipe and the hub and the connection is then sealed with melted lead. Inside caulk connections are compatible with No-Hub, service weight and extra heavy soil pipe. They can also be used with ABS and PVC pipe. Specify suffix X for MIFAB's inside caulk connections.





	Α	В
2" Inside Caulk outlet	2 5/8"	3 1/16"
3" Inside Caulk outlet	3 3/4"	4 3/16"
4" Inside Caulk outlet	4 3/4"	5 3/16"
5" Inside Caulk outlet	5 3/4"	6 3/16"
6" Inside Caulk outlet	6 3/4"	7 3/16"
8" Inside Caulk outlet	8 7/8"	9 1/2"

5. PVC/ABS Socket (PVC=-30, ABS=-31)

Socket weld connections are proven installation time saver solutions. They provide a sanitary and resistant connection to the piping system for specialized applications.



A ————————————————————————————————————
ABS/PVC Socket

2.385"

3.525"

2.710"

3.910

4.475" 4.950"






26



MIFAB Typical Floor Drain Installations (Cont'd)


GENERAL PURPOSE FLOOR DRAIN

This floor drain is suitable for any application where traffic loads and waste water flows are expected. This drain has provision for securing waterproofing membranes to the drain body and provides for final vertical adjustment to finished floor level by the adjustable body collar. Optional variations such as a sediment bucket to retain debris and round or square polished grates and top frames are available.




INTEGRAL TRAP FLOOR DRAIN

One of the most practical floor drains to be developed is a floor drain with an integral deep seal trap and No Hub side outlet connection. This drain is ideal for use in floor areas built on grade where the sewer line is shallow. The drain body has a floor level cleanout opening and may be supplied with such optional variations as a sediment bucket, seepage or anchoring flange and an internal backwater valve for back-flow protection.



FLOOR DRAIN WITH SURFACE **MEMBRANE CLAMP**

This type of floor drain is designed for installation where a water-proof seal is required at the top level of the grate. The adjustable strainer has a twopiece beveled nickel bronze top which clamps the top flashing material securely to the drain to ensure a water tight joint.



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






MIFAB Typical Floor Drain Installations (Cont'd)


PIT DRAIN

This type of drain is used in elevator pits, pools and trenches where a side wall outlet is required. The angle grate is located in the wall to prevent blockage by debris. It is supplied with a gasketed seal type backwater valve to prevent backflow of waste water into the pit or sump being drained.




WIDE FLANGE DECK DRAIN

Special drains are available for thin deck or floor covering. A 4" wide flange, which is recessed the same thickness as the deck covering, provides a large bearing surface for the bonding of the neoprene, latex or similar waterproof deck material. This type of deck finish is used in traffic areas such as promenade decks, plazas, recreation areas and interior floors.



FLUSHING RIM FLOOR DRAIN

A flushing rim floor drain is desirable in mortuaries, prison wards, hospitals, sanatoriums and veterinary establishments where sanitary wastes are to be disposed through a floor drain. The interior surface of this type of drain is provide coated to maximum sanitation. The flushing connection enters the body provide to a peripheral washing action on the entire inner surface to dispose of sanitary waste matter. Several types of grates are available. A perforated hinged grate is recommended to intercept solids while disposing of fluids. A loose-set or secured "oriental" bar-type grate would be used in areas where both solid and fluid wastes are to be discharged.



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






MIFAB Typical Floor Drain Installations (Cont'd)

GARBAGE CAN WASHING DRAIN


This type of drain is designed to serve as a combination floor drain and garbage can washer. The drain is furnished with a spray nozzle that is designed to thoroughly scour the inside of garbage cans. The top grate and large sediment bucket intercept waste debris washed down from the cans. A 1/2" water supply connection is provided on the side of the drain body to accommodate hot, cold or mixed spray water, The water supply should be connected through a vacuum breaker and control valve easily accessible to the cleaning personnel.

(See catalog page F90, F1660)




HEAVY DUTY ROADWAY DRAIN

This drain is recommended for use in outside areas in yards, airports and parking areas that are subject to heavy vehicular traffic and where a large drainage capacity is required due to rainfall. The standard heavy duty cast iron grate has a maximum load capacity of 12,000 lbs. If specified with a Ductile Iron grate, the load capacity would be in excess of 25,000 lbs.



PLANTING AREA DRAIN

Although a planting area drain may not be considered a true floor drain, we have included it in this catalog. It is designed for use in planting areas or flower boxes indoors or out where drainage of excess moisture is required without loss of the soil. The perforated adjustable standpipe and dome may be located as shown or ordered long enough to extend to finished grade level to provide easy access for rodding if the occasion occurs. The floor drain body is designed to provide a means to secure the planter floor pan or waterproofing membrane to the drain



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA







ALLSTAR® COVER



MIFAB's new, patent pending Allstar© cover is available in 5" and 6" round sizes to work with any of MIFAB's 5" and 6" round floor drain and cleanout tops.

It is manufactured from recycled plastic and is designed to fit into any of MIFAB's A1 and A4 PVC, ABS or cast iron bodies.

Contractors fit the Allstar cover into the top of the MIFAB drain body before the concrete contractors to measure the level of the concrete floor from the top of the Allstar cover.

After the concrete pour around the top of the Allstar cover, the Allstar cover is removed with a tool placed into the recessed slot in the middle of the cover and pried off.



The 4" NPSM threads machined into the top of all of MIFAB's A1 and A4 bodies are then exposed to allow the contractor to thread in any MIFAB 5" (use the 5" Allstar cover) or 6" (use the 6" Allstar cover) round floor drain and cleanout top into the top of the bodies. The tops can be adjusted to the finished floor.

There is only a 1/8" space around the outside diameter of the floor drain or cleanout top of finished off with grout.

The Allstar cover is appropriately 3/4" high and is made from smooth plastic material with angled sides to ensure removal after the pour.

Allstar cover with any MIFAB A1 body

There are several advantages to the Allstar cover:

- 1) The contractor can avoid taping the floor drain and cleanout tops prior to installation to ensure that they are protected during the construction process. This eliminates time to tape the floor drain / cleanout tops and also eliminates cleaning time to remove the tape from them before the project is handed over to the client.
- 2) The contract can avoid installing the floor drain and cleanout tops until the end of the projectreducing the risk that they will be stolen or damaged.
- (3) The floor drain / cleanout tops can be adjusted to the finished floor after the concrete pour.
- 4) The Allstar cover can be purchased separately from the floor drain and cleanout bodies.
- 5) The Allstar cover can be used over and over again.

MODEL NUMBER	LIST PRICE
A1-5-ALLSTAR	\$ 20.00
A1-6-ALLSTAR	\$ 20.00



All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







FLOOR DRAIN, ROOF DRAIN AND CLEANOUT MODEL NUMBER STRUCTURE

ROOF DRAINS (R1200 Series as the example)

1) Outlet connection size is always stated by the last of the four digits in the model number.

For example: R1204. The 4 indicates a 4" no hub outlet connection. If there is no letter following the fourth digit, then the outlet connection is no hub (most common). Alternative outlet connection types, P (push on), T (threaded), X (inside caulk), -28 (Type 304 stainless steel), -29 (Type 316 stainless steel), -30 (PVC outlet connection) or -31 (ABS outlet connection) would follow next.

For example: R1204P. The P indicates a 4" push on outlet connection. For example: R1204-30. The -30 indicates a 4" PVC outlet connection.

2) Roof Drain Series is always stated next by the suffix following the outlet size and type.

For example:, R1204-30-EU. The -EU indicates that this is the -EU Series roof drain. The R1200 Series roof drain has the following standard Series of drains: -BUV, -EU, -F, -G, -HC, -JC, -PR, -PR15, -R, -RS, -W, -Z and -90 (found on pages 79 through 86 of the price book)

3) Alpha, then, numeric options follow the roof drain Series.

For example, R1204-30-EU-B-M-80-6. The -B and -M-80 (-M-80 is one option (low profile aluminum dome and should not be separated) are in alpha order following the Series (-EU) followed by the -6 option in numeric order.

FLOOR DRAINS (F1100 Series as the example)

1) Outlet connection size is always stated by the last of the four digits in the model number.

For example: F1103-C-5-1. The 3 indicates a 3" no hub outlet connection. See same explanation as in the Roof Drain section for the other outlet connection variables.

2) Clamp ring or no Clamp ring? is always stated after the outlet size and type.

For example, F1103-30-C-5-1. The –C indicates that there is a clamp ring. F1103-30-5-1. Indicates that there is no clamp ring.

3) Size (type) and material finish of strainer is always stated after the clamp ring suffix (or outlet type and size if no -C).

For example, F1103-30-C-5-1. The -5-1 indicates that the strainer is 5" round and that it is nickel bronze material. For example, F1103-30-C-S6-3. The -S6-3 indicates that the strainer is 6" x 6" square and that it is stainless steel material.

For example, F1444-175-3-5-13. The -175-3 indicates that the strainer has a three quarter grate with a stainless steel veneer. The -5 indicated that the drain has a sediment bucket and the -13 indicates that the body and sediment bucket are galvanized.

4) Numeric options then follow

For example, F1103-30-C-5-1-5-6-15.

The second -5 indicates a sediment bucket, the -6 indicates security screws and the -15 indicates an extension.

CLEANOUTS (C1100 Series as the example)

1) Outlet connection size is always stated by the last of the four digits in the model number

For example: C1104-R-1. The 4 indicates a 4" no hub outlet connection. See same explanation as in the Roof Drain section for the other outlet connection variables.

2) Size (type) and material finish of cover is always stated after the outlet size.

For example, C1104-R-1. The -R-1 indicates that the cover is 5" round and that it is nickel bronze material. For example, C1104-S-3. The –S-3 indicates that the cover is 5" x 5" square and that it is stainless steel material.

3) Numeric options then follow

For example, C1104-R-1-6.

The -6 indicates security screws.


Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

F1000-C FLOOR DRAIN WITH HEAVY DUTY ROUND STAINLESS STEEL ADJUSTABLE STRAINER F1000-C SERIES

SERIES



		INER SIZE EE CHART)	(SE	E CHART)	NI
WEEPHOLES FOR DOUBLE DRAINA	e#]			2	
TRAP PRIMER. BOSS	5			BODY HEIGHT (SEE CHART PG	
	-/ L	-01	PAPE SIZE DEC CHART P 33)	0	

STRAINER ADJUSTMENT			ANSI/AS	SME RATING
STRAINER	MIN	MAX	FREE AREA	LOAD RATING
5" DIA	1/2"	1 1/2"	8 IN ²	5000-7499 lbs
6" DIA	11/16"	1 1/2"	9 IN ²	5000-7499 lbs
7" DIA	9/16"	1 9/16"	12 IN ²	5000-7499 lbs
8" DIA	11/16"	2 1/4"	18 IN ²	5000-7499 lbs
10" DIA	11/16"	2 1/4"	26 IN ²	5000-7499 lbs

LACQUERED CAST IRON BODY WITH STAINLESS STEEL STRAINER					
MODEL NUMBER	WT. Lbs	STRAINER SIZE	LIST PRICE		
F1002, 3, 4-C-5-3	7.00	5" DIA.	\$290.00		
F1002, 3, 4-C-6-3	7.50	6" DIA.	\$355.00		
F1002, 3, 4-C-7-3	8.00	7" DIA.	\$410.00		
F1002, 3, 4-C-8-3	9.00	8" DIA.	\$516.00		
F1002, 3, 4-C-10-3	10.00	10" DIA.	\$707.00		
WHEN NO MEMBRANE CLAMP IS I	REQUIRED, DELETE S	UFFIX (-C) AND DEDUCT \$	550.00		

PARTS

SERIES

A1 BODY	(*)-3	A1-C1	HS-1
			999

(*) Denotes strainer diameter (5", 6", 7", 8" or 10")


FLOOR DRAIN WITH HEAVY DUTY SQUARE STAINLESS STEEL ADJUSTABLE STRAINER F1000-C-S SERIES

BODY

STAINLESS STEEL ALLEN KEY SCREWS **MEMBRANE** CLAMP **STRAINER** (A1-C1) **ADJUSTMENT** WEEP **HOLES** FOR DOUBLE DRAINAGE **HARDWARE** FULL 4" SET (HS-1) SEE BODY HEIGHT THROAT **CHART ON PG 33** PIPE SIZE A1 8" DIAMETER

STRAINER ADJUSTMENT			ANSI/AS	SME RATING
STRAINER	MIN	MAX	FREE AREA	LOAD RATING
5" x 5"	5/8"	1 9/16"	9 IN ²	5000-7499 lbs
6" x 6"	7/8"	1 9/16"	12 IN ²	5000-7499 lbs
8" x 8"	1 1/4"	2 13/16"	26 IN ²	5000-7499 lbs
10" x 10"	1 1/4"	2 13/16"	28 IN ²	5000-7499 lbs

2", 3", 4", 5", 6"



LACQUERED CAST IRON BODY WITH STAINLESS STEEL STRAINER					
MODEL NUMBER	WT. Lbs	STRAINER SIZE	LIST Price		
F1002, 3, 4-C-S5-3	8.00	5" x 5"	\$ 386.00		
F1002, 3, 4-C-S6-3	10.50	6" x 6"	\$ 432.00		
F1002, 3, 4-C-S8-3	12.00	8" x 8"	\$ 628.00		
F1002, 3, 4-C-S10-3	13.50	10" x 10"	\$1008.00		
WHEN NO MEMBRANE CLAMP IS	REQUIRED DELETES	LIFFIX (-C) AND DEDUCT S	550.00		

A1 BODY	S(*)-3	A1-C1	HS-1
			999

(*) Denotes strainer size (5"x 5", 6"x 6", 8"x 8", or 10"x 10")

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

PARTS

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

SERIES



F1100-C SERIES FLOOR DRAIN WITH ROUND ADJUSTABLE NICKEL BRONZE STRAINER F1100-C

ALLEN KEY STAINLESS 5", 6", 7", 8", 10" DIA WEEPHOLES FOR STEEL SCREWS **DOUBLE DRAINAGE STRAINER MEMBRANE ADJUSTMENT** CLAMP (See chart below) (A1-C1) HARDWARE SET (HS-1) FULL 4" **THROAT** A1 BODY HEIGHT (See chart below) PIPE SIZE A1 8" DIAMETER 2", 3", 4", 5", 6" **BODY**



A1 BODY HEIGHT						
PIPE SIZE	NO HUB (STANDARD)	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC (-30) ABS (-31)	
2"	3"	3 3/8"	2 1/4"	3 3/4"	2 5/8"	
3"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/4"	
4"	3"	3 3/8"	2 5/8"	3 1/2"	3 1/2"	
5"	3"	-	2 5/8"	6 7/8"	-	
6"	3 1/2"	6 7/8"	-	-	-	

F1100-C SERIES				
MODEL	WT.	STRAINER	LIST PRI	CE
NUMBER	Lbs.	DIAMETER	NICKEL BRONZE (-1)	DUCTILE IRON (-4)
F1102, 3, 4-C-5	7.00	5"	\$293.00	\$257.00
F1102, 3, 4-C-6	7.50	6"	\$358.00	-
F1102, 3, 4-C-7	8.00	7"	\$413.00	\$329.00
F1102, 3, 4-C-8	9.00	8"	\$519.00	\$404.00
F1102, 3, 4-C-10	10.00	10"	\$707.00	-

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

DYNAC

(DO YOU NEED A CLAMP?)

(*) Denotes strainer diameter (5", 6", 7", 8", or 10")

PARTS

A1 BODY

A1-C1

STRAINER	ADJUST	TMENT	ANSI/ASME RATING		
STRAINER	MIN	MAX	FREE AREA	LOAD RATING	
5" DIA	1/2"	1 1/2"	8 IN ²	2000 lbs	
6" DIA	11/16"	1 1/2"	9 IN ²	2000 lbs	
7" DIA	9/16"	1 9/16"	12 IN ²	2000 lbs	
8" DIA	11/16"	2 1/4"	18 IN ²	2000 lbs	
10" DIA	11/16"	2 1/4"	26 IN ²	2000 lbs	

(*) -1

HS-1

In 90% of today's "slab on grade" installations, there is no need for a membrane clamp, as there is no waterproofing membrane installed. Because MIFAB's unique design allows the strainer assembly to

install directly into the throat of the drain body, the use of a membrane clamping collar is optional. This is an opportunity for cost savings.

Why use a drain with a membrane clamp if it is not neccessary?

F1000-C A	AND F1100-C SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (A1-PB)	\$ 65.00	-C2	High rough-in membrane clamp (A1-C2)	\$ 50.00
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00
-7	Trap seal primer tapping	Standard	-F4-50	4" cast iron round funnel	\$ 107.00
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00
-10	Decorative polished top	\$ 102.00	-F6-50	6" cast iron round funnel (F1530-TA or F1540-TA)	\$ 173.00
-11	Acid resistant epoxy coated body	\$ 157.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00
-13	Galvanized body	\$ 119.00	-G-50	4" x 9" C.I. oval funnel	\$ 256.00
-15	Extension (DD-50)	\$ 84.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00
-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00	Р	Push on outlet (2", 3" or 4")	No Add
-30	PVC Socket Connection Body (2", 3" or 4")	No Add	T	Threaded outlet (2", 3" or 4")	\$ 47.00
-31	ABS Socket Connection Body (2", 3" or 4")	No Add	-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00
-34	Closure plug (C1440 Series)	\$ 220.00	X	Inside caulk outlet (2", 3" or 4")	No Add
-40	Underdeck clamp (A1-C3)	\$ 90.00	5	5" no hub outlet	\$ 335.00
-41	Sump receiver (A1-BP)	\$ 156.00	5T	5" threaded outlet	\$ 335.00
-49	Chrome plated strainer assembly (add to -1 only)	\$ 18.00	5X	5" inside caulk outlet	\$ 335.00
-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 132.00	6	6" no hub outlet	\$ 335.00
	4" threaded side outlet (N/A in -30,-31)	\$ 188.00	6P	6" push on outlet*	\$ 335.00
-95	Client logo	\$ 545.00	* Specify PO	G-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes us	se same gasket.
-C	Membrane clamp (A1-C1)	\$ 50.00	* Add -NH to	-90 for no hub outlet - No Add .	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



F1100-C-AS FLOOR DRAIN WITH ADJUSTABLE ANGLE STRAINER

F1100-C-AS SERIES

SERIES



		3.65	STRAINER /	KS WIDE ADJUSTMENT EE CHART)
WEEPHOLES DOUBLE DRA		3	.65	
liz-				BODY HEIGHT
TRAP PRIMER BOSS	75		The state of the s	ISEE CHART PG 33
4" NPSM			PIPE SIZE	33

FLOOR DRAIN WITH ADJUSTABLE ANGLE STRAINER						
MODEL WT. STRAINER NICKEL BRONZE (-1)						
NUMBER	Lbs	SIZE	` ,			
F1102, 3, 4-C-AS	10.00	4" x 5" x 4"	\$1186.00			
WHEN NO MEMBRANE CLAMP IS REQUIRED. DELETE SUEEIX (-C) AND DEDUCT \$50.00						

PARTS AS-1 A1 BODY A1-C1 HS-1

F1100-C-AS, F1100-C-DD, F1100-C-EF, and F1100-C-EG SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-5	Sediment bucket (A1-PB)	\$ 65.00	-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00	-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00	
-7	Trap seal primer tapping	Standard	-30	PVC Socket Connection Body (2", 3" or 4")	No Add	
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-31	ABS Socket Connection Body (2", 3" or 4")	No Add	
-10	Decorative polished top	\$ 102.00	-34	Closure plug (C1440 Series)	\$ 220.00	
-11	Acid resistant epoxy coated body	\$ 157.00	-40	Underdeck clamp (A1-C3)	\$ 90.00	
-13	Galvanized body	\$ 119.00	-41	Sump receiver (A1-BP)	\$ 156.00	
-15	Extension (DD-50)	\$ 84.00				


PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes


See next page for more options.

PARTS

F1100-C-DD FLOOR DRAIN WITH ADJUSTABLE HUB INDIRECT WASTE STRAINER F1100-C-DD SERIES

SERIES





A1 BODY	DD-(*)
A1-C1	HS-1
AI OI	110-1

FLOOR DRAIN WI				
MODEL Number	WT. Lbs	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	LIST PRICE CAST IRON (-50)
F1102,3,4-C-DD	8.50	HUB DRAIN	\$447.00	-
F1102.3.4-C-DD-50	8.50	HUB DRAIN	-	\$201.00

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00 (*) Denotes strainer finish (-1, -3 or -50)

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




F1100-C-EF SERIES FLOOR DRAIN WITH ROUND ADJUSTABLE STRAINER AND 4" FUNNEL


F1100-C-EF

SERIES

FLOOR DRAINS

SERIES






FLOOR DRAIN WIT	H ADJU	STABLE 4" DI	IA. FUNNEL STRAINER	
MODEL NUMBER	WT. Lbs	STRAINER Size	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	LIST PRICE Cast Iron (-50)
F1102,3,4-C-EF	8.50	5" DIA	\$546.00	
F1102,3,4-C-EF-50	8.50	5" DIA	-	\$364.00
WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00				


A1 BODY

(*) Denotes strainer finish (-1, -3, -50)

F1100-C-	AS, F1100-C-DD, F1100-C-EF, and F1100-C $^{\circ}$	-eg series opt	IONAL V	ARIATIONS: CONT FROM Page 34	
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-49	Chrome plated strainer assembly (add to -1 only)	\$ 18.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00
-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 132.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00
	4" threaded side outlet (N/A in -30,-31)	\$ 188.00	Р	Push on outlet (2", 3" or 4")	No Add
-95	Client logo	\$ 545.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00
-C	Membrane clamp (A1-C1)	\$ 50.00	-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00
-C2	High rough-in membrane clamp (A1-C2)	\$ 50.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	5	5" no hub outlet	\$ 335.00
-F4-50	4" cast iron round funnel	\$ 107.00	5T	5" threaded outlet	\$ 335.00
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	5X	5" inside caulk outlet	\$ 335.00
-F6-50	6" cast iron round funnel	\$ 173.00	6	6" no hub outlet	\$ 335.00
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	6P	6" push on outlet*	\$ 335.00
-G-50	4" x 9" C.I. oval funnel	\$ 256.00		POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes us	e same gasket.
			* Add -NH	to -90 for no hub outlet - No Add.	

F1100-C-EG SERIES FLOOR DRAIN WITH ROUND STRAINER AND 4"x 9" ELONGATED FUNNEL F1100-C-EG





FLOOR DRAIN WITH ADJUSTABLE 4" x 9" FUNNEL INDIRECT STRAINER				
MODEL Number	WT. Lbs	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) Stainless Steel (-3)	LIST PRICE Cast Iron (-50)
F1102,3,4-C-EG	9.00	5" DIA	\$821.00	-
F1102,3,4-C-EG-50	9.00	5" DIA	-	\$513.00

AND DEDUCT \$50.00

(*) Denotes strainer finish (-1, -3, -50)


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

F1100-C-ER EXTENDED RIM FLOOR DRAIN

SERIES



F1100-C-ER SERIES



(*) Denotes standard diameter (7" or 9") (**) Denotes finish (-1, -3 or -50) PARTS A1 BODY ER(*)-(**)

EXTENDED RIM FL	OOR DR	AIN		
MODEL Number	WT. Lbs	STRAINER SIZE	LIST PRICE NICKEL BRONZE (-1) STAINLESS STEEL (-3)	CAST IRON (-50)
F1102,3,4-C-ER7	9.00	7" DIA	\$677.00	•
F1102,3,4-C-ER7-50	9.00	7" DIA	-	\$327.00
F1102,3,4-C-ER9	12.50	9" DIA	\$945.00	-
F1102,3,4-C-ER9-50	12.50	9" DIA	-	\$404.00

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

AT DOD!	() ()
14 04	110.4
A1-C1	HS-1


F1100-C	-ER, F1100-C-FC, F1100-C-FT AND F1100-C-F	IG SERIES OP	TIONAL VAR	IATIONS: CONTINUE	
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (A1-PB)	\$ 65.00	-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00	-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00
-7	Trap seal primer tapping	Standard	-30	PVC Socket Connection Body (2", 3" or 4")	No Add
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-31	ABS Socket Connection Body (2", 3" or 4")	No Add
-10	Decorative polished top	\$ 102.00	-34	Closure plug (C1440 Series)	\$ 220.00
-11	Acid resistant epoxy coated body	\$ 157.00	-40	Underdeck clamp (A1-C3)	\$ 90.00
-13	Galvanized body	\$ 119.00	-41	Sump receiver (A1-BP)	\$ 156.00
-15	Extension (DD-50)	\$ 84.00			

PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes

See next page for more options.

F1100-C-FC FLOOR DRAIN WITH SURFACE MEMBRANE CLAMP

F1100-C-FC SERIES



	-	(SEE CHART)	-	
WEEPHOLES FOR DOUBLE DRAINAGE				STRAINER ADJUSTMENT (SEE CHART)
4" NPSM	17		PIPE SIZE (SIE CHART)	SEE CHART)

ANSI/ASME RATING				
STRAINER FREE AREA		LOAD RATING		
FC7-1	12.0 IN ²	UP TO 2000 lbs		
FC9-1	16.92 IN ²	UP TO 2000 lbs		
FC7-3	12.0 IN ²	5000-7499 lbs		
FC9-3	16.92 IN ²	5000-7499 lbs		

:	A1 BODY	FC(*)-(**)	A1-C1	HS-1

	(*) Denotes strainer dia	meter. (7" or 9") Denote	es strainer finish (-1 or -3)	

FLOOR DRAIN V	LOOR DRAIN WITH SURFACE MEMBRANE CLAMP			
MODEL	WT.	STRAINER	GRATE	LIST PRICE
NUMBER	Lbs	SIZE	SIZE	NICKEL BRONZE (-1) STAINLESS STEEL (-3)
F1102,3,4-C-FC7	10.50	7 3/4" DIA	5 1/2" DIA	\$ 959.00
F1102,3,4-C-FC9	12.50	9 3/4" DIA	9 3/4" DIA	\$1227.00

OPTIONAL LONGER SCREWS FOR THICK FLOOR MEMBRANES					
PART NUMBER DESCRIPTION LIST PRICE					
H-1014 3 of 10-24 x 1" Philips \$53.00					
SS Flat Head Screws					

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

PARTS

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

36

SERIES

STRAINER

ADJUSTMENT

(SEE CHART)

BODY

(SEE CHART)


PIPE SIZE (SEE CHART)



F1100-C-FT SERIES FLOOR DRAIN WITH RECESSED TILE FLANGE

F1100-C-FT

SERIES



ANSI/ASME RAT	ING	
STRAINER	FREE AREA	LOAD RATING
FT6-1	9 IN ²	UP TO 2000 lbs
FT6-3	9 IN ²	5000-7499 lbs

FLOOR DRAIN WITH RECESSED TILE FLANGE							
MODEL Number	WT. Lbs	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)				
F1102,3,4-C-FT6	9.50	6" DIA	\$677.00				
WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00							

PARTS A1 BODY

FT6-(*)

A1-C1

Ø 8.15 Ø 5.2

Ø 8

HS-1





(*) Denotes strainer finish (-1 or -3

0.125

WEEPHOLES FOR DOUBLE DRAINAGE

TRAP PRIMER


4" NPSM

BOSS

F1100-C-E	F1100-C-ER, F1100-C-FC, F1100-C-FT AND F1100-C-HG SERIES OPTIONAL VARIATIONS CONTINUED FROM PAGE 36							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-49	Chrome plated strainer assembly (add to -1 only)	\$ 18.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00			
-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 132.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00			
	4" threaded side outlet (N/A in -30,-31)	\$ 188.00	Р	Push on outlet (2", 3" or 4")	No Add			
-95	Client logo	\$ 545.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00			
-C	Membrane clamp (A1-C1)	\$ 50.00	-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00			
-C2	High rough-in membrane clamp (A1-C2)	\$ 50.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add			
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	5	5" no hub outlet	\$ 335.00			
-F4-50	4" cast iron round funnel	\$ 107.00	5T	5" threaded outlet	\$ 335.00			
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	5X	5" inside caulk outlet	\$ 335.00			
-F6-50	6" cast iron round funnel	\$ 173.00	6	6" no hub outlet	\$ 335.00			
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	6P	6" push on outlet*	\$ 335.00			
-G-50	4" x 9" C.I. oval funnel	\$ 256.00	* Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gaske					
			* Add -NH	to -90 for no hub outlet - No Add.				

F1100-C-HG SERIES FLOOR DRAIN WITH ROUND ADJUSTABLE HINGED STRAINER

F1100-C-HG **SERIES**



FLOOR DRAIN WITH ROUND ADJUSTABLE HINGED STRAINER							
MODEL NUMBER	WT.	STRAINER SIZE	LIST PRICE STAINLESS STEEL (-3)				
	Lbs	SIZE	STAINLESS STEEL (-3)				
F1102,3,4-C-HG5	7.50	5" DIA	\$458.00				
F1102,3,4-C-HG7	8.50	7" DIA	\$492.00				
F1102,3,4-C-HG8	9.50	8" DIA	\$639.00				


WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

All sales subject to MIFAB's Terms and Warranties.

Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



(*) Denotes strainer diameter (5", 7", or 8")

PARTS HS-1



_	1	



ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
HG5-3	8 IN ²	5000-7499 lbs				
HG7-3	9 IN ²	5000-7499 lbs				
HG8-3	18.0 IN ²	5000-7499 lbs				

Visit www.mifab.com for the most recent product information.







F1100-C-K FLOOR DRAIN WITH DOME STRAINER

F1100-C-K SERIES

SERIES





A1 BODY

PARTS





ANSI/ASME RATING FREE AREA 15 IN²

FLOOR DRAIN WITH DOME STRAINER						
MODEL WT. DOME LIST PRICE						
NUMBER	Lbs	SIZE	NICKEL BRONZE (-1)	STAINLESS STEEL (-3)	CAST IRON (-50)	
F1102,3,4-C-K	8.00	5" DIA	\$410.00	\$410.00	\$218.00	
F1102,3,4-C-K(*)-83 W/SS MESH OVER DOME, ADD TO ABOVE: \$400.00						
WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00						

F1100-C-K, F1100-C-N, F1100-C-RS AND F1100-C-S SERIES OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-5	Sediment bucket (A1-PB)	\$ 65.00	-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00		
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00	-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only	\$ 734.00		
-7	Trap seal primer tapping	Standard	-30	PVC Socket Connection Body (2", 3" or 4")	No Add		
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-31	ABS Socket Connection Body (2", 3" or 4")	No Add		
-10	Decorative polished top	\$ 102.00	-34	Closure plug (C1440 Series)	\$ 220.00		
-11	Acid resistant epoxy coated body	\$ 157.00	-40	Underdeck clamp (A1-C3)	\$ 90.00		
-13	Galvanized body	\$ 119.00	-41	Sump receiver (A1-BP)	\$ 156.00		
-15	Extension (DD-50)	\$ 84.00					


PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes


See next page for more options.

FLOOR DRAIN WITH 7" OR 9" TRACTOR GRATE

F1100-C-N SERIES







A1 BODY	N(*)-(**)	A1-C1	HS-1
		enotes strainer diameter ", or 9")	PARTS
105		Conotos etrainor finish	

FLOOR DRAIN WITH 7" OR 9" TRACTOR GRATE						
MODEL	WT.	STRAINER	LIST PRICE			
NUMBER	Lbs	SIZE	NICKEL BRONZE (-1)	STAINLESS STEEL (-3)	DUCTILE IRON (-4)	
F1102,3,4-C-N7*	9.50	7" DIA	\$677.00	\$677.00	-	
F1102,3,4-C-N7-4	9.50	7" DIA	-	-	\$325.00	
F1102,3,4-C-N9*	10.50	9" DIA	\$936.00	\$936.00	-	
F1102,3,4-C-N9-4	10.50	9" DIA	-	-	\$398.00	

(-1,-3 or -4)					
ANSI/ASM	IE RATING				
CTDAINED	EDEE ADEA	1.0			

ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
N7	11.0 IN ²	OVER 10000 lbs				
N9	18.0 IN ²	OVER 10000 lbs				

ADD 3/8 TO DIAMETER AND 3/16* TO HEIGHT FOR (-1), (-3), NB OR SS VENEER WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

STRAINER ADJUSTMENT


(SEE CHART)



F1100-C-RS SERIES FLOOR DRAIN WITH RECTANGULAR STRAINER

F1100-C-RS

SERIES



TRAPPRIMER 4" NPSM **PARTS** A1 BODY HS-1 RS(*)-(**) A1-C1

WEEPHOLES FOR DOUBLE DANNA

LENGTH X WIDTH

FLOOR DRAIN WITH RECTANGULAR STRAINER							
MODEL Number	WT. Lbs	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)				
F1102,3,4-C-RS48	10.50	4" x 8"	\$639.00				
F1102,3,4-C-RS412	11.00	4" x 12"	\$776.00				
F1102,3,4-C-R\$517-3 14.00 5" x 17" \$924.00							
WHEN NO MEMBRANE CLAMP I	WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00						


ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
RS48-1*	11.0 IN ²	UP TO 2000 lbs				
RS412-1*	15.0 IN ²	UP TO 2000 lbs				
RS517-3	20.0 IN ²	5,000 TO 7,499 lbs				
*STAINLESS (-3) FO	OR ABOVE					


	THE THE MEMBER WILL COMMING THE SECOND CONTROL OF THE SECOND CONTR						
F1100-C-	F1100-C-K, F1100-C-N, F1100-C-RS AND F1100-C-S SERIES OPTIONAL VARIATIONS CONT. FROM PAGE 38						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-49	Chrome plated strainer assembly (add to -1 only)	\$ 18.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00		
-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 132.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00		
	4" threaded side outlet (N/A in -30,-31)	\$ 188.00	Р	Push on outlet (2", 3" or 4")	No Add		
-95	Client logo	\$ 545.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00		
-C	Membrane clamp (A1-C1)	\$ 50.00	-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00		
-C2	High rough-in membrane clamp (A1-C2)	\$ 50.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add		
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	5	5" no hub outlet	\$ 335.00		
-F4-50	4" cast iron round funnel	\$ 107.00	5T	5" threaded outlet	\$ 335.00		
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	5X	5" inside caulk outlet	\$ 335.00		
-F6-50	6" cast iron round funnel	\$ 173.00	6	6" no hub outlet	\$ 335.00		
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	6P	6" push on outlet*	\$ 335.00		
-G-50	4" x 9" C.I. oval funnel	\$ 256.00 * Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.					
* Add -NH to -90 for no hub outlet - No Add.							

F1100-C-S SERIES **SQUARE FLOOR DRAIN**

F1100-C-S

SERIES









1	HS-1				
2					

PIPE SIZE (SEE CHART)

FLOOR DRAIN WITH SQUARE STRAINER							
MODEL Number	WT. Lbs	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	LIST PRICE DUCTILE IRON (-4)			
F1102,3,4-C-S5	8.00	5" x 5"	\$ 386.00	-			
F1102,3,4-C-S6	10.50	6" x 6"	\$ 432.00	-			
F1102,3,4-C-S8	12.00	8" x 8"	\$ 628.00	\$458.00			
F1102,3,4-C-S10	13.50	10" x 10"	\$1008.00	-			
WHEN NO MEMBRANE CLAMP	WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00						

ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
5" x 5" NB	9 IN ²	UP TO 2000 lbs				
6" x 6" NB	12 IN ²	UP TO 2000 lbs				
8" x 8" NB	26 IN ²	UP TO 2000 lbs				
8" x 8" DI	26 IN ²	OVER 10,000 lbs				
5" x 5" SS	9 IN ²	5000 TO 7499 lbs				
6" x 6" SS	12 IN ²	5000 TO 7499 lbs				
10" x 10" SS	28 IN ²	5000 TO 7499 lbs				

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




....

F1100-C-SD FLOOR DRAIN WITH SQUARE SOLID HINGED COVER

F1100-C-SD SERIES

SERIES



FLOOR DRAIN WITH SQUARE SOLID HINGED COVER						
MODEL WT. STRAINER NICKEL BRONZE (-1) NUMBER Lbs SIZE STAINLESS STEEL (-3)						
F1102,3,4-C-SD6 11.50 6" x 6" \$753.00						
WHEN NO MEMBRANE CLAN	IP IS REQUIRE	D, DELETE SUFFIX	(-C) AND DEDUCT \$50.00			

SQUARE

SQUARE

STRANIR ADJUSTMENT

OR CHART

STRANIR ADJUSTMENT

OR CHART

PARTS

A1 BODY	SD6-(*)	A1-C1	HS-1
			999

ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
SD6-1,3	12 IN ²	5000 - 7499 lbs				

(*) Denotes strainer finish (-1 or -3)

F1100-C-	F1100-C-SD, F1100-C-SHG, F1100-C-T AND F1100-C-VD SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-5	Sediment bucket (A1-PB)	\$ 65.00	-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00		
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00	-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00		
-7	Trap seal primer tapping	Standard	-30	PVC Socket Connection Body (2", 3" or 4")	No Add		
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-31	ABS Socket Connection Body (2", 3" or 4")	No Add		
-10	Decorative polished top	\$ 102.00	-34	Closure plug (C1440 Series)	\$ 220.00		
-11	Acid resistant epoxy coated body	\$ 157.00	-40	Underdeck clamp (A1-C3)	\$ 90.00		
-13	Galvanized body	\$ 119.00	-41	Sump receiver (A1-BP)	\$ 156.00		
-15	Extension (DD-50)	\$ 84.00					

PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes


See next page for more options.

F1100-C-SHG FLOOR DRAIN WITH SQUARE ADJUSTABLE HINGED STRAINER

F1100-C-SHG SERIES


SERIES

FLOOR DRAINS



FLOOR DRAIN WITH SQUARE ADJUSTABLE HINGED STRAINER							
MODEL WT. STRAINER LIST PRICE NUMBER Lbs SIZE STAINLESS STEEL (-3)							
F1102,3,4-C-SHG6-3	11.50	6" x 6"	\$516.00				
F1102,3,4-C-SHG8-3	12.50	8" x 8"	\$994.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes.



A1 BODY	SHG(*)-3	A1-C1	HS-1
ANOL/AOME DAT		(*)	Denotes strainer size

ANSI/ASIVIE KATING						
STRAINER	FREE AREA	LOAD RATING				
6" x 6"	9 IN ²	5000 - 7499 lbs				
8" x 8"	20 IN ²	5000 - 7499 lbs				

Visit www.mifab.com for the most recent product information.

40

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049


(6"x 6" or 8"x 8")



 \oplus

F1100-C-T SERIES FLOOR DRAIN WITH ROUND STRAINER AND SOLID SECURED COVER

F1100-C-T




ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
6" DIA	9 IN ²	5000 - 7499 lbs				
7" DIA	12 IN ²	5000 - 7499 lbs				

H-1042 "T" WRENCH TOOL

FLOOR DRAIN WITH ROUND STRAINER & SOLID SECURED COVER							
MODEL	WT.	STRAINER	LIST PRICE				
NUMBER	Lbs	SIZE	STAINLESS STEEL (-3)				
F1102,3,4-C-T6-3	11.50	6" DIA	\$ 639.00				
F1102,3,4-C-T7-3	13.50	7" DIA	\$1141.00				
H-1042 "T" \	WRENCH 7	\$ 84.00					
MULENI NIO MEMBERANE OL MA	ום ום סבטוום	ED DELETE OUE	IV (O) AND DEDUCT ACO OO				

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00




PARTS (*) Denotes strainer diameter (6" or 7")								
A1 BODY	T(*)-3	A1-C1	HS-1					

F1100-C-	F1100-C-SD, F1100-C-SHG, F1100-C-T AND F1100-C-VD SERIES OPTIONAL VARIATIONS CONTINUED FROM PAGE 40						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-49	Chrome plated strainer assembly (add to -1 only)	\$ 18.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00		
-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 132.00	-J-50 ´	3" x 1" cast iron oval funnel	\$ 107.00		
	4" threaded side outlet (N/A in -30,-31)	\$ 188.00	Р	Push on outlet (2", 3" or 4")	No Add		
-95	Client logo	\$ 545.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00		
-C	Membrane clamp (A1-C1)	\$ 50.00	-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00		
-C2	High rough-in membrane clamp (A1-C2)	\$ 50.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add		
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	5	5" no hub outlet	\$ 335.00		
-F4-50	4" cast iron round funnel	\$ 107.00	5T	5" threaded outlet	\$ 335.00		
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	5X	5" inside caulk outlet	\$ 335.00		
-F6-50	6" cast iron round funnel	\$ 173.00	6	6" no hub outlet	\$ 335.00		
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	6P	6" push on outlet*	\$ 335.00		
-G-50	4" x 9" C.I. oval funnel	\$ 256.00					
	* Add -NH to -90 for no hub outlet - No Add.						

F1100-C-VD SERIES FLOOR DRAIN WITH ROUND STRAINER AND SOLID HINGED COVER

F1100-C-VD

SERIES



ANSI/ASME RATING						
STRAINER	STRAINER FREE AREA LOAD RATING					
5" DIA 5 IN ² 5000 - 7499 lbs						

FLOOR DRAIN WITH ROUND STRAINER AND SOLID HINGED COVER						
MODEL WT. STRAINER LIST PRICE						
NUMBER	Lbs	SIZE	STAINLESS STEEL (-3)			
F1102,3,4-C-VD5	11.50	5" DIA	\$525.00			

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

PARTS
A1 BODY VD5-3 A1-C1 HS-1

STRAINER DIAMETER

WEEPHOLES FOR

DOUBLE DRAINAGE

TRAP PRIMER

BOSS

4 NPSM

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

PIPE SIZE

STRAINER ADJUSTMENT (SEE CHART)

BODY HEIGHT

(SEE CHART)

41





SERIES



F1100-C-W(D) OVERFLOW DRAIN WITH STANDPIPE AND OPTIONAL DOME F1100-C-W(D) SERIES

SERIES





OVERFLOW DRAIN WITH STANDPIPE AND OPTIONAL DOME							
MODEL Number	WT. Lbs	STANDPIPE DIA X HT.	LIST PRICE Stainless Steel (-3)				
F1102,3,4-C-W(D)-3	9.50	4" x 6"	\$1186.00				

DEDUCT FOR: LESS DOME - (DELETE SUFFIX (-D) AND DEDUCT \$230.00 WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

PARIS			
A1 BODY	WD-3	A1-C1	HS-1


F1100-C-W(D), F1100-C-X, F1100-C-XS AND F1100-C-Z SERIES OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (A1-PB)	\$ 65.00	-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00	-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00
-7	Trap seal primer tapping	Standard	-30	PVC Socket Connection Body (2", 3" or 4")	No Add
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-31	ABS Socket Connection Body (2", 3" or 4")	No Add
-10	Decorative polished top	\$ 102.00	-34	Closure plug (C1440 Series)	\$ 220.00
-11	Acid resistant epoxy coated body	\$ 157.00	-40	Underdeck clamp (A1-C3)	\$ 90.00
-13	Galvanized body	\$ 119.00	-41	Sump receiver (A1-BP)	\$ 156.00
-15	Extension (DD-50)	\$ 84.00	-91	Stainless steel standpipe (W-3)	No Add


PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes

See next page for more options.

F1100-C-X FLOOR DRAIN WITH ROUND HEAVY DUTY STRAINER

F1100-C-X SERIES





PARTS

ANSI/ASME	RATING	LOAD RATING		
STRAINER	FREE AREA	NICKEL BRONZE	STAINLESS STEEL	DUCTILE IRON
5" DIA	8 IN ²	5000-7499 lbs	5000-7499 lbs	5000 - 7499 lbs
6" DIA	9 IN ²	5000-7499 lbs	5000-7499 lbs	-
8" DIA	18 IN ²	5000-7499 lbs	5000-7499 lbs	OVER 10,000 lbs

FLOOR DRAIN WITH ROUND HEAVY DUTY STRAINER							
MODEL Number	WT. Lbs	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	LIST PRICE DUCTILE IRON (-4)			
F1102,3,4-C-X5	7.50	5" DIA	\$421.00	\$257.00			
F1102,3,4-C-X6	8.00	6" DIA	\$484.00	-			
F1102,3,4-C-X8 10.00 8" DIA \$643.00 \$404.00							
WHEN NO MEMBRANE CLAMP	WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00						

A1-C1 HS-1 (*) Denotes strainer diameter (5", 6", or 8")

X(*)-(**

(**) Denotes strainer finish (-1, -3, or -4)

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

A1 BODY





MIFAB

F1100-C-XS SERIES FLOOR DRAIN WITH HEAVY DUTY SQUARE STRAINER

F1100-C-XS

SERIES





ANSI/ASME RATING		LOAD RATING			
STRAINER FREE AREA		NICKEL BRONZE	STAINLESS STEEL	DUCTILE IRON	
5" x 5"	9 IN ²	5000-7499 lbs	5000-7499 lbs	OVER 10,000 lbs	
6" x 6"	12 IN ²	5000-7499 lbs	5000-7499 lbs	-	
8" x 8"	26 IN ²	5000-7499 lbs	5000-7499 lbs	OVER 10,000 lbs	
10" x 10"	28 IN ²	-	5000-7499 lbs	-	

FLOOR DRAIN WITH HEAVY DUTY SQUARE STRAINER						
MODEL WT. STRAINER LIST PRICE: NICKEL BRONZE (-1) NUMBER Lbs SIZE STAINLESS STEEL (-3)						
8.50	5" x 5"	\$ 457.00	-			
11.00	6" x 6"	\$ 535.00	-			
12.50	8" x 8"	\$ 753.00	\$458.00			
13.50	10" x 10"	\$1334.00	-			
	WT. Lbs 8.50 11.00 12.50	WT. Lbs STRAINER SIZE 8.50 5" x 5" 11.00 6" x 6" 12.50 8" x 8"	WT. Lbs STRAINER SIZE LIST PRICE: NICKEL BRONZE (-1) 8.50 5" x 5" \$ 457.00 11.00 6" x 6" \$ 535.00 12.50 8" x 8" \$ 753.00			



(*) Denotes strainer size (5"x 5", 6"x 6", 8"x 8" or 10"x 10") (**) Denotes strainer finish (-1, -3, or -4)

F1100-C-\	F1100-C-W(D), F1100-C-X, F1100-C-XS AND F1100-C-Z SERIES OPTIONAL VARIATIONS CONTINUED FROM PAGE 42					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-49	Chrome plated strainer assembly (add to -1 only)	\$ 18.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00	
-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 132.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00	
	4" threaded side outlet (N/A in -30,-31)	\$ 188.00	Р	Push on outlet (2", 3" or 4")	No Add	
-95	Client logo	\$ 545.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00	
-C	Membrane clamp (A1-C1)	\$ 50.00	-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00	
-C2	High rough-in membrane clamp (A1-C2)	\$ 50.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add	
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	5	5" no hub outlet	\$ 335.00	
-F4-50	4" cast iron round funnel	\$ 107.00	5T	5" threaded outlet	\$ 335.00	
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	5X	5" inside caulk outlet	\$ 335.00	
-F6-50	6" cast iron round funnel	\$ 173.00	6	6" no hub outlet	\$ 335.00	
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	6P	6" push on outlet*	\$ 335.00	
-G-50	4" x 9" C.I. oval funnel	\$ 256.00 * Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.				
	* Add -NH to -90 for no hub outlet - No Add.					

0.1875

WEEPHOLES FOR DOUBLE DRAINAGE

TRAP PRIMER BOSS

(*) Denotes strainer

PARTS

A1 BODY

4 NPSM

F1100-C-Z SERIES FLOOR DRAIN WITH ELASTOMERIC FLANGE

STRAINER ADJUSTMENT (SEE CHART)

LOAD RATING

UP TO 2000 lbs


5000 - 7499 lbs

HS-1

BODY HEIGHT (SEE CHART)

PIPE SIZE (SEE CHART)

SERIES



FLOOR DRAIN WITH ROUND STRAINER AND SOLID HINGED COVE				
MODEL NUMBER	WT. Lbs	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	
F1102,3,4-C-Z5	8.50	5" DIA	\$845.00	

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

A1-C1

Ø13 Ø5

Ø8

FREE AREA

8 IN

8 IN²

ANSI/ASME RATING

STRAINER

Z5-1

Z5-3


Z5-(*)

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA



F1100-C-ZS FLOOR DRAIN WITH SQUARE STRAINER AND ELASTOMERIC FLANGE F1100-C-ZS SERIES

SERIES




SEE CHART SQ14 0.1875 STRAINER ADJUSTMENT WEEPHOLES FOR (SEE CHART) DOUBLE DRAINAGE TRAP PRIMER BOSS BODY HEIGHT (SEE CHART) 4" NPSM PIPE SIZE (SEE CHART) Ø8

PA	Rī	S	

A1 BODY ZS-(*) A1-C1

HS-1









FLOOR DRAIN WITH SQUARE STRAINER AND ELASTOMERIC FLANGE					
	MODEL Number	WT. Lbs	STRAINER Size	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	
	F1102,3,4-C-ZS	11.50	6" x 6"	\$845.00	

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00


FLOOR DRAIN WITH SIDE OUTLET

OPTIONAL VARIATIONS CONTINUE ON PAGE 45

CONTINUE F1100-C-90 SERIES

SERIES

F1100-C-90



ANSI/ASME RATING

FREE AREA / LOAD RATING SEE STD (*) STRAINER CHART ON PAGE 33

Add Suffix -NH for no hub outlet and specify integral A1 no hub body A1-2,3,4-90-NH. No Add.

FOR ALL OTHER STRAINER TYPES, TAKE STRAINER PRICE FROM PAGES 46-47 AND ADD \$199.00 FOR 2" AND 3" THREADED SIDE OUTLET BODY AND \$255 FOR 4" THREADED SIDE OUTLET BODY

FLOOR DRAIN WITH SIDE OUTLET						
MODEL NUMBER	WT. Lbs	OUTLET SIZE	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	LIST PRICE DUCTILE IRON (-4)	
F1102,3-C-90-5	6.50	2", 3"	5" DIA	\$422.00	\$389.00	
F1104-C-90-5	7.00	4"	5" DIA	\$478.00	\$445.00	
F1102,3-C-90-6	7.50	2", 3"	6" DIA	\$487.00	-	
F1104-C-90-6	8.00	4"	6" DIA	\$543.00	-	
F1102,3-C-90-7	8.00	2", 3"	7" DIA	\$542.00	-	
F1104-C-90-7	8.50	4"	7" DIA	\$598.00	-	
F1102,3-C-90-8	8.00	2", 3"	8" DIA	\$648.00	\$536.00	
F1104-C-90-8	8.50	4"	8" DIA	\$704.00	\$592.00	

A1-C1



Denotes strainer diameter (5, 6, 7, br 8 (**) Denotes strainer finish (-1, -3, or -4) (+) Denotes threaded outlet (2", 3", or 4")

BODY HEIGHT					
PIPE SIZE A B					
2"	2 15/16"	3 7/8"			
3"	3"	4 3/8"			
4"	3 1/4"	4 3/8"			

ABOVE DIMENSIONS ARE FOR STANDARD THREADED OR OPTIONAL NO HUB OUTLET

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00 All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





F1000-C THROUGH F1100-C-90 SERIES

VISUAL REFERENCE TO POPULAR OPTIONAL VARIATIONS

"-C" MEMBRANE CLAMP

"-C1" LOW ROUGH IN MEMBRANE CLAMP





Because MIFAB'S® unique design allows the strainer assembly to install directly into the throat of the body, one can eliminate the membrane clamping collar and save \$50.00







-6 Security Screws

-7 Trap Seal Primer Tapping







-15 Extension

-34 Closure Plug

OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE
-3	Heavy duty Stainless Steel strainer (Type 304)	No Add
-5	Sediment bucket (A1-PB)	\$ 65.00
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00
-7	Trap seal primer tapping (except F1160 + F1170)	Standard
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00
-10	Decorative polished top	\$ 102.00
-11	Acid resistant epoxy coated body	\$ 157.00
-13	Galvanized body	\$ 119.00
-15	Extension (DD-50)	\$ 84.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00
-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub)	\$ 734.00
-30	PVC Socket Connection Body (2", 3" or 4")	No Add
-31	ABS Socket Connection Body (2", 3" or 4")	No Add
-34	Closure plug (C1440 Series)	\$ 220.00
-40	Underdeck clamp (A1-C3)	\$ 90.00
-41	Sump receiver (A1-BP)	\$ 156.00
-49	Chrome plated strainer assembly (-add to 1 only)	\$ 18.00
-90	Threaded side outlet (2", 3") (N/A in -30, -31)	\$ 132.00
	4" threaded side outlet (N/A in -30, -31)	\$ 188.00
-95	Client logo	\$ 545.00
-C	Membrane clamp (A1-C2)	\$ 50.00
-C1	Low rough-in membrane clamp (A1-C1)	\$ 50.00
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00
-F4-50	4" cast iron round funnel	\$ 107.00
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00
-F6-50	6" cast iron round funnel	\$ 173.00
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00
-G-50	4" x 9" C.I. oval funnel	\$ 256.00
-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00
-J-50	3" x 1" cast iron oval funnel	\$ 107.00
Р	Push on outlet (2", 3" or 4") Threaded outlet (2", 3" or 4")	No Add
T	Threaded outlet (2", 3" or 4")	\$ 47.00
-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00
Χ	Inside caulk outlet (2", 3" or 4")	No Add
5	5" no hub outlet	\$ 335.00
5T	5" threaded outlet	\$ 335.00
5X	5" inside caulk outlet	\$ 335.00
6	6" no hub outlet	\$ 335.00
6P	6" push on outlet	\$ 335.00

^{*(}Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2",3",4" sizes use same gasket). * Add -NH to -90 for no hub outlet - No Add.

F1000 THROUGH F1100-90 SERIES

MODULAR BODIES

A1 BODY (F1100)



Description	List Price
2", 3", 4" body only	\$ 67.00
5", 6", body only	\$402.00
2", 3", 4" body and	
A1-C2 membrane clamp	\$117.00



Description	List Price
2", 3", 4" PVC (-30) body	\$ 67.00
2", 3", 4" ABS (-31) body	\$ 67.00
2", 3", 4" body and	
A1-C2 membrane clamp	\$117.00

	Description	List Price
)	2", 3", 4" PVC (-30) body	\$ 67.00
)	2", 3", 4" ABS (-31) body	\$ 67.00
	2", 3", 4" body and	
)	A1-C2 membrane clamp	\$117.00
Ξ		



A1-90 BODY (F1100-90)

Side outlet body only \$199.00 \$255.00 outlet body only



A1-90-NH BODY

┚		
ı	Description	List Price
	2", 3"no hub side	
1	outlet body only	\$199.00
	4" no hub side	
	outlet body only	\$255.00



1		
l	Description	List Price
	F1122T-PB-7*, F1123T-PB-7*	\$293.00
	F1124T-PB-7*	\$492.00
l	*For A1-C2 membrane	
	clamp add Suffix -C	\$ 50.00

F1130C INTEGRAL **TRAP & CLEANOUT BODY AND MEMBRANE CLAMP**



Description	List Price
2", 3", 4"	\$683.00

F1160 INTEGRAL TRAP BODY



Description	List Price
3" Outlet	\$388.00
4" Outlet	\$455.00

F1170 INTEGRAL TRAP BODY W/AUX. **INLETS**



е	Description	List Price
0	F1173-PB	\$463.00
0	F1174-PB	\$463.00

A4 PVC/ABS BODY



Description	List Price
2", 3", 4" PVC body	
only (A4-2,3,4-30-7)	\$67.00
2", 3", 4" ABS body	
only (A4-2,3,4-31-7)	\$67.00

A4 CAST IRON BODY



и.	1	
	Description	List Price
	2", 3", 4"	\$67.00
	Cast iron	
	body only	

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



P45







F1000-C THROUGH F1100-C-90 SERIES MODULAR STRAINERS F1100 SERIES STRAINERS

MIFAB ADJUSTABLE STRAINERS

ADJUSTABLE STRAINERS MAY BE USED WITH PLASTIC "FITTING" BODIES; ATTACHED WITH "NH" CLAMP TO CAST IRON OR PLASTIC PIPE OR THREADED INTO MIFAB BODY ASSEMBLIES.

FOR STRAINER DIMENSIONS AND ADJUSTMENT RANGE, SEE F1100 SERIES ON PAGES 32 TO 44

NOTE: -1 = NICKEL BRONZE, -2 = POLISHED BRASS, -3 = STAINLESS STEEL, -4 = DUCTILE IRON -49 = POLISHED CHROME, -50 = CAST IRON

STANDARD REINFORCED **ROUND STRAINER**




Part No.	Description	Wt. Ibs	List Price NB (-1)	List Price SS (-3)
5-(1,2,3)	5" Dia.	1.25	\$173.00	\$173.00
5-49	5" Dia.	1.25	\$191.00	-
6-(1,3)	6" Dia.	1.75	\$238.00	\$238.00
7-(1,3)	7" Dia.	2.50	\$293.00	\$293.00
8-(1,3)	8" Dia.	4.00	\$399.00	\$399.00
10-(1,3)	10" Dia.	8.50	\$590.00	\$590.00

"AS" ANGLE STRAINER



Part No.	Description	Wt. Ibs	List Price NB (-1)	
AS	5" x 4" x 4"	4.25	\$1069.00	

"DD" INDIRECT WASTE HUB



Part No.	Description	Wt. Ibs	List Price NB (-1)	List Price SS (-3)
DD	4" Hub	2.50	\$330.00	\$330.00
DD-50	4" C/Iron Hub	2.25	\$84.00	

"EF" 4" ROUND FUNNEL **STRAINER**



Part	Description	Wt.	List
No.		lbs	Price
EF-(1,3)*	4" Dia. Funnel	3.25	\$429.00
EF-50	4" Dia. Funnel	3.50	\$247.00
EF6-(1,3)*	6" Dia. Funnel	4.25	\$553.00
EF6-50	6" Dia. Funnel	4.50	\$314.00
*Available in	Stainless Steel or Nicke	l Bronze	

"EG" 4" & 9" ELONGATED **FUNNEL STRAINER**



Part No.	Description	Wt. Ibs	List Price	
EG-(1,3)*	9" Oval	4.25	\$704.00	
EG-50	9" Oval	5.25	\$396.00	
*Available in Stainless Steel or Nickel Bronze				

"F" FUNNELS ONLY*



Part No.	Description	Wt. Ibs	List Price
F4-(1,3)*	(4" Round funnel only)	1.50	\$256.00
F4-50	(4" Round funnel only)	1.75	\$107.00
F6-(1,3)*	(6" Round funnel only)	2.00	\$380.00
F6-50	(6" Round funnel only)	2.50	\$173.00
	Stainless Steel or Nickel Bron		

"G" & "J" FUNNELS ONLY*



Part	Description	Wt.	List	Part	Description	Wt.	List
No.		lbs	Price	No.		lbs	Price
F4-(1,3)*	(4" Round funnel only)	1.50	\$256.00	G-(1,3)*	(4"x 9" Oval funnel only)	2.50	\$531.00
F4-50	(4" Round funnel only)	1.75	\$107.00	G-50	(4"x 9" Oval funnel only)	3.50	\$256.00
F6-(1,3)*	(6" Round funnel only)	2.00	\$380.00	J-(1,3)*	(3"x 1" Oval funnel only)	2.00	\$256.00
F6-50	(6" Round funnel only)	2.50	\$173.00	J-50	(3"x 1" Oval funnel only)	3.00	\$107.00
*Available in Stainless Steel or Nickel Bronze			*Available in Stainless Steel or Nickel Bronze				
*Includes H	-1083 (1/4 x 20 x 3/4 hex head	d screws an	d H-1081 washer)	*Includes H-1083 (1/4 x 20 x 3/4 hex head screws and H-1081 washe			H-1081 washer)

"ER" EXTENDED RIM STRAINER



Part No.	Description	Wt. Ibs	List Price NB (-1) SS (-3)	List Price CI (-50)
ER7	7" Diameter	4.50	\$560.00	\$210.00
ER9	9" Diameter	5.75	\$828.00	\$287.00

"FC" STRAINER WITH **SURFACE MEMBRANE CLAMP**



Part No.	Description	Wt. Ibs	List Price NB (-1)	List Price SS (-3)
FC7	7" Diameter	5.25	\$ 842.00	\$ 842.00
FC9	9" Diameter	6.25	\$1110.00	\$1110.00

"FT" STRAINER WITH **RECESSED TILE FLANGE**



Part	Description	Wt.	List Price	List Price
No.		lbs	NB (-1)	SS (-3)
FT6	6" Diameter	3.25	\$560.00	\$560.00

"HG" ROUND HINGED STRAINER



П				
	Part	Description	Wt.	List
	No.		lbs	Price
ı	HG5-3	5" Diameter	2.50	\$341.00
ı	HG7-3	7" Diameter	5.00	\$375.00
1	HG8-3	8" Diameter	5.50	\$522.00

"K" DOME STRAINER



Part No.	Description	Wt. Ibs	List Price
K-1	5" Diameter NB Dome	2.00	\$293.00
K-3	5" Diameter SS Dome	2.00	\$293.00
K-50	5" Diameter CI Dome	3.00	\$101.00

"N" TRACTOR GRATE



Part No.	Description	Wt. Ibs	List Price
N7-1,3	7" Dia. NB or SS	5.75	\$560.00
N7-4	7" Dia. Ductile Iron	6.25	\$208.00
N9-1,3	9" Dia. NB or SS	7.25	\$819.00
N9-4	9" Dia. Ductile Iron	8.00	\$281.00

"RS" RECTANGULAR STRAINER




Part No.	Description	Wt. Ibs	List Price NB (-1)	List Price SS (-3)
RS48	4" x 8"	4.50	\$522.00	\$522.00
RS412	4" x 12"	5.50	\$659.00	\$659.00
RS517	5" x 17"	11.00	-	\$807.00

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.









F1100 SERIES STRAINERS F1000-C THROUGH F1100-C-90 SERIES MODULAR STRAINERS

F1100 **SERIES STRAINERS**





Part	Description	Wt.	List Price	List Price
No.		lbs	NB (-1)	SS (-3)
S5*	5" x 5"	2.00	\$269.00	\$269.00
S6	6" x 6"	3.00	\$315.00	\$315.00
S8	8" x 8"	7.00	\$511.00	\$511.00
S10	10" x 10"	12.00	\$891.00	\$891.00
*Also a	vailable in S5-2 and	S5-49	\$283.00	

"SD" SECONDARY GRATE WITH SOLID HINGED COVER



Part	Description	Wt.	List Price	Part	Descrip
No.		Ibs	NB (-1) SS (-3)	No.	
SD6-(1,3)	6" x 6"	4.50	\$636.00	SHG6-3	6" x 6" S
*Available in Stainless Steel or Nickel Bronze				SHG8-3	8" x 8" S

"SHG" SQUARE HINGED **STRAINER**



Part No.	Description	Wt. Ibs	List Price SS (-3)
SHG6-3	6" x 6" SS	6.00	\$399.00
SHG8-3	8" x 8" SS	7.25	\$877.00

"T" ROUND STRAINER AND **SOLID SECURED COVER**



Part	Description	Wt.	List Price
No.		lbs	SS (-3)
T6-3	6" Diameter	4.00	\$ 522.00
T7-3	7" Diameter	5.00	\$1024.00

"VD" ROUND STRAINER AND **SOLID HINGED COVER**



Part	Description	Wt.	List Price
No.		Ibs	SS (-3)
VD5-3	5" Diameter	3.00	\$408.00

W(D) STANDPIPE (DOME)



Part No.	Description	Wt. Ibs	List Price
A1-W-3	(Less Dome)	4.00	\$ 839.00
WD-3	(With Dome)	5.50	\$1069.00

"X" HEAVY DUTY ROUND **STRAINER**



Part No.	Description	Wt.	List Price NB (-1) SS (-3)	List Price DI (-4)
X5	5" Diameter	2.00	\$304.00	\$140.00
X6	6" Diameter	3.00	\$367.00	-
X8	8" Diameter	5.00	\$526.00	\$287.00

"XS" HEAVY DUTY SQUARE **STRAINER**




Part No.	Description	Wt. Ibs	List Price NB (-1) SS (-3)	List Price DI (-4)
XS5	5" x 5"	2.25	\$340.00	-
XS6	6" x 6"	3.50	\$418.00	-
XS8	8" x 8"	7.00	\$636.00	\$341.00

"Z" ROUND STRAINER WITH **ELASTOMERIC FLANGE**



е	Part No.	Description	Wt. Ibs	List Price NB (-1)	List Price SS (-3)
	Z5	5" Diameter	10.25	\$728.00	\$728.00

"ZS" SQUARE STRAINER WITH **ELASTOMERIC FLANGE**



Part	Description	Wt.	List Price	List Price
No.		Ibs	NB (-1)	SS (-3)
ZS	6" x 6"	17.50	\$728.00	\$728.00

All of MIFAB's F1100 Series strainers are manufactured with 4" N.P.S.M. threads so they can be installed into any 4" female pipe threaded body, coupling or accessory.

"SPR" SPACER RING FOR 5" OR 6" ROUND STRAINERS



Part No.	Description	Wt. Ibs	List Price NB (-1)	List Price SS (-3)		
SPR-5	5" Dia. x 3/8"	0.75	\$180.00	\$180.00		
SPR-6	6" Dia. x 3/8"	1.00	\$180.00	\$180.00		
NOTE: Must order hardware separately						



Note: **SCREW THREAD SPECIFICATION** IS #10-24-UNC

The SPR spacer ring can be used to adjust the height of the strainer to match any discrepancies in finished floor grade.

Any number of rings can be added together.

Each ring adds 3/8" of height.



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



F1120-C TERRACE DRAIN WITH INTEGRAL DEEP SEAL TRAP

F1120-C SERIES

SERIES





(*) Denotes strainer diameter (5", 6", 7" or 8") (**) Denotes strainer finish (-1, -3 or -4)

TERRACE DRA	TERRACE DRAIN WITH INTEGRAL DEEP SEAL TRAP					
MODEL NUMBER	WT. Lbs	OUTLET SIZE	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	LIST PRICE DUCTILE IRON (-4)	
F1122,3-C-5	15.00	2", 3"	5" DIA	\$516.00	\$483.00	
F1124-C-5	16.00	4"	5" DIA	\$715.00	\$682.00	
F1122,3-C-6	17.00	2", 3"	6" DIA	\$581.00	-	
F1124-C-6	18.00	4"	6" DIA	\$780.00	-	
F1122,3-C-7	17.50	2", 3"	7" DIA	\$636.00	-	
F1124-C-7	18.50	4"	7" DIA	\$835.00	-	
F1122,3-C-8	19.00	2", 3"	8" DIA	\$742.00	\$630.00	
F1124-C-8 20.00 4" 8" DIA \$941.00 \$829.00						
	*ADD SUFFIX -NH FOR NO HUB ADAPTOR, FOR 2" ADD \$58.00, FOR 3" ADD \$84.00, FOR 4" ADD \$132.00 WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00					

ANSI/ASME RATING SEE F1100-C CHART ON PG. 33 FOR RATINGS

BODY HEIGHT				
PIPE SIZE A B				
2"*	2 1/4"	5 3/16"		
3"*	2 1/2"	5 3/16"		
4"*	2 3/4"	7 3/8"		

*ABOVE DIMENSIONS FOR STANDARD THREADED OR OPTIONAL NO HUB OUTLET


WHEN NO MEIMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00							
F1120-C	F1120-C, F1130C AND F1140C SERIES OPTIONAL VARIATIONS						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-5	Sediment bucket (A1-PB)	\$ 65.00	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00		
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 33.00	-F4-50	4" cast iron round funnel	\$ 107.00		
-7	Trap seal primer tapping (2", 3", 4")	\$ 91.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00		
-8	Backwater valve (BV1254) (Cannot use with -5)	\$ 230.00	-F6-50	6" cast iron round funnel	\$ 173.00		
-13	Galvanized body	\$ 250.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00		
-15	Extension (DD-50)	\$ 84.00	-G-50	4" x 9" C.I. oval funnel	\$ 256.00		
-15	Extension (F1130C, F1140C) (2 pcs DD-50)	\$ 168.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00		
-Al	Auxiliary inlet (specify 1 1/2" or 2")	\$ 209.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00		
-C	Membrane clamp (except F1120) (A1-C1)	No Add	*-NH	No hub outlet (F1120 only)	See MI-850		

FOR OPTIONAL STRAINERS, SEE PAGES 46-47

F1130C FLOOR DRAIN WITH INTEGRAL DEEP SEAL TRAP AND CLEANOUT

F1130C SERIES

SERIES



F1130C BODY and CLAMP	(*)-(**)	(R)-(*)
	(*) Denotes top assem (*) Denotes strainer di (**) Denotes strainer fi	ameter (5", 6", 7" or 8"
	PARTS	

ANSI/ASME RATING SEE F1100 CHART ON PG. 33 FOR RATINGS

FLOOR DRAIN WITH INTEGRAL DEEP SEAL TRAP AND CLEANOUT							
MODEL	WT.	OUTLET	STRAINER	LIST PRICE: NICKEL BRONZE (-1)	LIST PRICE		
NUMBER	Lbs	SIZE	SIZE	STAINLESS STEEL (-3)	DUCTILE IRON (-4)		
F1132,3,4C-5	41.00	2", 3", 4"	5" DIA	\$ 856.00	\$823.00		
F1132,3,4C-6	43.00	2", 3" 4"	6" DIA	\$ 921.00	-		
F1132,3,4C-7	45.00	2", 3" 4"	7" DIA	\$ 976.00	-		
F1132,3,4C-8	47.00	2", 3" 4"	8" DIA	\$1082.00	\$970.00		

COVER ADJUSTMENT						
MIN MAX						
1 5/8"	2 5/8"					
BODY HEIGHT						

RODA HEIGHT							
PIPE SIZE	A	В					
2" NO HUB	5 3/8"	13 1/2"					
3" NO HUB	6"	13 1/2"					
4" NO HUB	6 1/4"	13 1/2"					

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049




P48

F1160-C

F1140C SERIES FLOOR DRAIN WITH 7" OR 9" ROUND TRACTOR GRATE, INTEGRAL DEEP SEAL TRAP & CLEANOUT F1140C

1" THICK DUCTILE IRON ADJUSTABLE TRACTOR GRATE ASSEMBLY (F1300-TA-4, F1320-TA-4) **5" COMBINED REINFORCED COVER AND PLUG** F1130C GASKETED MEMBRANE CLAMP **HARDWARE** SET HS-1



F1130C BODY F13(*)0-TA-(**) R-(*)

(*) Denotes top assembly finish (-1, -3 or -4)

PARTS

(*) Denotes strainer diameter (F1300 or F1320) *) Denotes strainer finish (-1, -3, or -4)

SEE PAGE 48 FOR OPTIONAL VARIATIONS

ANSI/ASME RATING							
STRAINER	FREE AREA	LOAD RATING					
F1300-TA-4	11.0 IN ²	OVER 10,000 lbs					
F1320-TA-4	18.0 IN ²	OVER 10,000 lbs					

FLOOR DRAIN	WITH 7"	OR 9" ROUND	TRACTOR G	RATE, INTEGRAL DEEP SEAL TRA	AP & CLEANOUT
MODEL NUMBER	WT. Lbs	NO HUB OUTLET SIZE	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)	LIST PRICE DUCTILE IRON (-4)
F1142,3,4C-7	45.00	2", 3", 4"	7" DIA	\$1250.00	\$897.00
F1142,3,4C-9*	50.00	2", 3", 4"	9" DIA	\$1513.00	\$973.00

BODY HEIGHT							
PIPE SIZE	Α	В					
2" NO HUB	5 3/8"	13 1/2"					
3" NO HUB	6"	13 1/2"					
4" NO HUB	6 1/4"	13 1/2"					


*ADD 3/8" TO 9" STRAINER DIAMETER AND 3/16" TO STRAINER HEIGHT FOR NB OR SS VENEER


F1130C BODY

FOR OPTIONAL STRAINERS, SEE PAGES 46-47

FOR F1160 OPTIONAL VARIATIONS, SEE PAGE 50

F1160-C SERIES PRISON CELL FLOOR DRAIN





PRISON CELL FLOOR DRAIN								
MODEL	WT.	NO HUB	STRAINER	LIST PRICE	LIST PRICE			
NUMBER	Lbs	OUTLET SIZE	SIZE	NICKEL BRONZE (-1)	CHROME PLATED (-49)			
F1162-C-4-1-6	13.00	2"	4" DIA	\$611.00	\$790.00			
F1163-C-4-1-6	13.00	3"	4" DIA	\$678.00	\$857.00			

ANSI/ASM	IE RATING	
STRAINER	FREE AREA	LOAD RATING
4-1-6	3.5 IN ²	UP TO 2000 lbs

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






F1170-C FLOOR DRAIN WITH MULTI INLETS, ROUND STRAINER AND INTEGRAL TRAP F1170-C SERIES

SERIES





A1-C1 HS-1

FLOOR DRAIN WITH MULTI INLETS, ROUND STRAINER AND INTEGRAL TRAP								
MODEL Number	WT. Lbs	OUTLET Size	STRAINER SIZE	LIST PRICE: NICKEL BRONZE (-1) STAINLESS STEEL (-3)				
F1173,4-C-5	21.00	3", 4"	5" DIA	\$686.00				
F1173,4-C-6	21.50	3", 4"	6" DIA	\$751.00				
F1173,4-C-7	22.00	3", 4"	7" DIA	\$806.00				
F1173,4-C-8	23.00	3", 4"	8" DIA	\$912.00				
WHEN NO MEMBRANE	CLAMP IS REOU	RED. DELETE SUI	FFIX (-C) AND DED	HCT \$50.00				

ANSI/ASME RATING FREE AREA / LOAD RATING SEE F1100-C CHART ON PG. 33 FOR RATINGS

(**) Denotes strainer finish (-1 or -3)


WHEN NO WE	WHEN NO MEMBRANE CLAMP 15 REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00							
F1160	F1160 AND F1170 SERIES OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-5	Sediment bucket (A1-PB)	\$ 65.00	-44	2" no hub side inlet (specify location)	\$ 117.00			
-6	Security screws (TR25 Torx & pin) (H-1039A)	\$ 33.00	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00			
-7	Trap seal primer tapping	\$ 91.00	-F4-50	4" cast iron round funnel	\$ 107.00			
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$230.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00			
-10	Decorative polished top	\$102.00	-F6-50	6" cast iron round funnel	\$ 173.00			
-11	Acid resistant epoxy coated body	\$226.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00			
-13	Galvanized body	\$226.00	-G-50	4" x 9" C.I. oval funnel	\$ 256.00			
-15	Extension (DD-50)	\$ 84.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00			
-34	Closure plug (C1440 Series)	\$220.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00			
			-Z	Extended wide elastomeric flange on top (use Z5 or ZS top)	\$ 799.00			


F1170-C-SD FLOOR DRAIN WITH MULTI INLETS, SQUARE SOLID HINGED COVER & INTEGRAL TRAP

F1170-C-SD SERIES

F1170 BODY

SERIES





(*) Denotes straine	(*) Denotes strainer finish (-1 or -3)					
ANSI/ASME RATING						
FREE AREA LOAD RATING						
12.0 IN ² 5,000-7,499 Lbs						



PARTS

MODEL	WT.	OUTLET	STRAINER	LIST PRICE: NICKEL BRONZE (-1)
Number	Lbs	SIZE	SIZE	STAINLESS STEEL (-3)
F1172.3.4-C-SD6	25.50	2". 3". 4"	6" x 6"	

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00 Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

50


F1230


SERIES

MIFAB

F1210C SERIES FLOOR DRAIN FOR MEMBRANE FLOOR AREAS

F1210C







STRAINER ADJUS		MENT	ANSI/ASME RATING	BODY H	EIGHT	F1210C SERIES OPTION		IATIONS
PIPE SIZE	MIN	MAX	LOAD RATING	PIPE SIZE	THREADED	SUFFIX	DESCRIPTION	LIST PRICE
2", 3", 4"	1 1/4"	2 3/8"	UP TO 2000 Lbs	2"	2 5/16"	-15	Extension (Cast iron)	\$84.00


FLOOR DRAIN FOR MEMBRANE FLOOR AREAS							
MODEL NUMBER	WT. Lbs	STRAINER SIZE	OUTLET SIZE		LIST PRICE CHROME PLATED (-49)		
F1212TC	3.65	4" DIA	2" I.P.S.		\$260.00		

F1220 SERIES FLOOR DRAIN FOR NON MEMBRANE & CORE DRILL FLOOR AREAS F1220 SERIES











(*) Denotes strainer diameter (5", 6", 7" or 8") (**) Denotes strainer finish (-1, -3 or -4)

FLOOR DRAIN FOR NON MEMBRANE & CORE DRILL FLOOR AREAS								
MODEL WT. OUTLET STRAINER NICKEL BRONZE (-1) LIST PRIC NUMBER Lbs Size Size Stainless Steel (-3) Ductile iroi								
F1222,3,4	5.00	2,3,4" NO HUB	5" DIA	\$290.00	\$257.00			
F1222,3,4P	6.00	2,3,4" PUSH ON	5" DIA	\$290.00	\$257.00			
F1222,3,4-30/31	3.00	2,3,4" PVC/ABS	5" DIA	\$290.00	\$257.00			

ANSI/ASME RATING							
STRAINER	FREE AREA	LOAD RATING					
5" DIA DI	8 IN ²	OVER 10,000 lbs					
5" DIA NB	8 IN ²	UP TO 2000 lbs					
5" DIA SS	8 IN ²	5000-7499 lbs					

F1230 SERIES F1230 FLOOR DRAIN & F1230-WF WOOD DECK FLOOR DRAIN





F1230 & F1230-WF FLOOR DRAIN							
MODEL	WT.	OUTLET	STRAINER	LIST PRICE: NB BODY W/NB (-1)	LIST PRICE: CI BODY (-50)		
Number	Lbs	SIZE	SIZE	STAINLESS STEEL (-3)	W/DUCTILE IRON (-4)		
F1232,3,4	4.00	2", 3", 4"	5" DIA	\$189.00	\$138.00		
F1232,3,4-WF	4.75	2", 3", 4"	5" DIA	\$261.00	\$209.00		
MODEL	WT.	OUTLET	STRAINER	LIST PRICE: PVC OR ABS SOCKET I	IST PRICE: PVC OR ABS SOCKE		
Number	Lbs	SIZE	SIZE	BODY W/NICKEL BRONZE (-1)	BODY W/DUCTILE IRON (-4)		
F1232,3,4-30-,31	2.00	2", 3", 4"	5" DIA	\$189.00	\$138.00		
F1232,3,4-WF-30,31	2.75	2", 3", 4"	5" DIA	\$261.00	\$209.00		

PIPE SIZE	CAST IRO	N PVC/ABS		
2" NO HUB	2 1/2"	2 15/16"		
3" NO HUB	2 1/2"	2 15/16"		
4" NO HUB	4" NO HUB 2 1/2"			
F1230, F	1230-WF			
ANSI/ASM	IE RATING			
STRAINER	FREE AREA	LOAD RATING		
NB GRATE	8 IN ²	UP TO 2000 lbs		
DI GRATE	8 IN ²	OVER 10,000 lbs		
SS GRATE	8 IN ²	5000-7499 lbs		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA






NON ADJUSTABLE AREA DRAIN

F1240 SERIES





F	Ø6.3	٦ .
3" FOR NO HUB OUTLET. FOR 4" INSIDE CAULK OUTLET BODY HEIGHT IS 3 1/2"		0.9 Ø2 Ø3 Ø4 NO HUB OUTLET OR 4" I.C. OUTLET

F1240 ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
F1240-PG-4	10.0 IN ²	OVER 10,000 lbs				

F1240 NON AD	F1240 NON ADJUSTABLE AREA DRAIN								
MODEL Number	WT. Lbs	OUTLET SIZE	STRAINER SIZE	LIST PRICE DUCTILE IRON (-4)					
F1242,3,4	5.00	2", 3", 4"	6 1/2" DIA	\$223.00					
F1244X	5.00	4" I.C.	6 1/2"DIA	\$223.00					


			I ILTIN	0.00 1 1.0. 0 1/2 01/1	Ψ LL 0.00				
F1300	D-C, F1320-C & F1320-C-TFB OPTIONAL VARIATION	IS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-5	Sediment bucket (Std. with -TFB) (A1-MB)	\$ 84.00	-90	Threaded side outlet (2", 3") (N/A in -30,-31)	\$ 132.00				
-6	Vandal proof secured grate (TR30 Torx and pin) (H-1072)	\$ 89.00	-90	Threaded side outlet (4") (N/A in -30,-31)	\$ 188.00				
-7	Trap seal primer tapping	Standard	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00				
-8	Backwater valve (2", 3", 4") (BV1250 Series) (2", 3", 4")	\$ 230.00	-F4-50	4" cast iron round funnel	\$ 107.00				
-11	Acid resistant epoxy coated body	\$ 304.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00				
-12	Galvanized top assembly	\$ 131.00	-F6-50	6" cast iron round funnel	\$ 173.00				
-13	All galvanized	\$ 259.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00				
-15	Extension (DD-50)	\$ 84.00	-G-50	4" x 9" C.I. oval funnel	\$ 256.00				
-16	Square top assemble (Except -TFB)	\$ 196.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00				
-21	Secondary S.S. flat strainer (2", 3", 4") (FD-9600 series)	\$ 36.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00				
-25-1	Solid Secured Hinged NB Cover (For 9" round only)	\$ 480.00	Р	Push on outlet (2", 3" or 4")	No Add				
-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00				
-30	PVC Socket Connection Body (2", 3" or 4")	No Add	Χ	Inside caulk outlet (2", 3" or 4")	No Add				
-31	ABS Socket Connection Body (2", 3" or 4")	No Add	-Z	Extended wide flange on top (F1530-TA top)	\$ 799.00				
-32	2", 3", 4" Integral deep seal trap (MI-950 series)	\$ 266.00	5	5" no hub outlet	\$ 335.00				
-34	Closure plug (C1440 Series)	\$ 220.00	5T	5" threaded outlet	\$ 335.00				
-40	Underdeck clamp (A1-C3)	\$ 90.00	5X	5" inside caulk outlet	\$ 335.00				
-41	Sump receiver (A1-BP)	\$ 156.00	6	6" no hub outlet	\$ 335.00				
			6P	6" push on outlet*	\$ 335.00				
*D\/C/	*Specify PDG-6 for C.L. nine and PDG-6-PVC for PVC nine 2" 3" 4" connection cizes #Specify PDG-6 for C.L. nine and PDG-6-PVC for PVC nine 2" 3" 4" cizes use same gasket								


^{*}PVC/ABS Socket bodies available for 2", 3", 4" connection sizes

F1300-C AREA DRAIN W/7" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE W/MEMBRANE CLAMP F1300-C SERIES

SERIES

AREA DRAINS





ANSI/ASME RATING							
STRAINER	FREE AREA	LOAD RATING					
F1300-TA-1	11.0 IN ²	OVER 10,000 lbs					
F1300-TA-3	11.0 IN ²	OVER 10,000 lbs					
F1300-TA-4	11.0 IN ²	OVER 10,000 lbs					

A1 BODY F1300-TA-4





HS-1

F1300-C AREA DRAIN WITH 7" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE WITH MEMBRANE CLAMP								
MODEL	MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:							
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (-1)	STAINLESS STEEL (-3)			
F1302,3,4-C	12.00	7" Dia. Adj. tractor grate	\$327.00	\$505.00	\$505.00			
F1302,3,4-C-14	12.00	7" Dia. Adj. flat grate	\$266.00	\$451.00	\$451.00			
F1302,3,4-C-Y	12.00	7" Dia. Non-Adj. tractor grate	\$266.00	\$451.00	\$451.00			
F1302,3,4-C-Y-14	12.00	7" Dia. Non-Adj. flat grate	\$266.00	\$451.00	\$451.00			
F1302,3,4-C-Y F1302,3,4-C-Y-14	12.00 12.00	7" Dia. Non-Adj. tractor grate	\$266.00 \$266.00	\$451.00	\$451.00			

WHEN NO MEMBRANE CLAMP IS REQUIRED DELETE SUFFIX (-C) AND DEDUCT \$50.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

PARTS

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

A1-C1


52

 ф

^{*}Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket. *Add -NH to -90 for no hub outlet - No Add .

& MIFAB®

F1320-C SERIES AREA DRAIN WITH 9" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE W/MEMBRANE CLAMP F1320-C **SERIES**



TOP ASSEMBLY ADJUSTMENT SEE CHART WEEPHOLES FOR DOUBLE DRAINAGE BODY HEIGHT SEE CHART ON PAGE33 TRAP PRIMER BOSS 4" NPSM PIPE SIZE SEE CHART ON PAGE 33 Ø8

(*) Denotes strainer finish (-1, -3 or- 4)

AREA DRAINS

SERIES

TOP ASSEMBLY

_ADJUSTMENT

(SEE CHART)

ANSI/ASME RATING					
STRAINER	FREE AREA	LOAD RATING			
F1320-TA-1	18.0 IN ²	OVER 10,000 lbs			
F1320-TA-3	18.0 IN ²	OVER 10,000 lbs			
F1320-TA-4	18.0 IN ²	OVER 10,000 lbs			

*Add 3/8" to 9" Strainer Diameter and 3/16" to Strainer Height for NB or SS Veneer

PARTS A1 BODY F1320-TA-(*) A1-C1 HS-1


F1320-C AREA DRAIN WITH 9" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE WITH MEMBRANE CLAMP						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE VENEER (-1)	STAINLESS STEEL VENEER (-3)	
F1322,3,4-C	17.50	9" Dia. Adj. tractor grate	\$502.00	\$807.00	\$807.00	
F1322,3,4-C-14	17.50	9" Dia. Adj. flat grate	\$428.00	\$735.00	\$735.00	
F1322,3,4-C-Y	17.50	9" Dia. Non-Adj. tractor grate	\$405.00	\$739.00	\$739.00	
F1322,3,4-C-Y-14	17.50	9" Dia. Non-Adj. flat grate	\$307.00	\$635.00	\$635.00	

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

FOR F1320-C AND F1320-C-TFB OPTIONAL VARIATIONS, SEE PAGE 52

F1320-C-TFB SERIES AREADRAIN W/9" ROUND ADJ. HEAVY DUTY TRACTOR GRATE MOUNTED IN TRUE FIT BUCKET W/MEMBRANE CLAMP F1320-C-TFB

WEEPHOLES FOR DOUBLE



	*	HARDWARE SET (HS-1)		
BODY HEIGHT SEE BODY HEIGHT CHART ON PAGE 33 PIPE SIZE 2", 3", 4", 5", 6"				A1 8" DIAMETER BODY
	ANSI/ASME F	RATING		*Add 3/8" to 9" Strainer
	STRAINER	FREE AREA	LOAD RATING	Diameter and 3/16" to Strainer Height for
П	F1320-TFB-4	18.0 IN ²	OVER 10,000 lbs	NB or SS Veneer

DRAINAGE BODY HEIGHT SEE CHART TRAP ORIMER BOSS ON PAGE 41 4" NPSM PIPE SIZE SEE CHART ON PAGE 41 Ø 8 (*) Denotes strainer finish (-1, -3 or -4) **PARTS** A1 BODY F1320-TA-(*)-TFB A1-C1 HS-1

Ø 8.6

		*	(S)
(*) Denotes strainer fini	sh (-1, -	3 or -4	1)


F1320-C-TFB AREA DRAIN WITH 9" ROUND ADJ. HEAVY DUTY TRACTOR GRATE MOUNTED IN TRUE FIT BUCKET W/MEMBRANE CLAMP					
MODEL	MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:				
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE VENEER (-1)	STAINLESS STEEL VENEER (-3)
F1322,3,4-C-TFB	19.00	9" Dia. Adj. tractor grate	\$362.00	\$667.00	\$667.00

WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$46.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

F1330C AREA DRAIN WITH 9" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE & DEEP SUMP F1330C SERIES



STRAINER ADJUSTMENT Ø9 2" -2.875" FOR TRAP PRIMER BODY HEIGHT SEE CHART ON PAGE 67 4" NPSM PIPE SIZE SEE CHART ON PAGE 67

ANSI/ASME RATING					
STRAINER	FREE AREA	LOAD RATING			
F1320-TA-1	18.0 IN ²	OVER 10,000 lbs			
F1320-TA-3	18.0 IN ²	OVER 10,000 lbs			
F1320-TA-4	18.0 IN ²	OVER 10,000 lbs			

SEE PAGE 55 FOR **OPTIONAL VARIATIONS**

PARTS


A2-C3-W HS-1 **A2 BODY** F1320-TA-(*)


(*) Denotes Strainer finish (-1, -3 or -4)

AREA DRAIN WITH 9" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE & DEEP SUMP						
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:						
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4) NICKEL BRONZE (VENEER) (-1) STAINLESS STEEL (VENEER)			
F1332,3,4,6C	37.00	9" Dia. Adj. tractor grate	\$826.00	\$1133.00	\$1133.00	

F1340 **SERIES**

AREA DRAIN WITH 12" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE F1340 SERIES





PARTS

ANSI/ASME RATING				
STRAINER	FREE AREA	LOAD RATING		
F1340-TA-1	33.0 IN ²	OVER 10,000 lbs		
F1340-TA-3	33.0 IN ²	OVER 10,000 lbs		
F1340-TA-4	33.0 IN ²	OVER 10,000 lbs		

SEE PAGE 55 FOR OPTIONAL VARIATIONS

A2 BODY	F1340-TA-(*)
(*) Denotes Strainer fin	ish (-1, -3 or -4)

F1340 AREA DRAIN WITH 12" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE					
MODEL					
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)
F1342,3,4,6,8	39.00	12" Dia. Adj. tractor grate	\$1202.00	\$ 1630.00	\$ 1630.00
F1342,3,4,6,8-14	39.00	12" Dia. Adj. flat grate	\$ 894.00	\$ 1329.00	\$ 1329.00
F1342,3,4,6,8-Y	39.00	12" Dia. Non-Adj. tractor grate	\$ 845.00	\$ 1284.00	\$ 1284.00
F1342,3,4,6,8-Y-14	39.00	12" Dia. Non-Adj. flat grate	\$ 772.00	\$ 1223.00	\$ 1223.00

When a membrane clamp is required add Suffix (-C), No Add

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


Toll Free 1-800-465-2736, Fax 773-341-3049



SERIES

F1340-TFB SERIES AREA DRAIN WITH 12" ROUND ADJ. HEAVY DUTY TRACTOR GRATE MOUNTED IN TRUE FIT BUCKET F1340-TFB







(*) Denotes strainer finish (-1, -3 or -4)

F1340-TFB AREA DRAIN WITH 12" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE WITH MEMBRANE CLAMP						
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:						
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4) NICKEL BRONZE (VENEER) (-1) STAINLESS STEEL (VENEER) (-			
F1342,3,4,6-TFB	45.00	12" Dia. Adj. tractor grate	\$ 913.00	\$1352.00	\$1352.00	
F1348-TFB	48.00	12" Dia. Adj. tractor grate	\$1100.00	\$1536.00	\$1536.00	

For F1352,3,4,6-TFB, add A3 body list price of \$453.00 to the above price. WHEN A MEMBRANE CLAMP IS REQUIRED, ADD SUFFIX (-C), NO ADD

SUFFIX DESCRIPTION	F1330C,	F1330C, F1340 AND F1340-TFB SERIES OPTIONAL VARIATIONS:						
February	SUFFIX	DESCRIPTION	F1330C	F1340	F1340-TFB			
Trap seal primer tapping	-5		\$ 117.00	\$ 124.00	Standard			
Backwater valve (BV1250 Series) (2", 3", 4") \$ 230.00 \$ 230.00 \$ 230.00 -11		Vandal proof secured grate (TR30 Torx and Pin) (H-1072B)	\$ 89.00	\$ 89.00	\$ 89.00			
Acid resistant epoxy coating	-7	Trap seal primer tapping	\$ 91.00	\$ 91.00	\$ 91.00			
-12 Galvanized top assembly \$ 197.00 \$ 197.00 \$ 329.00 \$ 329.00 \$ 1340.00 \$ 392.00 \$ 582.00 \$ 582.00 \$ 582.00 \$ 582.00 \$ 582.00 \$ 582.00 \$ 146.00 \$	-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	\$ 230.00	\$ 230.00			
-13 All galvanized \$ 341.00 \$ 392.00 \$ 582.00 -15 Extension, Per 2" \$ 84.00 \$ 146.00 \$ 146.00 \$ 146.00 \$ 16.	-11	Acid resistant epoxy coating	\$ 570.00	\$ 516.00	\$ 582.00			
-15 Extension, Per 2" \$84.00 \$146.00 \$146.00 \$146.00 -16 Square top See F1430C series See F14430C series See F14430C series N/A -21 Secondary flat strainer (FD-9600 Series) \$36.00 \$36.	-12	Galvanized top assembly	\$ 197.00	\$ 197.00	\$ 329.00			
See F1430C series See F1440 series N/A -21 Secondary flat strainer (FD-9600 Series) \$ 36.00 \$ 36.00 \$ 36.00 -24 Solid secured cover \$ 293.00 \$ 354.00 N/A -28 Stainless Steel Body (Type 304) (2", 3", 4" No Hub only) \$ 2180.00 \$ 2180.00 \$ 2180.00 -30 PVC Socket Connection Body* (2", 3", 4") No Add No Add No Add No Add -31 ABS Socket Connection Body* (2", 3", 4") No Add No Add No Add No Add -32 2", 3", 4" Integral deep seal trap(MI-950 Series) \$ 266.00 \$ 266.00 \$ 266.00 -34 Closure plug (C1440 Series) \$ 220.00 \$ 220.00 \$ 220.00 -35 Stainless Steel mesh over bucket \$ 253.00 \$ 253.00 \$ 253.00 -40 Underdeck clamp (A2-C3) \$ 146.00 \$ 146.00 \$ 146.00 -41 Sump receiver (A2-BP) \$ 164.00 \$ 164.00 \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30, -31) \$ 223.00 \$ 223.00 \$ 223.00 -74-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 \$ 256.00 \$ 256.00 -74-50 4" cast iron round funnel \$ 107.00 \$ 107.00 \$ 107.00 -76-(1,3) 6" NB or SS round funnel \$ 133.00 \$ 173.00 \$ 173.00 -76-(3) 4" x 9" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -75-00 3" x 1" NB or SS oval funnel \$ 270.00 \$ 270.00 \$ 270.00 -75-00 3" x 1" NB or SS oval funnel \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 270.00 \$ 27	-13	All galvanized	\$ 341.00	\$ 392.00	\$ 582.00			
-21 Secondary flat strainer (FD-9600 Series) \$ 36.00 \$ 36.00 \$ 36.00 \$ 293.00 \$ 354.00 \$ N/A \$ Stainless Steel Body (Type 304) (2", 3", 4" No Hub only) \$ 2180.00 \$ 2280.00 \$ 22	-15	Extension, Per 2"	\$ 84.00	\$ 146.00	\$ 146.00			
-24 Solid secured cover \$ 293.00 \$ 354.00 N/A -28 Stainless Steel Body (Type 304) (2", 3", 4" No Hub only) \$ 2180.00 \$ 2180.00 \$ 2180.00 -30 PVC Socket Connection Body* (2", 3", 4") No Add No Add No Add -31 ABS Socket Connection Body* (2", 3", 4") No Add No Add No Add -32 2", 3", 4" Integral deep seal trap(MI-950 Series) \$ 266.00 \$ 266.00 \$ 266.00 -34 Closure plug (C1440 Series) \$ 220.00 \$ 220.00 \$ 220.00 -35 Stainless Steel mesh over bucket \$ 253.00 \$ 253.00 \$ 253.00 -40 Underdeck clamp (A2-C3) \$ 146.00 \$ 146.00 \$ 146.00 -41 Sump receiver (A2-BP) \$ 164.00 \$ 164.00 \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30,-31) \$ 223.00 \$ 223.00 \$ 223.00 -C Membrane clamp (A2-C3) Standard No Add No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 \$ 256.00 <td>-16</td> <td>Square top</td> <td>See F1430C series</td> <td>See F1440 series</td> <td>N/A</td>	-16	Square top	See F1430C series	See F1440 series	N/A			
-28 Stainless Steel Body (Type 304) (2", 3", 4" No Hub only) \$2180.00 \$2180.00 \$2180.00 -30 PVC Socket Connection Body* (2", 3", 4") No Add No Add No Add No Add -31 ABS Socket Connection Body* (2", 3", 4") No Add No Add No Add No Add No Add -32 2", 3", 4" Integral deep seal trap (MI-950 Series) \$266.00 \$266.00 \$266.00 -34 Closure plug (C1440 Series) \$222.00 \$220.00 \$220.00 -35 Stainless Steel mesh over bucket \$253.00 \$253.00 \$253.00 -40 Underdeck clamp (A2-C3) \$146.00 \$146.00 \$146.00 -41 Sump receiver (A2-BP) \$164.00 \$164.00 \$164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30, -31) \$223.00 \$223.00 \$223.00 -C Membrane clamp (A2-C3) Standard No Add No Add No Add -F4-(1,3) 4" NB or SS round funnel \$256.00 \$256.00 \$256.00 \$256.00 -F4-50 4" cast iron round funnel <td>-21</td> <td>Secondary flat strainer (FD-9600 Series)</td> <td>\$ 36.00</td> <td>\$ 36.00</td> <td>\$ 36.00</td>	-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	\$ 36.00	\$ 36.00			
-30 PVC Socket Connection Body* (2", 3", 4") No Add	-24		\$ 293.00	\$ 354.00	N/A			
-30 PVC Socket Connection Body* (2", 3", 4") No Add		Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$2180.00	\$2180.00	\$ 2180.00			
-32 2", 3", 4" Integral deep seal trap(MI-950 Series) \$ 266.00 \$ 266.00 \$ 266.00 -34 Closure plug (C1440 Series) \$ 220.00 \$ 220.00 \$ 220.00 -35 Stainless Steel mesh over bucket \$ 253.00 \$ 253.00 \$ 253.00 -40 Underdeck clamp (A2-C3) \$ 146.00 \$ 146.00 \$ 146.00 -41 Sump receiver (A2-BP) \$ 164.00 \$ 164.00 \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30,-31) \$ 223.00 \$ 223.00 \$ 223.00 -C Membrane clamp (A2-C3) Standard No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 -F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 -G-(50 4" x 9" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) <td>-30</td> <td>PVC Socket Connection Body* (2", 3", 4")</td> <td>No Add</td> <td>No Add</td> <td>No Add</td>	-30	PVC Socket Connection Body* (2", 3", 4")	No Add	No Add	No Add			
-34 Closure plug (C1440 Series) \$ 220.00 \$ 220.00 -35 Stainless Steel mesh over bucket \$ 253.00 \$ 253.00 -40 Underdeck clamp (A2-C3) \$ 146.00 \$ 146.00 -41 Sump receiver (A2-BP) \$ 164.00 \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30, -31) \$ 223.00 \$ 223.00 -C Membrane clamp (A2-C3) Standard No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 \$ 256.00 -F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-50 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-50 <td>-31</td> <td>ABS Socket Connection Body* (2", 3", 4")</td> <td>No Add</td> <td>No Add</td> <td>No Add</td>	-31	ABS Socket Connection Body* (2", 3", 4")	No Add	No Add	No Add			
-35 Stainless Steel mesh over bucket \$ 253.00 \$ 253.00 \$ 253.00 -40 Underdeck clamp (A2-C3) \$ 146.00 \$ 146.00 \$ 146.00 -41 Sump receiver (A2-BP) \$ 164.00 \$ 164.00 \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30, -31) \$ 223.00 \$ 223.00 \$ 223.00 -C Membrane clamp (A2-C3) Standard No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 -F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 -G-50 4" x 9" SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 </td <td>-32</td> <td></td> <td>\$ 266.00</td> <td>\$ 266.00</td> <td>\$ 266.00</td>	-32		\$ 266.00	\$ 266.00	\$ 266.00			
-40 Underdeck clamp (A2-C3) \$ 146.00 \$ 146.00 \$ 146.00 -41 Sump receiver (A2-BP) \$ 164.00 \$ 164.00 \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30,-31) \$ 223.00 \$ 223.00 \$ 223.00 -C Membrane clamp (A2-C3) Standard No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 -F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(3) 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 </td <td>-34</td> <td>Closure plug (C1440 Series)</td> <td>\$ 220.00</td> <td>\$ 220.00</td> <td>\$ 220.00</td>	-34	Closure plug (C1440 Series)	\$ 220.00	\$ 220.00	\$ 220.00			
-41 Sump receiver (A2-BP) \$ 164.00 \$ 164.00 \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30,-31) \$ 223.00 \$ 223.00 \$ 223.00 -C Membrane clamp (A2-C3) Standard No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 -F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 107.00 \$ 107.00	-35	Stainless Steel mesh over bucket	\$ 253.00	\$ 253.00	\$ 253.00			
-90 Threaded side outlet (2", 3", 4") (N/A in -30,-31) \$ 223.00 \$ 223.00 \$ 223.00 \$ 223.00 \$ -C Membrane clamp (A2-C3) Standard No Add No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00	-40	Underdeck clamp (A2-C3)	\$ 146.00	\$ 146.00	\$ 146.00			
-C Membrane clamp (A2-C3) Standard No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 \$ 256.00 -F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 \$ 256.00 -J-(1,3) 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 \$ 107.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 \$ 107.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 \$ 107.00 -F-50 3" x 1" cast	-41		\$ 164.00	\$ 164.00	\$ 164.00			
-F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 -F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 P Push on outlet (2", 3" or 4") No Add No Add No Add No Add No Add No Add No Add No Add		Threaded side outlet (2", 3", 4") (N/A in -30,-31)	\$ 223.00	\$ 223.00	\$ 223.00			
-F4-50 4" cast iron round funnel \$ 107.00 \$ 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 P Push on outlet (2", 3" or 4") No Add No Add No Add No Add No Add No Add No Add No Add	-C	Membrane clamp (A2-C3)	Standard	No Add	No Add			
-F6-(1,3) 6" NB or SS round funnel \$ 380.00 \$ 380.00 \$ 380.00 -F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 \$ 107.00 P Push on outlet (2", 3" or 4") No Add No Add No Add T Threaded outlet (2", 3" or 4") \$ 47.00 \$ 47.00 \$ 47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add No Add	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	\$ 256.00	\$ 256.00			
-F6-50 6" cast iron round funnel \$ 173.00 \$ 173.00 \$ 173.00 -G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 \$ 107.00 P Push on outlet (2", 3" or 4") No Add No Add No Add T Threaded outlet (2", 3" or 4") \$ 47.00 \$ 47.00 \$ 47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add No Add	-F4-50	4" cast iron round funnel	\$ 107.00	\$ 107.00	\$ 107.00			
-G-(1,3) 4" x 9" NB or SS oval funnel \$ 531.00 \$ 531.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 P Push on outlet (2", 3" or 4") No Add No Add T Threaded outlet (2", 3" or 4") \$ 47.00 \$ 47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	\$ 380.00	\$ 380.00			
-G-50 4" x 9" C.I. oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 \$ 107.00 P Push on outlet (2", 3" or 4") No Add No Add No Add T Threaded outlet (2", 3" or 4") \$ 47.00 \$ 47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add		6" cast iron round funnel	\$ 173.00	\$ 173.00	\$ 173.00			
-J-(1,3) 3" x 1" NB or SS oval funnel \$ 256.00 \$ 256.00 -J-50 3" x 1" cast iron oval funnel \$ 107.00 \$ 107.00 P Push on outlet (2", 3" or 4") No Add No Add T Threaded outlet (2", 3" or 4") \$ 47.00 \$ 47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	\$ 531.00	\$ 531.00			
-J-50 3" x 1" cast iron oval funnel \$107.00 \$107.00 \$107.00 P Push on outlet (2", 3" or 4") No Add No Add No Add T Threaded outlet (2", 3" or 4") \$47.00 \$47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add			\$ 256.00	\$ 256.00	\$ 256.00			
P Push on outlet (2", 3" or 4") No Add No Add No Add T Threaded outlet (2", 3" or 4") \$ 47.00 \$ 47.00 \$ 47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add No Add	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00	\$ 256.00	\$ 256.00			
T Threaded outlet (2", 3" or 4") \$ 47.00 \$ 47.00 \$ 47.00 X Inside caulk outlet (2", 3", or 4") No Add No Add No Add	-J-50	3" x 1" cast iron oval funnel	\$ 107.00	\$ 107.00	\$ 107.00			
X Inside caulk outlet (2", 3", or 4") No Add No Add No Add	Р			No Add	No Add			
X Inside caulk outlet (2", 3", or 4") No Add No Add No Add	T	Threaded outlet (2", 3" or 4")	\$ 47.00	\$ 47.00	\$ 47.00			
-Z Extended wide elastomeric flange on top (F1530-TA or F1540-TA) \$ 799.00 \$ 799.00 \$ 799.00			No Add	No Add	No Add			
	-Z	Extended wide elastomeric flange on top (F1530-TA or F1540-TA)	\$ 799.00	\$ 799.00	\$ 799.00			

^{*}PVC/ABS Socket bodies available for 2", 3", 4" connection sizes *Add -NH to -90 for no hub outlet - No Add.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

55



^{*}Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.







F1340-Y-Q **SERIES**

SHALLOW BODY AREA DRAIN WITH 12" ROUND, NON ADJUSTABLE **HEAVY DUTY TRACTOR GRATE**

F1340-Y-Q SERIES





ANSI / ASME RATING					
STRAINER	FREE AREA	LOAD RATING			
F1340-Q-TA-1	33.0 IN ²	OVER 10,000 lbs.			
F1340-Q-TA-3	33.0 IN ²	OVER 10,000 lbs.			
F1340-Q-TA-4	33.0 IN ²	OVER 10,000 lbs.			



(*) Denotes Strainer Finish (-1,-3 or -4)

F1340-Y-Q SHALLOW BODY AREA DRAIN WITH 12" ROUND, NON ADJUSTABLE HEAVY DUTY TRACTOR GRATE							
MODEL WT. STRAINER				LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUME	BER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER)(-1)	STAINLESS STEEL (VENEER)(-3)	
F1343,4,6-	Y-Q-14	32.00	12" DIA. Non-Adj. flat grate	\$ 637.00	\$1091.00	\$1091.00	
F1343,4,6-	Y-Q	32.00	12" DIA. Non-Adj. tractor grate	\$ 693.00	\$1133.00	\$1133.00	

When a membrane clamp is required add Suffix (-C), No Add

F1340-Y-Q S	SERIES OPTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket	\$ 124.00
-6	Vandal proof secured grate (TR30 Torx and Pin) (H-1072B)	\$ 89.00
-7	Trap seal primer tapping	\$ 91.00
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00
-11	Acid resistant epoxy coating	\$ 516.00
-12	Galvanized top assembly	\$ 197.00
-13	All galvanized	\$ 392.00
-15	Extension (per 2")	\$ 146.00
-16	Square top	See F1440-Y-Q Series
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00
-24	Solid secured cover	\$ 354.00
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub only)	\$2180.00
-32	2", 3", or 4" integral deep seal trap (MI-950 Series)	\$ 266.00
-34	Closure plug (C1440 Series)	\$ 220.00
-35	Stainless steel mesh over bucket	\$ 253.00
-40	Underdeck clamp (A8-UDC)	\$ 146.00
-41	Sump receiver (A8-BP)	\$ 164.00
-C	Membrane clamp (F1340-Y-PC-50)	No Add
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00
-F4-50	4" cast iron round funnel	\$ 107.00
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00
-F6-50	6" cast iron round funnel	\$ 173.00
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00
-G-50	4" x 9" cast iron oval funnel	\$ 256.00
-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00
-J-50	3" x 1" cast iron oval funnel	\$ 107.00
X	Inside caulk outlet (2", 3" or 4")	No Add
-Z	Extended wide elastomeric flange on top (F1540-TA)	\$ 799.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.



Sunday, January 01, 2012 12:22:08 PM



OUR REPUTATION IS STAINLESS

KEY FEATURES AND BENEFITS:

- Modular system with fewer parts, reduced confusion on job site, and fewer returns.
- Standard A1 body serves as a floor drain, cleanout and roof drain. This reduces inventory.
- Cast 304 stainless steel grates and cleanout covers for same price as nickel bronze. Prevents dishing, corrosion and discoloration.
- 4" NPSM threads at top of A1 body allows drain to be installed without membrane clamp for nonwaterproof slab on grade floors.
- A1 body with no hub connection is only 3" deep for compact rough-in.
- A1 body always shipped tapped and plugged for trap seal primer connection.
- All area drain grates are adjustable and made of ductile iron with a load rating of over 10,000 lbs. for maximum on site adjustment and load bearing.
- Closet and lavatory carriers designed and packaged with features to save installation time and handling cost.

NOW YOU CAN SPECIFY STAINLESS STEEL AT THE SAME PRICE AS NICKEL BRONZE. SPECIFY MIFAB STAINLESS FOR A LASTING IMPRESSION



AREA DRAIN FEATURES



MIFAB AREA DRAIN STANDARD BENEFITS

- 4 Ductile iron grate offers greater than 10,000 lb. load rating.
- 4 Non-tilt grate is safer in all traffic areas.
- 4 3/8" slots prevent large debris from entering the drainage system.
- 4 Fully adjustable top assembly for ease of installation.
- 4 Stainless Steel at the same price as Nickel Bronze.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA






SERIES




AREA DRAIN WITH 12" ROUND ADJ. HEAVY DUTY TRACTOR GRATE & EXTRA DEEP SUMP F1350 SERIES

F1350 **SERIES**









(*) Denotes strainer finish (-1, -3 or -4

AREA DRAIN WITH 12" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE & EXTRA DEEP SUMP						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)	
F1352,3,4,6	50.00	12" Dia. Adj. tractor grate	\$1083.00	\$1557.00	\$1557.00	

WHEN A MEMBRANE CLAMP IS REQUIRED. ADD SUFFIX (-C). NO ADD.

F1350, F	1360 AND F1360-TFB SERIES OPTIONAL VARIATIO	NS:		■ CONTINUE ■ ►
SUFFIX	DESCRIPTION	F1350	F1360	F1360-TFB
-5	Sediment bucket	No Add	\$ 190.00	Standard
-6	Vandal proof secured grate (TR30 Torx and pin) (H-1072B)	\$ 89.00	\$ 89.00	\$ 89.00
-7	Trap seal primer tapping	\$ 91.00	\$ 91.00	\$ 91.00
-8	Backwater valve (BV1250 Series)(2", 3", 4")	\$ 230.00	\$ 230.00	\$ 230.00
-11	Acid resistant epoxy coating	\$ 736.00	\$ 590.00	\$ 736.00
-12	Galvanized top assembly	\$ 197.00	\$ 323.00	\$ 370.00
-13	All galvanized	\$ 736.00	\$ 637.00	\$ 736.00
-15	Extension, Per 2"	\$ 146.00	\$ 146.00	\$ 146.00
-16	Square top	See F1450 series	See F1460 series	N/A
-17	with trap and cleanout (MI-OS Series)	See MI-OS	See MI-OS	See MI-OS
-18	with trap and oil cone and cleanout (MI-OS Series)	See MI-OS	See MI-OS	See MI-OS
-20	Secondary dome strainer (FS1500-PD)	\$ 89.00	\$ 89.00	\$ 89.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	\$ 36.00	\$ 36.00
-24	Solid secured cover	\$ 354.00	\$ 545.00	N/A
-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$2180.00	\$2180.00	\$2180.00
-30	PVC Socket Connection Body* (2", 3", 4")	No Add	No Add	No Add
-31	ABS Socket Connection Body* (2", 3", 4")	No Add	No Add	No Add

^{*}PVC/ABS Socket bodies available for 2", 3", 4" connection sizes

See next page for more options.

F1350-Y-36 GARBAGE CAN WASH DRAIN W/12" ROUND HEAVY DUTY TRACTOR GRATE & EXTRA DEEP SUMP F1350-Y-36 SERIES

Typically *ADD 1/2" TO 1" THICK DUCTILE installed 12 3/4 0.5 SPRAY NOZZLE ASSEMBLY **DIAMETER & 3/16" IRON TRACTOR GRATE** with TO HEIGHT FOR WITH OVER 10,000 lb MIFAB's **NB. SS VENEER** LOAD RATING F1670 WEEPHOLES FOR __ DOUBLE DRAINAGE water 2 1/4" PERFORATED 2.25 supply SEDIMENT PERFORATED control BUCKET SEDIMENT BUCKET SEE BODY HEIGHT CHART ON PAGE 67 box. 0.5 NPT TAPPING A3 EXTRA DEEP See BODY HEIGHT TO CONNECT TO WATER SUPPLY SEE BODY HEIGHT CHART ON PAGE 67 SUMP BODY page 74 FOR TRAP 1/2" NPT WATER 1/2" SPRAY SUPPLY NOZZLE PIPE SIZE 2", 3", 4", 5", 6" CONNECTION ASSEMBLY PIPE SIZE SEE CHART ON PAGE 67

F1350-Y-36 GARBAGE CAN WASH DRAIN WITH 12" ROUND HEAVY DUTY TRACTOR GRATE AND EXTRA DEEP SUMP						
MODEL Number	WT. Lbs	STRAINER Description	LIST PRICE LACQUERED CAST IRON BODY WITH: DUCTILE IRON (-4) NICKEL BRONZE (VENEER) (-1) STAINLESS STEEL (VENEER) (-3)			
NUMBER	Ln2	DESCRIPTION	DUCTILE IRON (-4)	NICKEL DRUNZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)	
F1352,3,4,6-Y-36	55.00	12" Dia. Adj. tractor grate	\$1713.00	\$2197.00	\$2197.00	

WHEN A MEMBRANE CLAMP IS REQUIRED, ADD SUFFIX (-C), NO ADD

F1350-\	F1350-Y-36 SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION LIST		SUFFIX	DESCRIPTION	LIST PRICE		
-13	All galvanized	\$554.00	T	Threaded outlet	\$ 47.00		
Р	Push on outlet	No Add	Х	Inside caulk	No Add		
			-11	Acid resistant epoxy coating	\$554.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


Toll Free 1-800-465-2736, Fax 773-341-3049






F1360 SERIES AREA DRAIN WITH 16" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE

F1360 **SERIES**







AREA DRAIN WITH 16" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE								
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:					
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4) NICKEL BRONZE (VENEER) (-1) STAINLESS STEEL					
F1362,3,4,6,8	53.00	16" Dia. Adj. tractor grate	\$1734.00	\$2514.00	\$2514.00			
F1362,3,4,6,8,8-Y	53.00	16" Dia. Non-Adj. tractor grate	\$1652.00	\$2449.00	\$2449.00			
F1362,3,4,6,8,-Y-14	53.00	16" Dia. Non-Adj. flat grate	\$1454.00	\$3066.00	\$3066.00			
WHEN A MEMBRANE CLAMP	WHEN A MEMBRANE CLAMP IS REQUIRED. ADD SUFFIX (-C), NO ADD							

F1350. F1360 AND F1360-TFB OPTIONAL VARIATIONS CONTINUED FROM PAGE 58 SUFFIX DESCRIPTION F1350 F1360 F1360-TFB 2", 3", 4" Integral deep seal trap(MI-950 Series) 266.00 266.00 \$ 266.00 -32 -34 Closure plug (C1440 Series) 220.00 220.00 220.00 -35 Stainless Steel mesh over bucket 249.00 249.00 436.00 Underdeck clamp (A2-C3) -40 146.00 146.00 \$ 146.00 -41 164.00 164.00 Sump receiver (A2-BP) \$ 164.00 -90 Threaded side outlet (2", 3", 4") (N/A in -30,-31) \$ 223.00 \$ 223.00 \$ 223.00 -C Membrane clamp (A2-C3) No Add No Add No Add -F4-(1,3) 4" NB or SS round funnel \$ 256.00 \$ 256.00 \$ 256.00 107.00 107.00 -F4-50 4" cast iron round funnel 107.00 -F6-(1,3) 6" NB or SS round funnel \$ 380.00 380.00 \$ 380.00 173.00 173.00 -F6-50 6" cast iron round funnel 173.00 4" x 9" NB or SS oval funnel 531.00 \$ 531.00 531.00 -G-(1,3)256.00 \$ 256.00 -G-50 4" x 9" C.I. oval funnel \$ 256.00 -J-(1,3) 3" x 1" NB or SS oval funnel 256.00 256.00 \$ 256.00 107.00 107.00 107.00 -J-50 3" x 1" cast iron oval funnel No Add No Add Р Push on outlet (2", 3" or 4") No Add 47.00 47.00 47 00 Threaded outlet (2", 3" or 4") Extended wide elastomeric on top (F1540-TA or F1550-TA) \$ 799.00 \$ 799.00 \$ 799.00 Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket. * Add -NH to -90 for no hub outlet - No Add

F1360-TFB SERIES AREA DRAIN W/16" ROUND ADJ. HEAVY DUTY TRACTOR GRATE MOUNTED IN TRUE FIT BUCKET F1360-TFB





	AREA DRAIN WITH 16" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE MOUNTED IN TRUE FIT BUCKET						
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:					CAST IRON BODY WITH:		
	NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	STAINLESS STEEL (VENEER) (-3)		
[F1362,3,4,6,8-TFB	62.00	16" Dia. Adj. tractor grate	\$3225.00	\$5104.00		

WHEN A MEMBRANE CLAMP IS REQUIRED, ADD SUFFIX (-C), NO ADD

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049





SERIES



F1370 **SERIES**

AREA DRAIN W/16" ROUND ADJ. HEAVY DUTY TRACTOR GRATE & EXTRA DEEP SUMP F1370 SERIES





A3 BODY F1360-TA-(*) **PARTS** (*) Denotes strainer finish (-1, -3 or -4)

			. ,	, ,			
AREA DRAIN WITH 16" ROUND ADJUSTABLE HEAVY DUTY TRACTOR GRATE & EXTRA DEEP SUMP							
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:					/ WITH:		
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)		
F1372,3,4,6	64.00	16" Dia. Adj. tractor grate	\$1962.00	\$3575.00	\$3575.00		
F1372,3,4,6-Y	64.00	16" Dia. Non-Adj. tractor grate	\$1882.00	\$3497.00	\$3497.00		
F1372,3,4,6-Y-14	64.00	16" Dia. Non-Adj. flat grate	\$1634.00	\$3244.00	\$3244.00		
MULEN A MEMORANE OF AMERICA PROJUECT AND OUTERS (O) NO AND							

WHEN	A MEMBRAI	NE CLAMP	IS	REQUIRE	D, ADD	SUFFIX	(-C),	NO AI	DD.

F1370	F1370 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-5	Sediment bucket (A2-MB)	\$ 146.00	-35	SS mesh over bucket	\$ 249.00		
-6	Vandal proof secured grate (TR30 Torx and pin) (H-1072)	\$ 124.00	-40	Underdeck clamp (A2-C3)	\$ 146.00		
-7	Trap seal primer tapping	\$ 91.00	-41	Sump receiver (A2-BP)	\$ 164.00		
-8	Backwater valve (BV1250 Series)(2", 3",4")	\$ 230.00	-90	Threaded side outlet (N/A in -30,-31)	\$ 223.00		
-11	Acid resistant epoxy coating	\$1194.00	-C	Membrane clamp (A2-C3)	No Add		
-12	Galvanized top assembly	\$ 323.00	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00		
-13	All galvanized	\$1194.00	-F4-50	4" cast iron round funnel	\$ 107.00		
-15	Extension (per 2") (A2-XY)	\$ 146.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00		
-16	Square top	See F1470 series	-F6-50	6" cast iron round funnel	\$ 173.00		
-17	with trap and cleanout (see MI-OS Series)	(See MI-OS)	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00		
-18	with trap and oil cone and cleanout (see MI-OS Series)	(See MI-OS)	-G-50	4" x 9" Cast iron oval funnel	\$ 256.00		
-20	Secondary dome strainer (FS1500-PD)	\$ 89.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00		
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00		
-28	Stainless Steel Body (Type 304) (2". 2", 4" No Hub only)	\$4360.00	Р	Push on outlet (2", 3" or 4")	No Add		
-30	PVC Socket Connection Body* (2", 3" or 4")	No Add	T	Threaded outlet (2", 3" or 4")	\$ 47.00		
-31	ABS Socket Connection Body* (2", 3" or 4")	No Add	Χ	Inside caulk outlet (2", 3" or 4")	No Add		
-32	2", 3", 4" Integral deep seal trap (MI-950 Series)	\$ 266.00	-Z	Extended wide elastomeric flange on top (F1550-TA)	\$ 799.00		
-34	Closure plug (C1440 Series)	\$ 220.00					

*PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes * Add -NH to -90 for no hub outlet - No Add.



BODY HE	BODY HEIGHT A3 BODY BASED DRAINS								
PIPE SIZE	NO HUB Standard	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC/ABS (-30/-31)				
2"	12 1/4"	12 1/2"	11 1/2"	13"	11 3/4"				
3"	12 1/4"	12 5/8"	11 7/8"	13"	12 1/2"				
4"	12 3/8"	12 5/8"	11 7/8"	13"	12 5/8"				
5"	12 3/8"	-	11 7/8"	16"	-				
6"	12 5/8"	16"	-	-	-				

The A3 body is manufactured as a transition body and requires an A1 body assembled to it to form the outlet connection.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049









F1420-C SERIES AREA DRAIN WITH 8" SQUARE ADJUSTABLE HEAVY DUTY TRACTOR GRATE F1420-C

CEDIE





F1420-C AREA DRAIN WITH 8" SQUARE ADJUSTABLE HEAVY DUTY TRACTOR GRATE						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)	
F1422,3,4,6-C	17.00	8" x 8" Adj. tractor grate	\$699.00	\$1051.00	\$1051.00	
F1422,3,4,6-C-Y-14	17.00	8" x 8" Non-Adj. flat grate	\$501.00	\$ 872.00	\$ 872.00	
F1422,3,4,6-C-Y	17.00	8" x 8" Non-Adj. tractor grate	\$625.00	\$ 979.00	\$ 979.00	


WHEN NO MEMBRANE CLAMP IS REQUIRED, DELETE SUFFIX (-C) AND DEDUCT \$50.00

F1420-	F1420-C & F1430C OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	F1420-C	F1430C	SUFFIX	DESCRIPTION	F1420-C	F1430C		
-5	Sediment bucket (A1-MB)	\$ 84.00	\$ 84.00	-41	Sump receiver (A1-BP)	\$156.00	\$164.00		
-6	Vandal proof secured grate (TR30 Torx and pin H-107	2)\$ 89.00	\$ 89.00	-90	Threaded side outlet (2", 3") (NA in -30,-31)	\$132.00	\$223.00		
-7	Trap seal primer tapping	Standard	\$ 91.00	-90	Threaded side outlet (4") (NA in -30,-31)	\$188.00	\$223.00		
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$230.00	\$ 230.00	-F4-(1,3)	4" NB or SS round funnel	\$256.00	\$256.00		
-11	Acid resistant epoxy coating	\$304.00	\$ 444.00	-F4-50	4" cast iron round funnel	\$107.00	\$107.00		
-12	Galvanized grate and frame	\$156.00	\$174.00	-F6-(1,3)	6" NB or SS round funnel	\$380.00	\$380.00		
-13	All galvanized	\$255.00	\$ 304.00	-F6-50	6" cast iron round funnel	\$173.00	\$173.00		
-15	Extension (DD-50)	\$ 84.00	\$ 84.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$531.00	\$531.00		
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	\$ 36.00	-G-50	4" x 9" Cast iron oval funnel	\$256.00	\$256.00		
-28	Stainless Steel body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00	\$2180.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$256.00	\$256.00		
-30	PVC Socket Connection Body (2", 3", 4")	No Add	No Add	-J-50	3" x 1" cast iron oval funnel	\$107.00	\$107.00		
-31	ABS Socket Connection Body (2", 3", 4")	No Add	No Add	Р	Push on outlet (2", 3" or 4")	No Add	No Add		
-32	2", 3", 4" Integral deep seal trap (MI-950 Series)	\$ 266.00	\$ 266.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00	\$ 47.00		
-34	Closure plug (C1440 Series)	\$220.00	\$ 220.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add	No Add		
-40	Underdeck clamp (A1-C3)	\$ 90.00	\$146.00	-Z	Extended wide elastomeric flange on body	\$799.00	\$799.00		
					(20" x 20" x 1/4" dia.)				

^{*}PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes $\,$

F1430C SERIES AREA DRAIN 8" SQUARE ADJUSTABLE HEAVY DUTY TRACTOR GRATE AND DEEP SUMP F1430C

8" SQUARE* F1420-TA-4 DUCTILE IRON TOP ASSEMBLY MAX WITH OVER 10,000 lb LOAD RATING **MEMBRANE** CLAMP (A2-C3-W)) HARDWARE SET (HS-1) A2 DEEP SUMP BODY PIPE SIZE 2", 3", 4", 5" 6" *ADD 1/2" TO DIMENSION SEE BODY HEIGHT & 3/16" TO HEIGHT FOR NB, SS VENEER



F1430C AREA DRAIN WITH 8"x 8" SQUARE ADJUSTABLE HEAVY DUTY TRACTOR GRATE & DEEP SUMP						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4) NICKEL BRONZE (VENEER) (-1) STAINLESS STEEL (VENEER) (-3)			
F1432,3,4,-C	28.00	8" x 8" Adj. tractor grate	\$1081.00	\$1649.00	\$1649.00	
F1432,3,4,-C-Y 28.00 8" x 8" Non-Adj. tractor grate \$ 499.00 \$ 875.00 \$ 875.00						
Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.						

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

1-800-405-2736, Fax 773-341-3049

SERIES


^{*}Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket. *Add -NH to -90 for no hub outlet - No Add .


SERIES





AREA DRAIN WITH 12"SQ. ADJ. HEAVY DUTY HINGED TRACTOR GRATE **F1440** SERIES F1440





(*) Denotes strainer finish (-1, -3, or -4)



AREA DRAIN WITH 12" SQUARE ADJUSTABLE HEAVY DUTY HINGED TRACTOR GRATE						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)	
F1442,3,4,6	52.75	12" x 12" Adj. tractor grate	\$1410.00	\$1925.00	\$1925.00	
F1442,3,4,6-Y	52.75	12" x 12" Non-Adj. tractor grate	\$ 760.00	\$1571.00	\$1571.00	
F1442,3,4,6-Y-14	52.75	12" x 12" Non-Adj. flat grate	\$ 910.00	\$1571.00	\$1571.00	
		with shallow body				

WHEN A MEMBRANE CLAMP IS REQUIRED, ADD SUFFIX (-C), NO ADD.

F1440	F1440 SERIES OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-5	Sediment bucket (A2-MB)	\$ 146.00	-40	Underdeck clamp (A2-C3)	\$ 146.00	
-6	Vandal proof secured grate (TR30 Torx and Pin) (H-1072B)	\$ 89.00	-41	Sump receiver (A2-BP)	\$ 164.00	
-7	Trap seal primer tapping	\$ 91.00	-90	Threaded side outlet (2", 3", 4") (N/A in -30, -31)	\$ 223.00	
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-C	Membrane clamp (A2-C3)	No Add	
-11	Acid resistant epoxy coating	\$ 557.00	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	
-12	Galvanized grate and frame	\$ 271.00	-F4-50	4" cast iron round funnel	\$ 107.00	
-13	All galvanized	\$ 540.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	
-15	Extension (per 2") (A2-XY)	\$ 199.00	-F6-50	6" cast iron round funnel	\$ 173.00	
-20	Secondary dome strainer (FS1500-PD)	\$ 89.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-G-50	4" x 9" cast iron oval funnel	\$ 256.00	
-24	Solid secured cover	\$ 293.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00	
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub only)	\$2180.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00	
-30	PVC Socket Connection Body* (2", 3", 4")	No Add	Р	Push on outlet (2", 3" or 4")	No Add	
-31	ABS Socket Connection Body* (2", 3", 4")	No Add	T	Threaded outlet (2", 3" or 4")	\$ 47.00	
-32	2", 3", or 4" integral deep seal trap (MI-950 Series)	\$ 266.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add	
-34	Closure plug (C1440 Series)	\$ 220.00	-Z	Extended wide elastomeric flange on body (20" x 20" x 1/4" thick)	\$ 799.00	
-35	Stainless steel mesh over bucket	\$ 253.00	8	8" No hub outlet	\$ 182.00	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


Toll Free 1-800-465-2736, Fax 773-341-3049

P62 Sunday, January 01, 2012 12:24:28 PM



F1440-Y-Q SERIES SHALLOW BODY AREA DRAIN WITH 12" SQUARE, NON ADJUSTABLE HEAVY **DUTY TRACTOR GRATE**





ANSI / ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
F1440-Q-TA-1	40.0 IN ²	OVER 10,000 lbs.				
F1440-Q-TA-3	40.0 IN ²	OVER 10,000 lbs.				
F1440-Q-TA-4	40.0 IN ²	OVER 10,000 lbs.				

PARTS F1440-Y-PC-50 **A8 BODY** F1440-PG-(*) (*) Denotes Strainer Finish (-1,-3 or -4)

F1440-Y-Q SHALLOW BODY AREA DRAIN WITH 12" SQUARE, NON ADJUSTABLE HEAVY DUTY TRACTOR GRATE						
MODEL	WT.	STRAINER	STRAINER LIST PRICE LACQUERED CAST IRON SHALLOW BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER)(-1)	STAINLESS STEEL (VENEER)(-3)	
F1443,4,6-Y-Q-14	45.00	12" Sq. Non-Adj. flat grate	\$ 775.00	\$1230.00	\$1230.00	
F1443,4,6-Y-Q	45.00	12" Sq. Non-Adj. tractor grate	\$ 901.00	\$1429.00	\$1429.00	

When a membrane clamp is required add Suffix (-C), No Add

F1440-Y-Q	SERIES OPTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket	\$ 146.00
-6	Vandal proof secured grate (TR30 Torx and Pin) (H-1072B)	\$ 89.00
-7	Trap seal primer tapping	\$ 91.00
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00
-11	Acid resistant epoxy coating	\$ 557.00
-12	Galvanized top assembly	\$ 271.00
-13	All galvanized	\$ 540.00
-15	Extension (per 2")	\$ 199.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00
-24	Solid secured cover	\$ 293.00
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub only)	\$2180.00
-32	2", 3", or 4" integral deep seal trap (MI-950 Series)	\$ 266.00
-34	Closure plug (C1440 Series)	\$ 220.00
-35	Stainless steel mesh over bucket	\$ 253.00
-40	Underdeck clamp (A8-UDC)	\$ 146.00
-41	Sump receiver (A8-BP)	\$ 164.00
-C	Membrane clamp (F1340-Y-PC-50)	No Add
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00
-F4-50	4" cast iron round funnel	\$ 107.00
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00
-F6-50	6" cast iron round funnel	\$ 173.00
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00
-G-50	4" x 9" cast iron oval funnel	\$ 256.00
-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00
-J-50	3" x 1" cast iron oval funnel	\$ 107.00
X	Inside caulk outlet (2", 3" or 4")	No Add
-Z	Extended wide elastomeric flange on top (F1540-TA)	\$ 799.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




F1450



AREA DRAIN WITH 12"SQ. ADJ. HEAVY DUTY HINGED TRACTOR GRATE & EXTRA DEEP SUMP F1450 SERIES





PARTS	A3 BODY	F1440-TA-(*)

AREA DRAIN WITH 12" SQUARE ADJUSTABLE HEAVY DUTY HINGED TRACTOR GRATE & EXTRA DEEP SUMP						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)	
F1452,3,4,6	61.00	12" x 12" Adj. tractor grate	\$ 1970.00	\$ 2866.00	\$ 2866.00	
F1452,3,4,6-14	61.00	12" x 12" Adj. flat grate	\$ 1515.00	\$ 1991.00	\$ 1991.00	
F1452,3,4,6-Y	61.00	12" x 12" Non-Adj. tractor grate	\$ 1147.00	\$ 1784.00	\$ 1784.00	
F1452,3,4,6-Y-14	61.00	12" x 12" Non-Adj. flat grate	\$ 1094.00	\$ 1760.00	\$ 1760.00	

WHEN A MEMBRANE CLAMP IS REQUIRED, ADD SUFFIX (-C), NO ADD.

F1450 SERI	ES OPTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (A2-MB)	\$ 146.00
-6	Vandal proof secured grate (TR30 Torx and Pin) (H-1072B)	\$ 89.00
-7	Trap seal primer tapping	\$ 91.00
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00
-11	Acid resistant epoxy coating	\$ 755.00
-12	Galvanized top assembly	\$ 271.00
-13	All galvanized	\$ 540.00
-15	Extension (per 2") (A2-XY)	\$ 199.00
-20	Secondary dome strainer (FS-1500-PD)	\$ 89.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00
-24	Solid secured cover	\$ 293.00
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub only)	\$4360.00
-30	PVC Socket Connection Body* (2", 3", 4")	No Add
-31	ABS Socket Connection Body* (2", 3", 4")	No Add
-32	2", 3", or 4" integral deep seal trap (MI-950 Series)	\$ 266.00
-34	Closure plug (C1440 Series)	\$ 220.00
-35	Stainless steel mesh over bucket	\$ 253.00
-40	Underdeck clamp (A2-C3)	\$ 146.00
-41	Sump receiver (A2-BP)	\$ 164.00
-90	Threaded side outlet (2", 3", 4") (N/A in -30, -31)	\$ 223.00
-C	Membrane clamp (A2-C3)	No Add
-F4-(1,3)	4" NB or SS round funnel	\$ 256.00
-F4-50	4" cast iron round funnel	\$ 107.00
-F6-(1,3)	6" NB or SS round funnel	\$ 380.00
-F6-50	6" cast iron round funnel	\$ 173.00
-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00
-G-50	4" x 9" cast iron oval funnel	\$ 256.00
-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00
-J-50	3" x 1" cast iron oval funnel	\$ 107.00
Р	Push on outlet (2", 3" or 4")	No Add
T	Threaded outlet (2", 3" or 4")	\$ 47.00
Χ	Inside caulk outlet (2", 3" or 4")	No Add
-Z	Extended wide elastomeric flange on body (20" x 20" x 1/4" thick)	\$ 799.00
8	8" no hub outlet	\$ 182.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P64

F1460 SERIES AREA DRAIN WITH 16" SQUARE ADJUSTABLE HEAVY DUTY TRACTOR GRATE


F1460 **SERIES**





(*) Denotes strainer

finish (-1, -3 or -4)




AREA DRAIN WITH 16" SQUARE ADJUSTABLE HEAVY DUTY TRACTOR GRATE									
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:					WITH:				
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4) NICKEL BRONZE (VENEER) (-1) STAINLESS STEEL						
F1462,3,4,6	69.00	16" x 16" Adj. tractor grate	\$1763.00	\$2581.00	\$2581.00				
F1462,3,4,6-Y	69.00	16" x 16" Non-Adj. flat grate	\$1478.00	\$2581.00	\$2581.00				

WHEN A MEMBRANE CLAMP IS REQUIRED, ADD SUFFIX (-C) NO ADD


F1460	F1460 AND F1470 SERIES OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-5	Sediment bucket (A2-MB)	\$ 146.00	-40	Underdeck clamp (A2-C3)	\$ 146.00				
-6	Vandal proof secured grate (TR30 Torx and Pin) (H-1072B)	\$ 89.00	-41	Sump receiver (A2-BP)	\$ 164.00				
-7	Trap seal primer tapping	\$ 91.00	-90	Threaded side outlet (2", 3", 4") (N/A in -30, -31)	\$ 223.00				
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-C	Membrane clamp (A2-C3)	No Add				
-11	Acid resistant epoxy coating	\$ 839.00	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00				
-12	Galvanized top assembly	\$ 426.00	-F4-50	4" cast iron round funnel	\$ 107.00				
-13	All galvanized	\$ 839.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00				
-15	Extension (per 2") (A2-XY)	\$ 199.00	-F6-50	6" cast iron round funnel	\$ 173.00				
-20	Secondary dome strainer (FS1500-PD)	\$ 89.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00				
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-G-50	4" x 9" cast iron oval funnel	\$ 256.00				
-24	Solid secured cover	\$ 382.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00				
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub only)	\$4360.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00				
-30	PVC Socket Connection Body* (2", 3", 4")	No Add	Р	Push on outlet (2", 3" or 4")	No Add				
-31	ABS Socket Connection Body* (2", 3", 4")	No Add	T	Threaded outlet (2", 3" or 4")	\$ 47.00				
-32	2", 3", or 4" integral deep seal trap (MI-950 Series)	\$ 266.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add				
-34	Closure plug (C1440 Series)	\$ 220.00	-Z	Extended wide elastomeric flange on body (20" x 20" x 1/4" thick)	\$ 799.00				
-35	Stainless steel mesh over bucket	\$ 253.00	8	8" No hub outlet	\$ 182.00				

F1470 SERIES AREA DRAIN WITH 16" SQ. ADJ. HEAVY DUTY TRACTOR GRATE & EXTRA DEEP SUMP

F1470 **SERIES**







AREA DRAIN WITH 16" SQUARE ADJUSTABLE HEAVY DUTY TRACTOR GRATE & EXTRA DEEP SUMP									
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:									
NUMBER	IMBER Lbs DESCRIPTION DUCTILE IRON (-4) NICKEL BRONZE (VENEER) (-1)			STAINLESS STEEL (VENEER) (-3)					
F1472,3,4,6	75.00	16" x 16" Adj. tractor grate	\$2105.00	\$3225.00	\$3225.00				
F1472,3,4,6-Y	75.00	16" x 16" Non-Adj. tractor grate	\$2105.00	\$3225.00	\$3225.00				
F1472,3,4,6-Y-14	75.00	16" x 16" Non-Adj. flat grate	\$1958.00	\$2866.00	\$2866.00				

WHEN A MEMBRANE CLAMP IS REQUIRED, ADD SUFFIX (-C), NO ADD

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



AREA DRAIN WITH 12"SQUARE HEAVY DUTY TRACTOR GRATE & DEEP SUMP F1480(-FL) SERIES F1480(-FL)

SERIES





F1440-PG-(*) A3-PG

F1480T-PB

PARTS

(*) Denotes strainer finish (-1, -3 or -4)


F1480 BODY HEIGHT									
PIPE SIZE	NO HUB Standard	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)					
ALL	12" (305)	12 3/8" (314)	11 1/4" (286)	12 3/4" (324)					


AREA DRAIN WITH 12" SQUARE ADJUSTABLE HEAVY DUTY HINGED TRACTOR GRATE AND DEEP SUMP BODY										
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:										
NUMBER	NUMBER Lbs DESCRIPTION		DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)					
F1482,3,4,6	55.00	12" x 12" tractor grate	\$748.00	\$1449.00	\$1449.00					
F1482,3,4,6-FL	55.00	12" x 12" tractor grate	\$971.00	\$1590.00	\$1590.00					
with anchor flange										

F1480	F1480 AND F1490 OPTIONAL VARIATIONS:										
SUFFIX	DESCRIPTION	F1480	F1490	SUFFIX	DESCRIPTION	F1480	F1490				
-5	Sediment bucket (F1480-PB)	\$ 146.00	\$ 146.00	-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	\$ 36.00				
-6	Vandal proof secured grate (TR30 Torx and pin) (H-1072B)	\$ 89.00	\$ 89.00	-22	Less grate (-4) Deduct	-\$ 122.00	-\$ 343.00				
-7	Trap seal primer tapping	\$ 91.00	\$ 91.00	-22	Less grate (-1 or -3) Deduct	-\$ 355.00	-\$1075.00				
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	\$ 230.00	-28	Stainless Steel body (Type 304)	\$4360.00	\$4360.00				
-11	Acid resistant epoxy coating	\$ 633.00	\$ 847.00	-C	Membrane clamp (-FL only)	\$ 172.00	\$ 264.00				
-13	All galvanized	\$ 633.00	\$ 847.00	Р	Push on outlet (2", 3" or 4")	No Add	No Add				
-20	Secondary dome strainer (FS1500-PD)	\$ 89.00	\$ 89.00	T	Threaded outlet (2", 3" or 4")	\$ 47.00	\$ 47.00				
	,			Х	Inside caulk outlet (2", 3" or 4")	No Add	No Add				

F1490(-FL) AREA DRAIN WITH 16" SQ. ADJUSTABLE HEAVY DUTY TRACTOR GRATE & DEEP SUMP F1490(-FL) SERIES

SERIES





PARTS

A1 BODY A3-PG F1460-PG-(* F1490T-PB

(*) Denotes strainer finish (-1, -3 or -4)

F1490 BODY HEIGHT									
PIPE SIZE	NO HUB Standard	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)					
ALL	12" (305)	12 3/8" (314)	11 1/4" (286)	12 3/4" (324)					

AREA DRAIN WITH 16" SQUARE HEAVY DUTY TRACTOR GRATE & DEEP SUMP BODY									
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:									
NUMBER	NUMBER Lbs DESCRIPTION DUCTILE IRON (-4) NICK		NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)					
F1492,3,4,6	69.00	16" x 16" Tractor grate	\$1478.00	\$2999.00	\$2999.00				
F1492,3,4,6-FL	69.00	16" x 16" Sq. tractor grate	\$1742.00	\$3221.00	\$3221.00				
with anchor flange									

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

66

P66


Sunday, January 01, 2012 12:33:25 PM

BODY DIMENSION HEIGHTS






DRAIN BODY DIMENSION HEIGHTS DRAIN BODY DIMENSION REFERENCE CHARTS




A1 BODY HEIGHT									
PIPE SIZE	PVC (-30) ABS (-31)	NO HUB (Standard)	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	STAINLESS STEEL (-28)			
2"	2 5/8"	3"	3 3/8"	2 1/4"	3 3/4"	2 3/4"			
3"	3 1/4"	3"	3 3/8"	2 5/8"	3 3/4"	2 3/4"			
4"	3 1/2"	3"	3 3/8"	2 5/8"	3 3/4"	2 3/4"			
5"	-	3"	-	2 5/8"	6 7/8"	-			
6"	-	3 1/2"	6 7/8"	-	-	-			

*Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.

A1-90 THREADED SIDE OUTLET BODY HEIGHT "B" "A" "C" FLANGE TO FLANGE BODY CENTER TO TOP OF MODEL PIPF BODY NUMBER SIZE HEIGHT OF OUTLET OUTLET HEIGHT A1-2T-90 2 1/4" 5/8" 3 5/81 A1-3T-90 3" 6 1/8" 3 1/2" 3 1/4" A1-4T-90 6 1/8" A1-90 NO HUB S **IDE OUT** LET BODY HEIGHT A1-2-90-NH 3 1/2" 2 3/8" 1 1/8" A1-3-90-NH 3" 4 3/8" 2 5/8" 1" The A1-90 No Hub Outlet Body A1-4-90-NH 4" 5 3/8" 3 1/8" 1"







A2 BOD	A2 BODY HEIGHT									
PIPE SIZE	NO HUB (STANDARD)	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC (-30) ABS (-31)					
2"	5 3/4"	5 1/2"	6 1/2"	6 1/2"	6 3/4"					
3"	5 3/4"	5 1/2"	6 5/8"	6 1/2"	7 1/2"					
4"	5 3/4"	5 1/2"	5 1/2"	6 1/2"	7 5/8"					
5"	5 3/4"	-	6 5/8"	6 3/4"	-					
6"	7 1/4"	5 5/8"	5 5/8"	6 1/2"	-					
8"	5 7/8"	-	-	See note*	-					

*FOR DRAINS REQUIRING AN 8" INSIDE CAULK CONNECTION, USE A7-8X BODY





A2-90 THREA	ADED	SIDE 0	OUTLET BOI	OY HEIGHT
MODEL NUMBER	PIPE SIZE	"B" BODY HEIGHT	"A" Dimension Threaded Outlet	"A" Dimension No Hub Outlet
A2-2T-90-7	2"	5 3/4"	4"	7/8"
A2-3T-90-7	3"	5 3/4"	3 1/2"	7/8"
A2-4T-90-7	4"	5 3/4"	3 3/8"	7/8"
A2-90 NO H	UB S	IDE OU	TLET BODY	HEIGHT
A2-2-90-NH-7	2"	5"	4"	2 3/4"
A2-3-90-NH-7		5"	3 1/2"	1 3/4"
A2-4-90-NH-7	4"	5"	2 7/8"	5/8"



The A5 Body	BODY B HEIGHT
The As body	

BODY HEIGHT
The A7 Body

A3 BODY	A3 BODY HEIGHT							
PIPE SIZE	NO HUB Standard	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC (-30) ABS (-31)			
2"	12 1/4"	12 1/2"	11 1/2"	13"	11 3/4"			
3"	12 1/4"	12 5/8"	11 7/8"	13"	12 1/2"			
4"	12 3/8"	12 5/8"	11 7/8"	13"	12 5/8"			
5"	12 3/8"	-	11 7/8"	16"	-			
6"	12 5/8"	16"	-	-	-			

Note: The A3 body is manufactured as a transition body and require an A1 body assembled to it to form the outlet connection

A5 BODY HEIGHT					
PIPE SIZE	NO HUB (Standard)	INSIDE CAULK (X)			
2"	6 1/2"	6.575"			
3"	6 1/2"	6.575"			
4"	6 1/2"	6.575"			
6"	6 1/2"	6.575"			

A7 BODY HEIGHT					
PIPE SIZE	NO HUB OUTLET (STANDARD)	INSIDE CAULK OUTLET (X)			
8"	See note*	5 3/4"			
10"	5 5/8"	-			
12"	5 5/8"	-			
*For Drain	e Requiring and 8" No.Hi	th connection use A2-8MH hady			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







F1510 **SERIES**

12" x 12" EPOXY COATED PARKING AREA FLOOR DRAIN WITH HEAVY DUTY HINGED TRACTOR GRATE & SEDIMENT BUCKET (CONFORMS TO CSA STD. S413-94)

F1510 **SERIES**

PARTS





F1510-TA-4 A2-MB **HS-1**


EPOXY COATED PARKING AREA FLOOR DRAIN					
MODEL WT. EPOXY COATED CAST IRON BODY WITH NUMBER Lbs DUCTILE IRON HINGED GRATE (-4)					
F1512,3,4,6,8	55.00	\$2339.00			


F1510 0	F1510 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Vandal proof secured grate (TR30 Torx and pin)	\$ 89.00	-80	All Aluminum	No Add		
-7	Trap seal primer tapping	\$ 91.00	-C	Membrane clamp	Standard		
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$ 230.00	-TE	2" Extension (F1510-TE)	\$ 146.00		

F1530 **SERIES**

PARKING AREA DRAIN WITH 9" ROUND HEAVY DUTY TRACTOR GRATE W/DEEP SUMP & HEAVY DUTY MEMBRANE COLLAR W/SEEPAGE OPENINGS

F1530 **SERIES**





A2 BODY PARTS (*) Denotes Strainer finish (-1, -3 or -4)

F1530-TA-(*)



PARKING AREA DRAIN WITH 9" ROUND HEAVY DUTY TRACTOR GRATE						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)	
F1532,3,4,6,8	45.00	9" Dia. tractor grate	\$ 737.00	\$1068.00	\$1068.00	

F1530 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-5	Sediment bucket (FS1750-PB)	\$ 84.00	-13	All galvanized	\$451.00	
-6	Vandal proof secured grate (TR30 Torx and pin) (H-1072)	\$ 89.00	-30	PVC Socket Connection Body* (2", 3", 4")	No Add	
-7	Trap seal primer tapping	\$ 91.00	-31	ABS Socket Connection Body* (2", 3", 4")	No Add	
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$230.00	-90	Threaded side outlet (2", 3", or 4") (NA in -30,-31)	\$223.00	
-11	Acid resistant epoxy coating	\$451.00	Р	Push on outlet (2", 3", 4" or 6")	No Add	
-12	Galvanized grate	\$227.00	T	Threaded outlet (2", 3", 4" or 6")	\$ 47.00	
*PVC/ABS Socket bodies available for 2", 3" or 4" connection sizes X Inside caulk outlet (2", 3", 4" or 6") No Ac					No Add	

*Add -NH to -90 for no hub outlet - No Add

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

68

Sunday, January 01, 2012 12:33:55 PM

P68


PARKINGA REA DRAINS


& MIFAB®

SERIES

PARKING AREA DRAIN WITH 12" ROUND HEAVY DUTY TRACTOR GRATE WITH DEEP SUMP AND HEAVY DUTY MEMBRANE COLLAR WITH SEEPAGE OPENINGS

F1540 **SERIES**





PARTS	
*) Denotes Strainer finish (-1, -3 or -4)	





PARKING AREA DRAIN WITH 12" ROUND HEAVY DUTY TRACTOR GRATE						
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:			
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1) S	TAINLESS STEEL (VENEER) (-3)	
F1542,3,4,6	75.00	12" Dia. tractor grate	\$1534.00	\$2328.00	\$2328.00	
F1548	48.00	12" Dia. tractor grate	\$1718.00	\$2515.00	\$2515.00	

F1540	F1540 AND F1550 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-5	Sediment bucket (FS1750-PB)	\$ 124.00	-13	All galvanized	\$664.00		
-6	-6 Vandal proof secured grate (TR30 Torx and pin) (H-1072B)		-90	Threaded side outlet (2", 3" or 4") (NA in -30,-31)	\$223.00		
-7	Trap seal primer tapping	\$ 91.00	-30	PVC Socket Connection Body* (2", 3", 4")	No Add		
-8	-8 Backwater valve (BV1250 Series) (2", 3", 4")		-31	ABS Socket Connection Body* (2", 3", 4")	No Add		
-11	Acid resistant epoxy coating	\$ 664.00	Р	Push on outlet (2", 3", 4" or 6")	No Add		
-12	Galvanized grate	\$ 334.00	T	Threaded outlet (2", 3", 4" or 6")	\$ 47.00		
*PVC/AE	3S Socket bodies available for 2", 3" or 4" connection sizes		X	Inside caulk outlet (2", 3", 4" or 6")	No Add		


*Add -NH to -90 for no hub outlet - No Add.


F1550 **SERIES**

PARKING AREA DRAIN WITH 16" ROUND HEAVY DUTY TRACTOR GRATE WITH DEEP SUMP AND HEAVY DUTY MEMBRANE COLLAR WITH SEEPAGE OPENINGS

F1550 **SERIES**

PARKING AREA DRAINS





PARKING AREA DRAIN WITH 16" ROUND HEAVY DUTY TRACTOR GRATE WITH DEEP SUMP							
MODEL WT. STRAINER LIST PRICE LACQUERED CAST IRON BODY WITH:					Y WITH:		
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)		
F1552,3,4,6	75.00	16" Dia. tractor grate	\$1915.00	\$2462.00	\$2462.00		
F1558	78.00	16" Dia. tractor grate	\$2145.00	\$2693.00	\$2693.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


F1560


SERIES



& MIFAB®

12" x 12" HEAVY DUTY AREA DRAIN WITH INTERNAL TRAP & SEDIMENT BUCKET F1560 SERIES





12" x 12" HEAVY DUTY AREA DRAIN WITH INTERNAL TRAP						
MODEL	WT.	LACQUERED CAST IRON BODY WITH				
NUMBER	Lbs	DUCTILE IRON (-4)	STAINLESS STEEL (VENEER) (-3)			
F1562,3,4,6	50.00	\$1560.00	\$2226.00			

F1560 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-6	Vandal proof secured grate (TR30 Torx and pin) (H-1072B)	\$ 89.00	-13	Galvanized body and grate	\$ 886.00	
-7	Trap Seal primer tapping	\$ 91.00	-28	Stainless Steel body (Type 304)	\$4360.00	
-11	Acid resistant epoxy	\$1010.00	-C	Membrane clamp	\$ 200.00	
-12	Galvanized grate	\$ 373.00	-FL	Anchor flange	\$ 275.00	
			-GS	Grounding strap	\$ 431.00	

F1562

F1563

F1564

F1566


5 1/4"


5 1/4"

F1570 **SERIES**

24" x 24" HEAVY DUTY PARKING AREA CATCH BASIN

F1570 SERIES





24" X 24" HEAVY DUTY PARKING AREA CATCH BASIN						
MODEL	WT.	LIST PRICE BAKED EPOXY COATED STEEL BODY WITH:				
NUMBER	Lbs	DUCTILE IRON (-4)	STAINLESS STEEL (VENEER) (-3)			
F1572,3,4,6A	650.00	\$6000.00	\$12540.00			
F1572,3,4,6B	872.00	\$6357.00	\$12897.00			
F1572,3,4,6C	1100.00	\$6669.00	\$13209.00			
F1572,3,4,6D	1300.00	\$7535.00	\$14075.00			

BODY DEPT	BODY DEPTH				
MODEL NO.	"D"	OVERALL DEPTH			
F1570A	18"	31.5"			
F1570B	24"	37.5"			
F1570C	30"	43.5"			
F1570D	36"	49.5"			

F1570 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-6	Vandal proof secured grate (TR30 Torx and pin) (H-1072B)	\$ 160.00	-SI	No hub side inlet	\$179.00	
-13	All galvanized	\$1150.00	-SIT	Side inlet with trap	\$359.00	
-28	Stainless Steel body (Type 304)	\$6540.00				
-C	Membrane Clamp	\$ 359.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


Toll Free 1-800-465-2736, Fax 773-341-3049






F1580 SERIES 24" x 24" HEAVY DUTY DEEP SUMP AREA DRAIN WITH BOTTOM OUTLET

F1580 SERIES







24"SQ HEAVY DUTY DEEP SUMP AREA DRAIN W/BOTTOM OUTLET						
MODEL	WT.	BAKED EPOXY COATED STEEL BODY WITH:				
NUMBER	Lbs	DUCTILE IRON (-4)	STAINLESS STEEL (VENEER) (-3)			
F1582,3,4,6	400.00	\$7907.00	\$9845.00			

F1580	F1580 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-5	Sediment bucket (FS1700-PB)	\$270.00	-13	All galvanized	\$1150.00			
-6	Vandal proof secured grates (TR30 Torx and pin) (H-1072B)	\$276.00	-28	Stainless Steel Body (Type 304)	\$4360.00			
-8	Backwater valve (BV1250 Series)(2", 3", 4")	\$230.00	-FL	Anchor flange	\$ 448.00			
-12	Galvanized grates	\$586.00	-FLC	Anchor flange and membrane clamp	\$1113.00			

F1590 SERIES 24" x 24" HEAVY DUTY AREA DRAIN WITH OFFSET BOTTOM OUTLET

F1590 SERIES







24" SQ. HEAVY DUTY AREA DRAIN WITH OFFSET BOTTOM OUTLET						
MODEL	WT.	WT. BAKED EPOXY COATED STEEL BODY WITH:				
NUMBER	Lbs	DUCTILE IRON (-4)	STAINLESS STEEL (VENEER) (-3)			
F1592,3,4,6	400.00	\$7907.00	\$9845.00			

F159	F1590 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-6	Vandal proof secured grates (TR30 Torx and pin) (H-1072B)	\$276.00	-13	All galvanized	\$1150.00			
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$230.00	-28	Stainless Steel Body (Type 304)	\$4360.00			
-12	Galvanized grates	\$576.00	-38	Solids retaining baffle	\$ 400.00			
			-C	Membrane clamp	\$ 664.00			

F1590-90 SERIES 24" x 24" HEAVY DUTY PARKING AREA DRAIN WITH SIDE OUTLET F1590-90





24" X 24" HEAVY DUTY PARKING AREA DRAIN WITH SIDE OUTLET						
MODEL	WT.	BAKED EPOXY	COATED STEEL BODY WITH:			
NUMBER	Lbs	DUCTILE IRON (-4)	STAINLESS STEEL (VENEER) (-3)			
F1592,3,4,6-90	400.00	\$7907.00	\$9845.00			

E4E00	ESPACION OF OPTIONAL VARIATIONS							
F1590-90 OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-6	Vandal proof secured grates (TR30 Torx and pin) (H-1072B)	\$ 276.00	-28	Stainless Steel Body (Type 304)	\$4360.00			
-12	Galvanized grates	\$ 576.00	-38	Solids retaining baffle	\$ 400.00			
-13	All galvanized	\$1150.00	-C	Membrane clamp	\$ 664.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

71

SERIES

_ _


PARTS HS-1


MPB-2012-USA

ISOLATION FLOOR DRAIN W/ROUND REINFORCED ADJ. STRAINER

F1600-C SERIES








(*) Denotes strainer size (5", 6", 7" or 8") (**) Denotes strainer finish (-1, -3 or -4)

F1600-C ISOLATION DRAIN WITH ROUND REINFORCED ADJUSTABLE STRAINER									
MODEL	WT.	STRAINER	LIST PRICE LACQUERED CAST IRON BODY WITH:						
NUMBER	Lbs	DESCRIPTION	DUCTILE IRON (-4) NICKEL BRONZE (-1) STAINLESS STEEL (-						
F1602,3,4-C-5	15.00	5" Diameter	\$835.00	\$871.00	\$871.00				
F1602,3,4-C-6	17.00	6" Diameter	-	\$936.00	\$936.00				
F1602,3,4-C-7	17.50	7" Diameter	-	\$991.00	\$991.00				
F1602,3,4-C-8	19.00	8" Diameter	\$982.00	\$1097.00	\$1097.00				

F1620-C SERIES ISOLATION AREA DRAIN W/9" ROUND ADJ. TRACTOR GRATE F1620-C SERIES

1" THICK DUCTILE

W-31 A1-C1 F1600-PNEC A1 BODY



(*) Denotes strainer finish (-1, -3 or -4)

	STHAIRENA	DOUGHNENI		
	MIN	MAX	GRATE*	IRON TRACTOR GRATE
	2 13/16"	3 11/16"	Car Tal	MEMBRANE CLAMP (A1-C1)
	F1320-TA-	-		HARDWARE SET (HS-1)
	*ADD 3/8" TO DIA. * 3/16" TO HEIGHT FOR NB,)	7" MIN.	NEOPRENE EXPANSION COMPENSATOR WITH STAINLESS STEEL CLAMPS (F1600-PNEC)
	BODY HEIGH SEE BODY H CHART ON P	IT EIGHT	PIPE SIZE 2", 3", 4", 5", 6"	MEMBRANE CLAMP (A1-C1) A1 8" DIAMETER BODY
_				

9" DIAMETER GRATE*

F1620-C ISOLATION FLOOR DRAIN WITH 9" ROUND ADJUSTABLE TRACTOR GRATE						
MODEL NUMBER	WT. Lbs	STRAINER DESCRIPTION	· ·	D CAST IRON BODY WITH: NICKEL BRONZE (VENEER)(-1)	STAINLESS STEEL (VENEER) (-3)	
F1622,3,4-C	24.00	9" Diameter	\$801.00	\$1106.00	\$1106.00	

ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING				
F1320-TA-4	18.0 IN ²	OVER 10,000 lbs				

F1600-	F1600-C AND F1620-C OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	F1600-C	F1620-C	SUFFIX	DESCRIPTION	F1600-C	F1620-C	
-5	Sediment bucket (A1-PB)	\$ 65.00	\$ 84.00	-41	Sump receiver (A1-BP)	\$ 156.00	\$ 156.00	
-6	Vandal proof (TR25 (F1600), TR30 (F1620) Torx and pin)	\$ 33.00	\$ 89.00	-49	Chr. Pl. strainer assembly (-1 only)	\$ 18.00	N/A	
-7	Trap seal primer tapping	No Add	No Add	-90	Threaded side outlet (NA in -30,-31)	\$ 132.00	\$ 132.00	
-8	Backwater valve (BV1250 Series) (2",3", 4")	\$ 230.00	\$ 230.00	-95	Client logo	\$ 545.00	N/A	
-10	Decorative polished top	\$ 102.00	N/A	-C2	High rough in membrane clamp (A1-C2)	\$ 50.00	\$ 50.00	
-11	Acid resistant epoxy coating	\$ 695.00	\$ 838.00	-F4-(1,3)	4" NB or SS round funnel	\$ 256.00	\$ 256.00	
-13	All galvanized	\$ 695.00	\$ 838.00	-F4-50	4" cast iron round funnel	\$ 107.00	\$ 107.00	
-15	Extension (DD-50)	\$ 84.00	\$ 84.00	-F6-(1,3)	6" NB or SS round funnel	\$ 380.00	\$ 380.00	
-16	Square top	-	\$ 143.00	-F6-50	6" cast iron round funnel	\$ 173.00	\$ 173.00	
-20	Secondary dome strainer	-	\$ 89.00	-G-(1,3)	4" x 9" NB or SS oval funnel	\$ 531.00	\$ 531.00	
-21	Secondary flat strainer (FD-9600 Series)	-	\$ 36.00	-G-50	4" x 9" C.I. oval funnel	\$ 256.00	\$ 256.00	
-24	Solid secured cover	-	\$ 117.00	-J-(1,3)	3" x 1" NB or SS oval funnel	\$ 256.00	\$ 256.00	
-28	Stainless Steel Body (Type 304) (2", 3", 4" No Hub only)	\$2180.00	\$2180.00	-J-50	3" x 1" cast iron oval funnel	\$ 107.00	\$ 107.00	
-30	PVC Socket Connection Body* (2", 3", 4")	No Add	No Add	Р	Push on outlet (2", 3" or 4")	No Add	No Add	
-31	ABS Socket Connection Body* (2", 3", 4")	No Add	No Add	T	Threaded outlet (2", 3" or 4")	\$ 47.00	\$ 47.00	
-32	Integral 2,3,4" Deep Seal Trap (MI-950 Series)	\$ 266.00	\$ 266.00	-Z	Extended wide elastomeric flange on body	\$ 799.00	\$ 799.00	
-34	Closure plug (C1440 Series)	\$ 220.00	\$ 220.00	Χ	Inside caulk outlet (2", 3" or 4")	No Add	No Add	
-40	Underdeck clamp (A1-C3)	\$ 90.00	\$ 90.00	6	6" no hub outlet	\$ 335.00	\$ 335.00	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049




F1640 SERIES DUAL 9" ADJUSTABLE DRAIN SET

F1640 **SERIES**



LAQ. CAST IRON FLOOR DRAINS (2) W/ONE TRACTOR GRATE & ONE GASKETED SOLID COVER								
MODEL	MODEL WT. GRATE & PLUG DUCTILE STAINLESS STEEL							
NUMBER	Lbs	DIAMETER	IRON (-4)	(VENEER) (-3)				
F1642,3,4	35.00	9"	\$913.00	\$2594.00				
ONE DRAIN WITH	SOLID COV	/ER ONLY (SUFFIX -SC)	\$688.00	\$1948.00				








(*) Denotes strainer finish (-3 or -4)

F1640,	F1640, F1640-L OPTIONAL VARIATIONS:								
SUFFIX	SUFFIX DESCRIPTION F1640 F1640-L SUFFIX DESCRIPTION					F1640	F1640-L		
-5	Sediment bucket (A1-MB for F1640, A2-MB for F1640-L)	\$ 84.00	\$ 292.00	-31	ABS Socket Connection Body (2",3",4")	No Add	No Add		
-11	Acid resistant epoxy finish	\$585.00	\$1174.00	-C	Membrane clamp	No Add	No Add		
-13	All galvanized	\$512.00	\$1174.00	P	Push on outlet (2", 3" or 4")	No Add	No Add		
-15	Extension (DD-50 for F1640, A2-XY for F1640-L)	\$168.00	\$ 399.00	T	Threaded outlet (2", 3" or 4")	\$ 94.00	\$ 94.00		
-21	Secondary flat strainer (FD-9600 Series)	\$ 72.00	\$ 72.00	Χ	Inside caulk outlet (2", 3", or 4")	No Add	No Add		
-30 PVC Socket Connection Body (2", 3", 4")		No Add	No Add	6	6" no hub outlet	\$670.00	\$670.00		

F1640-L SERIES **DUAL 12" TOP ADJUSTABLE DRAIN SET**

F1640-L **SERIES**



LAQ. CAST IRON AREA DRAINS (2) W/ONE TRACTOR GRATE & ONE GASKETED SOLID COVER						
MODEL WT. GRATE & PLUG			DUCTILE	STAINLESS STEEL		
NUMBER	Lbs	DIAMETER	IRON (-4)	(VENEER) (-3)		
F1642,3,3,4-L	115.00	12"	\$1736.00	\$2618.00		
ONE DRAIN WITH S	OLID COV	ER ONLY (SUFFIX -SC)	\$1305.00	\$1965.00		





Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MPB-2012-USA

F1650 **SERIES**

FLUSHING RIM FLOOR DRAIN



PARTS	(*) Denotes outlet size (2", 3" or 4")				
A1-BODY	A3-PG	HS-1	F1650T-PB	F1650-PC-50	F1650-TA-1
	0	666		6	


A.R.E. COATED CAS	T IRON BODY	WITH HINGED GRATE & F	LUSHING RIM CONNECTION
MODEL Number	WT. Lbs	STAINLESS STEEL (-3)	NICKEL Bronze (-1)
F1652,3,4	33.00	\$ 1585.00	\$ 1585.00

ANSI/ASME RATING						
STRAINER	FREE AREA	LOAD RATING	STRAINER	FREE AREA	LOAD RATING	
9" DIA NB	18.0 IN ²	2000-4000 lbs	9" DIA SS	18.0 IN ²	5000-7499 lbs	

F1650 AND	F1650 AND F1650-G OPTIONAL VARIATIONS:					
SUFFIX	SUFFIX DESCRIPTION					
-6	-6 Vandal proof fixed grate (TR25 Torx and pin)					
-30	-30 PVC socket connection body (F1650 only) (2", 3", 4")					
-31	ABS socket connection body (F1650 only) (2", 3", 4")	No Add				
-A	Loose set grate	\$177.00				
P	Push on outlet (2", 3", 4")	No Add				
T	Threaded outlet (2", 3", 4")	\$ 47.00				
X	Inside caulk outlet (2", 3", 4")	No Add				
-Z	Extended wide flange on body (20"dia. X 1/4" thick)	\$799.00				

SERIES

24" LARGE CAPACITY FLUSHING RIM FLOOR DRAIN




ANSI/ASME RATING	ANSI/ASME RATING					
STRAINER	FREE AREA	LOAD RATING				
24" DIA.	232.0 IN ²	UP TO 2000 lbs				

LACQUERED CAST IRON BODY W/NICKEL BRONZE GRATE & FRAME & FLUSHING RIM CONNECTION					
MODEL Number	WT. Lbs	NICKEL BRONZE (-1)			
F1662,3,4,6	118.00	\$10,088.00			

F1660 OPTI	F1660 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE					
-5	Sediment bucket	\$706.00					
-6	Vandal proof fixed grate (TR30 Torx and pin)	\$124.00					
-8	Backwater valve (BV1250 Series) (2", 3", 4")	\$230.00					
-13	Galvanized body	\$974.00					
-30	PVC socket connection body (2". 3", 4")	No Add					
-31	ABS socket connection body (2", 3", 4")	No Add					
-G	Trap with flushing connection	\$448.00					
-P	Push on outlet (2", 3", 4")	No Add					
T	Threaded outlet (2", 3", 4")	\$ 47.00					
Х	Inside caulk outlet (2", 3", 4")	No Add					

Design and dimensions are subject to modification. Prices do not include applicable taxes.

F1650-G FLUSHING RIM FLOOR DRAIN WITH **DEEP SEAL TRAP & FLUSHING CONNECTION**




A1-BODY	A3-PG	HS-1	F1650T-PB	F1650-PC-50	F1650-TA-1
	0	777			

F1650-G BODY HEIGHT						
	PIPE	"B" BODY	"A" DIMENSION	"A" DIMENSION		
	SIZE	HEIGHT	THREADED OUTLET	NO HUB OUTLET		
	2" (51)	20 3/4"	12 5/16"	12 5/16"		
	3" (76)	24 1/4"	13 1/2"	13 1/2"		
	4" (102)	25 7/8"	14"	14"		

ANSI/ASME RATING					
STRAINER	FREE AREA	LOAD RATING	STRAINER	FREE AREA	LOAD RATING
9" DIA NB	18.0 IN ²	2000-4000 lbs	9" DIA SS	18.0 IN ²	5000-7499 lbs

A.R.E. COATED CAST IRON BODY W/HINGED GRATE, INTEGRAL TRAP & FLUSHING RIM CONNECTION				
MODEL WT. NICKEL STAINLESS				
NUMBER	Lbs	BRONZE (-1)	STEEL (-3)	
F1652,3,4-G	50.00	\$1516.00	\$1516.00	
Trap with flushing connection				

F1670 WATER SUPPLY CONTROL BOX



MIFAB Series F1670 water supply control box manufactured from Type 304 stainless steel. Box complete with cylinder key lock. Features single hot and cold mixing valve handle and atmospheric type vacuum breaker with integral

Recommended for installation with flushing rim & garbage can wash drains (F1650 and F1350-Y-36)

WATER SUPPLY CONTROL BOX			
MODEL	WT.	STAINLESS STEEL	
NUMBER	Lbs	(-3)	
F1670	18.00	\$3244.00	


WATER SUP	WATER SUPPLY CONTROL BOX OPTIONAL VARIATIONS:			
SUFFIX	DESCRIPTION	LIST PRICE		
-LM	Less internal assembly vacuum breaker and mixing valve) (deduct)	-\$866.00		
-RK	Seal repair kit	\$218.00		
-S	Surface mounted	No Add		

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MIFAB

F1720 2 1/4" x 3 3/4" GUTTER DRAIN



ANSI/ASME RATING			
STRAINER	FREE AREA	LOAD RATING	
2" x 3"	3.0 IN ²	2000 lbs	

2 1/4" x 3 3/4" GUTTER DRAIN		
MODEL NUMBER	WT. Lbs	LACQUERED CAST IRON BODY WITH NICKEL BRONZE (-1)
F1722	2.00	\$161.00

F1720 OPTIONAL VARIATIONS			
SUFFIX	DESCRIPTION	LIST PRICE	
-6	Vandal proof secured grate (T25 Torx & pin) (H-1039A)	\$33.00	
-13	Galvanized body	\$36.00	

F1780 INDIRECT WASTE FUNNEL



F1780 INDIRECT WASTE FUNNEL				
MODEL	WT.	DESCRIPTION	CAST IRON	
NUMBER	Lbs		(-50)	
F1782	11.25	2" OUTLET	\$230.00	
F1783	11.75	3" OUTLET	\$268.00	
F1784	12.25	4" OUTLET	\$458.00	
F1786	12 50	6" OUTLET	\$476.00	


BODY HEIGHT				
PIPE SIZE	NO HUB (Standard)	PUSH ON (P)	PVC (-30) ABS (-31)	
2" (51)	10" (254)	10 3/8" (263)	10 3/8" (263)	
3" (76)	10" (254)	10 3/8" (263)	10 3/8" (263)	
4" (102)	10" (254)	10 3/8" (263)	10 3/8" (263)	
6" (152)	8 3/4" (222)	-	-	

F1780 OPTIONAL VARIATIONS:			
SUFFIX	DESCRIPTION	LIST PRICE	
-11	Acid resistant epoxy finish	\$190.00	
-13	All galvanized	\$217.00	
-20	Secondary dome strainer	\$ 89.00	
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	
-30	PVC socket connection body* (2", 3", 4")	No Add	
-31	ABS socket connection body* (2", 3", 4")	No Add	
-C	Membrane clamp	\$ 50.00	
Р	Push on connection (2", 3", 4")	No Add	

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

7" x 15" HEAVY DUTY GUTTER DRAIN WITH ANCHOR FLANGE **F1760-FL**




ANSI/ASME RATING			
STRAINER	FREE AREA	LOAD RATING	
F1760-PG-4	39.0 IN ²	OVER 10,000 lbs	

F1760-FL 7" x 15" HEAVY DUTY GUTTER DRAIN W/ANCHOR FLANGE				
MODEL	WT.	LACQUERED CAST IRON BODY WITH		
NUMBER	Lbs	DUCTILE IRON (-4) STAINLESS STEEL (VENEER) (-3)		
F1762,3,4-FL	30.00	\$420.00	\$785.00	

F1760-FL OPTIONAL VARIATIONS:			
SUFFIX	DESCRIPTION	LIST PRICE	
-6	Vandal proof secured grate (TR30 Torx & pin)	\$ 89.00	
-8	Backwater valve (BV1250 Series) (2". 3". 4")	\$230.00	
-11	Acid resistant epoxy finish	\$300.00	
-13	All galvanized	\$300.00	
-22	Less plange (deduct)	\$125.00	
-C	Membrane clamp	\$106.00	
-NH	No hub outlet connection (use MI-850 Series)	\$132.00	

INDIRECT WASTE FUNNEL WITH BACKWATER VALVE

F1790 **SERIES**



F1790 INDIRECT WASTE FUNNEL							
MODEL NUMBER	WT. Lbs	DESCRIPTION	CAST IRON (-50)				
F1792	11.75	2" OUTLET	\$618.00				
F1793	12.25	3" OUTLET	\$656.00				
F1794	12.75	4" OUTLET	\$845.00				
F1796	13.00	6" OUTLET	\$872.00				

BODY HEIGI	BODY HEIGHT							
PIPE SIZE	NO HUB (Standard)	PUSH ON (P)	PVC (-30) ABS (-31)					
2" (51)	10" (254)	10 3/8" (263)	10 3/8" (263)					
3" (76)	10" (254)	10 3/8" (263)	10 3/8" (263)					
4" (102)	10" (254)	10 3/8" (263)	10 3/8" (263)					
6" (152)	8 3/4" (222)	-	-					

F1790 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE				
-11	Acid resistant epoxy finish	\$378.00				
-13	All galvanized	\$378.00				
-20	Secondary dome strainer	\$ 89.00				
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00				
-30	PVC socket connection body* (2", 3", 4")	No Add				
-31	ABS socket connection body* (2", 3", 4")	No Add				
-C	Membrane clamp	\$ 50.00				
Р	Push on connection (2", 3", 4")	No Add				

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049




P75




SERIES

F1810 PLANTING AREA DRAIN

F1810 SERIES





PARTS

F1810 PLANTING AREA DRAIN					
MODEL NUMBER	WT. Lbs	LACQUERED CAST IRON BODY WITH METAL DOME WITH SS MESH SCREEN (-50)			
F1812,3,4,6	7.00	\$679.00			

A1 BODY A1-C3 A1-SSD HS-1

Threaded side outlet (2", 3") (4" - \$188.00)(NA in -30,-31)

DESCRIPTION

F1810 OPTIONAL VARIATIONS:							
	SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX			
	-6	Vandal proof	\$ 69.00	-41			
	-11	Acid resistant epoxy coating	\$ 98.00	-81			
	-13	Galvanized body	\$ 98.00	-90			
	-30	PVC socket connection body (2", 3", 4")	No Add	Р			
	-31	ABS socket connection body (2", 3", 4")	No Add	T			
	-40	Deck clamp (A1-C3)	\$ 90.00	Χ			

Inside caulk outlet (2", 3", 4") * Add -NH to -90 for no hub outlet - No Add

Sump receiver (A1-BP) Rough bronze dome with mesh

Push on outlet (2", 3", 4")
Threaded outlet (2", 3", 4")

F1820 **SERIES**

LARGE FREE AREA PLANTING AREA DRAIN


F1820 SERIES

LIST PRICE \$156.00

\$124.00 \$132.00

No Add \$ 47.00

No Add



Olivilli Olivilli	01	WITH SOME RECEIVER 13 1/4				
F1820 LARGE FREE AREA PLANTING AREA DRAIN						
MODEL	WT.	LACQUERED CAST IRON BODY WITH				
NUMBER	Lbs	ALUMINUM DOME WITH SS MESH SCREEN (-4)				
F1822,3,4,6,8	31.50	\$663.00				

Ø13.50" Ø15" FOR TRAP PRIMER BODY HEIGHT (SEE CHART PG 67)	

IAIIIO			
A2 BODY	A2-C3	A2-SSD	HS-1
			444

F1820 0	F1820 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Vandal proof	\$ 75.00	-41	Sump receiver (A2-BP)	\$164.00		
-11	Acid resistant epoxy coating	\$238.00	-81	Rough bronze dome with mesh	\$195.00		
-13	All galvanized	\$238.00	-90	Threaded side outlet (2", 3", 4") (NA in -30,-31)	\$223.00		
-30	PVC socket connection body (2", 3", 4")	No Add	Р	Push on outlet (2", 3", 4")	No Add		
-31	ABS socket connection body (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00		
-40	Deck clamp (A2-C3)	\$146.00	Х	Inside caulk outlet (2", 3", 4")	No Add		

PARTS

* Add -NH to -90 for no hub outlet - No Add Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

76


P76


MIFAB

F1830-P SERIES PLANTING AREA DRAIN WITH 8" HIGH PERFORATED STANDPIPE & DOME



SERIES





F1830-P PLANTING AREA DRAIN WITH 8" HIGH PERFORATED STANDPIPE AND DOME						
MODEL NUMBER	WT. Lbs	STANDPIPE Size	LACQUERED CAST IRON BODY & ABS STANDPIPE WITH: STAINLESS STEEL DOME (-3)			
F1832,3,4-P	8.50	4" DIA x 6" HIGH	\$1395.00			

A1-C1 A1 BODY


F1830-P OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-13	Galvanized body	\$119.00	-79	Standpipe over 8", per inch	\$ 58.00			
-30	PVC socket connection body (2", 3", 4")	No Add	-90	Threaded side outlet (2", 3") (4" \$188.00) (NA in -30,-31)	\$132.00			
-31	ABS socket connection body (2", 3", 4")	No Add	-92	Stainless steel perforated stand pipe	No Add			
-40	Deck clamp (A1-C3)	\$ 90.00	P	Push on outlet (2", 3", 4")	No Add			
-41	Sump receiver (A1-BP)	\$156.00	T	Threaded outlet (2", 3", 4")	\$ 47.00			
-43	Solid standpipe (W-31)	No Add	Х	Inside caulk outlet (2", 3", 4")	No Add			

F1830-PL SERIES LARGE PLANTING AREA DRAIN W/8" HIGH PERFORATED STANDPIPE & DOME

F1830-PL **SERIES**

FLOOR DRAINS

4" DIAMETER PERFORATED **ABS STANDPIPE (W-31-PERF)** AND STAINLESS STEEL SECURED DOME 8" OR AS (F1830-PD-3) REQUIRED HARDWARE SET (HS-1) MEMBRANE CLAMP (A2-C3-W) A2 BODY PIPE SIZE BODY HEIGHT 2", 3", 4", 5", 6" SEE BODY HEIGHT CHART ON PAGE 67



F1830-PL LARGE PLANTING AREA DRAIN WITH 8" HIGH PERFORATED STANDPIPE & DOME					
MODEL	WT.	STANDPIPE	LACQUERED CAST IRON BODY		
NUMBER	Lbs	SIZE	LACQUERED CI DOME (-50)	STAINLESS STEEL DOME (-3)	
F1832,3,4-PL	18.00	4" DIA x 6" HIGH	\$811.00	\$1573.00	

A2 BODY	A2-C3-W

F1830-PI	F1830-PL OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-13	Galvanized body	\$388.00	-79	Standpipe over 8", per inch	\$ 87.00		
-30	PVC socket connection body (2", 3", 4")	No Add	-90	Threaded side outlet (2", 3", 4") (NA in -30,-31)	\$223.00		
-31	ABS socket connection body (2", 3", 4")	No Add	-92	Stainless steel perforated stand pipe	No Add		
-40	Deck clamp (A2-C3)	\$146.00	Р	Push on outlet (2", 3", 4")	No Add		
-41	Sump receiver (A2-BP)	\$164.00	T	Threaded outlet (2", 3", 4")	\$ 47.00		
-43	Solid standpipe (W-31)	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



PLANTING AREA DRAIN W/9" ADJUSTABLE TRACTOR GRATE W/STAINLESS STEEL BALLAST GUARD F1840 SERIES


OVER 10,000 lbs

SERIES



F1840 PLANTING AREA DRAIN WITH 9" ADJUSTABLE TRACTOR GRATE WITH STAINLESS STEEL BALLAST GUARD									
M ODEL	WT.	STANDPIPE		LACQU	ERED CAST	IRON BODY	WITH:		
NUMBER	Lbs	DIAMETER	DUCTIL	E IRON (-4)	NICKEL B	RONZE (-1)	STAINL	LESS STEEL (VENEER) (-	3)
F1842,3,4,6	25.00	4"	\$2	405.00	\$27	717.00		\$2717.00	
									_
STRAINER ADJUSTMENT				ANSI/	ASME RA	TING			
STRAINER	MIN	I MA	X	STE	RAINFR	FRFF A	RFA	I OAD BATING	

F1320-TA-4 18.0 IN²



SUFFIX DESCRIPTION LIST PRICE Perforated standpipe(W-31-PERF) No Add Ballast guard other than 6


F1860 F1870 **SERIES**

9" DIA.

1 3/4"

12" and 16" SQUARE OPEN HOPPER DRAIN W/LOOSE SET BOTTOM GRATE

2 5/8"



FIOOU PANIS	(*) Denotes strainer finish (-1, -3 or -4)						
		F1480T-PB BODY (F1860)	F1320-PG-(*) (F1860)				
A3-PG	A1 BODY	F1490T-PB B0DY (F1870)	F1340-PG-(*) (F1870)				
0							


F1860 12"/F1870 16" SQUARE OPEN HOPPER DRAIN WITH LOOSE SET BOTTOM GRATE							
MODEL	WT.	LACQUERED CAST IRON BODY WITH:					
NUMBER	Lbs	DUCTILE IRON (-4)	STAINLESS STEEL (VENEER) (-3)	NICKEL BRONZE (-1)			
F1862,3,4	25.00	\$485.00	\$ 947.00	\$ 947.00			
F1873,4,6	30.00	\$976.00	\$1916.00	\$1916.00			

F1860 and F1870 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	F1860	F1870			
-5	Sediment bucket (FS1700-PB)	\$145.00	\$ 355.00			
-11	Acid resistant epoxy finish	\$452.00	\$ 639.00			
-13	All galvanized	\$344.00	\$ 585.00			
-16-4	DI floor level square grate (F1440-PG-4)	\$117.00	\$ 341.00			
-16-1	NB floor level square grate (veneer) (F1440-PG-1)	\$354.00	\$1070.00			
-16-3	SS floor level square grate (veneer) (F1440-PG-3)	\$354.00	\$1070.00			
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	\$ 36.00			
-FL	Anchor flange	\$223.00	\$ 223.00			
-FLC	Anchor flange & membrane clamp	\$564.00	\$ 564.00			
Daalam an	al alice a relieve and a college to according to the college of th	المصم ماميات				

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

F1880 / F1890 4" x 8" AND F1890 6" x 12" OPEN SIGHT DRIP DRAINS



MODEL Number	WT. Lbs	DESCRIPTION	STAINLESS STEEL (-3)
F1882.3.4.6	13.00	4" x 8"	\$3270,00
F1892,3,4,6	30.00	6" x 12"	\$4360.00

F1880, F	F1880, F1890 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	F1880	F1890					
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	\$ 36.00					
-34	Closure plug (C1440 Series)	\$220.00	\$220.00					
-34B	Bronze closure plug	\$436.00	\$436.00					
-FL	Anchor flange	\$436.00	\$654.00					
-FLC	Anchor flange & membrane clamp	\$545.00	\$763.00					
T	Threaded connection (2", 3" 4")	\$ 47.00	\$ 47.00					
Χ	Inside caulk outlet (2", 3" 4")	No Add	No Add					
Visit www	w mifab com for the most recent produ	ct informati	on					



 \oplus


*MIFAB


MPB-2012-USA




TRENCH DRAIN SYSTEMS

ENGINEERED TRENCH DRAIN PRODUCTS







Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

79



. +







SUPPORT BOARD - Every body section shipped with a support board assembled into the top of the body to maintain rigidity during the concrete pour and to keep debris out of the trench. This is standard with every body section and eliminates the time and money required to purchase and cut plywood to place inside of the bodies.

LIGHTWEIGHT AND STRONG - Body section are made of polypropylene material which is acid resistant and lightweight for easy handling. Lightweight body section take less time to install than heavy, polymer concrete bodies and are less likely to break during shipment. They are also less costly to transport

45 AND 90 DEGREE BODY SECTION

-Snap into main body sections for offset or 90 degree turns. Eliminates time and cost to cut and fabricate main body section for 90 degree turns.

BODY SUPPORT LEGS - Two are standard with every body section. They support the body in the trench after premix is poured around the legs. This can eliminate the need for time consuming and costly rebar supports.

INTERLOCKING BODIES - Body sections easily snap together. No screws or hardware are required which can save time during installation.39.37"Length for easy handling and transport on standard sized pallets to save transport cost.

GRATE LOCKDOWN HARDWARE -

Field adjustable to position anywhere inside of the body. Grates can still be locked down into the body, regardless of where the body sections are cut. Two are shipped standard inside of every body section.


REBAR TIE DOWN CLIPS EVERY 10"

- Alternative method of securing body in the trench excavation during the concrete pour by gripping rebar. They are located every 10" to provide more rigidity during the concrete pour to prevent warping and rework

END AND BOTTOM OUTLETS - Snap into bodies quickly for fast installation.

EASY TO INSTALL CATCH BASINS -

The body sections snap directly into the catch basin. This eliminates the opportunity for a gap to develop between the catch basin and the body.



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



 \rightarrow



T1000-3 5" x 20" x 5/8" Grate

T1000-F-3

5 1/2" x 20" x 3/4" Section

1" x 3/4" x 1/8" Stainless Steel Angle Frame (Suffix -F) Free area 20 in²per running foot 16 gauge slotted Stainless Steel Grate

1" x 3/4" x 1/8" Mild Steel Angle Frame (Suffix -F) or S.S. Frame

Free area 20 in²per running foot Ductile Iron Grate (S.S. Veneer,

T1100-4 5" x 20" x 5/8" Grate

T1100-F-4 5 7/8" x 20" x 3/4" Section

(Suffix -F-3)

add (-3)

T1150-4 12" x 12" Grate

Ductile Iron Grate (-4) Free area 51 in² T1150-F-4

Ductile Iron Grate (-4) Free area 51 in²

12 1/4" x 24 1/4" Section

(Suffix -F) T1150-F2-4

T1200-F2-4

1" x 1" x 1/8" Angle Iron Frame

12 3/8" x 12 3/8" Section

& MIFAB®

T1000 TO T1200 SERIES TRENCH DRAINS

T1000 - T1200 **SERIES**

T1000 5" x 20" STAINLESS STEEL TRENCH DRAIN GRATE WITH OPTIONAL "F" ANGLE FRAME						
MODEL NUMBER	SIZE	GRATE MATERIAL	FRAME MATERIAL	LIST PRICE		
T1000-3	5" x 20" grate	Stainless Steel	None	\$ 739.00		
T1000-F-3	5 1/2" x 20" section	Stainless Steel	Stainless Steel	\$1334.00		

T1100 5" x 20" TRENCH DRAIN GRATE WITH OPTIONAL "F" ANGLE FRAME						
MODEL NUMBER	SIZE	GRATE MATERIAL	FRAME MATERIAL	LIST PRICE		
T1100-4	5" x 20" grate	Ductile Iron	None	\$ 220.00		
T1100-4-3	5" x 20" grate	Ductile Iron, Stainless Steel veneer	None	\$ 937.00		
T1100-F-4	5 7/8" x 20" section	Ductile Iron	Steel	\$ 496.00		
T1100-F-4-3	6" x 20" section	Ductile Iron, Stainless Steel veneer	Stainless Steel	\$ 1572.00		

T1000 AND T1100 OPTIONAL VARIATIONS				
SUFFIX	DESCRIPTION	LIST PRICE		
-6	Vandal proof - per grate (H-1110)	\$185.00		
-11	Acid resistant epoxy - per section	\$349.00		
-13	All galvanized - per section	\$349.00		

T1150-(F) 12" x 12" TRENCH DRAIN GRATE WITH OPTIONAL "F" ANGLE FRAME						
MODEL NUMBER	SIZE	GRATE MATERIAL	FRAME MATERIAL	LIST PRICE		
T1150-4	12" x 12" grate	Ductile Iron	None	\$ 221.00		
T1150-4-3	12" x 12" grate	Ductile Iron, Stainless Steel veneer	None	\$ 822.00		
T1150-F-4	12 1/4" x 12 1/4" section	Ductile Iron	Steel	\$ 595.00		
T1150-F2-4	12 1/4" x 24 1/4" section	Ductile Iron	Steel	\$ 919.00		
T1150-F-4-3	12 1/4" x 12 1/4" section	Ductile Iron, Stainless Steel veneer	Stainless Steel	\$ 1421.00		
T1150-F2-4-3	12 1/4" x 24 1/4" section	Ductile Iron, Stainless Steel veneer	Stainless Steel	\$ 2569.00		

T1150-(F) OPTIONAL VARIATIONS					
SUFFIX	DESCRIPTION	LIST PRICE			
-6	Vandal proof - per grate (H-1072)	\$ 286.00			
-11	Acid resistant epoxy - per section	\$ 349.00			
-12	Galvanized grate - per grate	\$ 98.00			
-13	All galvanized - per section	\$ 349.00			

T1200-(F) 12" x 24" TRENCH DRAIN GRATE WITH OPTIONAL "F" ANGLE FRAME						
MODEL NUMBER	SIZE	GRATE Material	FRAME Material	LIST Price	ADD FOR 24" Extension	
T1200-4	12" x 24" grate	Ductile Iron	None	\$ 367.00	\$ 367.00	
T1200-4-3	12" x 24" grate	DI grate W/SS veneer	None	\$ 1737.00	\$ 1737.00	
T1200-F-4	12 1/2" x 24 1/2" section	Ductile Iron	Steel	\$ 994.00	\$ 994.00	
T1200-F-4-3	12 3/8" x 24 3/8" section	Ductile Iron, SS veneer	Stainless Steel	\$ 2966.00	\$ 2966.00	


T1200-(F) OPTIONAL VARIATIONS					
SUFFIX	DESCRIPTION	LIST PRICE			
-6	Vandal proof - per grate (H-1072)	\$286.00			
-11	Acid resistant epoxy - per section	\$693.00			
-13	All galvanized - per section	\$693.00			
-95	Client logo (-3 SS veneer only) per grate	\$545.00			

T1200-F2 24 1/2" x 24 1/2" TRENCH DRAIN GRATE AND FRAME ASSEMBLY						
MODEL NUMBER	SIZE	GRATE Material	FRAME Material	LIST PRICE	ADD FOR 24" EXTENSION	
T1200-F2-4	24 1/2" x 24 1/2" section	Ductile Iron	Steel	\$1498.00	\$1498.00	
T1200-F2-4-3	24 1/2" x 24 1/2" section	DI grate W/SS veneer	Stainless Steel	\$5034.00	\$5034.00	

T1200-F2 OPTIONAL VARIATIONS					
SUFFIX	DESCRIPTION	LIST PRICE			
-6	Vandal proof - per grate (H-1072)	\$286.00			
-11	Acid resistant epoxy - per grate	\$635.00			
-13	All galvanized - per grate	\$693.00			
-95	Client logo (-3 SS veneer only) per grate	\$545.00			

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

T1200-F-4 12 3/8" x 24 3/8" Section



1 3/4" x 1 3/4" x 1/4" Angle Iron Frame (Suffix -F)

24 3/8" x 24 3/8" Section

Ductile Iron Grate (Standard) Free area 200 in²

Visit www.mifab.com for the most recent product information.

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA Toll Free 1-800-465-2736, Fax 773-341-3049










T1320-FL 6 1/8" x 20" CAST IRON TRENCH DRAIN WITH ANCHOR FLANGE

T1320-FL SERIES

SERIES



Custom fabricated trench drains are our specialty. Any custom configuration is possible. See page 83 for order


instruction guide.

T1320-FL 6 1/8" x 20" CAST IRON TRENCH DRAIN WITH ANCHOR FLANGE						
MODEL NUMBER	SIZE	MATERIAL	FRAME MATERIAL	LIST PRICE PER 20" SECTION		
T1322,3,4-FL-4	6 1/8" x 20" section	Cast iron body, DI grate	Cast iron	\$ 816.00 20"/section		
T1322,3,4-FL-4-3	6 1/8" x 20" section	Cast iron body, DI grate W/SS veneer	SS veneer	\$1831.00 20"/section		

T1320-FL OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (per piece) (A1-MB)	\$177.00	-20	Dome bottom outlet strainer (per piece)(A1-MB)	\$172.00
-6	Vandal proof grate (per grate) (TR30 Torx and pin) (H-1109A)	\$145.00	-C	Membrane clamp (per 20" section)	\$ 95.00
-8	Backwater valve (per piece) (BV1254)	\$230.00	Р	Push on bottom outlet (2", 3" or 4")	No Add
-11	Acid resistant epoxy (per 20" section)	\$441.00	S	End outlet (4" No hub only, 2", 3" or 4")	\$175.00
-12	Galvanized grate (per 20" section)	\$196.00	T	Threaded bottom outlet (2", 3" or 4")	\$ 47.00
-13	All galvanized (per 20" section)	\$249.00	X	Inside caulk bottom outlet (2", 3" or 4")	No Add

ALL TRENCH DRAIN ORDERS REQUIRE A FACTORY DRAWING APPROVED BY THE CUSTOMER PRIOR TO PRODUCTION

12 1/4" x 12" CAST IRON TRENCH DRAIN WITH ANCHOR FLANGE **T1350-FL** series T1350-FL SERIES



Custom fabricated trench drains are our specialty. Any custom configuration is possible. See page 83 for order

instruction guide.

T1350-FL 12 1/4" x 12" CAST IRON TRENCH DRAIN WITH ANCHOR FLANGE					
MODEL NUMBER	SIZE	MATERIAL	FRAME MATERIAL	LIST PRICE PER 12" SECTION	
T1352,3,4,6-FL-4	12 1/4" x 12" section	Cast iron body, DI grate	Cast iron	\$ 1186.00 /12" section	
T1352,3,4,6-FL-4-3	12 1/4" x 12" section	Cast iron body, DI grate W/SS veneer	SS veneer	\$ 1857.00 /12" section	

T1350-F	L OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (per outlet section)	\$341.00	-95	Client logo (-3 SS veneer only)	\$545.00
-6	Vandal proof grate (per grate) (H-1072B)	\$145.00	-C	Membrane clamp (per foot)	\$ 95.00
-8	Backwater valve (per piece) (BV1254)	\$230.00	Р	Push on bottom outlet (2", 3" or 4")	No Add
-11	Acid resistant epoxy (per 12" section)	\$464.00	S	End outlet (No Hub only, 4")	\$231.00
-12	Galvanized grate	\$432.00	T	Threaded bottom outlet (2", 3" or 4")	\$ 47.00
-13	All galvanized (per 12" section)	\$388.00	X	Inside caulk bottom outlet (2", 3" or 4")	No Add
-20	Dome bottom outlet strainer (per piece)	\$172.00			

ALL TRENCH DRAIN ORDERS REQUIRE A FACTORY DRAWING APPROVED BY THE CUSTOMER PRIOR TO PRODUCTION

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049





T1320-FL SERIES T1320-FL ORDER GUIDE

T1320-FL

T1350-FL **SERIES**

SERIES

STEP 1: Determine the total length required. Once total length is known, divide by 20" (each cast iron body section with grate is 20" long) to determine the total number of cast iron body sections required. Specify the total number of T1320-FLC-PB body sections required.

STEP 2: Determine how many outlets and connection types are required. Are they bottom outlet, (most common) or end outlet? If bottom outlet, specify the total number of T1320T-FLC-PB body sections required. Reduce the total number of body sections required in STEP 1 by the total number of bottom outlet sections required.

Remember to add the A3-PG sealing gasket and appropriate A1 body for each bottom outlet required.

Remember to add one piece of the T1320-FLC-GASK for every body section and also for every end piece. Remember to add one piece of the HS-17 hardware pack with every body section required.

STEP 3: Specify the total number of end pieces required (Part No: T1320-FLC-PE).

STEP 4: Determine the type and number of grates required.

The number of grates required will equal the total number of body sections required.

Twenty feet of T1320-FL trench is required by the customer with one bottom outlet (4", no hub connection) and standard ductile iron grates.

Number of body sections required is twelve. One of these body sections will be the outlet body section.

PARTS REQUIRED:

T1320-FLC-PB	11 pieces	List price: \$816.00 per 20" section
T1320T-FLC-PB	1 piece	List price: \$816.00 per 20" section
A1-4NH-7	1 piece	No charge, included when ordered with bodies
A3-PG	1 piece	No charge, included when ordered with bodies
HS-17	13 pieces	No charge, included when ordered with bodies
T1320-FLC-PE	2 pieces	No charge, included when ordered with bodies
T1320-FL-GASK	13 pieces	No charge, included when ordered with bodies
T1400-PG-4	12 pieces	No charge, included when ordered with bodies
T1400-PGL-STL	12 pieces	No charge, included when ordered with grates

Enter the order into the system by part number and quantity for each.





T1400-PGL-STL

F1440-PG-4

(Standard grate

T1350-FLC-PE

(End cap)

A1-MB Sediment bucket (Suffix -5)

T1350-FL SERIES T1350-FL ORDER GUIDE

STEP 1: Determine the total length required. Once total length is known, divide by 12" (each cast iron body section with grate is 12" long) to determine the total number of cast iron body sections required. Specify the total number of T1350-FLC-PB body sections required.

STEP 2: Determine how many outlets and connection types are required. Are they bottom outlet, (most common) or end outlet? If bottom outlet, specify the total number of T1350T-FLC-PB body sections required. Reduce the total number of body sections required in STEP 1 by the total number of bottom outlet sections required.

Remember to add the A3-PG sealing gasket and appropriate A1 body for each bottom outlet required.

Remember to add one piece of the T1350-FLC-GASK for every body section and also for every end piece.

Remember to add one piece of the HS-17 hardware pack with every body section required.

STEP 3: Specify the total number of end pieces required (Part No: T1350-FLC-PE).

STEP 4: Determine the type and number of grates required.

The number of grates required will equal the total number of body sections required.

ORDER EXAMPLE:

Ten feet of T1350-FL trench is required by the customer with one bottom outlet (4", no hub connection) and standard ductile iron grates.

Number of body sections required is ten. One of these body sections will be the outlet body section.

PARTS REQUIRED:

T1350-FLC-PB List price: \$1186.00 per 12" section 9 pieces T1350T-FLC-PB 1 piece List price: \$1186.00 per 12" section A1-4NH-7 1 piece No charge, included when ordered with bodies A3-PG No charge, included when ordered with bodies 1 piece No charge, included when ordered with bodies HS-17 11 pieces T1350-FLC-PE No charge, included when ordered with bodies 2 pieces T1350-FL-GASK No charge, included when ordered with bodies 11 pieces F1440-PG-4 10 pieces No charge, included when ordered with bodies

Enter the order into the system by part number and quantity for each.

A3-PG T1350-FL-GASK (Gasket) T1354-FLC-PEO No hub end outlet T1350T-FLC-PB (Cast iron body with bottom outlet and anchor flange with membrane clamp) Optional Dome T1350-FLC-PB (Cast iron body with no bottom outlet and anchor flange with membrane clamp)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

A1-MB Sediment bucket (Suffix -5)

TRENCH DRAIN ORDER

GUI



T1400

SERIES






6" WIDE TRENCH DRAIN SYSTEM

T1400 SERIES

Specification: MIFAB® Series T1400 channels shall be 39.33" long, 6" wide and have a 4" wide V shaped throat for maximum flow. Modular channels shall be made of High Density Ployproplene (HDPP) with interlocking ends for easy installation. Channels have either a flat (neutral) or a built in 1/4" slope. Channels are available to achieve an invert ranging from 5 1/4" to 9" and have an integral anchoring flange to accommodate vertical rebar for positioning and anchoring. Grates are available in Class A, B, C and/or E with mechanical lockdown devices. End caps, end outlets, bottom outlets, joint connectors and catch basins are available to complement the T1400 trench drain system.

Function: Used in car washes, malls and plazas, golf courses, factories and any other facilities that require large areas of surface drainage. Chemical resistant polypropylene material provides for long life. V configuration channel design ensures maximum flow of water. Polypropylene support board prevents debris from entering trench body during construction. Water resistant sealant recommended to seal between sections. Not recommended for exposed, overhead applications.



BODY PART No.	OVERALL E1 (MIN)	DEPTH E2 (MAX)	MAX. FLOW RATE (GPM)	BODY PART No.	OVERAL E1 (MIN)	L DEPTH E2 (MAX)	MAX. FLOW RATE (GPM)
T1401-PB	5 1/4"	5 ½"	130	T1409-PB	7 1/4"	7 1/2"	260
T1402-PB	5 ½"	5 3/4"	145	T1409N-PB	7 1/2"	7 ½"	-
T1403-PB	5 3/4"	6"	160	T1410-PB	7 1/2"	7 3/4"	275
T1403N-PB	6"	6"	-	T1411-PB	7 3/4"	8"	290
T1404-PB	6"	6 1/4"	175	T1412-PB	8"	8 1/4"	305
T1405-PB	6 1/4"	6 1/2"	190	T1412N-PB	8 1/4"	8 1/4"	-
T1406-PB	6 ½"	6 3/4"	215	T1413-PB	8 1/4"	8 1/2"	325
T1406N-PB	6 3/4"	6 3/4"	-	T1414-PB	8 1/2"	8 3/4"	335
T1407-PB	6 3/4"	7"	230	T1415-PB	8 3/4"	9"	350
T1408-PB	7"	7 1/4"	245	T1415N-PB	9"	9"	350

OPTIONAL VARIATIONS: SUFFIX	SUFFIX	SUFFIX
☐ Bottom dome strainer -BDS	 Extra heavy duty cast frame 	☐ Perforated stainless steel (Type 304)
☐ 4" no hub bottom outlet -BO4	assembly -HD	light duty grate -PS
□ Extra heavy duty ductile iron grate	 Extra heavy duty galvanized cast 	☐ Reinforced stainless steel (Type 304)
(Standard) -DG	frame assembly -HDG	slotted grate -RFS
□ Extra heavy duty ductile iron grate	☐ Heavy duty polypropylene heel	☐ Reinforced galvanized steel
with stainless steel veneer -DGSS	proof grate -HPP	perforated grate -RPG
☐ 4" no hub end outlet -EO4	☐ Extra heavy duty cast frame	☐ Reinforced stainless steel (Type 304)
☐ Closed end cap -EC	assembly with stainless	perforated grate -RPS
☐ Fabricated stainless steel	steel veneer -HDS	☐ Stainless steel (Type 304) cast bar
(Type 304) slotted grate -FS	☐ Extra heavy duty ductile iron	grate -SBG
□ Galvanized extra heavy duty	longitudinal slotted grate -LDG	☐ Stainless steel (Type 304) fabricated
ductile iron grate -GDG	☐ Galvanized extra heavy duty ductile	heel proof bar grate -SBGHP
 Vandal resistant grate lockdown 	iron longitudinal	☐ Type 304 stainless steel top veneer
assembly -GLVP	slotted grate -LDGG	frame -SVF
	□ Perforated galvanized steel	
	light duty grate -PG	

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of TRENCH DRAIN PRODUCTS

<u> </u>	PROFORMER® Profile 1/4" per section bottom slope.										▼
5 1/4"	T1401-PB	T1402-PB	T1403-PB	T1403N-PB	T1404-PB	T1405-PB	T1406-PB	T1406N-PB	T1407-PB	T1408-PB _{7 1}	1/4"
A				NEUTRAL				NEUTRAL			<u> </u>
Design a	nd dimensions a	re subject to mod	lification. Prices o	do not include ap	plicable taxes.	Visit www.n	nifab.com fo	r the most red	ent product	information.	+

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




P84



6" WIDE POLYPROPYLENE TRENCH DRAIN SYSTEM







CLOSED END CAP - (Optional) part # T1400-PEC. Slide into body section with female end. Requires T1400-PCPL joint connector to use with male end body section.



4" NO HUB END OUTLET - (Optional) part # T1400-PEO4. Suffix -EO4 Slide onto T1403-PB and deeper body sections with male end. Can use as an end inlet by cutting body section at double rib in body, and sliding over the male end.



JOINT CONNECTOR - (Optional) part # T1400-PCPL to connect 45°body parts to male end connections.

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of TRENCH DRAIN PRODUCTS

<u> </u>	PROFORMER® Profile 1/4" per section bottom slope.									
7 1/4"	T1409-PB	T1409N-PB	T1410-PB	T1411-PB	T1412-PB	T1412N-PB	T1413-PB	T1414-PB	T1415-PB	9"
		NEUTRAL				NEUTRAL				J

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



GRATES



Load Class E. Extra heavy duty load rated grates for high-speed cross traffic of 60 ton gross vehicle weight, 10 ton wheel load including solid tire and hard wheeled forklift traffic. Good resistance to impact from struts or metal wheels. All grates 20" long.



NOTE: Must use ductile iron frames with grates for class E + C load rating applications.

- T1400-PG-4 ductile iron slotted grate
- T1400-PG-LG-4 ductile iron longitudinal slotted grate. Horizontal slots for increased intake ability.



T1400-PG-4-13 galvanized ductile iron slotted grate for corrosion resistance.




T1400-PG-4-3 ductile iron slotted grate with Type 304 stainless steel veneer. Illustrated with cast iron frame and Type 304 stainless steel veneer assembly. Must order assembled as illustrated.



T1400-PG-LG-4-3 ductile iron longitudinal slotted grate with Type 304 stainless steel veneer. Horizontal slots for increased intake ability. Illustrated with cast iron frame and Type 304 stainless steel veneer assembly. Must order assembled as illustrated.

Load Class C. Heavy duty rated grates for pneumatic tire vehicles and highway vehicles at low to moderate speeds. Applicable for parking areas and driveways.



■ T1400-PG-SBG cast stainless steel (Type 304) bar grate.

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of Trench Drain Products.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

86

TRENCH DRAINS

MIFAB

GRATES



Load Class B. Medium duty grates for slow speeds. Pneumatic tire traffic only.

■ T1400-PG-RG reinforced perforated galvanized steel grate. 1/4" holes for efficient surface drainage and minimal solids collection. Heel proof and high corrosion resistance.



■ T1400-PG-HPP polypropylene heel proof grate for chemical resistance.



■ T1400-PG-RFS reinforced slotted Type 304 stainless steel grate for corrosion resistance.




■ T1400-PG-RPS reinforced perforated Type 304 stainless steel grate. ¼" holes for efficient surface drainage and minimal solids collection. Heel proof and high corrosion resistance.



Load Class A. Light duty grates for pedestrian and bicycle traffic.

■ T1400-PG-PS fabricated perforated Type 304 stainless steel grate. ¼" holes for efficient surface drainage and minimal solids collection. Heel proof and high corrosion resistance.



■ T1400-PG-FS fabricated slotted Type 304 stainless steel grate for corrosion resistance.



■ T1400-PG-G fabricated perforated galvanized steel light duty grate. ¼" holes for efficient surface drainage and minimal solids collection. Heel proof and good corrosion resistance.

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of Trench Drain Products.





Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049


87

TRENCH DRAINS

T1400-CB620 6" x 20" CATCH BASIN


T1400-CB620 SERIES

SERIES



CROSS SECTION INSTALLATION 4" (102) MIN. 19 3/4" (502) SLAB THICKNESS 4" (102) MIN. 21" (533)

Easy to connect interlocking ends



T1400 product List Prices and Discount Structure are found in the TRENCH DRAIN Price Book TD-2012-USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

88

T2000 SERIES 12" WIDE POLYPROPYLENE TRENCH DRAIN SYSTEM


T2000 **SERIES**

Specifications: MIFAB® Series T2000 wide pre-sloped trench drain system. Polypropylene drain body with integral top frame and 0.5% per section bottom slope, anchor flange with slotted tabs every 15.5" for rebar tie down and leveling, grate lockdown assembly, body support system, interlocking ends and radiused bottom. Standard with ANSI rated "Extra Heavy Duty" lacquered ductile iron grates and a galvanized steel frame with a safe live load of over 10,000 lbs. (Load Class C)


Function: Used in airports, car washes, malls and plazas, golf courses, factories and any other facilities that require large areas of surface drainage. Chemical resistant polypropylene material provides for long life.


> **CROSS SECTION** VIEW

BODY PART	OVERALI	L DEPTH	MAX. FLOW RATE
NUMBER	E1 (MIN)	E2 (MAX)	(GPM)
T2001N	10.99"	10.99"	-
T2001	10.99"	11.18"	278
T2002	11.18"	11.37"	387
T2003	11.37"	11.56"	500
T2004N	11.56"	11.56"	-
T2004	11.56"	11.75"	616
T2005	11.75"	11.94"	734
T2006	11.94"	12.13"	855
T2007	12.13"	12.32"	-
T2008N	12.32"	12.32"	975
T2008	12.32"	12.41"	1222
T2009	12.41"	12.60"	-
T2010	12.60"	12.79"	1345
T2011	12.79"	12.98"	1470
T2012N	12.98"	12.98"	1595
T2012	13.17"	13.17"	-



PLAN VIEW





SUFFIX	DESCRIPTION
-BDS	Bottom dome strainer
-B04	4" no hub bottom outlet
-B06	6" no hub bottom outlet
-B08	8" no hub bottom outlet
-EC	Closed end cap
-E04	4" no hub end outlet
-E06	6" no hub end outlet
-E08	8" no hub end outlet
-FS	Fabricated stainless steel (Type 304) slotted grate (Load Class A)
-PGC-4-13	Galvanized "Extra Heavy Duty" ductile iron grate (Load Class C)
-GLVP	Vandal resistant grate lockdown assembly
-PC	Fabricated 10 gauge steel solid cover, A.R.E. Coated (Load Class B)
-PCSS	Fabricated 10 gauge stainless steel (Type 304) solid cover (Load Class B)
-PF-3	Type 304 stainless steel top veneer frame
-PF-13	Galvanized steel frame assembly (Standard)
-PGC	Perforated galvanized steel light duty grate (Load Class A)
-PGC-4	"Extra Heavy Duty" ductile iron grate (Standard) (Load Class C)
-PGC-4-11	A.R.E. Coated "Extra Heavy Duty" ductile iron grate
-PGF	Slotted, galvanized steel "Light Duty" grate (Load Class A)
-PGF-4	"Special Duty" ductile iron slotted grate (Airport application) (Load Class F)
-PGF-4-11	A.R.E. Coated "Special Duty" ductile iron slotted grate (Airport application) (Load Class F)
-PGF-4-13	Galvanized "Special Duty" ductile iron slotted grate (Airport application) (Load Class F)
-PS	Perforated stainless steel (Type 304) light duty grate, ADA Compliant, (Load Class A)
-PVC	"Heavy Duty" PVC heel proof grate (Load Class A)
-RFS	Reinforced stainless steel (Type 304) slotted grate (Load Class B)
-RG	Reinforced galvanized steel perforated grate, ADA Compliant, (Load Class B)
-RGS	Reinforced slotted galvanized steel grate (Load Class B)
-RPS	Reinforced stainless steel (Type 304) perforated grate (Load Class B)
-SGB	Stainless steel (Type 304) bar grate (Load Class C)

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of TRENCH DRAIN PRODUCTS

<u>*</u>									
10.99"	T2001N	T2001	T2002	T2003	T2004N	T2004	T2005	T2006	12.13"
A	NEUTRAL				NEUTRAL				<u></u>

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049


89

TRENCH DRAINS



12" WIDE POLYPROPYLENE TRENCH DRAIN SYSTEM

MIFAB's 12" wide polypropylene trench drain bodies are 1 metre long (39.37") and are standard with a uniform exterior and 0.5% sloped or neutral (depending on the section number) interior with a full radius bottom for efficient liquid drainage. Drainage options include bottom outlet, end outlet or catch basin. Bottom and end outlet fittings in PVC material are available in 4", 6" or 8" diameter. They are also available in the same diameter in polypropylene material where chemical resistance is required. The end fittings fit all bodies and can be field trimmed to the required height.





STARTING END CAP ASSEMBLY:

Cut SC and apply appropriate sealant on grove area. Use spacer clip to clip starting end cap to channel.



OUTLET END CAP ASSEMBLY:

Fix to downstream channel tongue. Mark to top of frame and adjust down 1/4" for outline. (allows 1/4" height of finish cap) Cut and apply appropriate sealant to tongue area and assemble to channel with T2000-PCPL.



MEASURING END CAP:

Insert starting cap on most up-stream channel. Mark to top of frame and adjust down 1/4" for outline. (allows for 1/4" height of finish cap)

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of TRENCH DRAIN PRODUCTS

▼ _									<u> </u>
12.13"	T2007	T2008N	T2008	T2009	T20010	T2011	T2012N	T2012	13.17"
A		NEUTRAL					NEUTRAL		<u> </u>

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


Toll Free 1-800-465-2736, Fax 773-341-3049





GRATES AND FRAMES











T2000-PGC-4

T2000-PGF-4

MODEL NO.	DESCRIPTION	LENGTH (M)	LOAD Rating Asme/ansi	DIN	FREE Area/Meter Sq. In./ft.	WEIGHT LBS.
T2000-PF	1" Angle Iron frame assembly (included with channel)	1 m				8 lbs.
T2000-PGC-4	Standard Ductile Iron Grate 1/2 metre (Loaded Class D)	1/2 m	Heavy Duty	D	57.50	55 lbs.
T2000-PGF-4	Heavy Duty Ductile Iron Grate 1/2 metre (Loaded Class F)	1/2 m	Special Duty	F	57.00	60 lbs.

ACCESSORIES

ENDCAPS



T2000-PEC-30

MODEL NO.	DESCRIPTION
T2000-PEC	Starting End Cap Polypropylene
T2000-PEC-30	Starting End Cap PVC (shows finish cap assembly)

ACCESSORIES

OUTLETS



MODEL NO.	DESCRIPTION
T2000-PEO8-30	8" outlet end cap PVC
T2000-PEO6	6" outlet end cap PP
T2000-PEO6-30	6" outlet end cap PVC
T2000-PEO4	4" outlet end cap PP
T2000-PEO4-30	4" outlet end cap PVC
T2000-PBO8-30	8" bottom outlet pipe PVC
T2000-PBO6	6" bottom outlet pipe PP
T2000-PBO6-30	6" bottom outlet pipe PVC
T2000-PBO4	4" bottom outlet pipe PP
T2000-PBO4-30	4" bottom outlet pipe PVC
T2000-PFC	Finish cap PVC
T2000-PFC-30	Finish cap PVC (assembled on cap)

ACCESSORIES

CLIPS

T2000-PCPL



MODEL NO.	DESCRIPTION
T2000-PCPL	Quick click spacer. PP

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of TRENCH DRAIN PRODUCTS

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

91



 \oplus



BOTTOM OUTLET POP (BO) ASSEMBLY:

Position bottom outlet on appropriate channel. Mark position and cut hole with 4" or 6" hole saw. Screw through channel skirt into boss area on bottom outlet to square prior to pour.


ASSEMBLE CHANNEL:


Layout with channel number visible upon completion of end cap assembly, begin assembling channels in sequential order. Apply appropriate sealant on tongue areas and clip channels together with quick clips. Once completed, move system into trench and slake with number 5 rebar or 3/8" all thread and level.

ASSEMBLY NOTE: Layout tench drain run in sequential order. Identify starting upstream and ending downstream channels and assemble starting end cap(s) and outlet end cap(s).

RECOMMENDED CONCRETE PLAN

GENERAL NOTES ON INSTALLATION: General installation requires frames to be in place and assembled in channels before/during cement pour. Defer to project engineer for any special requirements for channel installation. Diagram is for general purpose installations only.





STANDARD DUTY GRATES

HEAVY DUTY GRATES

See TRENCH DRAIN Price Book TD-2012-USA for List Prices and discount structure of T1400 Series of TRENCH DRAIN PRODUCTS

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049





Р

 \oplus





SANITARY FLOOR AREA AND INDIRECT WASTE DRAINS

TOP

Available in round or square in a variety of sizes and materials. each of which allows maximum flow, sanitation and serviceability. See individual series for proper selection.

Furnished A.R.E.-coated cast iron, stainless steel or nickel bronze. Each is ultimately designed for smooth flow into the drain body. Regularly furnished with a full grate, also available are half grate and three-quarter grates.

GRATE

MEMBRANE CLAMP

Provided for applications in finished floors which incorporate a waterproofing membrane. Used to secure the membrane to the drain body, the flashing clamp provides a watertight seal at the drain.

WEEPHOLES

Provided when the body is specified with a flange. Weepholes allow for the drainage of entrapped water which seeps down the outside/ of the body.

BODY

Cast iron with A.R.E.coating inside giving a smooth finish which allows for easy drainage as well as increased sanitation. Easily cleaned because of the smooth finish, the drains are highly functional as well as aesthetically pleasing.

DOME STRAINER

Minimizes splashing as well as preventing debris from entering the drainage lines. The dome also allows for maximum water flow.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA








MIFAB Sanitary Floor Area and Indirect Waste Drain Selection Guide

Sanitary floor sinks are used to receive surface drainage in areas where sanitation is a priority, such as institutional kitchens and hospitals and to drain indirect waste from various sinks, lavatories, condensate drains and other equipment. In order to specify the correct drain, the specifier must be aware of the floor sink's location and the type of equipment in the area to be served. While the round top will be compatible with most floors, a square top design is available for floor coverings with a square or straight -line pattern. Top sizes are 8" inches for normal usage and 12 inches for larger flow or where a greater free area is required. Stainless steel rims and grates are an excellent choice for traffic areas because of their corrosion-resistant qualities. Drop-in A.R.E. coated cast iron grates are available for nontraffic areas.





FUNNELS

Funnels are used to prevent splashing of wastewater while the remaining free area receives surface drainage. A four inch round funnel is used for single drain lines. A six inch round funnel and nine inch oval funnel are used for multiple drain line discharge points. Specify suffix -F4 for 4" round funnel. Specify suffix -F6 for 6" round funnel. Specify suffix -G for 9" oval funnel.

BUCKETS

Sediment buckets are used when debris such as peelings, vegetable cuttings, bones, pits and other solid waste kitchen material is to be intercepted and retained. Specify suffix -5.

DOME AND INSIDE STRAINER


The regularly furnished dome not only minimizes splashing; it also prevents debris from entering drain lines. The dome also allows maximum water flow. If added protection is needed for the drain, an inside strainer can be specified along with a sediment bucket. Specify suffix -21.






GRATES AND COVERS

MIFAB sanitary floor sinks are regularly furnished with white A.R.E. coated cast iron grates. For traffic areas it it advisable to consider the use of a Nickel Bronze or Stainless Steel frame and grate.



Specify suffix -1 for Nickel Bronze or -3 for Stainless Steel. For floor sinks installed in non traffic areas where indirect waste applications are usually applied, a grate is not required. Specify suffix -22 for Less Grate. In areas such as frozen food cases or vegetable or meat cases, part of the floor sink needs to be covered and part left open to receive waste. Specify suffix -150 for half grate or option -175 for three-quarter grate.



Design and dimensions are subject to modification. Prices do not include applicable taxes.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049




P94



MIFAB Typical Floor Area and Indirect Waste Drain Installations


FS1520-175

Sanitary Floor Sink with three quarter grate and dome strainer. Illustrated as installed in finished concrete floor slab on grade.




FS1730-FL-C-1

Sanitary Floor Sink with nickel bronze rim and grate, integral flange and dome strainer. Illustrated as installed flush with floor in concrete deck.



FS1750-22

Sanitary Floor Sink less grate with dome strainer. Illustrated as installed in finished concrete floor slab on grade.



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





MIFAB Transition Floor Sink Information

MIFAB offers our Floor Sink bodies with transition outlet connections. Transition outlet floor sink bodies allow the installer to use any A1 body in order to attain the outlet connection size and type required (limited only to the outlet size and type of the A1 bodies).

A gasket (part # A3-PG) is installed between the transition floor sink body and the top of the A1 body in order to attain a watertight seal. The A1 body is screwed tightly onto the 4" NPSM male threaded transition connection of the floor sink body. The A1 body has the -7 trap seal primer connection as standard. The height of the transition bodies are increased slightly because of the A1 body. See table below:

How to order in parts: Transition bodies are identified within the MIFAB Kwik Order system by a T after the Oconnection size. For example: FS1720T-PB (is the transition floor sink body only). A3-PG is the gasket required and the A1 body to stock in components.

How to order an assembled transition floor sink:


Select the required floor sink body size and type and then the applicable connection size and type.

For example: FS1723TBP-FL-150 indicates a 3" push on outlet connection, with anchor flange and half grate.

TOTAL HEIGHT OF TRANS	SITION BODY (after A1 b	ody is assembled to under	side of it with gasket)		
MODEL NUMBER	THREADED (T)	INSIDE CAULK (X)	PVC / ABS (-30, -31)	NO HUB	PUSH ON (P)
FS1520T-PB					
2"	8 1/2"	10"	9 1/4"	9 1/4"	9 5/8"
3"	8 7/8"	10"	9 1/4"	9 1/4"	9 5/8"
4"	8 7/8"	10"	9 1/4"	9 1/4"	9 5/8"
FS1530T-PB					
2"	6 1/2"	8"	7 1/4"	6 1/2"	6 7/8"
3"	6 7/8"	8"	7 1/4"	6 1/2"	6 7/8"
4"	6 7/8"	8"	7 1/4"	6 1/2"	6 7/8"
FS1720T-PB					
2"	8 1/2"	10"	9 1/4"	8 1/2"	8 7/8"
3"	8 7/8"	10"	9 1/4"	8 1/2"	8 7/8"
4"	8 7/8"	10"	9 1/4"	8 1/2"	8 7/8"
FS1730T-PB					
2"	10 1/2"	12"	11 1/4"	10 1/2"	10 7/8"
3"	10 7/8"	12"	11 1/4"	10 1/2"	10 7/8"
4"	10 7/8"	12"	11 1/4"	10 1/2"	10 7/8"
FS1740T-PB					
2"	12 1/2"	14"	13 1/4"	12 1/2"	12 7/8"
3"	12 7/8"	14"	13 1/4"	12 1/2"	12 7/8"
4"	12 7/8"	14"	13 1/4"	12 1/2"	12 7/8"
F\$1750T-PB					
2"	8 1/2"	10"	9 1/4"	8 1/2"	8 7/8"
3"	8 7/8"	10"	9 1/4"	8 1/2"	8 7/8"
4"	8 7/8"	10"	9 1/4"	8 1/2"	8 7/8"
FS1760T-PB					
2"	10 1/2"	12"	11 1/4"	10 1/2"	10 7/8"
3"	10 7/8"	12"	11 1/4"	10 1/2"	10 7/8"
4"	10 7/8"	12"	11 1/4"	10 1/2"	10 7/8"
FS1920T-FL-PB					
2"	8 1/8"	8 5/8"	9 5/8"	8 5/8"	9 1/8"
3"	8 1/2"	8 5/8"	9 5/8"	8 5/8"	9 1/8"
4"	8 1/2"	8 5/8"	9 5/8"	8 5/8"	9 1/8"
FS1930T-FL-PB	- '			, -	
2"	10 1/8"	10 5/8"	11 5/8"	10 5/8"	11 1/8"
3"	10 1/2"	10 5/8"	11 5/8"	10 5/8"	11 1/8"
4"	10 1/2"	10 5/8"	11 5/8"	10 5/8"	11 1/8"
FS1940T-FL-PB	·	-7-			
2"	12 1/8"	12 5/8"	13 5/8"	12 5/8"	13 1/8"
3"	12 1/2"	12 5/8"	13 5/8"	12 5/8"	13 1/8"
4"	12 1/2"	12 5/8"	13 5/8"	12 5/8"	13 1/8"







Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



 \oplus

F\$1520 SERIES 8" x 8" x 6" DEEP FLOOR SINK



FS1520 PARTS Note: Specify outlet size and connection type.

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS1520T (Transition Body) PARTS Note: Specify outlet size and connection

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS152	0 and FS1520	T SERIES BO	DY HEIGHT			
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	7 3/4"	*9 5/8"	*10"	*8 1/2"	*9 5/8"	*9 5/8"
3"	7 3/4 "	7 3/4"	*10"	*8 7/8"	*9 5/8"	*9 5/8"
4"	*9 1/4"	*9 5/8"	**8 5/8"	*8 7/8"	*9 5/8"	*9 5/8"

*Indicates outlet size and connection available with transition outlet body only. * 4" Inside Caulk outlet body only available with -FL anchor flange


A.R.E. CAST IROI	A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER								
MODEL	MODEL WT. A.R.E. LOOSE GRATE NICKEL BRONZE STAINLESS STEEL								
NUMBER	Lbs	DESCRIPTION	(STANDARD)	FRAME AND GRATE (-1)	FRAME AND GRATE (-3)				
F\$1522,3,4	18.00	8" x 8" x 6" Deep	\$ 957.00	\$1216.00	\$1216.00				

FS1520	AND FS1520-FL OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (FS1500-PB)	\$120.00	-32	Deep seal trap (2", 3", 4" no hub) (MI-950 Series)	\$266.00
-6	Security screws (H-1039A, 4 pcs) (-1, -3 only)	\$ 45.00	-51	2 ½" round center grate opening (-1, -3 only)	\$107.00
-7	Trap seal primer connection, use MI-600	\$117.00	-69	Stainless Steel Sediment bucket (FS1500-PB-3)	\$261.00
-9	Hinged grate (-1, -3 only)(see page 190)	\$211.00	-83	Stainless Steel mesh bucket over stainless steel bucket (add to S.S. Bucket)	\$286.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-150	Half grate	No Add
-22	Less Enamel Cast Iron grate (deduct)	-\$117.00	-175	3/4 grate	No Add
-22	Less Nickel Bronze grate (deduct)	-\$183.00	-C	Membrane clamp (add to FS1520-FL only)	\$ 94.00
-22	Less Stainless Steel grate (deduct)	-\$183.00	Р	Push on outlet (2", 3" or 4")	No Add
-30	PVC socket connection W/A.R.E. Body (2", 3", 4")	No Add	T	Threaded outlet (2", 3" or 4")	\$ 47.00
-31	ABS socket connection W/A.R.E. body (2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3" or 4")	No Add

FLOOR S	FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:											
SUFFIX DESCRIPTION A.R.E. NICKEL BRONZE (-1) SUFFIX DESCRIPTION A.R.E. NICKEL BRONZE (-3) SUFFIX DESCRIPTION A.R.E. STAINLESS STEE												
-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00					
-G	4" x 9" oval funnel	\$256.00	\$531.00									

FS1520-FL SERIES 8" x 8" x 6" DEEP FLOOR SINK WITH FLANGE

F\$1520-FL SERIES



FS1520-FL PARTS	FS1520-FL-PB-7	F\$1500-PD	FS1500-PG-(*)
Note: Specify outlet size and connection type.	V		

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA

I		instead of -PG an	a specify - i	IOI NICKEI BIONZE	e and -3 for 5	tainiess Steel
I	FS1520T-FL (Tran-		7 FS1500-PI	D FS1500-PG-(*) A3-PG	A1 Body
I	sition Body) PARTS		Minn.		0	
	Note: Specify outlet size and connection				O	
ı	SIZE AND CONTINCUTOR	(+) 0 " 450 (1/0	175 (0/4)	0.1	

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

PIPE SIZE	NO HUB STANDARD	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	7 3/4"	*9 5/8"	*10"	*8 1/2"	* 9 1/4"	* 9 1/4"
3"	7 3/4"	*9 5/8"	**8 5/8"	*8 7/8"	* 9 1/4"	* 9 1/4"
4"	7 3/4"	7 3/4"	*10"	*8 7/8"	* 9 1/4"	* 9 1/4"
*Indica	tes outlet size a	nd connection	available with trans	sition outlet bod	ly only.	

	A.R.E. CAST IRON	1 BODY 1	NITH FULL GRATE & ALUMINU	M DOME STRAINER			
MODEL WT. A.R.E. LOOSE GRATE NICKEL BRONZE STAINLESS STE							
	NUMBER	Lbs	DESCRIPTION	(STANDARD)	FRAME AND GRATE (-1)	FRAME AND GRATE (-3)	
	F\$1522,3,4-FL	21.00	8" x 8" x 6" deep w/flange	\$1068.00	\$1328.00	\$1328.00	

type.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

FLOOR SINKS


P97

MIFAB

F\$1530 8" x 4" x 4" DEEP FLOOR SINK

FS1530 SERIES

SERIES



			O 1000 SENIES
FS1530T (Transition	FS1530T-PB-7	FS1500-PD	FS1530-PG-(*)
Body) PARTS Note: Specify outlet size and connection type.			

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate

Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel



F\$153	OT SERIES BO	DY HEIGHT				
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	*6 1/2"	*7 1/4"	*8"	*6 1/2"	*7 1/4"	*7 1/4"
3"	*6 1/2"	*7 1/4"	*8"	*6 7/8"	*7 1/4"	*7 1/4"
4"	*6 1/2"	*7 1/4"	*8"	*6 7/8"	*7 1/4"	*7 1/4"

^{*}Indicates outlet size and connection available with transition outlet body only.

A.R.E. CAST IRON	A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER									
MODEL Number										
F\$1532,3,4	18.00	8" x 4" x 4" Deep	\$ 988.00	\$ 1186.00	\$1186.00					


FS1530	AND FS1530-FL OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (FS1530-PB)	\$117.00	-32	Deep seal trap (2", 3", 4" no hub) (MI-950 Series)	\$266.00
-6	Security screws (H-1039A, 4 pcs.) (-1, -3 only)	\$ 46.00	-51	2 1/2" round center grate opening (-1, -3 only)	\$107.00
-7	Trap seal primer connection, use MI-600	\$117.00	-69	Stainless steel sediment bucket	\$286.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-83	Stainless steel mesh screen over stainless steel bucket (add to S.S. Bucket)	\$286.00
-22	Less Enamel Cast Iron grate (deduct)	-\$ 90.00	-150	Half grate	No Add
-22	Less Nickel Bronze grate (deduct)	-\$183.00	-175	3/4 grate	No Add
-22	Less Stainless Steel grate (deduct)	-\$183.00	-C	Membrane clamp (Add to FS1530-FL only)	\$113.00
-30	PVC socket connection W/A.R.E. body (2", 3", 4")	No Add	Р	Push on outlet (2", 3", 4")	No Add
-31	ABS socket connection W/A.R.E. body (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00
			Х	Inside caulk outlet (2", 3", 4")	No Add

FLOOR S	FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)	SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)		
-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00		
G 4" x 0" oval funnel \$256.00 \$531.00 -1 3" x 1" oval funnel \$107.00 \$256.00									

size and conn

FS1530-FL SERIES 8" x 4" x 4" DEEP FLOOR SINK WITH FLANGE

F\$1530-FL SERIES



(Tran-	FS1530T-FL-PB-	7 FS1500-PD	FS1530-PG-(*)	A3-PG	A1 Body
outlet ection				0	

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS	1530	OT-FL SERIES	BODY HEIGH	łT			
	PE ZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"		*6 1/2"	*7 1/4"	*8"	*6 1/2"	*7 1/4"	*7 1/4"
3"		*6 1/2"	*7 1/4"	*8"	*6 7/8"	*7 1/4"	*7 1/4"
4"		*6 1/2"	*7 1/4"	*8"	*6 7/8"	*7 1/4"	*7 1/4"

^{*}Indicates outlet size and connection available with transition outlet body only.


A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER							
	MODEL Number	WT. Lbs	DESCRIPTION	A.R.E. LOOSE GRATE (STANDARD)	NICKEL BRONZE Frame and Grate (-1)	STAINLESS STEEL FRAME AND GRATE (-3)	
	FS1532.3.4-FL	21.00	8" x 4" x 4" Deep w/flange	\$1104.00	\$1303.00	\$1303.00	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

F\$1720 SERIES 12" x 12" x 6" DEEP FLOOR SINK



FS1720 PARTS	FS1720-PB-7	F\$1500-PD	FS1700-PG-(*)
Note: Specify outlet size and connection type.	7		
	(*) Specify 150 for 1/2	2 grate, 175 for 3/4 g	rate or nothing for full grate

Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA

	ilisteau oi -PG a	and specify - i	TOT INICKET DIOTIZE	anu -3 101 3	tailliess steel
FS1720T (Transition	FS1720T-PB-7	'F\$1500-PD	FS1700-PG-(*)	A3-PG	A1 Body
Body) PARTS		Maria			
Note: Specify outlet size and connection				O	
type.	(*) Specify 150	for 1/2 grate.	175 for 3/4 grate	or nothing fo	or full grate

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS172	FS1720 and FS1720T SERIES BODY HEIGHT									
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)				
2"	7 3/4"	*8 7/8"	*10"	*8 1/2"	*9 1/4"	*9 1/4"				
3"	7 3/4"	7 3/4"	8 5/8"	*8 7/8"	*9 1/4"	*9 1/4"				
4"	7 3/4"	*8 7/8"	**10"	*8 7/8"	*9 1/4"	*9 1/4"				

*Indicates outlet size and connection available with transition outlet body only.

Membrane clamp (add to FS1720-FL only)

Push on outlet (2", 3", 4") Threaded outlet (2", 3", 4")

	** 4" Inside Caulk outlet body only available with -FL anchor flange								
A.R.E. CA	IST IRON	I BODY I	WITH FULL GRATE & ALUMINU	JM DOME STR	AINER				
MO		WT.	DECODIDATION		OSE GRAT			STAINLESS	
NUM	IBEK	Lbs	DESCRIPTION	(21A	NDARD)	FRAME AND GR	IAIE (-I)	FRAME AND G	KAIE (-3)
FS1722,3,4		29.00	12" x 12" x 6" Deep	\$12	283.00	\$1739.0	0	\$1739.0	0
FS1720 AND FS1720-FL OPTIONAL VARIATIONS:									
SUFFIX		D	ESCRIPTION	LIST PRICE	SUFFIX	DESCRIP	TION		LIST PRICE
-5	Sedime	ent bucket	(FS1700-PB)	\$193.00	-32	Deep seal trap (2", 3", 4" no hub)(MI-950 Series)		50 Series)	\$266.00
-6	Securit	y screws	(H-1039A, 4 pcs.) (-1, -3 only)	\$ 46.00	-51	2 1/2" round center grate	opening (-1,	-3 only)	\$107.00
-7	Trap se	al primer	connection, use MI-600	\$117.00	-69	Stainless Steel Sediment	bucket (FS17)	00-PB-3)	\$362.00
-9 Hinged grate (-1, -3 only) (see page 190)		\$213.00	-83	Stainless steel mesh screen over stainless steel bucket (add to S.S. Bucket)		\$286.00			
-21	Second	lary flat st	rainer (FD-9600 Series)	\$ 36 00	-150	Half grate			bbA old

-31 ABS socket connection W/A.R.E. Body(2", 3", 4") No Add X Inside caulk outlet (2", 3", 4") No Add								
FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)	SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) STAINLESS STEEL (-3)	
-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00	
-G	4" x 9" oval funnel	\$256.00	\$531.00	-J	3" x 1" oval funnel	\$107.00	\$256.00	

-175

-C

3/4 grate

\$138.00

\$296.00

-\$296.00

No Add

FS1720-FL SERIES 12" x 12" x 6" DEEP FLOOR SINK WITH FLANGE


FS1720-FL SERIES

No Add

\$120.00

No Add

\$ 47.00



Less Enamel Cast Iron grate (deduct)

Less Nickel Bronze grate (deduct)

Less Stainless Steel grate (deduct)

PVC socket connection W/A.R.E. Body(2", 3", 4")

FS1720-FL PARTS	FS1720-FL-PB-7	FS1500-PD	FS1700-PG-(*)
Note: Specify outlet size and connection type.	Y		

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA

	IIISteau oi -ru a	and specify - i	TOT INICKET DIVITZE	anu -5 101 5	tairiiess steer
FS1720T-FL (Tran-		-7 FS1500-P	D FS1700-PG-(*)	A3-PG	A1 Body
sition Body) PARTS	10	Millian			
Note: Specify outlet				O	
size and connection	(1) 0 1/ 150	1/2	1== 1 0/1		
type	(*) Specify 150	for 1/2 grate,	175 for 3/4 grate	or nothing f	or full grate

Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	*8 1/2"	*8 7/8"	*10"	*8 1/2"	*9 1/4"	*9 1/4"
3"	7 3/4"	*8 7/8"	8 5/8"	*8 7/8"	*9 1/4"	*9 1/4"
4"	7 3/4"	*8 7/8"	8 5/8"	*8 7/8"	*9 1/4"	*9 1/4"

*Indicates outlet size and connection available with transition outlet body only.

A.R.E. CAST IRON	N BODY V	WITH FULL GRATE & ALUMINU	M DOME STRAINER		
MODEL WT. NUMBER Lbs DESCRIPTION			A.R.E. LOOSE GRATE NICKEL BRONZE (STANDARD) FRAME AND GRATE (-1) FF		STAINLESS STEEL FRAME AND GRATE (-3)
HOMBEN	LUU	DECOIN HON	(OTATIONTIE)	TIBUIL AND GIBALE (1)	TIBLINE AND GIBLIE (0)
F\$1722,3,4-FL 40.00 12" x 12" x 6" deep w/flange			\$1516.00	\$1972.00	\$1972.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



FLOOR SINKS



P99

-22

-22

-22

-30

MIFAB

SEE BODY HEIGHT

A.R.E. LOOSE

SET GRATE

MPB-2012-USA

FS1730 SERIES

SERIES

F\$1730 12" x 12" x 8" DEEP FLOOR SINK

-10 1/2"

2", 3", 4"

OUTLET

FULL GRATE IS STANDARD. 3/4 GRATE

(-175) ILLUSTRATED

(STANDARD) **ALUMINUM**

WHITE ACID

RESISTANT

PORCELAIN ENAMEL

*ADD 1/2" TO DIMENSION

AND 3/8" TO HEIGHT FOR NB, SS FRAME & GRATE

(A.R.E.) COATING

DOME STRAINER (FS1500-PD)

FS1730 PARTS Note: Specify outlet size and connection type.







(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS1730T (Transition Body) PARTS

Note: Specify outlet size and connection type.









(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS173	FS1730 and FS1730T SERIES BODY HEIGHT						
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)	
2"	9 3/4"	*10 7/8"	*12"	*10 1/2"	*11 1/4"	*11 1/4"	
3"	9 3/4"	9 3/4"	*12"	*10 7/8"	*11 1/4"	*11 1/4"	
4"	*10 1/2"	*10 7/8"	**10 5/8"	*10 7/8"	*11 1/4"	*11 1/4"	


*Indicates outlet size and connection available with transition outlet body only. ** 4" Inside Caulk outlet body only available with -FL anchor flange

A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER							
MODEL Number	WT. Lbs	DESCRIPTION	A.R.E. LOOSE GRATE (STANDARD)	NICKEL BRONZE FRAME AND GRATE (-1)	STAINLESS STEEL FRAME AND GRATE (-3)		
F\$1732,3,4	37.00	12" x 12" x 8" Deep	\$1351.00	\$1805.00	\$1805.00		

FS1730	FS1730 AND FS1730-FL OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-5	Sediment bucket (FS1700-PB)	\$193.00	-32	Deep seal trap (2", 3", 4" no hub)(MI-950 Series)	\$266.00			
-6	Security screws (H-1039A, 4 pcs.) (-1, -3 only)	\$ 46.00	-51	2 1/2" round center grate opening (-1, -3 only)	\$107.00			
-7	Trap seal primer connection, use MI-600	\$117.00	-69	Stainless Steel Sediment bucket (FS1700-PB-3)	\$362.00			
-9	Hinged grate (-1, -3 only) (see page 190)	\$213.00	-83	Stainless Steel mesh screen over stainless steel bucket (add to S.S. Bucket)	\$286.00			
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-150	Half grate	No Add			
-22	Less Enamel Cast Iron grate (deduct)	-\$138.00	-175	3/4 grate	No Add			
-22	Less Nickel Bronze grate (deduct)	-\$296.00	-C	Membrane clamp (add to FS1730-FL only)	\$120.00			
-22	Less Stainless Steel grate (deduct)	-\$296.00	Р	Push on outlet (2", 3", 4")	No Add			
-30	PVC socket connection W/A.R.E. Body(2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00			
-31	ABS socket connection W/A.R.E. Body(2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add			

FLOOR S	SINK STANDARD FUNNEL OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)	SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)
-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00
-G	4" x 9" oval funnel	\$256.00	\$531.00	-J	3" x 1" oval funnel	\$107.00	\$256.00

F\$1730-FL SERIES 12" x 12" x 8" DEEP FLOOR SINK WITH FLANGE



FS1730-FL PARTS FS1730-FL-PB-7 Note: Specify outlet size and connection type.







(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

		and opcomy .	101 14101101 2101120	0 .0. 0	
FS1730T-FL (Tran-	FS1730T-PB-7	'FS1500-PD	FS1700-PG-(*)	A3-PG	A1 Body
sition Body) PARTS	1	Missilla		0	
Note: Specify outlet size and connection				O	
0.20 0 0011110011011	// O // / E		1== (0/4 :		

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS173 PIPE SIZE	NO HUB Standard		INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	*10 1/2"	*10 7/8"	*12"	*10 1/2"	*11 1/4"	*11 1/4"
3"	*10 1/2"	*10 7/8"	*12"	*10 7/8"	*11 1/4"	*11 1/4"
4"	*10 1/2"	9 3/4"	10 5/8"	*10 7/8"	*11 1/4"	*11 1/4"
*Indicates outlet size and connection available with transition outlet body only.						

A.R.E. CAST INUI	N.E. CAST IKUN BUDT WITH FULL GRAIE & ALUWINUW DUWE STRAINER							
MODEL	WT.		A.R.E. LOOSE GRATE	NICKEL BRONZE	STAINLESS STEEL			
NUMBER	Lbs	DESCRIPTION	(STANDARD)	FRAME AND GRATE (-1)	FRAME AND GRATE (-3)			
FS1732,3,4-FL	44.00	12" x 12" x 8" deep w/flange	\$1584.00	\$2038.00	\$2038.00			

tvpe.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049


100

FLOOR SINKS



SERIES

F\$1740 SERIES 12" x 12" x 10" DEEP FLOOR SINK



FS1740 PARTS Note: Specify outlet size and connection type.







(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS1740T (Transition Body) PARTS

Note: Specify outlet size and connection type.









(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS174	FS1740 and FS1740T SERIES BODY HEIGHT						
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)	
2"	*12 1/2"	*12 7/8"	*14"	*12 1/2"	*13 1/4"	*13 1/4"	
3"	*12 1/2"	*12 7/8"	*14"	*12 7/8"	*13 1/4"	*13 1/4"	
4"	*12 1/2"	*12 7/8"	**12 5/8"	*12 7/8"	*13 1/4"	*13 1/4"	

*Indicates outlet size and connection available with transition outlet body only. 4" Inside Caulk outlet body only available with -FL anchor flange

A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER							
MODEL WT. A.R.E. LOOSE GRATE NICKEL BRONZE STAINLESS STEEL							
NUMBER	Lbs	DESCRIPTION (STANDARD) FRAME AND GRATE (-1) FRAME AND GRATE (-3)					
F\$1742,3,4 42.00 12" x 12" x 10" Deep \$1428.00 \$1881.00 \$1881.00							


FS1740	FS1740 AND FS1740-FL OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-5	Sediment bucket (FS1700-PB)	\$193.00	-32	Deep seal trap (2", 3", 4" no hub)(MI-950 Series)	\$266.00				
-6	Security screws (H-1039A, 4 pcs.) (-1, -3 only)	\$ 46.00	-51	2 1/2" round center grate opening (-1, -3 only)	\$107.00				
-7	Trap seal primer connection, use MI-600	\$117.00	-69	Stainless Steel Sediment bucket (FS1700-PB-3)	\$362.00				
-9	Hinged grate (-1, -3 only) (see page 190)	\$213.00	-83	Stainless Steel mesh screen over stainless steel bucket (add to S.S. Bucket)	\$286.00				
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-150	Half grate	No Add				
-22	Less Enamel Cast Iron grate (deduct)	-\$138.00	-175	3/4 grate	No Add				
-22	Less Nickel Bronze grate (deduct)	-\$296.00	-C	Membrane clamp (add to FS1740-FL only)	\$120.00				
-22	Less Stainless Steel grate (deduct)	-\$296.00	Р	Push on outlet (2", 3", 4")	No Add				
-30	PVC socket connection W/A.R.E. Body(2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00				
-31	ABS socket connection W/A.R.E. Body(2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add				

FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)	SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)
-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00
-G	4" x 9" oval funnel	\$256.00	\$531.00	-J	3" x 1" oval funnel	\$107.00	\$256.00

FS1740-FL SERIES 12" x 12" x 10" DEEP FLOOR SINK WITH FLANGE

NB, SS FRAME & GRATE

FS1740-FL SERIES



FS1740-FL PARTS FS1740-FL-PB-7 Note: Specify outlet size and connection type.

size and connection

tvpe.







(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS1740T-FL (Tran-	FS1740T-FL-PB-7
sition Body) PARTS	
Note: Specify outlet	





(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS174	0-FL and FS17	740T-FL SER	IES BODY HEIGHT			
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	*12 1/2"	*12 7/8"	*14"	*12 1/2"	*13 1/4"	*13 1/4"
3"	11 3/4"	*12 7/8"	12 5/8"	*12 7/8"	*13 1/4"	*13 1/4"
4"	11 3/4"	*12 7/8"	12 5/8"	*12 7/8"	*13 1/4"	*13 1/4"

*Indicates outlet size and connection available with transition outlet body only.

A.R.E. CAST IRO	N BODY N	WITH FULL GRATE & ALUMINU	M DOME STRAINER		
MODEL	WT.		A.R.E. LOOSE GRATE	NICKEL BRONZE	STAINLESS STEEL
NUMBER	Lbs DESCRIPTION		(STANDARD)	FRAME AND GRATE (-1)	FRAME AND GRATE (-3)
FS1742,3,4-FL 58.00 12" x 12" x 10" deep w/flange			\$1661.00	\$2115.00	\$2115.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

F\$1750 SERIES

BODY HEIGHT SEE BODY HEIGHT

CHART 1

SERIES

MIFAB

F\$1750 8" ROUND x 6" DEEP FLOOR SINK

8" DIAMETER 7" →

2". 3". 4"

OUTLET

FS1750 PARTS FS1750-PB-7 Note: Specify outlet

FS1500-PD

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS1750T (Transition Body) PARTS

size and connection

type.

Note: Specify outlet size and connection type.

FULL GRATE

ILLUSTRATED (STANDARD)

A.R.E. LOOSE SET GRATE

(STANDARD)

ALUMINUM DOME STRAINER

(FS1500-PD)

WHITE ACID RESISTANT

*ADD 1/2" TO DIAMETER AND 1/2"

TO HEIGHT FOR NB, SS FRAME & GRATE

PORCELAIN ENAMEL (A.R.E.) COATING 1750T-PB-7 FS1500-PD FS1750-PG-(*)





(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS175	FS1750 and FS1750T SERIES BODY HEIGHT									
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)				
2"	*8 1/2"	*8 7/8"	*10"	*8 1/2"	*9 1/4"	*9 1/4"				
3"	*8 1/2"	*8 7/8"	*10"	*8 7/8"	*9 1/4"	*9 1/4"				
4"	*8 1/2"	*8 7/8"	**8 5/8"	*8 7/8"	*9 1/4"	*9 1/4"				

*Indicates outlet size and connection available with transition outlet body only.

** 4" Inside Caulk outlet body only available with -FL anchor flange.

A.R.E. CAST IROI	A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER									
MODEL	WT.		A.R.E. LOOSE GRATE	NICKEL BRONZE	STAINLESS STEEL					
NUMBER	NUMBER Lbs DESCRIPTION		(STANDARD)	FRAME AND GRATE (-1)	FRAME AND GRATE (-3)					
F\$1752,3,4 17.00 8" Round x 6" Deep		\$801.00	\$1076.00	\$1076.00						

F\$1750	AND FS1750-FL OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (FS1750-PB)	\$138.00	-32	Deep seal trap (2", 3", 4" no hub) (MI-950 Series)	\$266.00
-6	Security screws (H-1039A, 4 pcs.) (-1, -3 only)	\$ 46.00	-51	2 1/2" round center grate opening (-1, -3 only)	\$107.00
-7	Trap seal primer connection, use MI-600	\$117.00	-69	Stainless steel sediment bucket (FS1750-PB-3)	\$327.00
-9	Hinged grate (-1, -3 only) (see page 190)	\$213.00	-83	Stainless steel mesh screen over stainless steel bucket(Add to S.S. bucket)	\$286.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-150	Half grate	No Add
-22	Less Enamel Cast Iron grate (deduct)	-\$117.00	-175	3/4 grate	No Add
-22	Less Nickel Bronze grate (deduct)	-\$128.00	-C	Membrane clamp (add to FS1750-FL only)	\$112.00
-22	Less Stainless Steel grate (deduct)	-\$128.00	Р	Push on outlet (2", 3", 4")	No Add
-30	PVC socket connection W/A.R.E. Body (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00
-31	ABS socket connection W/A.R.E. body (2", 3", 4")	No Add	Х	Inside caulk outlet (2", 3", 4")	No Add

	FLOOR S	FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:									
SUFFIX DESCRIPTION A.R.E. NICKEL BRONZE (-1) STAINLESS STEEL (-3) SUFFIX						DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)			
	-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00			
	-G	4" x 9" oval funnel	\$256.00	\$531.00	-J	3" x 1" oval funnel	\$107.00	\$256.00			

type.

FS1750-FL SERIES 8" ROUND x 6" DEEP FLOOR SINK WITH FLANGE

FS1750-FL SERIES

FULL GRATE IS STANDARD, 1/2 GRATE (-150) ILLUSTRATED 8" DIAMETER A.R.E. LOOSE HARDWARE (4) (H-1083) SET GRATE MEMBRANE CLAMPS (2) (FS1750-PC) ANCHOR FLANGE (11" DIA) WHITE ACID RESISTANT PORCELAIN ENAMEL (A.R.E.) COATING (STANDARD) ALUMINUM DOME STRAINER (FS1500-PD) 2", 3", 4" **BODY HEIGHT** ADD 1/2" TO DIAMETER SEE BODY HEIGHT OUTLET AND 1/2" TO HEIGHT FOR NB, SS FRAME & GRATE CHART 1

F\$1750-FL PARTS	FS1750-FL-PB-7	F\$1500-PD	
Note: Specify outlet size and connection type.	(0)		(

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA

	ilisteau oi -i u ali	u specify - i ii	DI MICKEI DIUTIZE	anu -5 101 5	tailii633 Ote61
FS1750T-FL (Tran-	FS1750T-FL-PB-7	FS1500-PD	FS1750-PG-(*)	A3-PG	A1 Body
sition Body) PARTS		Millian			
Note: Specify outlet				0	
size and connection	O LEAD			100000	

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS'	175	0-FL and FS17	750T-FL SER	IES BODY HEIGH			
PIF		NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"		*8 1/2"	*8 7/8"	*10"	*8 1/2"	*9 1/4"	*9 1/4"
3"		*8 1/2"	*8 7/8"	*10"	*8 7/8"	*9 1/4"	*9 1/4"
4"		*8 1/2"	*8 7/8"	**8 5/8"	*8 7/8"	*9 1/4"	*9 1/4"

*Indicates outlet size and connection available with transition outlet body only.

A.R.E. CAST IRC	A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER								
MODEL WT. Number Lbs Description			A.R.E. LOOSE GRATE (STANDARD)	NICKEL BRONZE Frame and Grate (-1)	STAINLESS STEEL FRAME AND GRATE (-3)				
NUMBER	LUS	DESCRIPTION	(OTANDAND)	FRANCE AND GRATE (-1)	FRANCE AND GRATE (-3)				
FS1752,3,4-FL	19.00	8" Round x 6" Deep w/flange	\$974.00	\$1249.00	\$1249.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

FLOOR SINKS

SERIES

BODY HEIGHT

SEE BODY HEIGHT

FS1760 SERIES 12" ROUND x 8" DEEP FLOOR SINK

FULL GRATE IS STANDARD. 3/4 GRATE (-175) ILLUSTRATED

12' DIAMETER

11 1/2" =

2", 3", 4" OUTLET

FS1760 PARTS FS1760-PB-7 FS1500-PD Note: Specify outlet size and connection

> (*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

Body) PARTS

type.

A.R.E. LOOSE

WHITE ACID RESISTANT PORCELAIN

SET GRATE

ENAMEL

(A.R.E.)

CÒATING

(STANDARD)

*ADD 5/16" TO DIAMETER

AND 1/2"TO HEIGHT FOR

NB, SS FRAME & GRATE

ALUMINUM DOME STRAINER (FS1500-PD) Note: Specify outlet size and connection



(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS176	FS1760 and FS1760T SERIES BODY HEIGHT									
PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)				
2"	*10 1/2"	*10 7/8"	*12"	*10 1/2"	*11 1/4"	*11 1/4"				
3"	*10 1/2"	*10 7/8"	*12"	*10 7/8"	*11 1/4"	*11 1/4"				
4"	*10 1/2"	*10 7/8"	**10 5/8"	*10 7/8"	*11 1/4"	*11 1/4"				


*Indicates outlet size and connection available with transition outlet body only. * 4" Inside Caulk outlet body only available with -FL anchor flange.

A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER								
MODEL WT.		A.R.E. LOOSE GRATE	NICKEL BRONZE	STAINLESS STEEL				
NUMBER	Lbs	DESCRIPTION	(STANDARD)	FRAME AND GRATE (-1)	FRAME AND GRATE (-3)			
F\$1762,3,4 29.00 12" Round x 8" Deep		\$1018.00	\$1623.00	\$1623.00				

FS1760	FS1760 AND FS1760-FL OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-5	Sediment bucket (FS1760-PB)	\$193.00	-32	Deep seal trap (2", 3", 4" no hub) (MI-950 Series)	\$266.00				
-6	Security screws (H-1039A, 4 pcs.) (-1, -3 only)	\$ 46.00	-51	2 1/2" round center grate opening (-1, -3 only)	\$107.00				
-7	Trap seal primer connection, use MI-600	\$117.00	-69	Stainless steel sediment bucket (FS1760-PB-3)	\$286.00				
-9	Hinged grate (-1, -3 only) (see page 190)	\$213.00	-83	Stainless steel mesh screen over stainless steel bucket(Add to S.S. bucket)	\$286.00				
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-150	Half grate	No Add				
-22	Less Enamel Cast Iron grate (deduct)	-\$161.00	-175	3/4 grate	No Add				
-22	Less Nickel Bronze grate (deduct)	-\$308.00	-C	Membrane clamp (add to FS1760-FL only)	\$111.00				
-22	Less Stainless Steel grate (deduct)	-\$308.00	Р	Push on outlet (2", 3", 4")	No Add				
-30	PVC socket connection W/A.R.E. Body (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00				
-31	ABS socket connection W/A.R.E. body (2", 3", 4")	No Add	Х	Inside caulk outlet (2", 3", 4")	No Add				

FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:								
SUFFIX DESCRIPTION		A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)	SUFFIX	DESCRIPTION	A.R.E.	NICKEL BRONZE (-1) Stainless Steel (-3)	
	-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00
	-G	4" x 9" oval funnel	\$256.00	\$531.00	-J	3" x 1" oval funnel	\$107.00	\$256.00

F\$1760-FL SERIES 12" ROUND x 8" DEEP FLOOR SINK WITH FLANGE



FS1760-FL PARTS FS1760-FL-PB-7 Note: Specify outlet size and connection type.







Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

S1/601-FL (Iran-	F21/001-FF-58-1	/ F81500-PL) L91/0
ition Body) PARTS		Marin	/ 2.7
lote: Specify outlet			11113

9		1113
Specify 150	for 1/2 grata	175 for 3/4 grate



(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	*10 1/2"	*10 7/8"	*12"	*10 1/2"	*11 1/4"	*11 1/4"
3"	*10 1/2"	*10 7/8"	*12"	*10 7/8"	*11 1/4"	*11 1/4"
4"	*10 1/2"	*10 7/8"	10 5/8"	*10 7/8"	*11 1/4"	*11 1/4"

*Indicates outlet size and connection available with transition outlet body only.

A.R.E. CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER							
MODEL WT. NUMBER Lbs DESCRIPTION		A.R.E. LOOSE GRATE (STANDARD)	NICKEL BRONZE Frame and Grate (-1)	STAINLESS STEEL FRAME AND GRATE (-3)			
FS1762,3,4-FL	40.00	12" Round x 8" Deep w/flange	\$1248.00	\$1853.00	\$1853.00		
Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.							

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


Sunday, January 01, 2012 8:51:11 PM



F\$1770 16" x 16" x 9" DEEP FLOOR SINK

F\$1770 SERIES

SERIES



FS1770T (Transition	FS1770T-PB-7	FS1500-PD	FS1770-PG(*)	A3-PG	A1 Body
Body) PARTS		Millian			
Note: Specify outlet size and connection				O	
type.	(*) Specify 150	for 1/2 grate,	175 for 3/4 grate	or nothing fo	or full grate

Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS1770T SERIES BODY HEIGHT						
		PUSH ON (P)	INSIDE CAULK (X)	THREADED (T)	PVC (-30)	ABS (-31)
2"	*12"	*12 3/8"	*12 3/4"	*11 1/4"	*11 15/16"	*11 15/16"
3"	*12"	*12 3/8"	*12 3/4"	*11 5/8"	*12 3/4"	*12 3/4"
4"	*12"	*12 3/8"	*12 3/4"	*11 5/8"	*12 3/4"	*12 3/4"

^{*}Indicates outlet size and connection available with transition outlet body only.

	FS1770 BODY HEIGHT								
	PIPE SIZE	NO HUB Standard	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)				
>	ALL	12"	12 3/8"	11 1/4"	12 3/4"				

ACID RESISTANT COATED CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER								
MODEL WT. NUMBER Lbs DESCRIPTION		ACID RESISTANT LOOSE GRATE (Standard)	NICKEL BRONZE FRAME AND GRATE (VENEER) (-1)					
			\- <u>'</u>	, , , ,				
FS1772,3,4	69.00	16" x 16" x 9" Deep with flange	\$2625.00	\$3365.00				


FS1770	AND FS1770-FL OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket	\$502.00	-32	Deep seal trap (2", 3", 4" no hub/MI-950 Series)	\$266.00
-6	Security screws (TR30 Torx and pin) (-1 only)	\$ 87.00	-51	2 1/2" round center grate opening	\$107.00
-7	Trap seal primer connection, use MI-600	\$117.00	-83	Stainless steel mesh screen over stainless steel bucket (add to s.s. Bucket)	\$570.00
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-150	Half grate	No Add
-22	Less acid resistant Cast Iron grate (deduct)	-\$230.00	-175	3/4 grate	No Add
-22	Less Nickel Bronze grate (deduct)	-\$629.00	-C	Membrane clamp (add to FS1770-FL only)	\$341.00
-22	Less Stainless Steel grate (deduct)	-\$629.00	Р	Push on outlet (2", 3", 4")	No Add
-30	PVC socket connection W/A.R.E. Body (2", 3", 4")	No Add	T	Threaded outlet (2', 3", 4")	\$ 47.00
-31	ABS socket connection W/A.R.E. Body (2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add

FL0	FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:							
SUF	FIX DESCRIPTION	ACID Resistant	NICKEL BRONZE (-1) STAINLESS STEEL (-3)	SUFFIX	DESCRIPTION	ACID Resistant	NICKEL BRONZE (-1) STAINLESS STEEL (-3)	
-F4	4" round funnel	\$107.00	\$256.00	-F6	6" round funnel	\$173.00	\$380.00	
-G	4" x 9" oval funnel	\$256.00	\$531.00	-,1	3" x 1" oval funnel	\$107.00	\$256.00	

type.

FS1770-FL SERIES 16" x 16" x 9" DEEP FLOOR SINK WITH FLANGE

FS1770-FL SERIES



FS1770T-FL (Tran-	FS1770T-FL-PB-7	FS1500-PD	FS1770-PG(*)	A3-PG	A1 Body
sition Body) PARTS		Minis		0	
Note: Specify outlet	- D			O	
size and connection				100000	

(*) Specify 150 for 1/2 grate, 175 for 3/4 grate or nothing for full grate Note: For Nickel Bronze or Stainless Steel grate and frame, specify -TA instead of -PG and specify -1 for Nickel Bronze and -3 for Stainless Steel

FS1770T-FL SERIES BODY HEIGHT								
	PIPE SIZE	NO HUB Standard	PUSH ON (P)	INSIDE CAULK THREADED (X) (T)		PVC (-30)	ABS (-31)	
	2"	*12"	*12 3/8"	*12 3/4"	*11 1/4"	*11 15/16"	*11 15/16"	
	3"	*12"	*12 3/8"	*12 3/4"	*11 5/8"	*12 3/4"	*12 3/4"	
	4"	*12"	*12 3/8"	*12 3/4"	*11 5/8"	*12 3/4"	*12 3/4"	

*Indicates outlet size and connection available with transition outlet body only.

	FS1770-FL BODY HEIGHT									
	PIPE	NO HUB	PUSH ON	THREADED	INSIDE CAULK					
	SIZE	STANDARD	(P)	(T)	(X)					
>	ALL	12"	12 3/8"	11 1/4"	12 3/4"					

ACID RESISTANT	ACID RESISTANT COATED CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER									
MODEL WT. ACID RESISTANT LOOSE GRATE NICKEL BRONZE FRAME										
NUMBER	Lbs	DESCRIPTION	(STANDARD)	AND GRATE (VENEER) (-1)						
F\$1772,3,4-FL 69.00 16" x 16" x 9" Deep with flange \$2845.00 \$3589.00										

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



STANDARD

18 1/2"

(P)

19 1/4"

(T)


17 1/2"

SIZE

ALL

F\$1790 SERIES 24" x 24" x 17" DEEP FLOOR SINK

FS1790



FS1790 OPTIONAL VARIATIONS:									
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-5	Sediment bucket	\$729.00	-51	2 1/2" round center grate opening (-1 only)	\$ 107.00				
-6	Security screws (TR30 Torx and pin) (-3 only)	\$ 87.00	-83	Stainless steel mesh screen over bucket (add to S.S. bucket)	\$1142.00				
-7	Trap seal primer connection, use MI-600	\$230.00	-150	Half grate	No Add				
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-175	3/4 grate	No Add				
-22	Less Enamel Cast Iron grate (deduct)	-\$570.00	-C	Membrane clamp	\$ 341.00				
-22	Less Nickel Bronze grate (deduct)	-\$968.00	Р	Push on outlet (2", 3", 4")	No Add				
-30	PVC socket connection W/A.R.E. Body (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00				
-31	ABS socket connection W/A.R.E. Body (2", 3", 4")	No Add	Х	Inside caulk outlet (2", 3", 4")	No Add				
-32	Deep seal trap (2", 3", 4" no hub) (MI-950 Series)	\$266.00		·					

(X)

18 1/2"

FL	FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:							
SUFFIX DESCRIPTION ACID RESISTANT STAINLESS STEEL (-3) SUFFIX DESCRIPTION ACID RESISTAN					ACID Resistant	STAINLESS STEEL (-3)		
-F	F4	4" round funnel	\$107.00	\$107.00 \$256.00		6" round funnel	\$173.00	\$380.00
-(G	4" x 9" oval funnel	\$256.00	\$531.00	-J	3" x 1" oval funnel	\$107.00	\$256.00

ACID RESISTANT	ACID RESISTANT COATED CAST IRON BODY WITH FULL GRATE & ALUMINUM DOME STRAINER								
MODEL WT. ACID RESISTANT LOOSE GRATE STAINLESS STEEL FRAME NUMBER Lbs Description (Standard) and Grate (veneer) (-3)									
FS1792,3,4,6 250.00 24" x 24" x 17" deep with flange \$5767.00 \$7380.00									

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






F\$1920-FL 12" x 12" x 6" DEEP STAINLESS STEEL FLOOR SINK WITH FLANGE F\$1920-FL SERIES

SERIES







() Specify -1 01 -3							
	STAINLESS STEEL BODY WITH FULL GRATE & STAINLESS STEEL SECONDARY STRAINER						
MODEL NUMBER							
F\$1922,3,4-FL	20.00	12" x 12" x 6" deep with flange	\$2269.00				

F\$192	FS1920-FL SERIES BODY HEIGHT										
PIPE SIZE	THREADED (T)	INSIDE CAULK (X)	PVC/ABS (-30-31)	NO HUB	PUSH ON (P)						
2"	8 5/8"	10 1/8"	9"	9 3/8"	9 3/4"						
3"	9"	10 1/8"	9 5/8"	9 3/8"	9 3/4"						
4"	9"	9 7/8"	9 7/8"	9 1/2"	9 3/4"						

FS1930-FL 12" x 12" x 8" DEEP STAINLESS STEEL FLOOR SINK WITH FLANGE FS1930-FL SERIES

SERIES







	STAINLESS STEEL BODY WITH FULL GRATE & STAINLESS STEEL SECONDARY STRAINER						
MODEL NUMBER	WT. Lbs	DESCRIPTION	FULL GRATE (STANDARD)				
FS1932,3,4-FL	21.00	12" x 12" x 8" deep with flange	\$2373.00				

ĺ	FS1930-FL SERIES BODY HEIGHT										
	PIPE SIZE	THREADED (T)	INSIDE CAULK (X)	PVC/ABS (-30-31)	NO HUB	PUSH ON (P)					
	2"	10 5/8"	12 1/8"	11"	11 3/8"	11 3/4"					
	3"	11"	12 1/8"	11 5/8"	11 3/8"	11 3/4"					
-	4"	11"	11 7/8"	11 7/8"	11 1/2"	11 3/4"					

12" x 12" x 10" DEEP STAINLESS STEEL FLOOR SINK WITH FLANGE F\$1940-FL SERIES FS1940-FL

SERIES





STAINLESS STEEL BODY WITH FULL GRATE & STAINLESS STEEL SECONDARY STRAINER						
MODEL	WT.		FULL GRATE			
NUMBER	Lbs	DESCRIPTION	(STANDARD)			
FS1942,3,4-FL	21.00	12" x 12" x 10" deep with flange	\$2571.00			

1	F\$194	O-FL SERIES BO	FL SERIES BODY HEIGHT						
	PIPE SIZE	THREADED (T)	INSIDE CAULK (X)	PVC/ABS (-30-31)	NO HUB	PUSH ON (P)			
ſ	2"	12 5/8"	14 1/8"	13"	13 3/8"	13 3/4"			
	3"	13"	14 1/8"	13 5/8"	13 3/8"	13 3/4"			
-[4"	13"	13 7/8"	13 7/8"	13 1/2"	13 3/4"			

FS1920-FL, FS1930-FL and FS1940-FL OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-5	Sediment bucket (FS1700-PB-3)	\$362.00	-51	2 1/2" round center grate opening	\$107.00
-6	Security screws (H-1039A, 4 pcs.) (-3 only)	\$ 46.00	-83	Stainless steel mesh screen over sediment bucket	\$286.00
-7	Trap seal primer connection	\$117.00	-150	Half grate	No Add
-9	Hinged grate (see page 190)	\$213.00	-175	3/4 grate	No Add
-21	Secondary flat strainer (FD-9600 Series)	\$ 36.00	-C	Membrane clamp	\$120.00
-22	Less grate (deduct)	-\$296.00	Р	Push on outlet (2", 3", 4")	No Add
-30	PVC socket connection (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00
-31	ABS socket connection (2", 3", 4")	No Add	Х	Inside caulk outlet (2", 3", 4")	No Add
-32	Deep seal trap (2", 3", 4", no hub) (MI-950 Series)	\$266.00	-Z	Extended wide flange on body (20" x 20" x 1/4" thick)	\$799.00

FLOOR SINK STANDARD FUNNEL OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	STAINLESS STEEL (-3)	SUFFIX	DESCRIPTION	STAINLESS STEEL (-3)	
-F4	4" round funnel	\$256.00	-F6	6" round funnel	\$380.00	
-G	4" x 9" oval funnel	\$531.00	- J	3" x 1" oval funnel	\$256.00	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

106



MI-HUB SERIES REGULAR SHIELDED NO HUB COUPLINGS

MI-HUB SERIES



NO HUB COU	NO HUB COUPLINGS								
MODEL		CARTON	PALLET	LIST					
NUMBER	SIZE	QTY	QTY	PRICE					
MI-HUB-150	1-1/2"	100	7,200	P.O.A.					
MI-HUB-2	2"	100	6,300	P.O.A.					
MI-HUB-2150	2"x1 1/2"	100	6,300	P.O.A.					
MI-HUB-3	3"	100	3,200	P.O.A.					
MI-HUB-32	3"x 2"	100	2,400	P.O.A.					
MI-HUB-4	4"	100	2,400	P.O.A.					
MI-HUB-42	4"x 2"	64	1,536	P.O.A.					
MI-HUB-43	4"X 3"	64	1,536	P.O.A.					
MI-HUB-5	5"	20	440	P.O.A.					
MI-HUB-6	6"	25	875	P.O.A.					
MI-HUB-8	8"	15	360	P.O.A.					
MI-HUB-10	10"	12	60	P.O.A.					
MI-HUB-12	12"	8	60	P.O.A.					
MI-HUB-15	15"	4	32	P.O.A.					

Note: Tighten bolts to 60 inch lbs. min./max torque. Tested to maintain 4.3 p.s.i. maximum line pressure with 10' head.

See No Hub Coupling List Price Book NH-2012-USA for List Prices and discount structure of MI-HUB Series of No Hub couplings.

Tested and certified to ASTM Standard #C1277-09a and ASTM Standard #C564. All models are listed with IAPMO (U.P.C.). 5/16" driver required to tighten bolts. Tested by I.A.P.M.O. to comply to the CISPI 310-2010 and CSA B602 standards.

MI-XHUB SERIES HEAVY DUTY SHIELDED NO HUB COUPLINGS

FLOOR SINKS



HEAVY DUTY	HEAVY DUTY SHIELDED NO HUB COUPLINGS							
MODEL		CARTON	PALLET	LIST				
NUMBER	SIZE	QTY	QTY	PRICE				
MI-XHUB-150	1-1/2"	60	2280	P.O.A.				
MI-XHUB-2	2"	72	1728	P.O.A.				
MI-XHUB-3	3"	24	912	P.O.A.				
MI-XHUB-32	3"x 2"	24	576	P.O.A.				
MI-XHUB-4	4"	24	576	P.O.A.				
MI-XHUB-42	4"x 2"	43	576	P.O.A.				
MI-XHUB-43	4"X 3"	43	576	P.O.A.				
MI-XHUB-5	5"	27	324	P.O.A.				
MI-XHUB-6	6"	27	324	P.O.A.				
MI-XHUB-8	8"	15	180	P.O.A.				
MI-XHUB-10	10"	9	108	P.O.A.				
MI-XHUB-12	12"	5	60	P.O.A.				
MI-XHUB-15	15"	4	32	P.O.A.				

Note: Tighten bolts to 80 inch lbs. min. torque to 100 inch lbs.

Tested to maintain 15 p.s.i. maximum line pressure with 10' head.

See No Hub Coupling List Price Book NH-2012-USA for List Prices and discount structure of MI-XHUB Series of No Hub couplings.



Tested and certified to ASTM Standard #C1540-09a and ASTM Standard #C564. All models are listed with IAPMO U.P.C.). 3/8" driver required to tighten bolts. Tested by I.A.P.M.O. to comply to the FM1680-1989 standards (upto 10")

CROSS REFERE	CROSS REFERENCE									
MIFAB	ANACO	CLAMP-ALL	FERNCO	HUSKY	IDEAL	MISSION	TYLER			
MI-HUB	NH	_	NH	_	M8G	С	NH			
MI-XHUB	-	Hi-Torq 125	HD	SD4000	H8G	HW	Wide Body			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






R1200 SERIES ROOF DRAIN COMMON PARTS

R1200 SERIES

- (suffix -M). Standard dome receiver is the A2-PD polydome. Manufactured with 125 Sq. inches of free area. Dome receiver is also available in a low profile aluminum design (part # A2-MDL-80, suffix -M-80), in a low profile rough bronze design (part # A2-MDL-81, suffix -81) and in a low profile aluminum design with stainless steel mesh screen assembled around the dome strainer (part # A2-SSD, suffix -83). All of the low profile dome strainers are 4 ½" high. All of MIFAB's roof domes are engineered to lock underneath the tabs in the A2-C3 dome receiver for a secure fit. Specify suffix -6 to vandal proof secure any of the dome strainers to the A2-C3 dome receiver.
- HS-2 hardware pack. 5/16" threaded rods, nuts and washers are required to assemble the A2-C3 dome receiver and membrane clamp to the A2 roof drain body.
- 3. A2-C3 dome receiver and membrane clamp. Serves to secure the roof dome to the assembly and also to clamp the waterproofing membrane to the top flange of the A2 roof drain body. Raised grooves on the underside of the A2-C3 match the recessed grooves in the top flange of the A2 body to ensure a sealing grip onto the waterproofing membrane
- 4. A2 body. Designed with a 15" diameter flange and a narrower and deeper sump than any JaSaWaZ body to: a) allow the contractor to cut a smaller diameter penetration in the roof (to better maintain the structural integrity of the roof), b) provide more efficient drainage of water since the head pressure in the deep sump of the body when filled with water is greater than in a shallower sump and c) narrower diameter sump requires only three sets of hardware to secure the membrane clamp to the body, thereby saving the contractor 33% installation time compared to any JaSaWaZ roof drain. MIFAB's A2 bodies are available with no hub, push on, threaded, inside caulk, PVC, ABS and stainless steel outlet connections.
- 5. A2-BP bearing pan (sump receiver). Manufactured with galvanized steel and painted with a lacquer finish. Engineered to recess the top flange of the A2 body into the roof deck to ensure easy flow of water from the roof deck into the sump of the roof drain (suffix -B). Securing slots in each corner permit easy assembly to the roof deck. Shipped one piece per carton for easy handling in warehouses and on the jobsite. The bearing pan should be specified with every roof drain to ensure a correct recessed installation of the roof drain into the roof deck unless the roof drain is required with an adjustable extension. In this case, the roof drain body is elevated off the deck, thereby eliminating the need for a bearing pan. This is a large cost savings compared to JaSaWaZ since their roof drain extension system always has the roof drain body installed into the deck, always requiring the use of the bearing
- 6. HS-20 hardware pack. Three cast iron painted securing brackets, nuts and washers are shipped standard (no extra charge) packed inside every A2-BP carton. Designed to allow the contractor to assemble the bolts into the tappings on the underside of the A2 body flange, securing the A2-BP to the underside of the A2 body flange with the three cast iron brackets at the same time. The result is a roof drain secured to the A2-BP and also to the roof deck. This can eliminate the costly underdeck clamp and also the labor required to install the underdeck clamp.
- 7. A2-C3 adjustable extension ring. Installed on top of the roof deck. It is designed to elevate the roof drain body off the deck via the HS-3 hardware to accommodate the thickness of the insulation installed on top of the roof deck. This eliminates the use of any gaskets and o-rings (as required with the JaSaWaZ extension systems) that can cause leaks as the contrasting winter and summer weather causes expansion and contraction of gaskets and o-rings. Labor savings are also realized by the contractor with the simple MIFAB adjustable extension system (suffix -F).
- 8. HS-3 hardware pack. 5/16" threaded rods, nuts and washers are required to elevate the roof drain body off the deck to accommodate the thickness of the insulation installed on top of the roof deck. The HS-3 hardware threads into the tappings on the underside of the roof drain body.
- 9. A2-C3 underdeck clamp. It is installed underneath the roof deck and is engineered to "lock" the roof drain assembly into the roof deck, thereby reducing pipe vibration and potential damage. Can be eliminated when the MIFAB A2-BP sump receiver is installed with the unique HS-17 hardware pack as described above in point # 6. (suffix -U).



Note: (Reference #2 and #8) Hardware Kits (HS-2 and HS-3) provided contain standard 5/16" all threaded studs. Upon installation, excess rod may be cut to desired length for clean installation.

Visit www.mifab.com for the most recent product information.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free 1-800-465-2736. Fax 773-341-3049

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



 \bigoplus

108

MPB-2012-USA

(R)

ROOF DRAINS

SELF LOCKING POLYDOME STRAINER WITH A FREE AREA OF 125 SQUARE INCHES

OPTIONAL DUCTILE IRON DOME

HARDWARE SET (HS-3)

UNDERDECK CLAMP (-U)

2 5/16" (60) WIDE SERRATED MEMBRANE CLAMP AND **GRAVEL STOP**

DEEP SUMP

SERRATED ANCHOR FLANGE

ROOF MEMBRANE

A2 BODY

ADJUSTABLE CAST IRON EXTENSION DECK FLANGE (-E)

OPTIONAL DUCTILE IRON DOME

2 5/16" (60) WIDE SERRATED MEMBRANE CLAMP

DEEP SUMP

A2 BODY



POLYDOME STRAINER WITH A FREE AREA OF 125 SQUARE INCHES

> ADJUSTABLE BALLAST GUARD WITH AUXILIARY DRAINAGE SLOTS SIZED TO PASS FINES BUT NOT BALLAST

> > 2 5/16" (60) WIDE SERRATED MEMBRANE CLAMP AND GRAVEL

SERRATED ANCHOR FLANGE

ROOF MEMBRANE

OPTIONAL SUMP RECEIVER

OPTIONAL UNDERDECK CLAMP (-U)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

109





MIFAB Roof Drain Selection Guide

The object of equipping a roof drain with an adjustable top via its adjustable extension is to place the top or inlet of the drain at the right height above structural deck level accommodate various thicknesses of insulation. This avoids the necessity of tapering or feathering the insulation layer down to the fixed body flange level of the drain causing a loss of insulation value at the drain location. MIFAB ACCOMPLISHES THE ADJUSTMENT BY INSTALLING A DECK FLANGE ONTO THE ROOF DECK AND SUPPORTING THE ROOF DRAIN BODY FLUSH OR SLIGHTLY BELOW THE MEMBRANE LEVEL (ABOVE THE INSULATION) UTILIZING THE HS-3 HARDWARE SET. A DECK CLAMP (SUFFIX -U) IS SECURED BENEATH THE DECK ON THE SAME **HARDWARE ENSURE RIGID** TO INSTALLATION.

IN ALL CASES, THERE IS NO USE OF GASKETS OR MASTIC COATINGS. THIS PRECLUDES THE POSSIBILITY OF ANY LEAKAGE DUE TO BACK-UP IN THE DRAINAGE SYSTEM AS A RESULT OF SURCHARGE OR BLOCKAGE.

On Promenade decks, a collar with a cam provides finite adjustment, with the collar being secured by three locking screws to the body of the roof drain. A similar system is used with the R1200-HC in IRMA (Inverted Membrane) systems. You do achieve the precise height with MIFAB roof drains with a minimum of effort. Moreover, MIFAB roof drains provide flexibility in top height often necessary to overcome construction irregularities impossible to compensate for with fixed extension drains.

COMBINED FLASHING CLAMP

LOCKING DOME

Once in place stays in place to provide positive protection for the roof drain and drainage system entrance. The vertical perimeter openings provide sufficient free drainage area, in compliance with codes and standards, for prompt and efficient drainage of the roof while protecting the system against entrance of potentially damaging objects. With the open or free area on top, which is merely for flood conditions, the dome has a total free area in excess of 125 square inches.

ADJUSTABLE EXTENSION DECK FLANGE (SUFFIX -E)

Adjustable extension is placed on the structural deck level to accommodate various thicknesses of insulation, thereby avoiding the necessity of tapering or feathering the insulation layer down to the fixed body flange level of the drain causing a loss of insulation value at the drain location. MIFAB accomplishes the adjustment by installing a deck flange onto the roof deck and supporting the roof drain body flush or slightly below the membrane level (above the insulation) utilizing the HS-3 hardware set. A Deck clamp (suffix -U) is secured beneath the deck on the same hardware to ensure a rigid installation.

HARDWARE SET (HS-3)

AND GRAVEL STOP Features a broad clamping area with ridges that match grooves in the flange of the roof drain body to secure the membrane without the puncturing and troublesome wrinkling often encountered with so-called locking type clamps. The vertical gravel stop prevents rooftop surfacing gravel from washing into the drainage system while permitting drainage of roof through the V-type weirs. **ROOF MEMBRANE** R1200-EU This basic component made of cast gray iron (ILLUSTRATED) of commercial drainage fitting quality features a wide top entrance and support flange with large contoured deep sump for optimum flow

UNDERDECK CLAMP (SUFFIX -U)

Serves to unite roof drain and roof deck in a common bond through a vise-like compression principle that assures a positive permanent installation. The deck is sandwiched between the drain flange, or sump receiver and the underdeck clamp to preclude membrane or flashing rupture that could occur if the underdeck clamp is not utilized.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

of water into the roof drainage system.

110

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






MIFAB Roof Drain Selection Guide (Cont'd)

Roof drains and accessories combine to form the upstream or entrance terminals of the roof drainage system and as such play a key role in the success or failure of the system. Sizing and placement of roof drains are thoroughly covered in the next section of this catalog. However, prior to sizing and placement of drains, there are certain basic roof design factors that must be considered when selecting and specifying the proper roof drains and accessories for the job. Even though all roofs serve the same basic purpose of protecting the building and its contents from the elements, their design, composition, construction and drainage requirements do vary. Accordingly, when the specifications for the roof drains and accessories are developed, it is of vital importance that all design factors of the roof be addressed and reflected in the products specified to ensure a trouble free, successful installation. Also. insistence upon compliance with the specifications is essential, for departure therefrom could result in a substandard roof drain installation potentially doomed to ultimate failure. Basic roof design factors for consideration with recommended drainage products follow.

ROOF DECKS ROOF DRAIN SUPPORT SUMP RECEIVERS

Roof decks, owing to the broad range of types and materials of construction, provide perhaps the greatest challenge to the specifier in his quest for the proper method of roof drain support for installation in a given deck. Unless the drain is

being installed in a poured concrete deck with drain in place completely surrounded and supported by the deck it will be necessary to provide a deck opening in which to set the drain. It is when such openings



are required that drain

support becomes the foremost consideration. Even though minimum deck openings are recommended in this catalog for each drain and maximum openings are stated based on the

drain's outside sump diameter, maintenance of the actual opening size within the range cannot always be assured. Therefore, a sump receiver, sometimes called drain receiver should be specified with the drain to compensate for deck opening irregularities and provide proper support for the drain. The sump receiver is simply a thin steel ring with a wide, flat flange and depressed center opening into which the roof drain body flange fits, supported by the lip of the opening. In addition to easing the deck opening tolerance requirements, the sump receiver helps to distribute the weight of the drain over a broader surface of the deck. By placing the top of the drain flange at deck level where it should be, the sump receiver helps to avoid the dam-like effect created when the drain flange rests on top of the deck opening. Specify Suffix -B

ROOF DECKS ROOF DRAIN SECURING UNDERDECK CLAMPS

Proper roof drain support having been resolved through employment of the sump receiver, it becomes necessary to consider a practical method of securing the drain to the deck. If the drain is not in a "poured-in-place," thus secured, installation of an auxiliary securing means must be provided. The most effective and positive means available in response to this requirement is

the underdeck clamp (suffix -U). With the drain in place and the sump receiver on top of the deck, the underdeck clamp of circular configuration, surrounding the drain and connected piping, is brought to bear



against the bottom of the deck and drawn tightly in place with hardware provided. This in effect sandwiches the deck into a positive union with the drain. Thus secured into place, the roof drain becomes an integral component of the deck with assurance of installation stability and optimum performance in its role as entrance terminal of the roof drainage system. **Specify Suffix –U**

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

111



MIFAB Roof Drain Selection Guide (Cont'd)

ROOF DECKS EXPANSION AND CONTRACTION EXPANSION

Expansion and contraction, primarily caused by hot and cold environmental alternating conditions, are of particular concern with roof decks and topping materials. Accordingly, these opposing reactions are compensated for in the roof structure by strategically located expansion joints which yield to maintain integrity of the roofing system. Equally important in the preservation of integrity of the roofing system is the roof drain's connection to the drainage piping system. This must permit the drain, an integral component of the roof, to move with the roof during the expansion and contraction process without rupture of either the connection or the watertight bond of drain to roof. In response to this requirement, horizontal offsets in leader piping immediately below the drain connection, which provide a swing joint effect, are employed as are in some cases a side outlet. When bottom outlet roof drains are selected, flexible expansion joints should be used to compensate for expansion and contraction of the roof if the leader cannot be horizontally offset. Specify Series R1900 Vertical Expansion Joints.

ROOF DRAINS

APPLIED INSULATION ROOF DRAINS WITH ADJUSTABLE EXTENSION (DECK FLANGE)

The insulation layer, which is normally applied over the structural deck, merits consideration in the selection and specification of the roof drains.

A common practice has been to feather or taper the insulation layer down to meet the drain top at the structural deck level. This creates a sump surrounding the drain into which roof topping materials are brought for bonding with the drain



flange by means of the flashing clamp. Such sumps, or roof depressions at the drains, even though favored by some designers for their positive drainage aspects, have a downside as receptacles for debris with adverse effects to drainage and potential premature failure of the

drain-roof bond. To avoid these potential problems, an adjustable extension is placed on the structural deck level to accommodate various thicknesses of insulation. This avoids the necessity of tapering or feathering the insulation layer down to the fixed body flange level of the drain causing a loss of insulation value at the drain location. MIFAB accomplishes adjustment by installing a deck flange and supporting the roof drain body flush or slightly below the membrane level utilizing the HS-3 hardware set.

Specify Suffix -E.

PARAPETS

ROOF PERIMETER PROJECTIONS DRAINAGE

Parapets, normally building outer wall projections above roof elevation, serve important functions in building structure and architectural aesthetics. Parapets also act as barriers against water being swept off the roof during storms, a potentially hazardous condition to passersby and to the building walls themselves. However as an adjunct to the primary roof drainage system, drainage through the parapets at their roof level base or at a predetermined overflow elevation through proper drains or scuppers is recommended, for parapet base-roof level drainage. Specify Series R1300 or R1320 and for overflow drainage specify Series R1940.

ROOF DECKS (IRMA) INSULATED MEMBRANE ROOF DRAINS WITH EXTENSION BALLAST GUARD

The increased popularity of insulated roof membrane assembly (IRMA) type roof construction, sometimes referred to as inverted roof construction (because the membrane is under the insulation layer) has led to the development of roof drains equipped with ballast guards. The primary object of insulating the membrane is to protect it from damaging weather conditions thereby prolonging its integrity. In the roof membrane assembly, waterproof membrane is applied directly to the structural deck surface. Then specially designed insulation planks with drainage grooves are set in place on top of the membrane. Above this, a percolation layer of aggregate gravel is applied to secure the insulation, while permitting efficient

Design and dimensions are subject to modification. Prices do not include applicable taxes.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

MIFAB Roof Drain Selection Guide (Cont'd)

drainage away from the surface. With this arrangement of layers, rainfall quickly percolates through the gravel to the surface of the insulation layer from where over 90 percent gravitates to the roof drain and the balance finds its way between the insulation planks via the grooves to the roof drain. Thus with the bulk of the water arriving at the drain well above waterproof membrane elevation it is desirable to provide a ballast guard on the drain above structural deck level to screen out the undersized aggregate gravel that is carried through the gravel layer with the flowing water. Roof drains equipped with ballast guards are ideally suited for this application and should be specified for installation in all insulated roof membrane assembly type roofs. There are basically two schools of thought as to the proper location of the dome on ballast guard equipped roof drains. One suggests it be in its normal position assembled to the flashing clamp at structural deck level with the ballast guard surrounding the dome making for a dome recessed drain assembly. The other option is to place the

dome and its retaining ring on top of the ballast guard at the surface of the aggregate gravel layer The decision as to which type to specify remains with the engineer, as either type will function satisfactorily for the purpose intended.



ROOF DECKS ROOF DRAINS WITH WATER DAM

Sometimes, roofs are designed to contain a predetermined amount, thus depth, of water at all times for various reasons. Roof drains for installation in such roofs are equipped with a watertight open top collar either internal or external of the dome, with its flood level at the prescribed elevation above deck to serve as a dam to retain and maintain the desired amount of

water on the roof. Excess water, treated for drain purposes sizing rainfall, floods over the dam and is discharged into the roof drainage system in the normal manner. Specify suffix -R



ROOF DECKS OVERFLOW DRAINAGE

Most codes require that an overflow system be installed in the event of a blockage or surcharge

of the main storm drain system. This may be accomplished by installation of scupper drains (R1300) with downspout nozzles (R1940). Another method meet the code



requirement is install a completely separate with external water dams (R1200-R) or internal standpipes (R1200-W). MIFAB has developed a combination primary and secondary roof drain in one unit requiring a single deck opening. Specify R1150 Series or R1270 Series.

ROOF DECKS GUTTER AND BALCONY DRAINAGE GUTTER DRAINS

Drainage requirements for gutter and small roof areas, such as balconies and the like, are handled by small compact roof drains referred to as gutter drains. Such drains, owing to their compact size, can readily be installed in confined locations which otherwise may not be properly drained. Specify Series R1400 through R1420.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







MIFAB Rainfall Considerations for Roof Drains

Flat roof drainage is accomplished through a system of roof drains, vertical leaders, and horizontal storm drains sized and located in accordance with established criteria conformance with local plumbing and building codes. Therefore, when considering the design of a roof drainage system, it is recommended that local code authorities be consulted regarding the rainfall rate acceptable in their jurisdiction for design purposes. National rainfall rate information is provided in the chart below, listing rainfall rates

in inches per hour for selected cities. On the next page, is an isopluvial (equal or similar rainfall line) map based on data for a storm of one hour duration and a 100 year return period from the National Weather Service, National Oceanic and Atmospheric Administration, Washington, D.C. When the rainfall rate for the locale of the project has been resolved, sizing of the roof drains, leaders and horizontal drainage piping can proceed.

Rainfall Rates for Selected Cities (inches per hour)

Based on a storm of one hour duration and a 100 year return period. Source: National Weather Service, National Oceanic and Atmospheric Administration, Washington, DC.

ALABAMA		IDAHO		MICHIGAN		NORTH CAROL	INΛ	TEXAS	
	3.8	Boise	0.9	Alpena	2.5	Asheville.	4.1	Abilene	3.6
	3.6	Pocatello	1.2	Detroit	2.8	Charlotte	3.7	Amarillo	3.5
	3.6 4.6	ILLINOIS	1.2	Escabana	2.6		3.7	Brownsville	3.5 4.5
	4.0 4.2	Cairo	3.3			Greensboro	3.7		
Montgomery 4	4.2		3.0	Grand Rapids	2.8 2.8	Raleigh	3.7 4.2	Corpus Christi Dallas	4.5 4.0
	1.0	Chicago		Lansing	2.6	Wilmington NORTH DAKO		El Paso	2.4
	0.6	Peoria	3.1	Marquette	2.4				2.4 4.6
Juneau (0.0	Springfield	3.3	Sault Ste. Marie MISSISSIPPI	2.2	Bismarck	2.8 3.2	Houston	
	0.4	INDIANA	2.0		4.7	Fargo		Lubbock	3.3
	2.4 3.1	Evansville	3.2 2.9	Biloxi Columbus	4.7 3.9	Grand Forks	3.0 2.6	Odessa	3.2 4.2
1 9	3. i 2.5	Fort Wayne	3.1			Williston	2.0	San Antonio	
		Indianapolis		Jackson	4.0	OHIO Cincinnati	2.0	Tyler UTAH	3.9
ARKANSAS	1.6	South Bend Terre Haute	3.0 3.2	Natchez MISSOURI	4.4	Cleveland	3.0 2.8		1.6
	3.6	IOWA	3.2	Columbia	0.0	Columbus	2.8	Cedar City Salt Lake City	1.3
	3.6 3.7	Burlington	3.3	Kansas City	3.3 3.6	Toledo	2.8	VERMONT	1.3
	3. <i>1</i> 3.8	Davenport	3.3				2.6	Brattleboro	2.5
Texarkana 3 CALIFORNIA	5.0	Davenport Des Moines	3.5	St. Louis	3.3 3.4	Youngstown Zanesville	2.7		2.5
	1.4		3.3	Springfield MONTANA	3.4	OKLAHOMA		Burlington VIRGINIA	2.2
	1.4 1.5	Dubuque	3.6	_	1.9	Oklahoma City	3.8		2.7
	-	Sioux City KANSAS	3.0	Billings	-	- · · · · · · · · · · · · · · · · · · ·		Bristol	2.7
	1.1 2.1		3.3	Havre Helena	1.6 1.5	Tulsa OREGON	3.8	Charlottesville Norfolk	2.9 3.4
		Atwood			-		4 4		
	1.6	Dodge City	3.4	Missoula	1.3	Medford	1.4	Richmond	3.3
	1.6	Topeka	3.7	NEBRASKA	0.5	Pendleton	1.0	Roanoke	3.2
	1.3	Wichita	3.7	Grand Island	3.5	Portland	1.3	WASHINGTO	
	1.5	KENTUCKY	0.0	Omaha	3.8	PENNSYLVANI		Bellingham	1.1
COLORADO	0.4	Ashland	3.0	Sidney	3.2	Erie	2.6	Seattle	1.1
	2.4	Bowling Green	3.2 3.1	Valentine	3.2	Harrisburg	2.8	Spokane	1.0
	1.8	Lexington		NEVADA	4.4	Philadelphia	3.1	Yakima WEST VIRGINI	1.0
	1.7	Louisville	3.2	Carson City	1.1	Pittsburgh	2.6		
	2.5	Middlesboro	2.8	Elko	1.0	Scranton	2.7 2.6	Charleston	2.8
CONNECTICUT		Paducah	3.3	Las Vegas	1.5	Williamsport		Elkins	2.7
	2.7	LOUISIANA Peter Peuge	4.0	NEW HAMPSHI		RHODE ISLAN	ט 2.6	Parkersburg	2.8
	2.8	Baton Rouge	4.8 4.7	Berlin	2.5	Providence		WISCONSIN	
DELAWARE	0.0	Lake Charles		Claremont	2.5	SOUTH CAROLI		Ashland	2.5
	3.0	New Orleans	4.8	Portsmouth	2.4	Charleston	4.3	Eau Claire	3.0
	3.1	Shreveport	3.9	NEW JERSEY		Columbia	4.0	Green Bay	2.5
DISTRICT OF		MAINE	0.0	Atlantic City	3.0	Greenville	4.2	La Crosse	3.1
COLUMBIA	2.0	Bangor	2.2	Newark	3.1	SOUTH DAKO		Madison	3.0
	3.2	Caribou	2.0	Trenton	3.1	Aberdeen	3.3	Milwaukee	3.0
FLORIDA	4.0	Portland	2.4	NEW MEXICO		Pierre	3.2	WYOMING	4.0
	4.3	MARYLAND	2.0	Albuquerque	2.0	Rapid-City	2.9	Casper	1.9
	4.3	Baltimore	3.2	Hobbs	3.0	Sioux Falls	3.6	Cheyenne	2.2
	4.7	Hagerstown	2.8	Las Cruces	2.0	TENNESSEE		Rock Springs	1.3
	4.6	Salisbury	3.1	Santa Fe	2.0	Chattanooga	3.5	Sheridan	1.7
	4.5	MASSACHUSET	_	NEW YORK	0.0	Knoxville	3.2	Yellowstone Park	1.4
GEORGIA	0.7	Boston	2.5	Albany	2.6	Memphis	3.7		
	3.7	New Bedford	2.6	Binghamton	2.3	Nashville	3.3		
	3.9	Pittsfield	2.8	Buffalo	0.0				
	4.3	Springfield	2.7	2.3New York	3.0				
	4.3			Syracuse	2.3				
HAWAII									
	-			Watertown	2.2				
Hilo 6	6.2 3.0			Watertown	2.2				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049





Sunday, January 01, 2012 8:55:54 PM



Sizing and Placement of MIFABRoof Drains

As a first step in the sizing procedure it will be necessary to determine the quantity and placement of the drains required for the roof. Even though there are a number of opinions regarding roof areas that can be effectively drained by one drain, it is recognized that for minimized ponding with adequate drainage, two roof drains are required for roof areas of 10,000 square feet or less, and at least one drain is required per 10,000 square feet of area for larger roofs. Individual judgement will be necessary when considering quantity and placement of drains on roofs where shape and size of sections may require departure from the 10,000 square feet per drain recommendation. replacement of drains, uniform distribution is desirable for proper roof drainage. Locating drains within 50 feet of the roof perimeter and no more than 100 feet apart is acceptable practice. Also, careful consideration of roof structural members, dividers, expansion joints, and other projections including rooftop equipment is essential in planning the roof drainage system for adequate drainage of each area of the roof Consultation with the architect and structural engineer regarding roof details is recommended.

RAINFALL CONVERSION: INCHES PER HOUR TO GPM

For sizing purposes, rainfall-which is expressed in inches per hour, (in the following calculation) - is converted to gallons per minute per square foot of

roof area. A one (1) inch per hour rainfall converts to .0104 GPM per square foot. For any given rainfall, multiply the inches per hour by .0104 to arrive at the GPM per square foot of roof area. Then multiply that figure by the square feet of roof area to be drained to arrive at the total gallons per minute to be handled by the drainage system.

For example: consider a 4-inch per hour rainfall on a 10,000 square foot roof:

0.0104x4x 10,000 = 416 GPM

Roof Drain Sizing: Other Considerations

OVERFLOW DRAINAGE

Overflow scuppers and drains, as essential components of the roof drainage system, are employed to prevent potentially damaging overloading of roof structures. They must be installed in conformance with local codes. Generally, scuppers are installed in adjacent parapet walls no more than 5 inches above the low point of the roof at a ratio of at least one scupper per 20,000 sq. ft. of roof area. Overflow drains of the same size as the roof drains having above roof inlet elevation as specified by code, connected to drain lines independent from the roof drains, may be installed in lieu of scuppers.

VERTICAL WALLS

Finally, vertical walls that project above and permit storm water to drain on the roof area to be drained must be considered when planning the roof drainage system. An acceptable rule to follow in sizing roof drains, leaders, and horizontal drainage piping is to add one half of the area of any vertical wall that diverts rainwater to the roof to the projected area of that roof. By multiplying the area thus obtained by the GPM/sq. ft. conversion of inches per hour rainfall, the new total GPM discharge requirement is determined for the roof.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









ROOF DECKS VENT STACKS VENT CAPS

Even though vent stack and stack vent terminals extending above roof deck level are components of the sanitary drainage system of the building, they are included for consideration in this section because of roof penetration and roof level maintenance requirements. Vents maintain the air-hydraulic balance of the building's sanitary drainage system and in serving that purpose must be maintained open for positive circulation; i.e., the escape of gas and intake of fresh air. Because of the vent terminals exposure to the elements above the roof, it is vulnerable to fouling by various means-leaves, twigs, bird nests, etc., that somehow have a tendency to become lodged therein. To preclude this undesirable condition protective vent caps that permit free circulation of air while protecting the vent terminal against fouling are recommended.

Specify Series R1940.

ROOF DECKS VANDALISM VANDAL PROOFING

Because of their "out of building" rooftop location, the exposed components of the roof drainage system, particularly roof drain domes and grates, are subject to vandalism. This is especially true on having easy access. Domes are occasionally removed and at times flung over the roof edge to the detriment of any unfortunate person below. Also, drains congested with debris are rendered useless. To avoid these unlawful damaging circumstances, vandal proofing of roof drain domes and grates is recommended. Vandal proofing is accomplished by securing these components to their fixed mating parts with vandal proof screws or bolts which require special tools, available only to authorized maintenance personnel, for application and removal.

Specify Suffix -6.

Introduction Controlled Flow Roof Drainage

In the early 1960's, the pervasive industrialization of the post war boom lead to a new problem for plumbing engineers. As more industrial parks, malls, entertainment facilities, factories and warehousing were built, the load on the local storm sewer system due to extensive paved areas surrounding these buildings for parking as well as their own extensive square footage of roof created an unprecedented demand. Where rain once fell on undeveloped land, and was subsequently absorbed or abated by natural drainage, it now fell on pavement, where no absorption factor meant the total rainfall for vast new areas now had to be conducted by municipal storm sewer systems. To avoid overtaxing the local systems, engineers began to be design flat roofs with controlled flow roof drains. Instead of just getting rid of the rain as fast as it fell, the idea was conceived of using the roof itself as a reservoir from which water could be drained off gradually after a storm abated, thus sparing the storm sewer from being overwhelmed. Roofs could then be built with 6" parapets to not only store the rainwater, but also act as wind break against miniature waves that might be caused on the reservoir in high winds with consequent spillage. On buildings with greater than 6" parapets, scupper drains had to be installed at the 5" level to guard against overloading should the drain system fail.

The Heart of the Controlled Flow Roof Drainage System, The Accuflow Weir



In order to use the roof as a reservoir, it was necessary to design a system where the rate of flow was easily determined for any possible rainfall conditions. The problem is that the rate of flow naturally varies exponentially with the depth of stored water on the roof (a.k.a. head pressure). This made the calculations necessary to design a roof top rain storage system very difficult. The answer was to design a flow control weir with a parabolic opening which would make the flow off the roof linear instead of exponential. This meant that once a constant linear flow rate was

decided, a weir was designed to admit water to the system at only this fixed rate. The MIF AB system uses a fixed rate of 5 U.S. G.P.M. per inch of water.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA








ACCUFLOW CONTROLLED FLOW ROOF DRAIN SYSTEM

INAN UNREGULATED SYSTEM, FLOW IS EXPONENTIALLY PROPORTIONAL TO DEPTH OF RAINWATER ON THE ROOF, AND QUICKLY REACHES THE SATURATION POINT OF THE SYSTEM.

IN AN CONTROLLED SYSTEM, FLOW IS LINEARLY PROPORTIONAL TO DEPTH OF RAINWATER ON THE ROOF AND GRADUALLY DRAINS WITHOUT OVERLOADING THE STORM SEWER SYSTEM.



THE SPECIALLY DESIGNED PARABOLIC OPENING OF THE ACCUTROL WEIR CREATES A CONSTANT FLOW OF RAINWATER THAT INCREASES PROPORTIONATELY AT A RATE OF 5 GPM PER INCH OF STANDING WATER UP TO 30GPM ON THE R1200 SERIES AND 15 GPM ON THE



Controlled Flow Roof Drainage: Design Considerations.

Three main considerations must guide the design of a controlled flow roof drainage system:

- 1. It must drain quickly enough to avoid the weight of water building to the point of being an architectural
- 2. It must drain slowly enough to prevent overloading the sewage system with the consequent risk of flooding or pollution or both.
- 3. It must drain down in a reasonable time to minimize the risk of freezing in low temperatures.

To meet these requirements, regional rainfall values had to be carefully considered. From these values, it is possible to calculate the number of gallons per minute (GPM) need to be drained to ensure the buildup in the worst conditions did not exceed a depth of three inches. The consideration of the worst conditions had to be determined from government statistics. The figures used were compiled by the Meteorological Branch of the Department of Transport. The information was combined to produce values that would predict the worst conditions that one could expect over a period of time, in this case ten, twenty -five and fifty years. He -five and fifty years. Hence the

expression, "ten year rain" or "fifty year rain".

As well, there are also the local building codes, which specify drain down time (in hours) and maximum head of water on the roof in inches. The maximum drain down time has been determined to be 30 hours to eliminate the possibility of freezing. A constant rate of flow makes it possible, with the use of our Area Selection Table, to quickly determine the number of drains needed for any size of roof where this value is known.

Controlled Flow Roof Drainage:Factors that can effect Roof Drain Sizing &Position.

Where a roof area is surrounded by vertical walls, some consideration must be given to the volume of rainwater that these walls might add to the total volume to be drained under "driving rain" conditions:

- 1. One wall: Add 50% of wall area
- Two walls:Add 35% of wall area
- 3. Two walls opposite of differing heights: Add 50% of the difference in wall area of that part which extends above the lower wall.
- 4. Walls on three sides: Add 50% of the inner wall area above the top of the lowest wall(s).

Other Factors to consider:

- 5. Drains should be located with preference to the downwind side of the roof. In a storm, it is not uncommon for the rainwater level to differ significantly from one side to another due to the effects of high winds.
- 6. Drains should not be located at columns or other high spots.
- 7. Rooftop mechanical equipment shall be installed with proper allowances for the "ponding" a control flow roof drain system will create.
- Parapets should be high enough to prevent spillage or worse, for in winter there is the danger of ice or snow blowing off the road that must be considered.

Controlled Flow Roof Drainage: Sizing Procedure.

- Determine the roof area(s) (individual areas when the roof is divided by expansion joints, parapet walls, control joints, etc.) to be drained making the allowances for any of the factors (above) which may effect the total square footage of the roof.
- Follow the location and placement guidelines for conventional roof drains as found on the next pages (viii & ix), allowing no more than 50 ft. from an edge, no more than 100 ft. apart, and a maximum square footage of 10,000 per drain, etc.
- Calculate the number of weirs. Divide the total square footage by the area factor (from chart below) for the location of the roof. If the number of weirs is greater than the number of drains from step B, add 2-slot weirs to roof drains as necessary, starting with the drains closest to the downwind edges of the roof. If the number of weirs is fractional, round up. If the number of weirs is less than the number of drains, every drain should still be equipped with a one slot weir.
- Based on the slope and area to be drained by each weir , the maximum flow from all the drains on the roof (see chart below) can be added together to determine vertical leader sizing and horizontal storm sewer requirements.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049


Sunday, January 01, 2012 8:32:48 PM



MIFAB Typical Roof Drain Installations


R1200-EU

Roof Drain with adjustable deck flange for varying thicknesses of insulation. Type of roof illustrated would have the waterproofing membrane above the insulation and below the ballast. (See Page R13)



R1200-HC

Roof Drain with adjustable cast iron iron ballast and insulation guard. Used with Insulated Roof Membrane Assembly (IRMA) type roofs. An adjustable slotted extension serves to retain ballast on a flat roof and slots are sized to pass fines. (See Page R16)




R1200-P-BU

Promenade Roof Drain with sump receiver and adjustable collar to easily position grate to roof surface elevation. Type of roof illustrated shows pedestrian tile roof deck above an insulated precast concrete slab. (See Page R6 or R18)



R1300 or R1320

Scupper Drain with flat or angle grate and flashing clamp grate frame. For installation at the base of parapets. Specify (-1) for Nickel Bronze or (-50) for cast iron. Available with 45° or 90° outlet. (See Page R35-38)



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

Sunday, January 01, 2012 8:33:08 PM



QUICK GUIDE TO GENERAL ROOF DRAIN SIZING

CHARTS A and B

As an aid to the sizing and placement of MIFAB roof drains, please refer to Charts A and B, which give leader and horizontal storm drain capacities at various slopes, with capacities in GPM and maximum projected roof areas in square feet in each case. It will be noted that a 6-inch leader, thus 6-inch drain, will be indicated by the preceding example. The horizontal storm drain required, depending on slope, would be 6 or 8 inch. However, remembering that two drains are recommended for areas of 10,000 square feet or less, it would be advisable to select smaller drains with total capacity of 416 GPM or more. The maximum projected roof areas in Charts A and B are based on the flow capacity of each pipe size shown. The total of the projected flows from the vertical leaders will determine the size and slope of the horizontal storm sewer required in chart B.

Vertical leader capacity in GPM with maximum serviceable roof area in square feet based on various anticipated hourly rainfall rates.

VERTICAL LEADER SIZ RAINFALL INCHES CAI PER HOUR		ROOF AREA Square Feet 1	ROOF AREA Square feet 2	ROOF AREA Square feet 3	ROOF AREA Square feet 4	ROOF AREA Square Feet 5	ROOF AREA Square feet 6
2	30	2880	1440	960	720	575	480
3	92	8800	4400	2930	2200	1760	1470
4	192	18400	9200	6130	4600	3680	3070
6	563	11600	27000	17995	13500	10800	9000
8	1208	116000	58000	38660	29000	23200	19315

CHART B:

Horizontal storm drain capacity in GPM for slopes given with maximum serviceable roof area in square feet based on system capacity.

	1/8 INCH PER	FOOT SLOPE	1/4 INCH PE	R FOOT SLOPE	1/2 INCH PER FOOT SLOPE		
DRAIN Pipe Size (inches)	DRAIN Capacity (GPM)	MAXIMUM ROOF AREA (SQUARE FEET)	DRAIN Capacity (GPM)	MAXIMUM ROOF AREA (SQUARE FEET)	DRAIN Capacity (GPM)	MAXIMUM ROOF AREA (SQUARE FEET)	
3	34	822	48	1160	69	1644	
4	78	1880	110	2650	157	3760	
5	139	3340	197	4720	278	6680	
6	223	5350	315	7550	446	10700	
8	479	11500	679	16300	958	23000	
10	863	20700	1217	29200	1725	44100	
12	1388	33300	1958	47000	2775	66600	
15	2479	59500	3500	84000	4958	81900	

ROOF DRAIN SIZING - EXAMPLE

A warehouse is being built in a geographical area where the maximum hourly rainfall (from rainfall map) is 2.8 inches per hour. The building will be 200' x 400' and have a flat roof with no appreciable vertical surface.

Roof Drainage System Layout indicated by the sizing example.

CALCULATIONS:

- Total area to be drained (200 x 400) 80,000 Sq. ft.
- Number of drains required (From sizing rule, one drain per 10,000 sq. Ft)
- Rainfall conversion from in. per hour GPM 2330 (0.0104 x 2.8 x 80,000)
- Expected flow from drain 292 (GPM + number of drains) (2330 ÷8)
- Size of leader (from Chart A) 6 inch vertical
- Size of horizontal storm sewers (from Chart B 1/4/ foot slope, combined flow of vertical leaders 8,10,12,15, inches

Visit www.mifab.com for the most recent product information.

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

100' 200


50'



R1100 **SERIES**

STANDARD ROOF DRAIN

R1100 SERIES



LACQUERED	LACQUERED CAST IRON BODY WITH:								
MODEL NO.									
R1102, 3, 4	7.00	2", 3", 4"	\$322.00	\$322.00					

5"	3"			2 5/8	3"	6 7/8"	
6"	3 1/2"	6 7/8	3"				
PARTS	S A1 E	BODY	A ²	1-PD		HS-1	A1-C3

R11	00, R1100-EU, R1100-F, and R1100-G SERIES (PTIONAL VA	RIATIONS:	CONTIN	UE 🕒 🕨			
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-6	Vandal proof (Metal dome only) (H-1029)	\$ 69.00	-30	PVC socket connection body*(2", 3", 4")	No Add			
-11	Acid resistant epoxy(Excluding polydome)	\$ 464.00	-31	ABS socket connection body*(2", 3", 4")	No Add			
-12	Galvanized metal dome	\$ 87.00	-81	Rough bronze dome add (A1-MD-81)	\$ 202.00			
-12A	Galvanized body and membrane clamp	\$ 120.00	-83	Stainless steel mesh screen over dome (A1-SSD)	\$ 213.00			
-13	Galvanized body, membrane clamp and dome	\$ 207.00	-90	Threaded side outlet (2",3",4") (N/A in -30,-31)	\$ 132.00			
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00	-B	Sump Receiver add (A1-BP)	\$ 156.00			
* Add	* Add NH to -90 for no hub side outlet - No Add * PVC/ABS Socket bodies available for 2", 3", 4" connection sizes							

NOTE: Contact MIFAB for underdeck clamp for A1-4X-7, A1-4P-7 and all 5" outlet A1 bodies. (Part # A1-C3-4PO). Underdeck dump not available with 6" outlet bodies.

R1100-EU ROOF DRAIN FOR INSULATED ROOF DECK

R1100-EU SERIES

SELF LOCKING POLY DOME STRAINER (A1-PD)WITH 43 IN FREE AREA Ø8 HARDWARE SET (HS-1) 5 1/2" MEMBRANE CLAMP AND GRAVEL STOP 5.5 SERRATED ANCHOR FLANGE SEE BODY HEIGHT CHART EAR 0.5 ADJUSTABLE CAST IRON EXTENSION DECK FLANGE (A1-C3) (SUFFIX -E) BODY HEIGHT (SEE CHART) UNDERDECK CLAMP (A1-C3) SUFFIX (-U) & HARDWARE A1 BODY SET (HS-3) PIPE SIZE (SEE CHART) 2",3",4", 5", 6" NO HUB OUTLET (STANDARD) DECK OPENING 6 3/8" WITH SUMP RECEIVER 8 1/2"(216)

PARTS

_	-
	-
	1
_	-
	_
-	•
_	=
	=
	4
	• 1
	-
_	=
	9
	٠,
	-
=	4
	_

SERIES

LACQUERED CAST IRON BODY WITH: MODEL WT OUTLET POLY DOME METAL DOME Lbs. SIZE (STANDARD) (-M) **R1102, 3, 4-EU** 11.50 2", 3", 4" \$ 619.00 \$ 619.00 Design and dimensions are subject to modification. Prices do not include applicable taxes.

A1 BODY HS-3 A1-PD Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

P120

EAR 0.5

BODY HEIGHT (SEE CHART)

0.7

5 1/2"

HEIGHT CHART

OPPOSITE

A1 BODY

R1100-F SERIES ROOF DRAIN WITH PARABOLIC FLOW CONTROL WEIR

R1100-F **SERIES** SELF LOCKING POLY DOME STRAINER (A1-PD)WITH 43 IN²FREE AREA Ø8 FLOW CONTROL WEIR WITH PARABOLIC OPENING(S)* Ø5 MEMBRANE CLAMP AND GRAVEL STOP

(A1-C3) SERRATED ANCHOR **FLANGE** HARDWARE SET

(OPTIONAL) UNDERDECK CLAMP (A1-C3) SUFFIX (-U) AND HARDWARE SET (HS-3)

PIPE SIZE (SEE CHART)

*5 GPM flow per inch, per slot.

2",3",4", 5", 6" NO HUB OUTLET (STANDARD) DECK OPENING 6 3/8" WITH SUMP RECEIVER 8 1/2" (216)

LACQUERED (LACQUERED CAST IRON BODY WITH:							
MODEL No.	WT Lbs.	OUTLET SIZE	POLY DOME (Standard)	METAL DOME (-M)				
R1102, 3, 4-F	9.75	2", 3", 4"	\$ 583.00	\$ 583.00				

PARTS	* NOTE: SPECIFY -F1, -F2, -F3 FOR REQUIRED NUMBER OF WEIR OPENIN						
A1 BODY	A1-PD	HS-1	A1-C3	A1-F* WEIR			
		TTT		A			

R1100, R	00, R1100-EU, R1100-F AND R1100-G SERIES OPTIONAL VARIATIONS CONTINUED FROM PAGE 120					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-C	Secondary clamp (A1-C3)	\$ 90.00	-U	Underdeck clamp (A1-C3)	\$ 90.00	
-E	Adjustable extension	\$ 207.00	-W	Adjustable water dam (W-31)	\$ 117.00	
-EG	Galvanized adjustable extension	\$ 414.00	-W-1	Waterproofing flange (A1-W-1)	\$ 179.00	
-F1,-F2,-F3	Accuflow (parabolic weir)(A1-F1,A1-F2,or A1-F3)	\$ 261.00	-Z	Extended wide flange on body (13" Dia. x 1/8" thick)	\$ 799.00	
-G	Ballast guard (A1-BG)	\$ 281.00	Х	Inside caulk outlet (2", 3", 4")	No Add	
-JC	Ballast guard with secondary clamp	\$ 371.00	5	5" No hub outlet	\$ 335.00	
-M	Metal dome (A1-MD)	No Add	5T	5" threaded outlet	\$ 335.00	
-P	Push on outlet	No Add	5X	5" Inside caulk outlet	\$ 335.00	
-R	2" External water dam (A1-WD)	\$ 117.00	6	6" No hub outlet (Not available with -U)	\$ 335.00	
T	Threaded outlet (2", 3", 4")	\$ 47.00	6P	6" Push on outlet* (Not available with -U)	\$ 335.00	

^{*} Specify POG-6 for 6" C.I. pipe and POG-6-PVC for 6" PVC pipe. 2", 3", 4" sizes use same gasket.

R1100-G SERIES ROOF DRAIN WITH BALLAST GUARD FOR I.R.M.A. ROOFS

6" HIGH STAINLESS STEEL Ø 8.2 BALLAST GUARD (A1-BG) WITH 1/2" HOLES TO PASS SEDIMENT BUT NOT BALLAST SELF LOCKING POLY DOME STRAINER (A1-PD)WITH 43 IN²FREE AREA 6.2 5.5 **HARDWARE SET (HS-1) EAR 0.5** MEMBRANE CLAMP AND GRAVEL STOP (A1-C3) BODY HEIGHT (SEE CHART) SERRATED ANCHOR FLANGE A1 BODY PIPE SIZE (SEE CHART) (OPTIONAL) UNDERDECK Ø7

2",3",4" CLAMP (A1								SUFFIX (-U) E SET (HS-3)
	DECK OP							
								PARTS
	LACQUERED CAST IRON BODY WITH:							A1 BODY
	MODEL No.	WT Lbs.	OUTLET SIZE	POLY DOME (STANDARD)	MI	ETAL DOME (-M)		
	R1102, 3, 4-G	8.00	2", 3", 4"	\$ 603.00	\$	603.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

A1-C3

A1-PD

A1-BG

SERIES

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

6" OR SPECIFY

SEE BODY


HEIGHT CHART OPPOSITE



R1100-JC ROOF DRAIN WITH S.S. BALLAST GUARD FOR I.R.M.A. ROOFS

R1100-JC SERIES

SERIES



LACQUERED CAST IRON BODY WITH:							
MODEL No.	WT Lbs.	OUTLET Size	POLY DOME (STANDARD)	METAL DOME (-M)			
R1102, 3, 4-JC	10.50	2", 3", 4"	\$ 693.00	\$ 693.00			

PARTS				
A1 BODY	A1-PD	A1-C3	HS-3	A1-BG
		(X3)		


R110	O-JC, R1100-PR, R1100-PJ, and R1100-RS SERIES OPTION	IAL VARIATIONS	3:	CONTIN	JE 🕒 🕨
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (Metal dome only)(H-1029)	\$ 69.00	-30	PVC socket connection body*(2", 3", 4")	No Add
-11	Acid resistant epoxy (Excluding polydome)	\$ 464.00	-31	ABS socket connection body*(2", 3", 4")	No Add
-12	Galvanized metal dome	\$ 87.00	-81	Rough bronze dome(A1-MD-81)	\$ 202.00
-12A	Galvanized body and membrane clamp	\$ 120.00	-83	Stainless steel mesh screen over dome (A1-SSD)	\$ 213.00
-13	Galvanized body, membrane clamp and dome	\$ 207.00	-90	Threaded side outlet (2",3",4") (N/A in -30,-31)	\$ 132.00
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub only)	\$ 734.00	-B	Sump Receiver (A1-BP)(A1-BP-90 for	
				R1100-90 Series, \$277.00)	\$ 156.00
* Add	NH to -90 for no hub side outlet - No Add		* P'	VC/ABS Socket bodies available for 2", 3", 4" connec	tion sizes

NOTE: Contact MIFAB for underdeck clamp for A1-4X-7, A1-4P-7 and all 5" outlet A1 bodies. (Part # A1-C3-4PO). Underdeck dump not available with 6" outlet bodies.

R1100-PR PROMENADE DECK DRAIN

R1100-PR SERIES

SERIES



LACQUERED CAST IRON BODY WITH:							
MODEL No.	WT Lbs.	OUTLET SIZE	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)		
R1102, 3, 4-PR	15.50	2", 3", 4"	\$ 499.00	\$ 759.00	\$ 759.00		

A1 BODY A1-C1 HS-1 F1420-TA-4

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

122

ROOF DRAINS

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales sub


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



R1100-PJ SERIES PROMENADE DECK DRAIN WITH S.S. BALLAST GUARD

R1100-PJ

SERIES



LACQUERED CAST IRON BODY WITH:							
MODEL No.	WT Lbs.	OUTLET SIZE	DUCTILE IRON (-4)	NICKEL BRONZE (VENEER) (-1)	STAINLESS STEEL (VENEER) (-3)		
R1102, 3, 4-PJ	20.50	2", 3", 4"	\$ 788.00	\$1040.00	\$1040.00		

	x2	
A1-C2	HS-3	


R1100-JC,	R1100-JC, R1100-PR, R1100-PJ, and R1100-RS SERIES OPTIONAL VARIATIONS(CONTINUED FROM PAGE 122):					
SUFFIX	DESCRIPTION	DESCRIPTION LIST PRICE SUFFIX		DESCRIPTION	LIST PRICE	
-C	Secondary clamp (A1-C3)	\$ 90.00	-U	Underdeck clamp (A1-C3)	\$ 90.00	
-E	Adjustable extension	\$ 207.00	-W	Adjustable water dam (W-31)	\$ 117.00	
-EG	Galvanized adjustable extension	\$ 414.00	-W-1	Waterproofing flange (A1-W-1)	\$ 179.00	
-F1,-F2,-F3	Accuflow (parabolic weir) (R1100-JC ONLY)	\$ 261.00	-Z	Extended wide flange on body (13"Dia. x 1/8 thick)	\$ 799.00	
-G	Ballast guard (A1-BG)	\$ 281.00	χ	Inside caulk outlet	No Add	
-JC	Ballast guard with secondary clamp (not with R 1100-PJ)	\$ 371.00	5	5" No hub outlet	\$ 335.00	
-M	Metal dome	No Add	5T	5" threaded outlet	\$ 335.00	
-P	Push on outlet	No Add	5X	5" Inside caulk outlet	\$ 335.00	
-R	2" External water dam (A1-WD)	\$ 117.00	6	6" No hub outlet (Not available with -U)	\$ 335.00	
T	Threaded outlet (2", 3", 4")	\$ 47.00	6P	6" Push on outlet* (Not available with -U)	\$ 335.00	

^{*} Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe 2", 3", 4" sizes use same gasket.

R1100-RS SERIES CONDENSATE RECEPTOR DRAIN

R1100-RS

SERIES



	LACQUERED CAST IRON BODY WITH:						
	MODEL No.	WT Lbs.	OUTLET Size	CAST IRON DOME (-M)			
Ī	R1102, 3, 4-RS	9.00	2", 3", 4"	\$ 359.00			

R1100-RS OPTIONAL VARIATIONS: SUFFIX DESCRIPTION LIST PRICE \$ 265.00 Nickel bronze dome strainer (part # K-1) -3 Stainless steel dome strainer (part # K-3) \$ 265.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


R1100-90 SERIES



* IAIILWD


R1100-90 ROOF DRAIN WITH SIDE OUTLET

SERIES



A1-2,	3, 4-90-NH
7	
-	600

ADD SUFFIX - NH FOR OPTIONAL NO HUB OUTLET NO ADD.



BODY HEIGHT							
PIPE SIZE*	A	В					
2" NH* or T	2 15/16"	3 7/8"					
3" NH* or T	3"	4 3/8"					
4" NH* or T	3 1/4"	6"					

LACQUERED CAST IRON BODY WITH:						
MODEL WT THREADED POLY DOME METAL DOME NO. Lbs. Outlet Size (Standard) (-M)						
R1102. 3. 4-90	11.50	2". 3". 4"	\$ 432.00	\$ 432.00		

PARTS + 2", 3", 4" THREADED OUTLET

A1-(†)T-90	A1-PD	A1-C3	HS-1

NOTE: Specify part number A1-C3-CO for underdeck clamp with cutaway side

R1150 SERIES

COMBINED ROOF DRAIN AND SECONDARY OVERFLOW SYSTEM

R1150 SERIES

SELF LOCKING METAL DOME STRAINER (A1-MD) WITH 43 In² FREE AREA
5 ½" 2 ½" 2 ½"
2", 3", 4"_ NO HUB OUTLETS (STANDARD) 9"
MEMBRANE CLAMP AND 10 1/2" X 19" INTEGRAL CAST GRAVEL STOP (A1-C3) IRON SUMP RECEIVER

R1100-90 SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE				
-6	Vandal proof (Metal dome only)(H-1029)	\$ 69.00				
-11	Acid resistant epoxy (Excluding polydome)	\$ 464.00				
-12	Galvanized metal dome	\$ 87.00				
-12A	Galvanized body and membrane clamp	\$ 120.00				
-13	Galvanized body, membrane clamp and dome	\$ 207.00				
-81	Rough bronze dome(A1-MD-81)	\$ 202.00				
-83	Stainless steel mesh screen over dome (A1-SSD)	\$ 213.00				
-B	Sump Receiver (A1-BP-90 for R1100-90 Series)	\$ 277.00				
-C	Secondary clamp (A1-C3)	\$ 90.00				
-E	Adjustable extension	\$ 207.00				
-EG	Galvanized adjustable extension	\$ 414.00				
-F1,-F2,-F3	Accuflow (parabolic weir)	\$ 261.00				
-G	Ballast guard (A1-BG)	\$ 281.00				
-JC	Ballast guard with secondary clamp (not with R 1100-PJ)	\$ 371.00				
-M	Metal dome	No Add				
-R	2" External water dam (A1-WD)	\$ 117.00				
-U	Underdeck clamp (A1-C3)	\$ 90.00				
-W	Adjustable water dam (W-31)	\$ 117.00				
-W-1	Waterproofing flange (A1-W-1)	\$ 179.00				
-Z	Extended wide flange on body (13"Dia. x 1/8 thick)	\$ 799.00				

Note: For the -SPEC model, dimensions are $24"\log x\ 12"$ wide with 12" between center of outlets.

R1150 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Vandal proof (Metal domes only)	\$ 138.00	-83	Stainless steel mesh screen over domes (A1-SSD)	\$ 426.00		
-11	Acid resistant epoxy (Excluding polydomes)	\$ 928.00	-G	Ballast guards (A1-BG)	\$ 562.00		
-12	Galvanized metal domes	\$ 174.00	-SPEC	Loose set galvanized sheet metal sump receiver	No Add		
-13	All galvanized	\$ 242.00	-U	Underdeck clamps (A1-C3) (Only with -SPEC)	\$ 180.00		

* R1270 Recommended when a 6" outlet is required.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

124

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






MPB-2012-USA

R1200 **SERIES**

R1200 SERIES LARGE SUMP ROOF DRAIN



LACQUERED CAST IRON BODY WITH:							
MODEL NO.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON DOME (-M)			
R1202, 3, 4	26.50	2", 3", 4",	\$428.00	\$557.00			
R1205, 6	27.75	5", 6"	\$614.00	\$743.00			
R1208	31.00	8"	\$798.00	\$927.00			

DOME RECEIVER, UNDERDECK CLAMP & EXTENSION RING GUIDE DOME UNDERDECK **EXTENSION RING BODY & OUTLET** SUMP CLAMP SIZE **RECEIVER*** & HARDWARE RECEIVER A2-2"-6" A2-C3* A2-C3 A2-C3 & HS-3 A2-BP A2-90-2"-4" A2-C3* A2-C3-C0 A2-C3 & HS-3 A2-BP-90 A2-C3* A2-8NH A368-DC A368-DC & HS-3 A2-BP A7-8X A2-C3* | A7-UDC-10 | A7-UDC-10 & HS-3 A7-BP

- **PARTS**
- * Requires HS-2 hardware except A7-C3 that uses HS-7 hardware set.
- * Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.







A2-C3



HS-1

	BODY HEIGH	BODY HEIGHT A2 BODY BASED ROOF DRAINS						
	PIPE SIZE	NO HUB (Standard)	PUSH ON (P)	THREADED "T"	INSIDE CAULK (X)	PVC/ABS (-30/-31)		
	2"	5 3/4"	5 1/2"	6 1/2"	6 1/2"	6 3/4"		
	3"	5 3/4"	5 1/2"	6 5/8"	6 1/2"	7 1/2"		
	4"	5 3/4"	5 1/2"	5 1/2"	6 1/2"	7 5/8"		
	5"	5 3/4"	-	6 5/8"	6 3/4"	-		
A2 BODY	6"	7 1/4"	5 5/8"	5 5/8"	6 1/2"	-		
72 5051	8"	5 7/8"	-	-	See note*	-		



A2-90 BODY HEIGHT			
PIPE SIZE	"B" BODY Height	"A" DIMENSION Threaded Outlet	"A" DIMENSION No hub outlet
2"	5 3/4"	4"	7/8"
3"	5 3/4"	3 1/2"	7/8"
4"	5 3/4"	3 3/8"	7/8"

	RIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (Metal dome only)(H-1029)	\$ 75.00	-HC	Adj. ballast guard with secondary clamp	\$ 622.00
-11	Acid resistant epoxy (Excluding polydome)	\$ 824.00	-JC	Ballast guard with secondary clamp	\$ 622.00
-12	Galvanized metal dome	\$ 220.00	M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$ 149.00
-12A	Galvanized body and membrane clamp	\$ 582.00	-P	Push on outlet, £",3",4",6") Specify POG-6 for C.I. pipe	
-12B	Galvanized metal dome and membrane clamp	\$ 400.00		and POG-6-PVC for PVC pipe 2", 3", 4" use same gasket.	No Add
-13	Galvanized body, membrane clamp and dome	\$ 827.00	-R	2" external water dam (A2-WD)	\$ 141.00
-28	Stainless steel body (Type 304)	\$2180.00	T	Threaded outlet, 2",3",4",6")	\$ 47.00
-30	PVC socket connection body*(2", 3", 4")	No Add	-U	Underdeck clamp (A2-C3)	\$ 146.00
-31	ABS socket connection body*(2", 3", 4")	No Add	-U3	Underdeck clamp with cut away side (A2-C3-C0)	\$ 146.00
-81	Rough bronze dome (A2-MDL-81)	\$ 502.00	-V	Fixed extension, (2",3",4") (A2-V2, A2-V3, A2-V4)	\$ 400.00
-83	Stainless steel mesh screen over dome (A2-SSD)	\$ 305.00	-VG	Galvanized fixed extension, 2",3",4")	\$ 605.00
-90	Threaded side outlet (cast iron only) (2",3",4") (N/A in -30,-31)	\$ 223.00	-W	Adjustable water dam (5" high x 4"diameter) (W-31)	\$ 536.00
-90-NH	No hub side outlet (cast iron only) (2",3",4")(N/A in -30,-31)	\$ 223.00	-W-1	Water proofing flange (A2-W-1)	\$ 268.00
-B	Sump receiver (A2-BP)	\$ 164.00	-W2	2" internal water dam (2" high x 4" diameter) (A2-C3-W and W-31)	\$ 255.00
-C	Secondary clamp (A2-C3)	\$ 146.00	-W3	3" internal water dam (3" high x 4" diameter) (A2-C3-W and W-31)	\$ 255.00
-E	Adjustable extension (See page 108, point #7)	\$ 452.00	-W4	4" internal water dam (4" high x 4" diameter) (A2-C3-W and W-31)	\$ 255.00
-EG	Galvanized adjustable extension	\$ 652.00	Χ	Inside caulk outlet, £",3",4" ,6")	No Add
-F1,-F2,-F3	Accuflow (parabolic weir) (A2-F1, A2-F2, A2-F3)	\$ 745.00	-Z	Extended wide flange on body (20"Dia. x 1/4 thick)	\$ 799.00
-G	Ballast guard (A2-BG)	\$ 476.00		<u> </u>	
Note: Deck	ppening - 10" (254) with sump receiver - 15 3/4" (400)		* PVC/AB	S Socket bodies available for 2", 3", 4" connection size	S

Note: Deck opening - 10" (254) with sump receiver - 15 3/4" (400) Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






SUMP BODY

R1200-BUV LARGE SUMP ROOF DRAIN WITH 2" THROUGH 4" FIXED EXTENSION, SUMP RECEIVER AND DECK CLAMP R1200-BUV SERIES

SERIES



LACQUERED CAST IRON BODY WITH:							
MODEL NO.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON DOME (-M)			
R1202, 3, 4-BUV	41.50	2", 3", 4",	\$1138.00	\$1267.00			
R1205, 6-BUV	44.25	5", 6"	\$1324.00	\$1453.00			
R1208-BUV	46.50	8"	\$1508.00	\$1637.00			

(*) Denotes fixed extension height (2", 3" or4") (**) Denotes hardware size 4 for V2, 5 for V3 or 6 for V4 **PARTS** A2 BODY A2-PD A2-V(*) A2-C3 A2-V-PG HS-1

R1200-BUV, R1200-EU, R1200-F, AND R1200-G SERIES OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Vandal proof (Metal dome only) (H-1029)	\$ 75.00	-30	PVC socket connection body*(2", 3", 4")	No Add		
-11	Acid resistant epoxy (Excluding polydome)	\$ 824.00	-31	ABS socket connection body*(2", 3", 4")	No Add		
-12	Galvanized metal dome	\$ 220.00	-81	Rough bronze dome (A2-MDL-81)	\$ 502.00		
-12A	Galvanized body and membrane clamp	\$ 582.00	-83	Stainless steel mesh screen over dome (A2-SSD)	\$ 305.00		
-12B	Galvanized metal dome and membrane clamp	\$ 400.00	-90	Threaded side outlet (cast iron only)(2",3",4") (N/A in -30,-31)	\$ 223.00		
-13	Galvanized body, membrane clamp and dome	\$ 827.00	-90-NH	No hub side outlet (cast iron only)(2",3",4") (N/A in -30,-31)	\$ 223.00		
-28	Stainless steel body (Type 304)	\$2180.00	-B	Sump receiver (A2-BP) (Incl. with BUV)	\$ 164.00		

*See next page for more options

LARGE SUMP ROOF DRAIN WITH EXTENSION FOR 1 3/4" TO 7" INSULATION R1200-EU SERIES R1200-EU

125 IN²FREE AREA DOME SELF LOCKING POLYDOME STRAINER (A2-PD) **HARDWARE** SET (HS-1) 7 1/2" SEE BODY HEIGHT CHART PAGE 125 **DEEP SUMP** A2 BODY

EXTENSION DECK FLANGE (A2-C3)(SUFFIX-E) UNDERDECK CLAMP (A2-C3) SUFFIX (-U) AND HARDWARE SET (HS-3)

> **PARTS** A2 BODY

ADJUSTABLE CAST IRON

MEMBRANE CLAMP AND

GRAVEL STOP (A2-C3) SERRATED ANCHOR

FLANGE

A2-PD

Ø 8.4 Ø15.0 7.5 10 BODY HEIGHT (SEE CHART) E. æ T PIPE SIZE (SEE CHART)

Ø 13.5

2",3",4", 5", 6", 8" NO HUB OUTLET (STANDARD)

LACQUERED CAST IRON BODY WITH:							
MODEL No.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON DOME (-M)			
R1202, 3, 4-EU	32.00	2", 3", 4",	\$1026.00	\$1155.00			
R1205, 6-EU	34.25	5", 6"	\$1212.00	\$1341.00			
R1208-EU	36.0	8"	\$1396.00	\$1525.00			

x3 Visit www.mifab.com for the most recent product information.

A2-C3

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free 1-800-465-2736, Fax 773-341-3049

HS-1

HS-3

S

ROOFDRAM

SERIES

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



LACQUERED CAST IRON BODY WITH:

OUTLET

SIZE

2", 3", 4"

POLY DOME

(STANDARD)

\$1173.00


WT

MODEL

NO.

R1202, 3, 4-F 26.00

R1200-F SERIES LARGE SUMP ROOF DRAIN WITH PARABOLIC FLOW CONTROL WEIR R1200-F **SERIES**



D) P	0 GP ER S
CAST IRON DOME	PAF

(-M)

\$1302.00


Ø 13.5 Ø 8 4 2 5/16" (59) WIDE SERRATED MEMBRANE 7.5 **CLAMP AND GRAVEL STOP** (A2-C3) (OPTIONAL) UNDERDECK CLAMP (A2-C3) SUFFIX (-U) _0.7 AND HARDWARE SET (HS-3) BODY HEIGHT (SEE CHART) Ø15.0 PIPE SIZE (SEE CHART) PM FLOW PER INCH, SLOT

PANIS				
A2 BODY	A2-PD	A2-C3	HS-1	A2-F* WEIR
			777	A
(*) Denotes number	er of slots in weir (1, 2 or 3)		

R1200-BU	V, R1200-EU, R1200-F, AND R1200-G SERIES OPT	TIONAL VARIATIO	NS/ (CONTI	INUED FROM PAGE 126):	
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-C	Secondary clamp (A2-C3)	\$ 146.00	-U	Underdeck clamp (A2-C3) (Incl. wich BUV)	\$ 146.00
-E	Adjustable extension (see page 108, point #7)	\$ 452.00	-U3	Underdeck clamp with cut away side (A2-C3-C0)	\$ 146.00
-EG	Galvanized adjustable extension	\$ 652.00	-V	Fixed extension, (2",3",4") (A2-V2, A2-V3-A2-V4)	\$ 400.00
-F1,-F2,-F3	Accuflow (parabolic weir) (A2-F1,A2-F2 or A2-F3)	\$ 745.00	-VG	Galvanized fixed extension, 2",3",4")	\$ 605.00
-G	Ballast guard (A2-BG)	\$ 476.00	-W	Adjustable water dam (5" high x 4" diameter) (W-31)	\$ 536.00
-HC	Adj. ballast guard with secondary clamp	\$ 622.00	-W-1	Water proofing flange (A2-W-1)	\$ 268.00
-JC	Ballast guard with secondary clamp	\$ 622.00	-W2	2" internal water dam (A2-C3-W and W-31)	\$ 255.00
M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$ 149.00	-W3	3" internal water dam (A2-C3-W and W-31)	\$ 255.00
-P	Push on outlet, 2 ",3",4" ,6")*	No Add	-W4	4" internal water dam (A2-C3-W and W-31)	\$ 255.00
-R	2" external water dam (A2-WD)	\$ 141.00	Х	Inside caulk outlet 2",3",4",6")	No Add
T	Threaded outlet, £",3",4",6")	\$ 47.00	-Z	Extended wide flange on body (20" Dia. x 1/4" thick)	\$ 799.00

^{*} Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe 2", 3", 4" sizes use same gasket.

R1200-G SERIES LARGE SUMP ROOF DRAIN WITH BALLAST GUARD FOR I.R.M.A. ROOFS R1200-G



LACQUERED CAST IRON BODY WITH:								
MODEL No.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON DOME (-M)				
R1202, 3, 4-G	21.00	2", 3", 4"	\$ 904.00	\$1033.00				
R1205, 6-G	23.00	5", 6"	\$1090.00	\$1219.00				
R1208-G	25.00	8"	\$1274.00	\$1403.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

PARTS A2 BODY A2-PD A2-C3 HS-1 A2-BG

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

SERIES




P127



R1200-HC LARGE SUMP ROOF DRAIN WITH ADJUSTABLE BALLAST GUARD FOR IRMA ROOFS R1200-HC

SERIES

SERIES



LACQUERED CAST IRON BODY WITH:								
MODEL No.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON DOME (-M)				
R1202, 3, 4-HC	44.50	2", 3", 4"	\$1050.00	\$1179.00				
R1205, 6-HC	46.50	5", 6"	\$1236.00	\$1365.00				
R1208-HC	9.00	8"	\$1420.00	\$1549.00				

PARTS				
A2 BODY	A2-PD	A2-C3	A2-H	HS-3
		(x2)	M	
HQ_1				

HS-1	

R1200-HC, R1200-JC, R1200-PR AND R1200-PR15 SERIES OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Vandal proof (Metal dome only) (H-1029)	\$ 75.00	-30	PVC socket connection body*(2", 3", 4")	No Add		
-11	Acid resistant epoxy (Excluding polydome)	\$ 824.00	-31	ABS socket connection body*(2", 3", 4")	No Add		
-12	Galvanized metal dome	\$ 220.00	-81	Rough bronze dome (A2-MDL-81)	\$ 502.00		
-12A	Galvanized body and membrane clamp	\$ 582.00	-83	Stainless steel mesh screen over dome (A2-SSD)	\$ 305.00		
-12B	Galvanized metal dome and membrane clamp	\$ 400.00	-90	Threaded side outlet (cast iron only) (2,"3,"4") (N/A in 30,-31)	\$ 223.00		
-13	Galvanized body, membrane clamp and dome	\$ 827.00	-90-NH	No hub side outlet (cast iron only) (2,"3,"4) (N/A in 30,-31)			
-28	Stainless steel body (Type 304)	\$ 2180.00	-B	Sump receiver (A2-BP)	\$ 164.00		

*See next page for more options

R1200-JC LARGE SUMP ROOF DRAIN WITH S.S. BALLAST GUARD FOR I.R.MA. ROOFS R1200-JC SERIES

125 IN²FREE AREA DOME SELF LOCKING POLYDOME Ø 8.4 STRAINER (A2-PD) HARDWARE SET (HS-3) MEMBRANE CLAMP AND **GRAVEL STOP (A2-C3) 6" HIGH STAINLESS STEEL** 7.5 BALLAST GUARD (A2-BG) WITH 1/2" HOLES TO PASS 7 1/2" SEDIMENT BUT NOT BALLAST **SERRATED ANCHOR** FLANGE 6" OR Ø0.5 SPECIFY (OPTIONAL) UNDERDECK 6.0 CLAMP (A2-C3) SUFFIX (-U)
AND HARDWARE SET Ø 15.0 (HS-3) **HEIGHT CHART BODY HEIGHT** (SEE CHART) 10 2",3",4", 5", 6", 8" NO HUB OUTLET (STANDARD)

LACQUERED CAST IRON BODY WITH:							
MODEL No.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON DOME (-M)			
R1202, 3, 4-JC	28.00	2", 3", 4",	\$1050.00	\$1179.00			
R1205, 6-JC	30.00	5", 6"	\$1236.00	\$1365.00			
R1208-JC	32.00	8"	\$1420.00	\$1549.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

PARTS A2 BODY

A2-PD

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

A2-BG

HS-3

SERIES

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

A2-C3






R1200-PR SERIES LARGE SUMP PROMENADE DECK DRAIN

R1200-PR

SERIES




LACQUERED	LACQUERED CAST IRON BODY WITH:										
MODEL No.	WT Lbs.	OUTLET SIZE	DUCTILE IRON (-4)		DUCTILE IRON WITH STAINLESS STEEL (VENEER) (-3)						
R1202, 3, 4-PR	52.75	2", 3", 4"	\$ 730.00	\$1342.00	\$1342.00						
R1205, 6-PR	55.00	5", 6"	\$ 916.00	\$1528.00	\$1528.00						
R1208-PR	57.00	8"	\$1100.00	\$1712.00	\$1712.00						

PARTS	(*) Denotes strainer	finish (-1, -3 o r- 4)
A2 BODY	F1440-TA-(*)	A2-C3	HS-1

R1200-HC, R1200-JC, R1200-PR, AND R1200-PR15 SERIES OPTIONAL VARIATIONS CONTINUED FROM PAGE 128):							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-C	Secondary clamp (A2-C3)	\$ 146.00	-U	Underdeck clamp (A2-C3)	\$ 146.00		
-E	Adjustable extension (see page 108, point #7)	\$ 452.00	-U3	Underdeck clamp with cut away side (A2-C3-C0)	\$ 146.00		
-EG	Galvanized adjustable extension	\$ 652.00	-V	Fixed extension, (2",3",4")(A2-V2,A2-V3,A2-V4)	\$ 400.00		
-F1,-F2,-F3	Accuflow (parabolic weir) (R1200-HC and R1200-JC only)	\$ 745.00	-VG	Galvanized fixed extension, £",3",4")	\$ 605.00		
-G	Ballast guard (A2-BG)	\$ 476.00	-W	Adjustable water dam (5" high x 4" diameter)	\$ 536.00		
-HC	Adj. ballast guard with secondary clamp	\$ 622.00	-W-1	Water proofing flange (A2-W-1)	\$ 268.00		
-JC	Ballast guard with secondary clamp	\$ 622.00	-W2	2" internal water dam (A2-C3-W and W-31)	\$ 255.00		
M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$ 149.00	-W3	3" internal water dam (A2-C3-W and W-31)	\$ 255.00		
-P	Push on outlet, 2 ",3",4" ,6")*	No Add	-W4	4" internal water dam (A2-C3-W and W-31)	\$ 255.00		
-R	2" external water dam (A2-WD)	\$ 141.00	Х	Inside caulk outlet £",3",4" ,6")	No Add		
T	Threaded outlet, 2",3",4",6")	\$ 47.00	-Z	Extended wide flange on body (20" Dia .x 1/4 thick)	\$ 799.00		

^{*} Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe 2", 3", 4" sizes use same gasket.

LARGE SUMP PROMENADE DECK DRAIN WITH 15 SQUARE TOP R1200-PR15 **R1200-PR15** SERIES **SERIES**



LACQUERED CA	LACQUERED CAST IRON BODY WITH:					
MODEL No.	WT Lbs.	OUTLET SIZE	DUCTILE IRON (-4)		DUCTILE IRON WITH STAINLESS STEEL (VENEER) (-3)	
R1202, 3, 4-PR15	69.00	2", 3", 4"	\$1212.00	\$1822.00	\$1822.00	
R1205, 6-PR15	71.00	5", 6"	\$1398.00	\$2008.00	\$2008.00	
R1208-PR15	73.00	8"	\$1582.00	\$2192.00	\$2192.00	

PARTS (*) Denotes strainer finish (-1, -3 or- 4) **A2 BODY** F1460-TA-(* A2-C3 HS-1

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





SERIES

R1200-R LARGE SUMP ROOF DRAIN WITH EXTERNAL 2" HIGH WATER DAM R1200-R SERIES

125 IN²FREE AREA DOME SELF LOCKING POLYDOME STRAINER (A2-PD) 13' Ø 13.5 Ø 8.4 **COMBINED 2" HIGH EXTERNAL WATER DAM** (A2-WD) AND MEMBRANE CLAMP 7.5 HARDWARE SET(HS-1) 7 1/2" (OPTIONAL) UNDERDECK CLAMP (A2-C3) SUFFIX (-U) AND HARDWARE SET 2.2" BODY HEIGHT (SEE CHART) (HS-3) HEIGHT CHART **PAGE 125** A2 DEEP SUMP BODY PIPE SIZE (SEE CHART) 2",3",4", 5", 6", 8" NO HUB OUTLET (STANDARD)

LACQUERED CAST IRON BODY WITH:				
MODEL NO.	WT Lbs.	OUTLET SIZE	POLY DOME (STANDARD)	CAST IRON (-M)
R1202, 3, 4-R	21.50	2", 3", 4",	\$569.00	\$ 698.00
R1205, 6-R	24.00	5", 6"	\$755.00	\$ 884.00
R1208-R	26.75	8"	\$939.00	\$1068.00

A2 BODY	A2-PD	A2-WD	HS-1	PARTS

R1200-R	R1200-R AND R1200-RS SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (Metal dome only)(H-1029)	\$ 75.00	-E	Adjustable extension (See page 108, point #7)	\$ 452.00
-11	Acid resistant epoxy (Excluding polydome)	\$ 824.00	-EG	Galvanized adjustable extension	\$ 652.00
-12	Galvanized metal dome	\$ 220.00	-G	Ballast guard (A2-BG)	\$ 476.00
-12A	Galvanized body and membrane clamp	\$ 582.00	-HC	Adj. ballast guard with secondary clamp	\$ 622.00
-12B	Galvanized metal dome and membrane clamp	\$ 400.00	-JC	Ballast guard with secondary clamp	\$ 622.00
-13	Galvanized body, membrane clamp and dome	\$ 827.00	M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$ 149.00
-28	Stainless steel body (Type 304)	\$2180.00	-P	Push on outlet, £",3",4" ,6") Specify POG-6 for C.I. pipe	
-30	PVC socket connection body*(2", 3", 4")	No Add		and POG-6-PVC for PVC pipe 2", 3", 4" use same gasket.	No Add
-31	ABS socket connection body*(2", 3", 4")	No Add	T	Threaded outlet, £",3",4" ,6")	\$ 47.00
-81	Rough bronze dome (A2-MDL-81)	\$ 502.00	-U	Underdeck clamp (A2-C3)	\$ 146.00
-83	Stainless steel mesh screen over dome (A2-SSD)	\$ 305.00	-U3	Underdeck clamp with cut away side (A2-C3-C0)	\$ 146.00
-90	Threaded side outlet (cast iron only) (2",3",4") (N/A in -30,-31)	\$ 223.00	-W-1	Water proofing flange (A2-W-1)	\$ 268.00
-90-NH	No hub side outlet (cast iron only) (2",3",4")(N/A in -30,-31)	\$ 223.00	Х	Inside caulk outlet, (2",3",4",6")	No Add
-B	Sump receiver (A2-BP)	\$ 164.00	-Z	Extended wide flange on body (20"Dia. x 1/4 thick)	\$ 799.00
-C	Secondary clamp (A2-C3)	\$ 146.00			

R1200-RS LARGE SUMP ROOF DECK CONDENSATE RECEPTION DRAIN

R1200-RS SERIES

COMBINED 2" HIGH
EXTERNAL WATER DAM
(A2-WD) AND MEMBRANE
CLAMP
HARDWARE SET (HS-1)

DOME STRAINER

(OPTIONAL) UNDERDECK
CLAMP (A2-C3) SUFFIX (-U)
AND HARDWARE SET
(HS-3)

A2 DEEP
SUMP BODY
HEIGHT CHART
PAGE 125

DECK OPENING 10" WITH SUMP RECEIVER 15 3/4"

LACQUERED CAST IRON BODY WITH:					
MODEL NO.	ODEL NO. WT Lbs. OUTLET SIZE POLY DOME (STANDARD)				
R1202, 3, 4-RS	22.00	2", 3", 4",	\$569.00		
R1205, 6-RS	23.00	5", 6"	\$755.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes.

2",3",4", 5", 6", 8" NO HUB OUTLET (STANDARD)

Visit www.mifab.com for the most recent product information.

A1-PD

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

130

SERIES

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

PARTS A2 BODY

1011 F166 1-000-405-2750, F2




R1200-SO SERIES EXTRA DEEP SUMP, DUAL OUTLET ROOF DRAIN

R1200-SO **SERIES**

LACQUERED CA					
MODEL WT NO. Lbs.		"A" PIPE "B" Size		LIST Price	
R1203-S0	60.00	3"	5 9/16"	\$1765.00	
R1204-S0	60.00	4"	5 9/16"	\$2028.00	
R1206-S0	60.00	6"	5"	\$2131.00	

R1200-S0 SEF	R1200-SO SERIES OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE				
-6	Vandal proof (H-1029)	\$ 75.00				
-11	Acid resistant epoxy	\$ 824.00				
-12	Galvanized metal dome	\$ 220.00				
-12A	Galvanized body and membrane clamp	\$ 582.00				
-12B	Galvanized metal dome and membrane clamp	\$ 400.00				
-13	Galvanized body, membrane clamp and dome	\$ 827.00				
-45	45 Degree sewer line connection outlet	No Add				
-83	Stainless steel mesh screen over dome	\$ 305.00				
-B	Sump receiver (A2-BP)	\$ 164.00				
-DU	Fabricated, powder epoxy coated steel dome on overflow pipe 3", 4"	\$ 730.00				
-DU-6	Fabricated, powder epoxy coated steel dome on overflow pipe 6"	\$1115.00				
-G	Ballast guard (A2-BG)	\$ 476.00				
-MS	Stainless steel mesh screen on overflow pipe	\$ 226.00				
-0P	2" high overflow pipe	No Add				
-U	Underdeck clamp (A2-C3)	\$ 146.00				
-V	Fixed extension (2", 3", 4") (A2-V2, A2-V3, A2-V4)	\$ 400.00				




Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



R1200-W LARGE SUMP ROOF DRAIN WITH ADJUSTABLE INTERNAL STANDPIPE DAM R1200-W SERIES

SERIES




R1200-W AN	D R1200-Z SERIES OPTIONAL VARIATIONS				
SUFFIX	SUFFIX DESCRIPTION		SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (Metal dome only) (H-1029)	\$ 75.00	-G	Ballast guard (A2-BG)	\$ 476.00
-11	Acid resistant epoxy (Excluding polydome)	\$ 824.00	-HC	Adj. ballast guard with secondary clamp	\$ 622.00
-12	Galvanized metal dome	\$ 220.00	-JC	Ballast guard with secondary clamp	\$ 622.00
-12A	Galvanized body and membrane clamp	\$ 582.00	M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$ 149.00
-12B	Galvanized metal dome and membrane clamp	\$ 400.00	-P	Push on outlet, (2",3",4",6") Specify POG-6 for C.I. pipe	No Add
-13	Galvanized body, membrane clamp and dome	\$ 827.00	-R	2" external water dam (A2-WD) (R1200-Z only)	\$ 141.00
-28	Stainless steel body (Type 304)	\$2180.00	T	Threaded outlet, (2",3",4",6")	\$ 47.00
-30	PVC socket connection body* (2", 3", 4")	No Add	-U	Underdeck clamp (A2-C3)	\$ 146.00
-31	ABS socket connection body* (2", 3", 4")	No Add	-U3	Underdeck clamp with cut away side (A2-C3-C0)	\$ 146.00
-81	Rough bronze dome (A2-MDL-81)	\$ 502.00	-V	Fixed extension, (2",3",4") (A2-V2, A2-V3 or A2-V4)	\$ 400.00
-83	Stainless steel mesh screen over dome (A2-SSD)	\$ 305.00	-VG	Galvanized fixed extension, (2",3",4")	\$ 605.00
-90	Threaded side outlet (cast iron only), 2",3",4")(N/A in - 30,- 31)	\$ 223.00	-W	Adjustable water dam (5" high x 4" Diameter) (W-31) (R1200-Z only)	\$ 536.00
-90-NH	No hub side outlet (cast iron only), 2",3",4") (N/A in -30,-31)	\$ 223.00	-W-1	Water proofing flange (A2-W-1)	\$ 268.00
-B	Sump receiver (A2-BP) (A2-BP-90 for R1200-90 Series)	\$ 164.00	-W2	2" internal water dam (A2-C3-W and W-31)(R1200-Z only)	\$ 255.00
-C	Secondary clamp (A2-C3)	\$ 146.00	-W3	3" internal water dam (A2-C3-W and W-31)(R1200-Z only)	\$ 255.00
-E	Adjustable extension(see page 108, point #7)	\$ 452.00	-W4	4" internal water dam (A2-C3-W and W-31)(R1200-Z only)	\$ 255.00
-EG	Galvanized adjustable extension	\$ 652.00	Х	Inside caulk outlet (2",3",4",6")	No Add
-F1,-F2,-F3	Accuflow (parabolic weir) (A2-F1, A2-F2, A2-F3) (R1200-Z only)	\$ 745.00	-Z	Extended wide flange on body (20" dia. x 1/4"thick)(R1200-W only)	\$ 799.00

R1200-Z LARGE SUMP DEXOTEX ROOF DRAIN WITH WIDE DECK FLANGE FOR LIQUID MEMBRANE ROOF

R1200-Z

SERIES



Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

P132



R1200-90 SERIES LARGE SUMP ROOF DRAIN WITH SIDE OUTLET

R1200-90





ADD SUFFIX - NH FOR OPTIONAL NO HUB OUTLET NO ADD

LACQUERED CAST IRON BODY WITH:					
MODEL NO.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON (-M) Dome	
R1202, 3, 4-90	28.50	2", 3", 4"	\$651.00	\$780.00	

BODY HEIGHT				
PIPE	"B" BODY	"A" DIMENSION	"A" DIMENSION	
Size	Hight	Threaded Outlet	No hub outlet	
2" (51)	5 3/4" (146)	4 3/8" (111)	3 5/8" (92)	
3" (76)	5 3/4" (146)	3 3/4" (95)	2 3/4" (70)	
4" (102)	5 3/4" (146)	3 1/4" (83)	3" (76)	

PARTS

* Specify 2", 3", or 4" THREADED SIDE OUTLET BODY

R1200-90 SERIES OPTIONAL VARIATIONS					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (Metal dome only) (H-1029)	\$ 75.00	-G	Ballast guard (A2-BG)	\$ 476.00
-11	Acid resistant epoxy (Excluding polydome)	\$ 824.00	-HC	Adj. ballast guard with secondary clamp	\$ 622.00
-12	Galvanized metal dome	\$ 220.00	-JC	Ballast guard with secondary clamp	\$ 622.00
-12A	Galvanized body and membrane clamp	\$ 582.00	M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$ 149.00
-12B	Galvanized metal dome and membrane clamp	\$ 400.00	-R	2" external water dam (A2-WD)	\$ 141.00
-13	Galvanized body, membrane clamp and dome	\$ 827.00	-U3	Underdeck clamp with cut away side (A2-C3-C0)	\$ 146.00
-28	Stainless steel body (Type 304)	\$2180.00	-V	Fixed extension, (2",3",4") (A2-V2, A2-V3 or A2-V4)	\$ 400.00
-81	Rough bronze dome (A2-MDL-81)	\$ 502.00	-VG	Galvanized fixed extension, (2",3",4")	\$ 605.00
-83 -B	Stainless steel mesh screen over dome (A2-SSD) Sump receiver (A2-BP-90 for R1200-90 Series)	\$ 305.00 \$ 164.00	-W	Adjustable water dam (5" high x 4" Diameter) (W-31)	\$ 536.00
			-W-1	Water proofing flange (A2-W-1)	\$ 268.00
-C	Secondary clamp (A2-C3)	\$ 146.00	-W2	2" internal water dam (A2-C3-W and W-31)	\$ 255.00
-E	Adjustable extension(see page 108, point #7)	\$ 452.00	-W3	3" internal water dam (A2-C3-W and W-31)	\$ 255.00
-EG	Galvanized adjustable extension	\$ 652.00	-W4	4" internal water dam (A2-C3-W and W-31)	\$ 255.00
-F1,-F2,-F3	Accuflow (parabolic weir) (A2-F1, A2-F2, A2-F3)	\$ 745.00	-Z	Extended wide flange on body (20" dia. x 1/4"thick)	\$ 799.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







R1220 **SERIES**

MEDIUM SUMP ROOF DRAIN

R1220 SERIES





LACQUERED CAST IRON BODY WITH:						
MODEL No.	WT Lbs.	OUTLET SIZE (NO HUB STANDARD)	CAST IRON DOME (-M)			
R1222, 3, 4, 6	26.50	2", 3", 4",6"	\$380.00			

R1220-EU MEDIUM SUMP EXTENSION ROOF DRAIN FOR 1 3/4" TO 7" INSULATION R1220-EU SERIES

SERIES 71.50 In² FREE AREA DOME 4 3/8 A5 BODY

OUTLET SIZE (SEE CHART)

(SEE CHART)

DOME (STANDARD) (A5-MD) MEMBRANE CLAMP, DOME RECEIVER AND GRAVEL STOP (A5-C3) HARDWARE SET (HS-1)

SELF LOCKING CAST IRON

ADJUSTABLE CAST IRON EXTENSION DECK FLANGE (A5-C3) (SUFFIX -E) UNDERDECK CLAMP (A5-C3) SUFFIX (-U) AND HARDWARE SET (HS-3)

HS-3 0000

PARTS



A5-MD



A5 BODY



A5-C3



LACQUERED CAST IRON BODY WITH:							
	MODEL WT No. Lbs.		OUTLET SIZE (NO HUB STANDARD)	CAST IRON DOME (-M)			
	R1222, 3, 4, 6-EU	26.50	2", 3", 4",6"	\$776.00			

R1220, R12	220-EU, R1220-G, R1220-JC, R1220-PR, R1220-R AND R1220-RS SERIES OPTIO		CONTINU		
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (Metal dome only) (H-1029)	\$ 69.00	-83	Stainless steel mesh screen over dome	\$ 282.00
-11	Acid resistant epoxy	\$ 618.00	-B	Sump receiver (A5-BP)	\$ 156.00
-12	Galvanized metal dome	\$ 77.00	-C	Secondary clamp (A5-C3)	\$ 90.00
-12A	Galvanized body and membrane clamp	\$ 201.00	-E	Adjustable extension (See page 108, point #7)	\$ 306.00
-13	Galvanized body, membrane clamp and dome	\$ 238.00	-EG	Galvanized adjustable extension	\$ 645.00

See next page for more options

A5-MD

PARTS


R1220-G MEDIUM SUMP ROOF DRAIN WITH BALLAST GUARD FOR IRMA ROOFS

R1220-G SERIES

A5 BODY

SERIES

HEIGHT (SEE CHART)



LACQUERED CAS	T IRON RO	DV WITH:		1
MODEL NO.	WT Lbs.	OUTLET SIZE (NO HUB STANDARD)	CAS	ST IRON DOME (-M)
R1222, 3, 4, 6-G	32.00	2", 3", 4",6"	\$	760.00

A5 BODY HEIGHT CHA	A5 BODY HEIGHT CHART						
PIPE SIZE	NO HUB (Standard)	INSIDE CAULK (X)					
2"	6 1/2"	6.575"					
3"	6 1/2"	6.575"					
4"	6 1/2"	6.575"					
6"	6 1/2"	6.575"					

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MIFAB


R1220-JC MEDIUM SUMP DRAIN WITH STAINLESS STEEL BALLAST GUARD



MEDIUM SUMP PROMENADE DECK DRAIN

R1220-PR

SERIES



*Denotes Strainer finish (-1,-3 or -4)




LACQUERED CAST IRON BODY WITH:					
MODEL No.	WT Lbs.	OUTLET SIZE	CAST IRON DOME (-M)		
R1222,3,4,6-JC	21.00	2",3",4",6"	\$ 850.00		

PARTS	A5 BODY	F1440-TA-(*)

LACQUERED	ACQUERED CAST IRON BODY WITH:						
MODEL WT OUTLET DUCTILE IRON NICKEL BRONZE STAINLESS S							
NO.	Lbs.	SIZE	(-4)	(VENEER) (-1)	(VENEER) (-3)		
R1222,3,4,6-PR	53.00	2",3",4",6"	\$ 656.00	\$ 1105.00	\$ 1105.00		


R1220, R12	R1220, R1220-EU, R1220-G, R1220-JC, R1220-PR, R1220-R AND R1220-RS SERIES OPTIONAL VARIATIONS:							
SUFFIX	SUFFIX DESCRIPTION LIST PRICE			DESCRIPTION	LIST PRICE			
-G	Ballast guard (A5-BG)	\$ 380.00	-U3	Underdeck clamp with cut away side (A5-C3-U)	\$ 90.00			
-HC	Adjustable ballast guard with secondary clamp	\$ 470.00	-W-1	Water proofing flange (A5-W-1)	\$ 268.00			
-JC	Ballast guard with secondary clamp	\$ 470.00	Х	Inside caulk outlet (2",3",4",6")	No Add			
-R	2" external water dam (A5-WD)	\$ 117.00	-Z	Extended wide flange on body (20" dia. x 1/4" thick)	\$ 799.00			
-U	Underdeck clamp (A5-C3)	\$ 90.00						

R1220-R MEDIUM SUMP ROOF DRAIN WITH INTEGRAL 2" WATER DAM



MEDIUM SUMP ROOF DECK CONDENSATE RECEPTOR DRAIN





A5 BODY	A5-MD	A5-WD	HS-1
			111

LACQUERED CAST IRON BODY WITH:					
MODEL No.	WT Lbs.	OUTLET SIZE	CAST IRON DOME (-M)		
R1222,3,4,6-R	21.00	2",3",4",6"	\$ 497.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

A5 BODY A1-PD A5-WD HS-1

LACQUERED (LACQUERED CAST IRON BODY WITH:					
MODEL	WT	OUTLET	POLY DOME			
NO.	Lbs.	SIZE	(STANDARD)			
R1222,3,4,6-RS	28.00	2",3",4",6"	\$436.00			

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

ROOF DRAINS

P135

Sunday, January 01, 2012 8:42:21 PM



R1250 SERIES

EXTRA DEEP SUMP ROOF DRAIN

R1250 SERIES



(SEE A3 BODY NOTE ON PAGE 67)


A3 BODY HEIGHT										
PIPE Size	NO HUB (Standard)	PUSH ON (P)	THREADED "T"	INSIDE CAULK (X)	PVC / ABS (-30 / 31)					
2"	12" 3/4'	12 3/4"	11 1/2"	12"	12 1/8"					
3"	12" 3/4"	12 3/4"	11 7/8"	12"	12 3/8"					
4"	12" 3/4"	12 3/4"	11 7/8"	12"	12 3/8"					
5"	12"	-	11 7/8"	15 1/8"	-					
6"	12"	15 7/8"	-	-	-					

LACQUERED CAST IRON BODY WITH:									
MODEL No.	WT Lbs.	OUTLET Size	POLY DOME (Standard)	CAST IRON DOME (-M)					
R1252,3,4	35.00	2",3",4"	\$1358.00	\$ 1487.00					
R1255,6	35.00	5",6"	\$1557.00	\$ 1686.00					

R1250 AM	ND R1260 SERIES OPTIONAL VARIATIONS:	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
SUFFIX	DESCRIPTION	R1250			R1250
-6	Vandal proof (metal dome only) (H-1029)	\$ 75.00	-M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$149.00
-11	Acid resistant epoxy (excluding polydome)	\$824.00	P	Push on outlet (2",3",4")	No Add
-12	Galvanized metal dome	\$220.00	-R	2" external water dam (A2-WD)	\$141.00
-12B	Galvanized metal dome and membrane clamp	\$400.00	T	Threaded outlet (2",3",4")	\$ 47.00
-13	All galvanized	\$1068.00	-U	Underdeck clamp (A368-DC)	\$146.00
-30	PVC Socket connection (2",3",4")	No Add	-V	Fixed extension, 2"-4"	\$400.00
-31	ABS Socket connection (2",3",4")	No Add	-VG	Galvanized fixed extension, (2",3",4")	\$605.00
-81	Rough bronze dome (A2-MDL-81)	\$502.00	-W	Adjustable water dam (5" high x 4" DIA.) (W-31)	\$536.00
-83	Stainless steel mesh screen over dome (A2-SSD)	\$305.00	-W-1	Water proofing flange (A2-W1)	\$268.00
-B	Sump Receiver (A2-BP)	\$164.00	-W2	2" internal water dam (W-31, 2" high)	\$255.00
-C	Secondary clamp (A2-C3)	\$146.00	-W3	3" internal water dam (W-31, 3" high)	\$255.00
-E	Adjustable extension (See page 108, #7)	\$452.00	-W4	4" internal water dam (W-31, 4" high)	\$255.00
-EG	Galvanized extension	\$652.00	-W6	Adjustable water dam, 6" DIA. (A2-C3-W6)	\$582.00
-G	Ballast guard (A2-BG)	\$476.00	Х	Inside caulk connection (2",3",4")	No Add
-HC	Adjustable ballast guard with secondary clamp	\$622.00	-Z	Extended wide flange on body (20" dia. x 1/4" thick)	\$799.00
-JC	Ballast guard with secondary clamp	\$622.00			

R1260 EXTRA LARGE SUMP, HIGH FLOW ROOF DRAIN

R1260 SERIES



LACQUERED CAST IRON BODY WITH:									
MODEL No.	WT Lbs.	OUTLET SIZE	POLY DOME (Standard)	CAST IRON DOME (-M)					
R1261	29.50	10"	\$1261.00	\$1390.00					
R1262	29.50	12"	\$1351.00	\$1480.00					

DOME RECEIVER, CLAMP & EXTENSION RING GUIDE BODY & OUTLET DOME DECK CLAMP EXTENSION RING SUMP SIZE & HARDWARE RECEIVER A7-10NH A7-C3* A7-UDC-10 A7-UDC-10 & HS-8 A7-BP A7-C3* A7-UDC-12 A7-UDC-12 & HS-8 A7-C3* A7-UDC-12 A7-UDC-12 & HS-8 A7-10NH A7-BP A7-BP A7-10X

* USES HS-7 HARDWARE SET

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

136


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

 \oplus

P136

R1270 SERIES COMBINED LARGE SUMP ROOF DRAIN AND SECONDARY OVERFLOW DRAIN

R1270 **SERIES**



PARTS	A2 BODY	A2-PD	A2-C3	HS-1	W-31	A2-C3-W	R1270-BP
	X2	X2		T T T			

* A2-C3-W is standard with a 4" standpipe opening. For 6" outlets, specify A2-C3-W6.

LACQUERED	LACQUERED METAL DOMES BODY WITH:									
MODEL WT OUTLET POLY DOMES CAST IRON DON NO. Lbs. Size (Standard) (-M)										
R1272,3,4	38.00	2",3",4"	\$ 1512.00	\$ 1770.00						
R1275,6	42.00	5",6"	\$ 1884.00	\$ 2142.00						
R1278	46.00	8"	\$ 2252.00	\$ 2510.00						

SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (metal domes only) (H-1029)	\$ 150.00	-A5	Medium sump bodies (deduct)	-\$ 332.00
-11	Acid resistant epoxy (excluding polydome)	\$1646.00	-E	Adjustable extension (A2-H)	\$ 904.00
-12	Galvanized metal domes	\$ 872.00	-G	Ballast guards (A2-BG)	\$ 952.00
-12B	Galvanized metal domes and membrane clamps	\$ 800.00	-M-80	Low profile aluminum domes (A2-MDL-80)	\$ 298.00
-13	All galvanized	\$1660.00	NH	No hub outlets (2",3",4",6",8")	Standard
-28	Stainless Steel Bodies (Type 304)	\$4360.00	P	Push on outlets (2",3",4",6")*	No Add
-30	PVC socket connection bodies* (2",3",4")	No Add	T	Threaded outlets (2",3",4",6")	\$ 94.00
-31	ABS socket connection bodies* (2",3",4")	No Add	-U	Underdeck clamps	\$ 292.00
-81	Rough bronze domes (A2-MDL-81)	\$ 1004.00	Х	Inside caulk outlets (2",3",4",6")	No Add
-83	Stainless steel mesh screen over domes (A2-SSD)	\$ 710.00			

^{* 2&}quot;, 3", 4" outlet sizes only

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

ROOF DRAINS

P137

^{*} Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe 2", 3", 4" sizes use same gasket.




INTRODUCTION



MIFAB has taken the leadership role in providing superior siphonic solutions speci cally engineered for the US construction industry. The Siphonic principle has been understood for thousands of years based on mathematical calculations that were documented in the 16th century. These roof drainage techniques have been practiced worldwide for over three decades and provide a superior solution to conventional gravity based systems.


CONVENTIONAL & MIFAB SIPHONIX ROOF DRAINAGE COMPARED:

Conventional roof drainage relies on gravity and a sloped network of pipes designed to operate at atmospheric pressure, thus introducing a greater volume of air than water in the pipe system which creates inef ciencies and excess costs in material and labor.



MIFAB Siphonix roof drains are a

superior means of removing roof rainwater from buildings with low slope roofs, large or small. The elimination of air and less reliance on gravity means that design professionals and contractors can reduce costs, improve design ef ciency, protect the environment and save money in a multitude of ways.



MIFAB's unique solution combines our familiar roof drain components with the MIFAB Siphonix air baf e. The baf e prevents the entry of air into the system to provide a superior means of removing roof rainwater from buildings with low slope roofs, large or small. Proper calculations provide optimum ef ciency. All calculations are con gured and optimized by supplying engineers with the easiest, fastest and best system design software available.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







KEY BENEFITS OF MIFAB SIPHONIX ROOF DRAINS



- Opportunity to earn LEED points
- Material and Installation cost savings through reduced pipe size with less building excavation
- Faster installation time
- Increased ROI for the owner by producing more usable space.
- MIFAB's proprietary design software ensures accurate layout and material usage.
- Controlled delivery of runoff to a speci c building location for rainwater harvesting
- Enhanced coordination with other services (e.g. Concrete, HVAC) due to horizontal pipe installation at higher levels



Conventional roof drain: water drains into the sump and exits with annular ow under the in uence of gravity. Up to 70% of the pipe volume can be lled with air!



MIFAB Siphonix roof drain with low rainfall and the water level below the siphonically: air cannot enter the height of the air baf e: behaves just as a conventional roof drain.



MIFAB Siphonix roof drain working system, water completley II the pipes.



MIFAB EXPERTISE IS "ON CALL"

Increase the satisfaction your clients receive from you by having our staff assist you in the design process. We will guide you through an analysis that includes:

- The type of pipe material used for each system installation.
- The maximum design storm conditions anticipated for your area.
- The size of the roof area[s] to be drained.
- The height of the building and available routes through the building envelope from roof drains to downpipe locations.

Such analytical calculations can be complex but do not need to be intimidating when you work with our expert staff that can guide you through the use of the right specialist software.

MIFAB'S ENGINEERING TEAM WILL DESIGN THE SIPHONIC ROOF DRAIN SYSTEM FOR YOU AT NO COST.

CALL TODAY TO DISCUSS YOUR PROJECT CHALLENGE WITH OUR STAFF: 773.341.3001

Michael Whiteside, President • mwhiteside@MIFAB.com

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






R1200-SR LARGE SUMP SIPHONIC ROOF DRAIN

R1200-SR SERIES


SERIES



R1200-S	R and R1200-R-SR SERIES OPTIONAL VARIATION	ONS:			
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (Metal dome only) (H-1029)	\$ 75.00	-EG	Galvanized adjustable extension	\$ 652.00
-11	Acid resistant epoxy (Excluding polydome)	\$ 824.00	-G	Ballast guard (A2-BG)	\$ 476.00
-12	Galvanized metal dome	\$ 220.00	-HC	Adj. ballast guard with secondary clamp	\$ 622.00
-12A	Galvanized body and membrane clamp	\$ 582.00	-JC	Ballast guard with secondary clamp	\$ 622.00
-12B	Galvanized metal dome and membrane clamp	\$ 400.00	M-80	Low aluminum dome (4 1/4" high) (A2-MDL-80)	\$ 149.00
-13	Galvanized body, membrane clamp and dome	\$ 827.00	-P	Push on outlet, (2",3",4",6")*	No Add
-30	PVC socket connection body*(2", 3", 4")	No Add	T	Threaded outlet, (2",3",4",6")	\$ 47.00
-31	ABS socket connection body*(2", 3", 4")	No Add	-U	Underdeck clamp (A2-C3)	\$ 146.00
-81	Rough bronze dome (A2-MDL-81)	\$ 502.00	-U3	Underdeck clamp with cut away side (A2-C3-C0)	\$ 146.00
-83	Stainless steel mesh screen over dome (A2-SSD)	\$ 305.00	-W-1	Water proofing flange (A2-W-1)	\$ 268.00
-B	Sump receiver (A2-BP)	\$ 164.00	Х	Inside caulk outlet, (2",3",4",6")	No Add
-C	Secondary clamp (A2-C3)	\$ 146.00	-Z	Extended wide flange on body (20" dia. x 1/4 thick)	\$ 799.00
-E	Adjustable extension (See page 108, point #7)	\$ 452.00			

^{*} Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sized use same gasket.

LARGE SUMP SIPHONIC ROOF DRAIN WITH EXTERNAL 2" HIGH WATER DAM R1200-R-SR R1200-R-SR **SERIES**



A2 DEEP

SUMP BODY

MODEL

NO.

R1202,3,4-R-SR

R1205,6-R-SR

WT

Lbs.

31.00

32.25

OUTLET

SIZE

2", 3", 4", 5", 6"

ROOF DRAINS

2",3",4", 5", 6", NO HUB OUTLET (STANDARD) Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

POLY DOME

(STANDARD)

P.O.A.

P.O.A

CAST IRON DOME


(-M)

P.O.A.

PO A

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





ADVANTAGES OF SIPHONIC ROOF DRAINS

Siphonic drainage is a fully engineered solution and is recognized as a highly efficient means of removing roof rainwater from commercial and municipal buildings, large or small. Construction costs can be dramatically reduced, environmental impact lowered and architectural freedom enhanced.


Construction costs can be reduced because of the following:

- 1) Reduced pipe size and fewer outlets saves time and material costs
- 2) Excavation costs can be greatly reduced because siphonic roof drain piping must be installed level (not sloped). This allows the roof drain piping to be installed up within the ceiling area.
- 3) Reduced installation time because the non sloped pipe is easier to install and co-ordinate with other equipment / material in the ceiling

The owner can also obtain LEED points with the installation of siphonic roof drains due to the following:

- a) Reduced site disturbance (SS Credit 5.1)
- b) Controlled flow roof drainage (SS Credit 6.1)
- c) Rainwater harvesting (
- d) Innovation in design (ID

LACQUERED METAL DOMES BODY WITH:									
MODEL WT OUTLET POLY DOMES CAST IRON DO NO. Lbs. Size (Standard) (-M)									
R1272,3,4-SR	40.50	2",3",4"	P.O.A.	P.O.A.					
R1275,6-SR	44.50	5",6"	P.O.A.	P.O.A.					



Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.

rainage (SS ((WE Credit 3 D Credit 1.1	Credit 6.1) 3.1 / 3.2)				A2-WD	A2-SR	R1270-BP
OMES BOD	Y WITH:		PARTS			X2	
OUTLET	POLY DOMES	CAST IRON DOME	A2 BODY	A2-PD	A2-C3	HS-2	W-31
SIZE	(STANDARD)	(-M)		(Carrie)			
2",3",4"	P.O.A.	P.O.A.		Minney .			
5",6"	P.O.A.	P.O.A.	X2	₩ X2			

R1270-S	R SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof (metal domes only) (H-1029)	\$ 149.00	-G	Ballast guards (A2-BG)	\$ 952.00
-11	Acid resistant epoxy (excluding polydome)	\$ 1711.00	-M-80	Low profile aluminum domes (A2-MDL-80)	\$ 298.00
-12	Galvanized metal domes	\$ 872.00	NH	No hub outlets (2",3",4",6")	Standard
-13	All galvanized	\$ 1660.00	P	Push on outlets (2",3",4",6")*	No Add
-30	PVC socket connection bodies* (2",3",4")	No Add	T	Threaded outlets (2",3",4",6")	\$ 94.00
-31	ABS socket connection bodies* (2",3",4")	No Add	-U	Underdeck clamps (A368-DC)	\$ 292.00
-81	Rough bronze domes (A2-MDL-81)	\$1004.00	Х	Inside caulk outlets (2",3",4",6")	No Add
-83	Stainless steel mesh screen over domes (A2-SSD)	\$ 610.00			

^{* 2&}quot;, 3", 4" outlet sizes only

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







R1300 **SERIES**

SCUPPER DRAIN WITH ANGLE GRATE AND 90 DEGREE OUTLET

R1300 SERIES





R1300-TA-(*) R1300-PB-50

(*) Denotes strainer finish (-1,-2,-2RB, or -50) (**) Denotes outlet size (2", 3", 4" or 6")


LACQUERED CAST IRON BODY WITH:										
MODEL No.	WT Lbs.	OUTLET SIZE	CAST IRON (-50)	NICKEL BRONZE (VENEER) (-1)	POLISHED BRONZE (VENEER) (-2)	ROUGH BRONZE (VENEER) (-2RB)				
R1302,3,4	18.00	2", 3", 4"	\$ 374.00	\$ 988.00	\$ 834.00	\$ 635.00				
R1306,8	19.00	6", 8"	\$ 729.00	\$1342.00	\$1186.00	\$ 988.00				


R1300	R1300 SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-NH	No Hub outlet (No Add)	See MI-850, pg. 263	-13	All galvanized (6", 8")	\$ 290.00		
-6	Vandal proof grate (TR25 Torx and pin)	\$ 33.00	-83	Stainless steel mesh screen over grate	\$ 322.00		
-13	All galvanized (2",3",4")	\$145.00		_			

R1310 **SERIES**

SCUPPER DRAIN WITH ANGLE GRATE AND 45 DEGREE OUTLET

R1310 SERIES





(*) Denotes strainer finish (-1,-2,-2RB, or -50) (**) Denotes outlet size (2", 3", 4" or 6")



PARTS



			LACQUERED CAST IRON BODY WITH:			
MODEL No.	WT Lbs.	OUTLET Size	CAST IRON (-50)	NICKEL BRONZE (VENEER) (-1)	POLISHED BRONZE (VENEER) (-2)	ROUGH BRONZE (VENEER) (-2RB)
R1312, 3, 4	18.00	2", 3", 4",	\$374.00	\$ 988.00	\$ 834.00	\$635.00
R1316, 8	19.00	6", 8"	\$729.00	\$1342.00	\$1186.00	\$988.00

R1310	R1310 SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Vandal proof grate (TR25 Torx and pin)	\$ 33.00	-13	All galvanized (6", 8")	\$290.00		
-13	All galvanized (2", 3", 4")	\$145.00	-83	Stainless steel mesh screen over grate	\$322.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049


P142




MIFAB

R1320 SERIES **SCUPPER DRAIN WITH FLAT GRATE AND 90 DEGREE OUTLET**

R1320 **SERIES**





- (*) Denotes strainer finish (-1,-2,-2RB, or -50) (**) Denotes outlet size (2", 3", 4" or 6")


			LACQUERED CAST IRON BODY WITH:				
MODEL No.	WT Lbs.	OUTLET Size	CAST IRON (-50)	NICKEL BRONZE (VENEER) (-1)	POLISHED BRONZE (VENEER) (-2)	ROUGH BRONZE (VENEER) (-2RB)	
R1322, 3, 4	18.00	2", 3", 4",	\$407.00	\$1017.00	\$ 826.00	\$ 667.00	
R1326, 8	19.00	6", 8"	\$766.00	\$1772.00	\$1390.00	\$1192.00	


R1320	R1320 SERIES OPTIONAL VARIATIONS:										
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE						
-NH	No Hub outlet (No Add)	See MI-850, pg. 263	-13	All galvanized (2", 3", 4")	\$145.00						
-6	Vandal proof grate (TR25 Torx and pin)	\$33.00	-13	All galvanized (6", 8")	\$290.00						
			-83	Stainless steel mesh screen over grate	\$322.00						

R1330 SERIES SCUPPER DRAIN WITH FLAT GRATE AND 45 DEGREE OUTLET

R1330 **SERIES**

PARTS





(*) Denotes strainer (*) Denotes strainer finish (-1,-2,-2RB, or -50) (**) Denotes outlet size (2", 3", 4" or 6')

~	hand-				
P	E SIZE				
	Α	В	С		
	7 1/2 [191]	6 3/8 [162]	2 3/4 [70]		
	12 1/2 [318]	8 3/8 [213]	3 1/2 [89]		
	R1300-PI	B-50 R ⁻	1320-TA-(*	۲)	R1300-P0(**)
	A				

			LACQUERED CAST IRON BODY WITH:				
MODEL No.	WT Lbs.	OUTLET Size	CAST IRON (-50)	NICKEL BRONZE (VENEER) (-1)	POLISHED BRONZE (VENEER)(-2)	ROUGH BRONZE (VENEER)(-2RB)	
R1332, 3, 4	18.00	2", 3", 4",	\$ 407.00	\$1017.00	\$ 826.00	\$ 667.00	
R1336, 8	19.00	6", 8"	\$ 766.00	\$1772.00	\$1390.00	\$ 1192.00	

R1330 S	R1330 SERIES OPTIONAL VARIATIONS:										
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE						
-6	Vandal proof grate (TR25 Torx and pin)	\$ 33.00	-13	All galvanized (6", 8")	\$290.00						
-13	All galvanized (2", 3", 4")	\$145.00	-83	Stainless steel mesh screen over grate	\$322.00						
	·										

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




R1400 SERIES

BALCONY DRAIN WITH BOTTOM OUTLET

R1400 SERIES





			PARTS
K-(*)	H-1013	R1400T-PC	R140(**)T-PB
	Americano Americ		

(*) Denotes strainer finish (-1,-2,-2RB, -3, or -50) (**) Denotes outlet size (2", 3" or 4")

			LACQUERED CAST IRON BODY WITH MEMBRANE CLAMP AND:						
MODEL No.	WT Lbs.	OUTLET Size	CAST Iron (-50) dome	ROUGH BRONZE (-2RB) DOME	POLISHED BRONZE (-2) Dome	NICKEL BRONZE OR STAINLESS STEEL (-1) OR (-3) DOME			
R1402, 3	8.00	2", 3"	\$197.00	\$253.00	\$325.00	\$377.00			
R1404	8.00	4"	\$617.00	\$673.00	\$747.00	\$798.00			

R1400	R1400 SERIES OPTIONAL VARIATIONS:										
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE						
-6	Vandal proof dome (TR25 Torx and pin)	\$33.00	-HM-2RB	High dome Rough Bronze	\$ 50.00						
-13	Galvanized body and membrane clamp (2", 3", 4")	\$100.00	-HM-PB	High dome Polished Bronze	\$ 58.00						
-14	Flat grate (5-1)	No add	-HM-NB	High dome Nickel Bronze	\$ 65.00						
			-83	Stainless steel mesh screen over dome	\$319.00						

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

144


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


4

MIFAB

R1410 SERIES **BALCONY DRAIN WITH 45 DEGREE OUTLET**

R1410 **SERIES**





PARTS (*) Denotes strainer finish (-1, -2, -2RB) (**) Denotes outlet size (2", 3" or 4") H-1013




LACQUERED	LACQUERED CAST IRON BODY WITH MEMBRANE CLAMP AND:										
MODEL No.	WT Lbs.	OUTLET Size	ROUGH BRONZE Dome (-2RB)	POLISHED BRONZE Dome (-2)	NICKEL BRONZE OR S.S. Dome (-1) or (-3)	CAST IRON DOME (-50)					
R1412	8.00	2"	\$ 322.00	\$ 396.00	\$ 451.00	\$ 251.00					
R1413,4	8.00	3", 4"	\$ 436.00	\$ 513.00	\$ 561.00	\$ 370.00					

R1400T-PC R141(**)T-PB

R1410 S	R1410 SERIES OPTIONAL VARIATIONS:											
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE							
-6	Vandal proof dome (TR25 Torx and pin)	\$ 33.00	-HM-PB	High dome Polished Bronze	\$ 58.00							
-13	Galvanized body and membrane clamp	\$100.00	-HM-NB	High dome Nickel Bronze	\$ 65.00							
-14	Flat strainer (5-1)	No Add	-83	Stainless steel mesh screen over dome	\$ 319.00							
-HM-2RB	High dome Rough Bronze	\$ 50.00										

R1420 SERIES BALCONY DRAIN WITH 90 DEGREE OUTLET

R1420 **SERIES**



STRAINER ADJUSTMENT

H-1013	K-(*)
A reconstraints	

LACQUERED	LACQUERED CAST IRON BODY WITH MEMBRANE CLAMP AND:										
MODEL No.	WT Lbs.	OUTLET Size	ROUGH BRONZE Dome (-2RB)	POLISHED BRONZE Dome (-2)	NICKEL BRONZE OR S.S. Dome (-1) or (-3)	CAST IRON DOME (-50)					
R1422	8.00	2"	\$ 322.00	\$ 396.00	\$ 451.00	\$ 251.00					
R1423,4	8.00	3",4"	\$ 436.00	\$ 513.00	\$ 561.00	\$ 370.00					

R1400T-PC	R142(**)T-PB

R1420 SERIES OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Vandal proof dome (TR25 Torx and pin)	\$ 33.00	-HM-PB	High dome Polished Bronze	\$ 58.00
-13	Galvanized body and membrane clamp	\$100.00	-HM-NB	High dome Nickel Bronze	\$ 65.00
-14	Flat strainer (5-1)	No Add	-83	Stainless steel mesh screen over dome	\$ 319.00
-HM-2RB	High dome Rough Bronze	\$ 50.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



R1510 SERIES

4" x 3" RECTANGULAR DOWNSPOUT BOOT

R1510 SERIES



6.6 5/16-18 NC TYP. 3	4.2
4	BODY HEIGHT (SEE CHART)


MODEL No.	WT Lbs.	BODY Size	"A" Length	NO HUB Pipe Size	LIST Price
R1510-12	15.00	4" x 3"	12"	4"	\$ 380.00
R1510-18	18.00	4" x 3"	18"	4"	\$ 501.00
R1510-24	22.00	4" x 3"	24"	4"	\$ 894.00


R1510 SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-13	All galvanized	\$ 319.00		
-CA	Cleanout access with plug	\$ 411.00		

R1520 SERIES

5" x 4" RECTANGULAR DOWNSPOUT BOOT

R1520 SERIES





MODEL	WT	BODY	"A"	NO HUB	LIST
No.	Lbs.	Size	Length	Pipe Size	Price
R1520	22.00	5" x 4"	24"	4"	\$ 799.00

R1520 SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-13	All galvanized	\$ 590.00		
-CA	Cleanout access with plug	\$ 411.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049


146



MIFAB

R1530 SERIES 4" ROUND DOWNSPOUT BOOT

R1530 SERIES



5/16-18 NC TYP.3	04	
	Ø 5.5	18


MODEL	WT	BODY	"A"	NO HUB	LIST
No.	Lbs.	Size	Length	Pipe Size	Price
R1530	15.00	4" dia.	18"	4"	\$ 554.00


R1530 SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-13	All galvanized	\$ 590.00		
-CA	Cleanout access with plug	\$ 411.00		

R1640 SERIES PARAPET SCUPPER SLEEVE

R1640 **SERIES**

4.625





MODEL No.	WT Lbs.	NO HUB Pipe size	"A" WALL Thickness	LIST Price
R1640-8	26.00	4"	8"	\$ 569.00
R1640-11	29.00	4"	11"	\$ 569.00
R1640-13	31.00	4"	13"	\$ 647.00
R1640-17	35.00	4"	17"	\$ 798.00
R1640-22	40.00	4"	22"	\$ 853.00

R1640 S	SERIES OPTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-13	All galvanized	\$ 143.00

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049


WALL THICKNESS (SEE CHART)



R1810 SERIES

UNIVERSAL MEMBRANE CLAMP AND DOME RECEIVER

R1810 SERIES



NOTE: Will also bolt directly onto roof drains from the following manufacturers: Josam, J.R. Smith, Wade, Watts & Zurn, and will accept MIFAB's greater free area (125in²) high profile polydome (A2-PD) or low profile aluminum dome (A2-MDL-80). Use with HS-9 hardware set. Use HS-2 hardware with MIFAB A2 bodies.

MODEL No.	WT Lbs.	DESCRIPTION	LIST Price
R1810	8.75	Universal Membrane Clamp Includes HS-9 Hardware	\$ 179.00

R1810 SERIES OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-PD	Poly dome	\$ 87.00	-HS-2	Regular 3 bolt hardware	\$ 9.00

R1850 SERIES

VENT STACK FLASHING SLEEVE

NOTE: The R1854 is made out of lacquered cast iron material. All other sizes are made from fabricated, 14 gauge galvanized steel that is powder, epoxy coated with an electro-static application.

MODEL No.	PIPE Size	BODY Height	" C "	"D"	"K"	WEIHT Lbs.	LIST Price
R1851.5	1 1/2"	8"	6 1/2"	2 5/8"	3"	12	\$ 197.00
R1852	2"	8 1/8"	6 1/2"	3 1/8"	3"	11	\$ 197.00
R1853	3"	8 1/8"	8 1/2"	4 1/4"	3 1/8"	13	\$ 322.00
R1854	4"	8 1/2"	8 1/2"	5 1/4"	3 1/8"	18	\$ 322.00
R1855	5"	8 1/2"	9 1/2"	6 1/2"	2 1/2"	20	\$ 589.00
R1856	6"	8 1/8"	10 1/2"	7 1/2"	3 1/8"	26	\$ 589.00
R1858	8"	8 3/4"	14 1/2"	9 3/4"	2 3/4"	52	\$ 686.00
R1850-10	10"	8 3/4"	16 1/2"	11 5/8"	2 3/4"	45	\$ 716.00
R1850-12	12"	8 3/4"	18 1/2"	13 5/8"	2 3/4"	60	\$1143.00

R1850 SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-13	Galvanized cast iron (R1854 only)	\$160.00		


Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049







 \oplus



R1900 SERIES VERTICAL EXPANSION JOINT







VERTICAL EXPANSION JOINT					
MODEL No.	WT Lbs.	NO HUB Connection Size	LIST Price		
R1902	2.00	2"	\$ 400.00		
R1903	2.50	3"	\$ 428.00		
R1904	3.00	4"	\$ 485.00		
R1906	5.00	6"	\$ 807.00		
R1908	7.00	8"	\$1426.00		

4.875 [124]


of 6" vent pipe.

R1930 SERIES VANDAL PROOF CAST IRON VENT CAP

R1930 SERIES

2" PIPE 3" PIPE 4" PIPE 6" PIPE

Ø 7.5 [190.5]



LACQUERED (LACQUERED CAST IRON BODY WITH:					
MODEL NO.	WT Lbs.	OUTLET SIZE	CAST Iron			
R1932	10.00	2"	\$ 253.00			
R1933	10.00	3"	\$ 286.00			
R1934	10.00	4"	\$ 319.00			
R1936	7.00	6"	\$ 408.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes.

| R1930 SERIES OPTIONAL VARIATIONS:
| SUFFIX | DESCRIPTION | LIST PRICE |
|-13 | All galvanized | \$102.00

NOTE: Universal body assembly fits over 2", 3" or 4" vertical vent

For 6" vertical vent pipe, discard internal "step" piece and use the three securing screws to assemble the cast iron vent cap to the top

pipe. One size serves all applications.

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

149

 $\overline{+}$


-

P149

R1940 SERIES

DOWNSPOUT NOZZLE


R1940 SERIES




		-
OVERAL	L LENGTH	
SIZE	LENGTH	
2"	2 3/8"	
3"	3 5/8"	
4"	3 1/2"	
6"	4 3/8"	
8"	5"	
10"	5"	
12"	7"	

NOTE: For no hub connection, use MI-850 no hub to male threaded adapter.

MI-850		
MODEL No.	SIZE NPT x NO HUB	LIST Price
MI-850-2	2"	\$ 58.00
MI-850-3	3"	\$ 84.00
MI-850-4	4"	\$ 132.00
MI-850-6	6"	\$ 405.00
MI-850-8	8"	\$ 451.00
MI-850-10	10"	\$ 538.00
MI-850-12	12"	\$ 673.00



ANCHOR FLANGE PARTS (-1=NB, -3=SS) R1942-PC-1,3 \$ 210.00 (FOR R1942-1, R1942-3) R1943-PC-1,3 \$ 210.00 (FOR R1943-1, R1943-3) R1944-PC-1,3 \$ 210.00 (FOR R1944-1, R1944-3) R1946-PC-1,3 \$ 396.00 (FOR R1946-1, R1946-3) R1948-PC-1 \$ 528.00 (FOR R1948-1) R1950-PC-1 \$ 705.00 (FOR R1950-1) R1952-PC-1 \$ 923.00 (FOR R1952-1)



MODEL No.	A, THREAD Size (NPS)	A1	В	B1	С	D	E	E1
R1942	2"	3.9"	6.40"	1.0"	4.5"	2.0"	5.75"	2.1"
R1943	3"	3.9"	6.40"	1.0"	4.5"	2.0"	5.75"	2.1"
R1944	4"	4.9"	7.40"	1.15"	4.0"	2.0"	5.50"	2.1"
R1945	5"	7.1"	9.40"	1.15"	4.5"	2.5"	5.75"	2.1"
R1946	6"	7.1"	9.40"	1.15"	4.5"	2.5"	5.75"	2.1"
R1948	8"	9.1"	11.40"	1.15"	4.5"	2.5"	5.75"	2.65"
R1950	10"	11.2"	13.40"	1.35"	4.5"	2.5"	5.75"	2.65"
R1952	12"	13.13"	14.63"	1.35"	4.5"	2.5"	6.56"	2.65"

MODEL No.	WT Lbs.	THREADED Outlet size	ROUGH BRONZE (-2RB)	POLISHED BRONZE (-2)	NICKEL BRONZE (-1) Or Stainless Steel (-3)
R1942,3,4	4.00	2",3",4"	\$ 382.00	\$ 591.00	\$ 656.00
R1945,6	7.00	5", 6"	\$ 907.00	\$1062.00	\$1179.00
R1948	10.00	8 "	\$1374.00	\$1425.00	\$1614.00 (-1 Only)
R1950	14.00	10"	\$1785.00	\$2019.00	\$2107.00 (-1 Only)
R1952	19.00	12"	\$2246.00	\$2500.00	\$2608.00 (-1 Only)

R1940 SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-83	16 gauge removable steel rodent screen	\$ 334.00		
-84	Hinged,16 gauge removable rodent screen	\$ 450.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

150

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


Oil Flee 1-000-403-2730, Fax 773-341-304

 \oplus




R1940-SJ SERIES DOWNSPOUT NOZZLE WITH SLIP JOINT INLET


R1940-S **SERIES**



The (slip joint inlet downspout nozzle) performs the same function as the R1940 downspout nozzle. The difference between the two is the method of connecting the pipe to the inlet. With the R1940-SJ, the inlet is machined out. This allows cast iron or PVC pipe to extend past the face of the finished wall and rest against the pipe stop. The pipe is secured to the inside of the R1940-SJ via three vandal proof screws.



ANCHOR FLANGE PARTS
(-1=NB, -3=SS)
R1942-PC-SJ-1,3 \$ 210.00
(FOR R1942-SJ-1, R1942-SJ-3)
R1943-PC-SJ-1,3 \$ 210.00
(FOR R1943-SJ-1, R1943-SJ-3)
R1944-PC-SJ-1,3 \$ 210.00
(FOR R1944-SJ-1, R1944-SJ-3)
R1946-PC-SJ-1,3 \$ 396.00
(FOR R1946-SJ-1, R1946-SJ-3)
R1948-PC-SJ-1 \$ 528.00
(FOR R1948-SJ-1)
R1950-PC-SJ-1 \$ 705.00
(FOR R1950-SJ-1)
R1952-PC-SJ-1 \$ 923.00
(FOR R1952-SJ-1)
•



MODEL No.	SLIP JOINT PIPE SIZE	A1	В	B1	C	D	E	E1
R1942-SJ	2"	3.9"	6.40"	1.0"	4.5"	2.0"	5.75"	2.1"
R1943-SJ	3"	3.9"	6.40"	1.0"	4.5"	2.0"	5.75"	2.1"
R1944-SJ	4"	4.9"	7.40"	1.15"	4.0"	2.0"	5.50"	2.1"
R1945-SJ	5"	7.1"	9.40"	1.15"	4.5"	2.5"	5.75"	2.1"
R1946-SJ	6"	7.1"	9.40"	1.15"	4.5"	2.5"	5.75"	2.1"
R1948-SJ	8"	9.1"	11.40"	1.15"	4.5"	2.5"	5.75"	2.65"
R1950-SJ	10"	11.2"	13.40"	1.35"	4.5"	2.5"	5.75"	2.65"
R1952-SJ	12"	13.13"	14.63"	1.35"	4.5"	2.5"	6.56"	2.65"

MODEL No.	WT Lbs.	SLIP JOINT OUTLET SIZE	ROUGH BRONZE (-2RB)	POLISHED BRONZE (-2)	NICKEL BRONZE (-1) Or Stainless Steel (-3)
R1942,3,4-SJ	4.00	2",3",4"	\$ 382.00	\$ 591.00	\$ 656.00
R1945,6-SJ	7.00	5", 6"	\$ 907.00	\$1062.00	\$1179.00
R1948-SJ	10.00	8 "	\$1374.00	\$1425.00	\$1614.00 (-1 Only)
R1950-SJ	14.00	10"	\$1785.00	\$2019.00	\$2107.00 (-1 Only)
R1952-SJ	19.00	12"	\$2246.00	\$2500.00	\$2608.00 (-1 Only)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




R1960


SERIES




FABRICATED STAINLESS STEEL DOWNSPOUT WITH HINGED COVER


R1960 SERIES








Note: The R1960 and R1960-F models are made to receive PVC, ABS or cast iron pipe inside the "B" dimension. The R1960 models "sleeve" over the pipe sticking out from the wall. The R1960-F models "sleeve" over the pipe that it is flush to the wall.



MODEL NO.	A PIPE SIZE	В	C	Free Area (Square Inches)	LIST PRICE
R1963	3"	4 1/4"	7 3/4"	1	\$ 1769.00
R1964	4"	5 1/4"	8 3/4"	2	\$ 1769.00
R1966	6"	7 3/8"	10 7/8"	6	\$ 1868.00
R1968	8"	9 3/8"	12 7/8"	10	\$ 1959.00
R1960-10	10"	11 1/2"	15"	18	\$ 2073.00
R1960-12	12"	13 1/2"	17"	26	\$ 2197.00
R1960-15	15"	16 5/8"	20 1/8"	40	\$ 2323.00

R1960 SERIES OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE			
-6	Vandal proof secured top	\$ 90.00			
-49	Chrome plated	\$ 312.00			
-F	Flush mount design	No Add			
-NH	No hub outlet	No Add			

-2.50 A ØØD NO HUR -NH No Hub outlet



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

CAD details illustrating

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

152


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

P152





CLEANOUTS AND ACCESS COVERS



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

CLEANOUTS AND ACCESS COVERS



MIFAB Cleanout Features

MIFAB Floor cleanouts feature a wide flange cleanout body with an adjustable stainless steel or nickel bronze combined access cover and gasketed plug with O-ring test seal. A floor cleanout is an Emergency Access to a plugged drain line. It makes sense for the cleanout to be designed for immediate access without the need to use special tools and/or clear debris from the plug to gain access. It is also important to ensure the cleanout has been resealed after the cleaning of the drain line to eliminate sewer gas escape. It is preferable that the cleanout design will provide visual assurance that the cleanout has been resealed.


THE CONVENTIONAL SYSTEM

The conventional floor cleanout is usually comprised of an unsealed access cover secured to a housing or frame by up to four (4) screws. Removal of these screws provides access to an opening that more often than not is fouled by construction debris that has entered under the housing, which supports the cover or has entered between the unsealed cover and frame. After removal of the debris, the maintenance person is faced with the removal of a cast iron, brass or plastic threaded plug that has likely seized in place because of dissimilar metals, rust and dirt. The removal of this plug is usually accomplished by breaking (chiselling) it out. Finally, there is an open access, usually less than the four (4) inch opening required by code.

After removal of the blockage there is a very good chance that the non-gasketed cover will be replaced because a replacement plug has been almost impossible to source. This does not provide any visual evidence that a plug is not in place and there is the danger of the escape of sewer gas.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



THE MIFAB SYSTEM

The MIFAB design of combined gasketed access cover and cleanout plug grants immediate emergency access with the removal of the combined cover/plug by unscrewing three vandal-resistant stainless steel screws. This provides access to a full four (4) inch opening as required by most codes. Replacement of the cover with neoprene gasket glued to the underside provides visual evidence that the cleanout has been properly resealed. If for any reason the gasket has been displaced then the cover will sit low in the frame and it will be obvious that the cleanout has not been properly resealed providing visual evidence of the danger of escaping sewer gas. (See Exhibit A)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

154







CLEANOUTS CLEANOUT FUNCTION AND SELECTION GUIDE

CLEANOUTS

Cleanouts provide access to drainage piping for cleaning out purposes. Since there are a variety of sizes, shapes and materials available, certain considerations must be made when selecting the right cleanout for installation. MIFAB offers many options that may be incorporated together for the perfect solution in all types of construction.

SELECTION OF TOP

The first factor in selecting a top is to decide what shape would be most compatible with the area surrounding it. In most cases a round top is most easily orientated to the floor because it does not conflict with designs, nor does it require alignment to adjacent walls. For floors that are finished of material in a square or straight-line pattern, a square top is available, allowing alignment with tile and adjacent walls. Areas with

finished floors, such as offices, hospitals, restaurants and modern manufacturing areas will require finished floor cleanouts. A regularly secured scoriated top is recommended in most cases. Finishes include nickel bronze and stainless steel. The type of traffic that the cleanout top must withstand should be considered. For all loads, the stainless steel top can be used. A scoriated top will service most finished floors. They feature a corrosion-resistant, non-skid finish that will not discolor and will look attractive with almost any surroundings. Vandal-proof screws are available to prevent theft or damage to the inner components of the cleanout. Specify suffix (-6) for Vandal-proof screws. Areas with unfinished floors or areas with possible heavy load traffic such as boiler rooms, warehouses and heavy manufacturing facilities, a ductile iron top should be specified. In areas where the cleanout is concealed, various access covers are available to allow access to the cleanout. A carpet marker should be specified in floors where a minimum showing of metal is desired to indicate the placement of the cleanout. Specify suffix (-RC) for stainless steel carpet marker.


SUGGESTED CLEANOUT SPECIFICATIONS

Cleanouts connected to the drainage system shall be of the same size as pipe up to 4" (25) and not less than 4" (25) on larger sizes (and/or as required by local code*). Cleanouts shall be installed in the building drain as near as practicable to the inner face of the wall through which the drain passes. Where a building trap is inside the building, the cleanout shall be installed at the foot of each vertical sanitary or storm stack; at the end of drainage lines and at all changes of direction of 45 degrees or more. Cleanouts in horizontal drainage lines shall be at the intervals of no more than fifty feet on pipe up to 4" (25) in size and not more than one hundred feet on larger sizes (and/or as required by local code*).

*Check to see if it is necessary to modify above paragraphs to meet local code

*Cleanouts provide an emergency access to the drainage system. Ordinarily they are only opened where there is a blockage in the system when they are likely to release a head of sewage when opened. For this reason, the following general clause should be included. Whenever possible, cleanouts shall be installed so as to provide access from the finished floor. This applies at all floor levels. When cleanouts are located in membrane floors, they shall be supplied with wide anchor flange and clamp devices. Cleanouts in finished areas shall have adjustable round (square) satin stainless steel or nickel bronze tops with scoriated covers to match flooring as specified below.

Suffixes with (-R) have round tops and suffixes with (-S) have square tops. Select applicable catalog number. Polished stainless steel tops that will not oxidize and are heavy duty should be specified by adding suffix (-3)



FINISHED FLOORS (ALL TRAFFIC) C1000-R(S)-3

- non-membrane, C1000-C-R(S)-3 - membrane. Lino tile areas: C1100-T(TS) - non-membrane, C1100-C-T(TS) - membrane. Ceramic and terrazzo areas: C1100-U(US) - non-membrane, C1100-C-U(US) - membrane.

CARPETED FLOOR AREAS C1100-RC - non-membrane, C1100-C-RC - membrane. UNFINISHED OR OUTSIDE AREAS C1100-XR ductile iron top, non-membrane C1100-C-XR ductile iron top, membrane line cleanouts

ALL EXPOSED OR ACCESSIBLE AREAS C1450
CONCEALED TILE OR MASONRY C1450-RD-3
ALL OTHER CONCEALED AREAS C1450 with
applicable access doors specified under access doors

STACK CLEANOUTS, EXPOSED OR ACCESSIBLE AREAS C1450

CONCEALED TILES OR MASONRY AREAS C1460-RD-3

ALL OTHER CONCEALED AREAS C1460 with applicable access door specified under access doors. *Author's suggestions to specifier () denotes optional square covers

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.











C1000-R FLOOR CLEANOUT WITH STAINLESS STEEL ROUND TOP

C1000-R SERIES


NEOPRENE PRIMARY GASKET SEAL

COVER ADJUSTMENT (SEE CHART)

BODY HEIGHT (SEE CHART)

SERIES

CLEANOUTS



PARTS ANSI/ASME RATING

LOAD RATING

5000-7499 lbs

4" NPSM

COVER

5" DIA. SS

A1 BODY



R-3

C1000 SERIES MEETS ANSI CLEANOUT STANDARD A112.36.2M-1991

A1 BOD	A1 BODY HEIGHT								
PIPE SIZE	NO HUB (STANDARD)	PUSH ON (P)	THREADED (T)	INSIDE Caulk (X)	PVC ABS (-30) (-31)				
2"	3"	3 3/8"	2 1/4"	3 3/4"	2 5/8"				
3"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/4"				
4"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/2"				
5"	3"	-	2 5/8"	6 7/8"	-				
6"	3 1/2"	6 7/8"	-	-	-				

C1000-R FLOOR CLEANOUT WITH STAINLESS STEEL ROUND TOP								
MODEL NUMBER	WT. Lbs	COVER SIZE	OUTLET SIZE	LACQUERED CAST IRON BODY WITH STAINLESS STEEL (-3)				
C1002-R-3	6.30	5" Round	2"	\$380.00				
C1003-R-3	5.75	5" Round	3"	\$400.00				
C1004-R-3	5.50	5" Round	4"	\$536.00				
C1005,6-R-3	7.50	5" Round	5", 6"	\$872.00				

5.0625"


C10	C1000-R AND C1100-R SERIES OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION (C1440 Series)	LIST PRICE				
-6	Security screws (TR25 Torx & pin) (H-1039A)	\$ 43.00	-C	Membrane clamp (A1-C1)	\$ 50.00				
-11	Acid resistant epoxy coating	\$ 213.00	-NH	No hub outlet	Standard				
-13	All galvanized	\$ 133.00	Р	Push on outlet (2", 3", 4")*	No Add				
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub Only)	\$ 734.00	T	Threaded outlet (2", 3", 4")	\$ 47.00				
	PVC socket connection body* (2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add				
-31	ABS socket connection body* (2", 3", 4")	No Add	-Z	Extended wide flange on body (13" dia. x 1/8" thick)	\$799.00				
-34	T-cone plug and gasket (2", 3", 4") (C1440 Series)	\$ 220.00							

*2", 3", 4" socket connections only *Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.


C1100-R FLOOR CLEANOUT WITH NICKEL BRONZE ROUND TOP

C1100-R SERIES

SERIES



C1100 SERIES MEETS ANSI CLEANOUT STANDARD A112.36.2M-1991



ANSI/ASME RATING					
COVER	LOAD RATING				
5" DIA. NB	2000-4999 lbs				
5" DIA. SS	5000-7499 lbs				
5" DIA. DI	OVER 10,000 lbs				



*Specify -1, -3 or XR-4

	Speedy 1, Contain								
C1100-R FLOOR	C1100-R FLOOR CLEANOUT WITH NICKEL BRONZE ROUND TOP								
MODEL	WT.	COVER	OUTLET	LACQUERED CAST IRON BODY WITH:					
NUMBER	Lbs	SIZE	SIZE	NICKEL BRONZE (-1)	STAINLESS STEEL (-3)	DUCTILE IRON (-4)			
C1102-R	6.30	5" Round	2"	\$380.00	\$380.00	\$308.00			
C1103-R	5.75	5" Round	3"	\$400.00	\$400.00	\$354.00			
C1104-R	5.50	5" Round	4"	\$536.00	\$536.00	\$421.00			
C1105,6-R	7.50	5" Round	5", 6"	\$872.00	\$872.00	\$735.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049







C1100-RC SERIES FLOOR CLEANOUT WITH ROUND TOP AND CARPET MARKER

C1100-RC

SERIES

COMBINED COVER/PLUG 8" 5 1/16' COVER ADJUSTMENT MIN MAX NEOPRENE 1/2" 1 1/4" PRIMARY **GASKET** SEAL "O" RING **SECONDARY** TEST SEAL **BODY HEIGHT** SEE BODY HEIGHT CHART BELOW PIPE SIZE

NEOPRENE PRIMARY GASKET SEAL Ø5.0625 TOP ASSEMBLY ADJUSTMENT (SEE CHART) STAINLESS STEEL CARPET MARKER (H-1019) BODY HEIGHT (SEE CHART) 4" NPSM PIPE SIZE (SEE CHART Ø8

> **PARTS** A1 BODY

RC-1

ANSI/ASME RATING COVER LOAD RATING 5" DIA. NB 2000-4999 lbs





C1100 SERIES MEETS	ANSI CLEANOUT	STANDARD A	\112.36.2M-1991

2", 3", 4", 5", 6"

C1100-RC FLOOR CLEANOUT WITH ROUND TOP AND CARPET MARKER							
MODEL WT. COVER OUTLET LAQ. CAST IRON BOI NUMBER Lbs Size Size W/NICKEL BRONZE (-							
C1102-RC	6.30	5" Round	2"	\$427.00			
C1103-RC	5.75	5" Round	3"	\$447.00			
C1104-RC	5.50	5" Round	4"	\$583.00			
C1105,6-RC	7.50	5" Round	5", 6"	\$919.00			
Add for large m	arker -F	\$173.00					

A1 BODY HEIGHT								
PIPE SIZE	NO HUB (STANDARD)	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC ABS (-30) (-31)			
2"	3"	3 3/8"	2 1/4"	3 3/4"	2 5/8"			
3"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/4"			
4"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/3"			
5"	3"	-	2 5/8"	6 7/8"	-			
6"	3 1/2"	6 7/8"	-	-	-			

C1100-R	C1100-RC AND C1100-RFC SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Security screws (TR25 Torx and Pin) (H-1039A)	\$ 43.00	-C	Membrane clamp (A1-C1)	\$ 50.00		
-11	Acid resistant epoxy coating	\$ 213.00	-NH	No hub outlet	Standard		
-13	All galvanized	\$ 133.00	Р	Push on outlet (2", 3", 4")*	No Add		
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub Only)	\$ 734.00	T	Threaded outlet (2", 3", 4")	\$ 47.00		
-30	PVC socket connection body* (2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add		
-31	ABS socket connection body* (2", 3", 4")	No Add	-Z	Extended wide flange on body (13" Dia. x 1/8" thick)	\$799.00		
-34	T-cone plug and gasket (2", 3", 4")(C1440 Series)	\$ 220.00					


*2", 3", 4" socket connections only *Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.


A1 BODY

C1100-RFC SERIES FLOOR CLEANOUT WITH ROUND TOP AND CLAMPING FLANGE

C1100-RFC

SERIES





PARTS	C144(*)-34	A1 BODY	RFC7 or 9-3
*2, 3 or 4			

C1100-RFC FLOOR CLEANOUT WITH ROUND TOP AND CLAMPING FLANGE						
MODEL WT. COVER OUTLET LACQUERED CAST IRON BODY WITH:						
NUMBER	Lbs	SIZE	SIZE	NICKEL BRONZE (-1) 7" DIA ONLY	STAINLESS STEEL (-3)	
C1102,3,4-RFC7	7.50	7" Round	2", 3", 4"	\$ 553.00	\$ 553.00	
C1105,6-RFC7	8.50	7" Round	5", 6"	\$1045.00	\$1045.00	
C1102,3,4-RFC9	8.50	9" Round	2", 3", 4"	-	\$ 710.00	
C1105,6-RFC9	9.50	9" Round	5", 6"	-	\$1045.00	

ANSI/ASME RATING						
COVER	LOAD RATING					
SS	5000-7499 lbs					
NB	2000-4999 lbs					
C1100 SERIES MEETS ANSI						
CLEANOUT STANDARD						
A112.36.2M-1991						

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



S-1 or -3



MIFAB

C1100-S FLOOR CLEANOUT WITH SQUARE TOP

SERIES

CLEANOUTS


COMBINED COVER/PLUG 5 1/16" SQUARE COVER ADJUSTMENT MIN MAX 8" DIAMETER 1 1/4" 1/2" NEOPRENE PRIMARY GASKET SEAL "O" RING PIPE SIZE **SECONDARY** SEE BODY HEIGHT CHART BELOW 2", 3", 4", 5", 6" A1 BODY **TEST SEAL**

NOTE: 6" x 6" NB(-1) and SS (-3) covers also available. Add \$111.00 per outlet size and add 6 before S in model number to order.

C1100 SERIES MEETS ANSI CLEANOUT STANDARD A112.36.2M-1991

C1100-S FLOOR CLEANOUT WITH SQUARE TOP							
MODEL	WT.	COVER	OUTLET	LACQUERED CAST IRON BODY			
NUMBER	Lbs	SIZE	SIZE	WITH NB (-1) OR SS (-3)			
C1102-S	7.25	5" x 5"	2"	\$380.00			
C1103-S	7.00	5" x 5"	3"	\$400.00			
C1104-S	6.90	5" x 5"	4"	\$536.00			
C1105,6-S	8.50	5" x 5"	5", 6"	\$872.00			

C1100-S SERIES



ANSI/ASME	RATING	Р	A1 BOD
COVER	LOAD RATING	Α	
5",6" SQ. NB	2000-4999 lbs	R	
5",6" SQ. SS	5000-7499 lbs	T	The state of the s
Specify 6S-1 or 6	S-3 for 6" x 6" part	S	

6 7/8

*Specif	fy 6S-1 or 6S-3 fo	r 6" x 6" part	S		
A1 BOD'	Y HEIGHT				
PIPE SIZE	NO HUB Standard	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC (-30)
2 "	3"	3 3/8"	2 1/4"	3 3/4"	2 5/8"
3"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/4"
4"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/2"

2 5/8"

6 7/8"

C1100	C1100-S AND C1100-T SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Security screws (TR25 Torx & pin) (H-1039A)	\$ 43.00	-34	T-cone plug and gasket (2", 3", 4")(C1440 Series)	\$220.00		
-11	Acid resistant epoxy coating	\$ 213.00	-C	Membrane clamp (A1-C1)	\$ 50.00		
-13	All galvanized	\$ 133.00	-NH	No hub outlet	Standard		
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub Only)	\$ 734.00	Р	Push on outlet (2", 3", 4")*	No Add		
-30	PVC socket connection body* (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00		
-31	PVC socket connection body* (2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add		
			-Z	Extended wide flange on body (13" Dia. x 1/8" thick)	\$799.00		

5"

6'


3"


3 1/2"

Specify POG-6 for C.I. pipe and POG-6-PVC for 6" PVC pipe. 2", 3", 4" sizes use same gasket.

C1100-T FLOOR CLEANOUT WITH ROUND TOP AND TILE RECESS

C1100-T SERIES





C1100-T FLOOR CLEANOUT WITH ROUND TOP AND TILE RECESS						
MODEL NUMBER	WT. Lbs	COVER SIZE	OUTLET SIZE	LACQUERED CAST IRON BODY WITH NB (-1) OR SS (-3)		
C1102-T	7.25	5" round	2"	\$380.00		
C1103-T	7.00	5" round	3"	\$400.00		
C1104-T	6.90	5" round	4"	\$536.00		
C1105,6-T	8.50	5" round	5", 6"	\$872.00		

ANSI/ASME RATING COVER LOAD RATING 5" DIA. NB 2000-4999 lbs **5" DIA. SS** 5000-7499 lbs **C1100 SERIES MEETS ANSI CLEANOUT STANDARD**

PARTS	
A1 BODY	T-1 or -3

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



SERIES







C1100-TS SERIES FLOOR CLEANOUT WITH SQUARE TOP AND TILE RECESS

C1100-TS

SERIES





ANSI/ASME RATING					
COVER	LOAD RATING				
5" DIA. NB	2000-4999 lbs				
5" DIA. SS	5000-7499 lbs				



C1100 SERIES MEETS	ANSI CLEANOUT ST	TANDARD A112.36.2M-1991
---------------------------	-------------------------	-------------------------

C1100-TS FLOOR CLEANOUT W/SQUARE TOP & TILE RECESS						
MODEL WT. COVER OUTLET LACQUERED CAST IRON BODY				LACQUERED CAST IRON BODY		
NUMBER	Lbs	SIZE	SIZE	WITH NB (-1) OR SS (-3)		
C1102-TS	6.50	5" x 5"	2"	\$380.00		
C1103-TS	6.00	5" x 5"	3"	\$400.00		
C1104-TS	6.50	5" x 5"	4"	\$536.00		
C1105,6-TS	8.00	5" x 5"	5", 6"	\$872.00		


A1 BODY HEIGHT							
PIPE SIZE	NO HUB (Standard)	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC ABS (-30) (-31)		
2"	3"	3 3/8"	2 1/4"	3 3/4"	2 5/8"		
3"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/4"		
4"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/2"		
5"	3"	-	2 5/8"	6 7/8"	-		
6"	3 1/2"	6 7/8"	-	-	-		


C110	C1100-TS AND C1100-UR SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-6	Security screws (TR25 Torx & pin) (H-1039A)	\$ 43.00	-34	T-cone plug and gasket (2", 3", 4") (C1440 SERIES)	\$220.00
-11	Acid resistant epoxy coating	\$ 213.00	-C	Membrane clamp (A1-C1)	\$ 50.00
-13	All galvanized	\$ 133.00	-NH	No hub outlet	Standard
-28	Stainless steel body (Type 304, 2", 3", 4" No Hub Only)	\$ 734.00	Р	Push on outlet (2", 3", 4")*	No Add
-30	PVC socket connection body*(2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00
-31	ABS socket connection body*(2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add
			-Z	Extended wide flange on body (13" Dia. x 1/8" thick)	\$799.00

Specify POG-6 for C.I. pipe and POG-6-PVC for 6" PVC pipe. 2", 3", 4" sizes use same gasket.

C1100-UR SERIES FLOOR CLEANOUT WITH ROUND TOP AND TERRAZZO RECESS

C1100-UR





C1100-UR F	C1100-UR FLOOR CLEANOUT WITH ROUND TOP AND TERRAZZO RECESS					
MODEL NUMBER	WT. Lbs	COVER DIAMETER	OUTLET SIZE	LACQUERED CAST IRON BODY WITH NB (-1) OR SS (-3)		
C1102-UR	7.00	5" round	2"	\$ 593.00		
C1103-UR	6.50	5" round	3"	\$ 613.00		
C1104-UR	7.00	5" round	4"	\$ 749.00		
C1105,6-UR	8.25	5" round	5", 6"	\$1085.00		

ANSI/ASME RATING				
COVER	LOAD RATING			
5" DIA. NB	2000-4999 lbs			
5" DIA SS	5000-7499 lbs			
C1100 SERIES MEETS ANSI				
CLEANOUT STANDARD				
A112.36.2M-1991				

PARTS	
A1 BODY	UR-1 or -3

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

COVER ADJUSTMENT (SEE CHART)



C1100-US FLOOR CLEANOUT WITH SQUARE TOP AND TERRAZZO RECESS


C1100-US SERIES

NEOPRENE PRIMARY GASKET SEAL

BODY HEIGHT (SEE CHART)

SERIES

CLEANOUTS



ANSI/ASME RATING COVER LOAD RATING 5" DIA. NB 2000-4999 lbs 5000-7499 lbs 5" DIA. SS

4" NPSM

A1 BODY US-1 or -3 A R T S

PIPE SIZE (SEE CHART)

C1100 SERIES MEETS ANSI CLEANOUT STANDARD A112.36.2M-1991

C1100-US FLOOR CLEANOUT WITH SQUARE TOP AND TERRAZZO RECESS				
MODEL WT. COVER OUTLET LACQUERED CAST IRON BOI NUMBER Lbs SIZE SIZE WITH NB (-1) OR SS (-3)				LACQUERED CAST IRON BODY WITH NB (-1) OR SS (-3)
C1102-US	8.75	5" x 5"	2"	\$593.00
C1103-US	8.00	5" x 5"	3"	\$613.00
C1104-US 8.75 5" x 5" 4" \$749.00				
C1105,6-US	10.00	5" x 5"	5", 6"	\$1085.00

AJ ROD	YHEIGHI				
PIPE SIZE	NO HUB (STANDARD)	PUSH ON (P)	THREADED (T)	INSIDE CAULK (X)	PVC ABS (-30) (-31)
2"	3"	3 3/8"	2 1/4"	3 3/4"	2 5/8"
3"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/4"
4"	3"	3 3/8"	2 5/8"	3 3/4"	3 1/2"
5"	3"	-	2 5/8"	6 7/8"	-
6"	3 1/2"	6 7/8"	-	-	-

5"X 5"


C1100-	C1100-US, C1100-XR AND C1100-XS SERIES OPTIONAL VARIATIONS					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-6	Security screws (TR25 Torx & pin) (H-1039A)	\$ 43.00	-34	T-cone plug and gasket (2", 3", 4") (C1440 Series)	\$220.00	
-11	Acid resistant epoxy coating	\$ 213.00	-C	Membrane clamp (A1-C1)	\$ 50.00	
-13	All galvanized	\$ 133.00	-NH	No hub outlet	Standard	
-28	Stainless steel body (Type 304) (2", 3", 4" No Hub Only)	\$ 734.00	Р	Push on outlet (2", 3", 4")*	No Add	
-30	PVC socket connection body* (2", 3", 4")	No Add	T	Threaded outlet (2", 3", 4")	\$ 47.00	
-31	PVC socket connection body* (2", 3", 4")	No Add	Χ	Inside caulk outlet (2", 3", 4")	No Add	
			-Z	Extended wide flange on body (13" Dia. x 1/8" thick)	\$799.00	


Specify POG-6 for C.I. pipe and POG-6-PVC for 6" PVC pipe. 2", 3", 4" sizes use same gasket.

C1100-XR FLOOR CLEANOUT WITH HEAVY DUTY ROUND TOP

C1100-XR SERIES

SERIES





C1100 SERIES MEETS ANSI CLEANOUT STANDARD A112.36.2M-1991





C1100-R FLOOR CLEANOUT WITH NICKEL BRONZE ROUND TOP					
MODEL	WT.	COVER	OUTLET	LACQUERED CAST I	RON BODY WITH:
NUMBER	Lbs	SIZE	SIZE	DUCTILE IRON (-4)	NB (-1) OR SS (-3)
C1102-XR	6.75	5" Round	2"	\$308.00	\$475.00
C1103-XR	6.25	5" Round	3"	\$354.00	\$495.00
C1104-XR	6.75	5" Round	4"	\$421.00	\$631.00
C1105,6-XR	8.00	5" Round	5", 6"	\$735.00	\$967.00

ANSI/ASME RATING					
COVER	LOAD RATING				
5" DIA. NB	5000-7499 lbs				
5" DIA. SS	5000-7499 lbs				
5" DIA. DI	OVER 10,000 lbs				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049










C1100-X\$ SERIES FLOOR CLEANOUT WITH HEAVY DUTY SQUARE TOP

C1100-XS

ES



RENE PRIMARY ET SEAL
COVER ADJUSTMENT (SEE CHART) BODY HEIGHT (SEE CHART)

ANSI/ASME RATING

COVER LOAD RATING 5" DIA. NB 2000-4999 lbs **5" DIA. SS** 5000-7499 lbs C1100 SERIES MEETS ANSI **CLEANOUT STANDARD** A112.36.2M-1991




C1100-XS FLOOR CLEANOUT WITH HEAVY DUTY SQUARE TOP MODEL WT. **COVER** OUTLET **LACQUERED CAST IRON BODY** NUMBER WITH NB (-1) OR SS (-3) SIZE SIZE Lbs C1102-XS 7.25 5" x 5' \$475.00 C1103-XS 6.75 5" x 5" 3" \$495.00 C1104-XS 7.25 5" x 5" 4" \$631.00 5" x 5" 5", 6" C1105,6-XS 8.50 \$967.00

ISOLATION FLOOR CLEANOUT WITH ROUND TOP C1200-C-R SERIES

C1200-C-R

SERIES



C1200-C-R ISOLATION FLOOR CLEANOUT WITH ROUND TOP MODEL COVER OUTLET LACQUERED CAST IRON BODY WITH: WT NUMBER Lbs SIZE SIZE **DUCTILE IRON (-4)** NB (-1) OR SS (-3) C1202-C-R 5" Round 16.75 2" 859.00 1033.00 C1203-C-R 16.00 5" Round 3" 859.00 \$ 1033.00 C1204-C-R 16.75 5" Round 4" 859.00 \$ 1033.00 5", 6" \$1045.00 C1205.6-C-R 18.00 5" Round \$ 1219.00

MEETS ANSI CLEANOUT **STANDARD** A112.36.2M-1991 **SEE PAGE 162** FOR C1200-C-R OPTIONAL **VARIATIONS**

COVER

ADJUSTMENT

(SEE CHART

7.25 MAX 6 MIN

S.STEEL

ANSI/ASME RATING					
COVER	LOAD RATING				
5" DIA. NB	2000-4999 lbs				
5" DIA SS	5000-7499 lbs				
5" DIA DI	OVER 10,000 lbs				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

2 PIECES

2 PIECES

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

2 PIECES



P161

C1200-C SERIES





C1200-C ISOLATION FLOOR CLEANOUT MODEL VARIATIONS

SERIES

CLEANOUTS

C1200-C-RC FLOOR CLEANOUT WITH ROUND TOP AND CARPET MARKER LACQUERED CAST IRON BODY WITH NICKEL BRONZE (-1) MODEL COVER OUTLET WT. NUMBER SIZE SIZE Lbs C1202-C-RC 1080.00 16.75 5" Round 2" C1203-C-RC 16.00 5" Round 3" 1080.00 C1204-C-RC 16.75 5" Round 4" 1080.00 C1205,6-C-RC 5" Round 5", 6" 1266.00 16.75

C1200-C-S FLOOR CLEANOUT WITH SQUARE TOP							
MODEL NUMBER	WT. Lbs	COVER SIZE	OUTLET SIZE	LACQUERED CAST IRON BODY WITH NICKEL BRONZE (-1) OR STAINLESS STEEL (-3)			
C1202-C-S	17.50	5" x 5"	2"	\$ 1033.00			
C1203-C-S	16.75	5" x 5"	3"	\$ 1033.00			
C1204-C-S	17.50	5" x 5"	4"	\$ 1033.00			
C1205,6-C-S	17.75	5" x 5"	5", 6"	\$ 1219.00			

C1200-C-T FL	C1200-C-T FLOOR CLEANOUT WITH ROUND TOP AND TILE RECESS						
MODEL NUMBER	WT. Lbs	COVER SIZE	OUTLET SIZE	LACQUERED CAST IRON BODY WITH NICKEL BRONZE (-1) OR STAINLESS STEEL (-3)			
C1202-C-T	16.75	5" Round	2"	\$ 1033.00			
C1203-C-T	16.75	5" Round	3"	\$ 1033.00			
C1204-C-T	16.75	5" Round	4"	\$ 1033.00			
C1205,6-C-T	16.75	5" Round	5", 6"	\$ 1219.00			

C1200-C-TS F	C1200-C-TS FLOOR CLEANOUT WITH SQUARE TOP AND TILE RECESS						
MODEL NUMBER	WT. Lbs	COVER SIZE	OUTLET SIZE	LACQUERED CAST IRON BODY WITH NICKEL BRONZE (-1) OR STAINLESS STEEL (-3)			
C1202-C-TS	17.25	5" x 5"	2"	\$ 1033.00			
C1203-C-TS	16.75	5" x 5"	3"	\$ 1033.00			
C1204-C-TS	17.25	5" x 5"	4"	\$ 1033.00			
C1205,6-C-TS	17.75	5" x 5"	5", 6"	\$ 1219.00			

C1200-C-UR F	C1200-C-UR FLOOR CLEANOUT WITH ROUND TOP AND TERRAZZO RECESS						
MODEL WT. COVER OUTLET LACQUERED CAST IRON BODY WITH NUMBER Lbs SIZE SIZE NICKEL BRONZE (-1) OR STAINLESS STEEL (-							
C1202-C-UR	17.25	5" Round	2"	\$1246.00			
C1203-C-UR	17.00	5" Round	3"	\$1246.00			
C1204-C-UR	17.50	5" Round	4"	\$1246.00			
C1205,6-C-UR	17.75	5" Round	5", 6"	\$1432.00			

C1200-C-US F	C1200-C-US FLOOR CLEANOUT WITH SQUARE TOP AND TERRAZZO RECESS						
MODEL WT. COVER OUTLET LACQUERED CAST IRON BODY WITH NUMBER Lbs SIZE SIZE NICKEL BRONZE (-1) OR STAINLESS STEEL (-3							
C1202-C-US	19.25	5" x 5"	2"	\$1246.00			
C1203-C-US	18.75	5" x 5"	3"	\$1246.00			
C1204-C-US	19.25	5" x 5"	4"	\$1246.00			
C1205.6-C-US	19.75	5" x 5"	5". 6"	\$1432.00			

C1200-C-XR FLOOR CLEANOUT WITH HEAVY DUTY ROUND TOP							
MODEL WT. COVER OUTLET LACQUERED CAST IRON BODY WITH: NUMBER Lbs SIZE SIZE DUCTILE IRON (-4) NB (-1) OR SS (
C1202-C-XR	16.75	5" Round	2"	\$ 859.00	\$ 1080.00		
C1203-C-XR	16.25	5" Round	3"	\$ 859.00	\$ 1080.00		
C1204-C-XR	16.75	5" Round	4"	\$ 859.00	\$ 1080.00		
C1205,6-C-XR	16.75	5" Round	5", 6"	\$1045.00	\$ 1266.00		

*Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe, 2", 3", 4" sizes use same gasket.

Оро	opolity i od o for c.i. pipe and i od o i vo for i vo pipe. E , o , i olego doo dante galekot.								
C120	C1200-C SERIES OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-4	Ductile iron top assembly	See above	-30	PVC socket connection body* (2",3",4")	No Add				
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 43.00	-31	ABS socket connection body* (2",3",4")	No Add				
-11	Acid resistant epoxy coating	\$ 614.00	-34	T-cone plug and gasket (C1440 Series)	\$ 220.00				
-13	All galvanized	\$ 614.00	NH	No hub outlet (2", 3", 4")	Standard				
-28	All 304 Stainless steel bodies (2",3",4" No Hub Only)	\$1468.00	Р	Push on outlet (2", 3", 4")*	No Add				
			T	Threaded outlet (2", 3", 4")	\$ 47.00				
			X	Inside caulk outlet (2", 3", 4")	No Add				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.



Toll Free 1-800-465-2736, Fax 773-341-3049

C1200-RC



*Add \$111.00 per outlet size for 6" x 6" NB (-1) or SS (-3) top



C1200-T



C1200-TS



C1200-UR



C1200-US



C1200-XR

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA





PIPE SIZE NO HUB PUSH ON

C1222,3,4 SERIES FERRULE CLEANOUT WITH ADJUSTABLE TOP & SECONDARY PLUG C1222,3,4 **SERIES**

STANDARD COVER ADJUSTMENT 4-5 1/16" DIAMETER→ MIN MAX REINFORCED TOP ASSEMBLY 1 1/4" NEOPRENE PRIMARY **GASKET** SEAL 4" INTEGRAL **BODY THREADS** PIPE SIZE THREADED PLASTIC 2", 3", 4". PLUG FOR SECONDARY AIR TIGHT SEAL

4 3/8" 3 5/8", 4 5/16", 4 11/16"

NEOPRENE PRIMARY GASKET SEAL TOP ASSEMBLY ADJUSTMENT— (SEE CHART) 4" NPSM BODY HEIGHT (SEE CHART)

ANSI/ASME RATING						
COVER	LOAD RATING					
5" DIA. NB	2000-4999 lbs					
5" DIA. SS	5000-7499 lbs					
5" DIA. DI	OVER 10,000 lbs					

(*) Denotes strainer finish (-1, -3 or -4)

PARTS R-(*)

A4 BODY




C1222,3,4 FERRULE CLEANOUT WITH ADJUSTABLE TOP AND SECONDARY PLUG								
WT. Lbs	DESCRIPTION	NO HUB OUTLET SIZE	LACQUERED CAST DUCTILE IRON (-4)	IRON BODY WITH: NB (-1) OR SS (-3)				
5.65	5" Round top	2", 3", 4"	\$421.00	\$536.00				
5.65	5" Round top with SS carpet marker	2", 3", 4"	\$469.00	\$583.00				
6.50	7" Round top with clamping flange	2", 3", 4"	-	\$710.00*				
5.65	5" square top	2", 3", 4"	-	\$536.00				
5.65	5" Round top with tile recess	2", 3", 4"	-	\$536.00				
5.65	5" Square top with tile recess	2", 3", 4"	-	\$536.00				
5.65	5" Round top with terrazzo recess	2", 3", 4"	-	\$749.00				
5.65	5" Square top with terrazzo recess	2", 3", 4"	-	\$749.00				
5.65	5" Heavy duty round top	2", 3", 4"	\$421.00	\$536.00				
5.65	5" Heavy duty square top	2", 3", 4"	-	\$536.00				
	WT. Lbs 5.65 5.65 6.50 5.65 5.65 5.65 5.65 5.65	WT. Lbs 5.65 5" Round top 5.65 5" Round top with SS carpet marker 6.50 7" Round top with clamping flange 5.65 5" square top 5.65 5" Round top with tile recess 5.65 5" Square top with tile recess 5.65 5" Round top with tercess 5.65 5" Square top with tercess 5.65 5" Round top with tercess 5.65 5" Round top with tercazor recess 5.65 5" Square top with tercazor recess 5.65 5" Heavy duty round top	WT. Lbs DESCRIPTION NO HUB OUTLET SIZE 5.65 5" Round top 2", 3", 4" 5.65 5" Round top with SS carpet marker 2", 3", 4" 6.50 7" Round top with clamping flange 2", 3", 4" 5.65 5" square top 2", 3", 4" 5.65 5" Round top with tile recess 2", 3", 4" 5.65 5" Square top with tile recess 2", 3", 4" 5.65 5" Square top with terrazzo recess 2", 3", 4" 5.65 5" Square top with terrazzo recess 2", 3", 4" 5.65 5" Heavy duty round top 2", 3", 4" 5.65 5" Heavy duty square top 2", 3", 4"	WT. Lbs DESCRIPTION NO HUB OUTLET SIZE LACQUERED CAST DUCTILE IRON (-4) 5.65 5" Round top 2", 3", 4" \$421.00 5.65 5" Round top with SS carpet marker 2", 3", 4" \$469.00 6.50 7" Round top with clamping flange 2", 3", 4" - 5.65 5" square top 2", 3", 4" - 5.65 5" Round top with tile recess 2", 3", 4" - 5.65 5" Square top with tile recess 2", 3", 4" - 5.65 5" Round top with terrazzo recess 2", 3", 4" - 5.65 5" Square top with terrazzo recess 2", 3", 4" - 5.65 5" Square top with terrazzo recess 2", 3", 4" - 5.65 5" Heavy duty round top 2", 3", 4" - 5.65 5" Heavy duty square top 2", 3", 4" -				


A4 BODY

*RFC9 IN STAINLESS STEEL ONLY: \$710.00 LIST PRICE FOR 2". 3". 4": \$1045.00 LIST PRICE FOR 6" SIZE

C1222,3,4 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-6	Security screws (TR25 Torx & pin) (H-1039A)	\$ 43.00	-31	ABS socket connection body*	No Add		
-11	Acid resistant epoxy coating	\$213.00	-34B	Brass closure plug (A4-34B)	\$117.00		
-13	All galvanized	\$133.00	P	Push on outlet (2", 3", 4")	No Add		
-30	PVC socket connection body*	No Add		*2", 3", 4" socket connections only			

C1226.8 SERIES FERRULE CLEANOUT WITH ADJUSTABLE TOP & SECONDARY PLUG C1226,8





(*) Denotes outlet size (6" or 8") (**) Denotes connection type

(***) Denotes cover diameter (6" or 8") (****) Denotes cover finish (-1, -3 or -4)

	• · · · · · · · · · · · · · · · · · · ·
Ť	
6	C122(*)(**)-PB
6	

C122(***)-TA-(****)

PARTS

C1226,8 FERRULE CLEANOUT WITH ADJUSTABLE TOP AND SECONDARY PLUG					
MODEL WT. OUTLET LACQUERED CAST IRON BODY WITH: NUMBER Lbs SIZE DUCTILE IRON (-4) NB (-1) OR SS (-3)					
C1226	20.00	6"	\$735.00	\$872.00	
C1228	25.00	8"	\$872.00	\$997.00	

ANSI/ASME RATING	
COVER	LOAD RATING
6", 8" DIAMETER NB	OVER 10,000 lbs
6", 8" DIAMETER SS	OVER 10,000 lbs
6" 8" DIAMETER DI	OVER 10 000 lbs

C1226,8	C1226,8 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 43.00	-34B	Brass closure plug (C122 (6 or 8)-PP-81)	\$373.00			
-11	Acid resistant epoxy coating	\$213.00	Р	Push on outlet (6" only)	No Add			
-13	All galvanized	\$133.00	X	Inside caulk outlet (6" only)	No Add			

*2", 3", 4" socket connections only *Specify POG-6 for C.I. pipe and POG-6-PVC for PVC pipe. 2", 3", 4" sizes use same gasket.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049





4230 LINE OP ELOOP C


SEE BODY HEIGHT CHART BELOW

C1230 LINE OR FLOOR CLEANOUT

C1230 SERIES







C1230 LINE 0	C1230 LINE OR FLOOR CLEANOUT			
MODEL NUMBER	WT. Lbs	DESCRIPTION	LIST PRICE	ADD FOR NICKEL Bronze Cover (-1)
C1232-4	4.75	2" C.I. body with ductile iron cover	\$ 58.00	-
C1233-4	4.75	3" C.I. body with ductile iron cover	\$ 90.00	-
C1234-4	5.25	4" C.I. body with ductile iron cover	\$124.00	-
C1234P-4	6.00	4" C.I. body push on outlet body with D.I. cover	\$124.00	-
C1236-4	6.00	6" C.I. body with ductile iron cover	\$255.00	-
C1238-4	7.00	8" C.I. body with ductile iron cover	\$474.00	-
C1232-1	4.75	2" NB body with NB cover	\$223.00	-
C1233-1	4.75	3" NB body with NB cover	\$259.00	-
C1234-1	5.25	4" NB body with NB cover	\$264.00	-
C1232-30	4.75	2" PVC body with ductile iron cover	\$108.00	\$ 117.00
C1233-30	3.25	3" PVC body with ductile iron cover	\$143.00	\$ 117.00
C1234-30	3.50	4" PVC body with ductile iron cover	\$149.00	\$ 117.00
C1232-31	3.25	2" ABS body with ductile iron cover	\$108.00	\$ 117.00
C1233-31	3.25	3" ABS body with ductile iron cover	\$149.00	\$ 117.00
C1234-31	3.50	4" ABS body with ductile iron cover	\$149.00	\$ 117.00

BODY HEIGHT						
PIPE SIZE	NB/CI	PVC/ABS				
2", 3"	2 3/16"	2 5/8"				
4"	2 3/16"	2 5/8"				
6", 8"	3 1/2"	N/A				





ANSI/ASME RATING			
COVER	LOAD RATING		
5" DIAMETER NB	2000 - 4999 lbs		
5" DIAMETER DI	OVER 10,000 lbs		

C12	230 OPTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-6	Security screws (TR25 Torx & pin) (H-1039A)	\$ 43.00
-11	Acid resistant epoxy coating	\$ 95.00
-13	All galvanized	\$ 95.00
	T-cone plug and gasket (C1440 Series)	\$220.00
Р	Push on outlet (2", 3", 4")	No add

C1230-WF FLOOR CLEANOUT FOR WOOD FLOOR INSTALLATIONS

C1230-WF SERIES





C1230-WF FLOOR CLEANOUT FOR WOOD FLOOR INSTALLATIONS				
MODEL NUMBER	WT. Lbs	DESCRIPTION	LIST PRICE	ADD FOR NICKEL Bronze Cover (-1)
C1232,3-WF-4	4.75	2",3" C.I. body w/ductile iron cover	\$359.00	-
C1234-WF-4	5.25	4" C.I. body with ductile iron cover	\$520.00	-
C1232,3-WF-30	3.25	2",3" PVC body w/ductile iron cover	\$359.00	\$569.00
C1234-WF-30	3.50	4" PVC body w/ductile iron cover	\$520.00	\$569.00
C1232,3-WF-31	3.25	2",3" ABS body w/ductile iron cover	\$359.00	\$569.00
C1234-WF-31	3.50	4" ABS body with ductile iron cover	\$520.00	\$569.00

ANSI/ASME RATING			
COVER	LOAD RATING		
5" DIAMETER NB	2000 - 4999 lbs		
5" DIAMETER DI	OVER 10,000 lbs		

C12	C1230-WF OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE				
-6	Security screws (TR25 Torx and pin)(H-1039A)	\$ 43.00				
-11	Acid resistant epoxy coating	\$153.00				
-13	All galvanized	\$153.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

164


SERIES



C1300 SERIES SCORIATED ACCESS COVERS



C1300-R C1300-S



C1300 SCORIATED ACCESS COVERS				
MODEL NUMBER	WT. Lbs	DESCRIPTION	NICKEL Bronze (-1)	DUCTILE IRON (-4)
C1300-R6	9.00	6" Round scoriated access cover	\$213.00	-
C1300-R9	10.00	9" Round scoriated access cover	\$371.00	-
C1300-S7	11.00	7" x 7" scoriated access cover	\$367.00	-
C1300-S9	12.00	9" x 9" scoriated access cover	\$538.00	\$286.00
C1300-S12	12.00	12" x 12" scoriated access cover	\$628.00	\$458.00


C1300 OPTIONAL VARIATIONS:							
SUFFIX	SUFFIX DESCRIPTION						
-6	Security screws (TR25 Torx and pin)(H-1039A)	\$ 43.00					

C1300-UR/US SERIES ACCESS COVER RECESSED FOR TERRAZZO

C1300-UR/US

SERIES






C1300-UR OR	C1300-UR OR US ACCESS COVER RECESSED FOR TERRAZZO					
MODEL NUMBER						
C1300-UR 9.00		9" Round terrazzo recessed access cover	\$664.00			
C1300-US	11.00	8" x 8" terrazzo recessed access cover	\$664.00			

C1300-UR & US OPTIONAL VARIATIONS:						
SUFFIX	SUFFIX DESCRIPTION					
-6	Security screws (TR25 Torx and pin)(H-1039A)	\$ 43.00				

C1310 SERIES FLOOR ACCESS COVER

C1310 **SERIES**





C1310 FLOOR ACCESS COVER							
MODEL NUMBER							
C1312	4.00	3 5/8" Diameter scoriated access cover	2"	\$275.00			
C1313	C1313 4.00 5 1/8" Diameter scoriated access cover			\$386.00			
C1314 5.00 5 7/8" Diameter scoriated access cover				\$436.00			
C1316	8.00	8" Diameter scoriated access cover	6"	\$570.00			

NOTE: If a cleanout is required, use MIFAB C1230 Series

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




C1300-MF HEAVY DUTY CLEANOUT ACCESS HOUSING WITH ANCHOR FLANGE C1300-MF SERIES

SERIES

CLEANOUTS





NOTE: IF A CLEANOUT IS REQUIRED, USE MIFAB C1230 SERIES (See page 164)


C1300-MF HEAVY DUTY CLEANOUT ACCESS HOUSING WITH ANCHOR FLANGE						
MODEL WT. DESCRIPTION DUCTILE STAINLE NUMBER Lbs IRON (-4) STEEL (VENER						
			- ()	- (/(-/		
C1300-MF	40.00	Heavy duty cleanout access housing	\$845.00	\$1218.00		


C13					
SUFFIX	LIST PRICE				
-6	-6 Security screws (TR30 Torx and pin)				
	-11 Acid resistant epoxy coating				
-13	All galvanized	\$338.00			

C1400 SERIES

NICKEL BRONZE SMOOTH WALL ACCESS COVER

C1400 SERIES





C1400 NICKEL	C1400 NICKEL BRONZE SMOOTH WALL ACCESS COVER							
MODEL NUMBER	WT. Lbs	COVER Size	LIST PRICE					
C1400-R6-1	9.00	6" Round	\$213.00					
C1400-R9-1	10.00	9" Round	\$371.00					
C1400-S7-1	11.00	7" x 7"	\$367.00					
C1400-S9-1	12.00	9" x 9"	\$536.00					
C1400-S12-1	16.00	12" x 12"	\$628.00					

C1400 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE					
-3	Stainless Steel access cover	\$491.00					
-6	Security screws (TR25 Torx and pin)(H-1039A)	\$ 43.00					

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049








STAINLESS STEEL ROUND SMOOTH ACCESS COVER WITH SCREW C1400-RD C1400-RD SERIES

ALLEN KEY BOLT **16 GAUGE STAINLESS** 3 1/2" OR SPECIFY STEEL ACCESS COVER (H-1086) C1400-RD3 C1400-RD4 C1400-RD5 C1400-RD6 C1400-RD8 C1400-RD10




C1400-RD STAINLESS STEEL ROUND SMOOTH ACCESS COVER W/SCREW							
MODEL NUMBER	WT. Lbs	COVER Diameter	LIST Price				
C1400-RD3	0.50	3"	\$ 84.00				
C1400-RD4	0.50	4"	\$ 84.00				
C1400-RD5	0.50	5"	\$ 84.00				
C1400-RD6	0.50	6"	\$102.00				
C1400-RD8	0.50	8"	\$185.00				
C1400-RD10	1.00	10"	\$288.00				


C1400-I	C1400-RD OPTIONAL VARIATIONS:					
SUFFIX	SUFFIX DESCRIPTION					
-6	Security screw (H-1086A)	\$43.00				
-87	, , ,					

C1430 **SERIES**

C1430 BRONZE CLEANOUT PLUG ONLY C1430-RD ROUND STAINLESS STEEL SMOOTH ACCESS COVER WITH BRONZE CLEANOUT PLUG & SCREW

C1430 **SERIES**





C1430-RD OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE				
-6	Security screw (H-1086A)	\$43.00				
-87	Screw longer than 3 1/2", per inch	\$11.00				

	C1430 BRONZE CLEANOUT PLUG ONLY C1430-RD ROUND STAINLESS STEEL SMOOTH ACCESS COVER WITH BRONZE CLEANOUT PLUG AND SCREW							
MODEL NUMBER	WT. Lbs	PIPE SIZE	LIST PRICE	MODEL Number	WT. Lbs	PIPE SIZE	COVER Diameter	LIST PRICE
C1432	0.25	2"	\$ 33.00	C1432-RD4	0.75	2"	4"	\$117.00
C1433	0.50	3"	\$ 58.00	C1433-RD4	1.25	3"	4"	\$142.00
C1434	0.50	4"	\$102.00	C1434-RD6	1.25	4"	6"	\$204.00
C1435	0.75	5"	\$157.00	C1435-RD6	1.50	5"	6"	\$259.00
C1436	0.85	6"	\$213.00	C1436-RD8	1.75	6"	8"	\$398.00
C1438	1.25	8"	\$436.00	C1438-RD10	2.25	8"	10"	\$724.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049


P167




C1440

EXPANDABLE LINE CLEANOUT

C1440 SERIES






C1440 EXPANDABLE LINE CLEANOUT						
MODEL NUMBER	WT. Lbs	PIPE SIZE	LIST PRICE			
C1441.5	0.50	1 1/2"	\$220.00			
C1442	0.50	2"	\$220.00			
C1443	0.75	3"	\$220.00			
C1444	1.00	4"	\$220.00			

AVAILABLE FOR 1 1/2", 2", 3", 4" PIPE SIZES

C1440-R EXPANDABLE LINE CLEANOUT WITH ROUND NICKEL BRONZE WALL ACCESS PANEL C1440-R SERIES

SERIES



			0.725		
	ľ Ľ	¬/	Г		
	li I É		° -		0 635
PIPE SIZE	누누	Ţ		1	
(SEE CHART)					
	-1	PIPE (BY OTHER	RS)		BRONZE S COVER

C1440-R EXPANDABLE LINE CLEANOUT WITH ROUND NICKEL BRONZE WALL ACCESS PANEL						
MODEL Number	WT. Lbs	PIPE SIZE	COVER DIAMETER	LIST PRICE		
C1441.5-R6-1	10.50	1 1/2"	6"	\$433.00		
C1442-R6-1	10.50	2"	6"	\$433.00		
C1443-R6-1	10.75	3"	6"	\$433.00		
C1444-R6-1	11.00	4"	6"	\$433.00		

C1440-R	C1440-R OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE					
-3	Stainless steel access cover	\$ 491.00					
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 43.00					
-95	Client logo	\$ 545.00					

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


Toll Free 1-800-465-2736, Fax 773-341-3049




MIFAB

C1440-RD SERIES EXPANDABLE LINE CLEANOUT W/ROUND STAINLESS STEEL SMOOTH ACCESS COVER & SCREW C1440-RD

SERIES





C1440-RD EXPANDABLE LINE CLEANOUT WITH ROUND STAINLESS STEEL SMOOTH ACCESS COVER AND SCREW					
MODEL NUMBER	WT. Lbs	PIPE SIZE	COVER DIAMETER	LIST PRICE	
C1441.5-RD4	1.50	1 1/2"	4"	\$304.00	
C1442-RD4	1.50	2"	4"	\$304.00	
C1443-RD5	1.75	3"	5"	\$304.00	
C1444 DDC	2.00	411	CII	6222.00	

AVAILABLE FOR 1 1/2", 2", 3", 4" PIPE SIZES

C1440-RD OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-6	Security screw (H-1086A)	\$ 43.00		
-87	Longer screw over 3 1/2", per inch	\$ 11.00		
-95	Client logo	\$545.00		

EXPANDABLE LINE CLEANOUT WITH SQUARE NICKEL BRONZE WALL ACCESS PANEL **C1440-S C1440-S** SERIES **SERIES**

NICKEL BRONZE FRAME AND ACCESS COVER C1440 EXPANDABLE LINE CLEANOUT PIPE BY OTHERS **ANCHOR LUGS AVAILABLE FOR 1 1/2", 2", 3", 4" PIPE SIZES**

				7
		-	SQUARE 8	SQUARE 8.3
PIPE SIZE (SEE CHART)			nòs	SQUA
	PIPE (NOT SUPPLIED)	0.5		, ,

C1440-S EXPANDABLE LINE CLEANOUT WITH SQUARE NICKEL BRONZE WALL ACCESS PANEL						
MODEL NUMBER	WT. Lbs	PIPE SIZE	COVER SIZE	LIST PRICE		
C1441.5-S7-1	12.50	1 1/2"	7" x 7"	\$587.00		
C1442-S7-1	12.50	2"	7" x 7"	\$587.00		
C1443-S7-1	12.75	3"	7" x 7"	\$587.00		
C1444-S7-1	13.00	4"	7" x 7"	\$587.00		

C1440-S	C1440-S OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE				
-3	Stainless steel access cover	\$ 545.00				
-6	Security screws (TR25 Torx and Pin) (H-1039A)	\$ 43.00				
-95	Client logo	\$ 545.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P169




C1450

LINE CLEANOUT


C1450 SERIES



CLEANOUTS







C1450 LINE CLEANOUT							
MODEL	WT.	DESCRIPTION	LIST	ADD FOR NICKEL			
NUMBER	Lbs		PRICE	BRONZE COVER (-1)			
C1452,3-1	4.75	2",3" NB body with NB cover	\$223.00	-			
C1454-1	5.25	4" NB body with NB cover	\$264.00	-			
C1452-4	4.25	2" C.I. body w/ductile iron cover	\$ 58.00	-			
C1453-4	4.75	3" C.I. body w/ductile iron cover	\$ 90.00	-			
C1454-4	5.25	4" C.I. body w/ductile iron cover	\$124.00	-			
C1452,3-30	3.25	2",3" PVC body w/ductile iron cover	\$108.00	\$ 117.00			
C1454-30	3.50	4" PVC body w/ductile iron cover	\$149.00	\$ 117.00			
C1452,3-31	3.25	2",3" ABS body w/ductile iron cover	\$108.00	\$ 117.00			
C1454-31	3.50	4" ABS body w/ductile iron cover	\$149.00	\$ 117.00			

C14	C1450 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE					
-6	Security screws (TR25 Torx and Pin)(H-1039A)	\$ 43.00					
-95	Client logo	\$545.00					

CLEANOUT

COVER DIAMETER (SEE CHART)

NICKEL BRONZE

ACCESS COVER

PLUG


C1450-R LINE CLEANOUT WITH ROUND NICKEL BRONZE WALL ACCESS PANEL C1450-R SERIES

PIPE SIZE

PIPE

(NOT SUPPLIED) -

SERIES



C1450-R LINE CLEANOUT WITH ROUND NICKEL BRONZE WALL ACCESS PANEL						
MODEL NUMBER	WT. Lbs	PIPE SIZE	COVER DIAMETER	LIST PRICE		
C1452,3-R6-1	10.75	2", 3"	6"	\$271.00		
C1454-R6-1	11.25	4"	6"	\$337.00		

C1450-R OPTIONAL VARIATIONS: SUFFIX DESCRIPTION LIST PRICE \$491.00 -3 Stainless steel access cover Security screws (TR25 Torx and Pin) (H-1039A) \$ 43.00 -6 -30 PVC socket connection No Add -31 ABS socket connection No Add Visit www.mifab.com for the most recent product information.

NEOPRENE

GASKET

Design and dimensions are subject to modification. Prices do not include applicable taxes.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

C1450-S **SERIES**





(PVC & ABS)

CONNECTION

C1450-RD SERIES LINE CLEANOUT WITH ROUND STAINLESS STEEL SMOOTH ACCESS COVER C1450-RD

STAINLESS STEEL **C1450 LINE** CLEANOUT **ACCESS COVER** ALLEN KEY BOLT 3 1/2" OR **SPECIFY (H-1086)** COVER NEOPRENE COVER/ **PLUG SEALING GASKET** 2", 3", 4" NO HUB PIPE BY OTHERS AVAILABLE FOR 2", 3", 4" (CAST IRON) **PIPE SIZES** CONNECTION OR SOCKET PIPE SIZE NB/CI PVC/ABS


NEOPRENE SEALING GASKET Ø5.06" 0.125 Ø0.31 PIPE SIZE CLEANOUT (SEE CHART) PLUG PIPE (NOT SUPPLIED) STAINLESS STEEL COVER BODY HEIGHT (SEE CHART)

C1450-RD LINE CLEANOUT WITH ROUND STAINLESS STEEL SMOOTH ACCESS COVER					
MODEL WT. PIPE COVER LIST NUMBER Lbs SIZE DIAMETER PRICE					
C1452-RD6	5.75	2"	6"	\$143.00	
C1453-RD6	6.00	3"	6"	\$175.00	
C1454-RD6	6.25	4"	6"	\$207.00	

2", 3", 4" 2 3/16"

C1450-F	C1450-RD OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE			
-6	Security screw (H-1086A)	\$ 43.00			
-30	PVC socket connection	No Add			
-31	ABS socket connection	No Add			
-87	Longer screw over 3 1/2", per inch	\$ 11.00			
-95	Client logo	\$ 545.00			

C1450-S SERIES LINE CLEANOUT WITH SQUARE NICKEL BRONZE ACCESS COVER



CONNECTION			2,3,4	3/10" 2 3/0"
C1450-S LINE (SQUARE NICKE			VER	
MODEL NUMBER	WT. Lbs	PIPE SIZE	COVER SIZE	LIST PRICE
C1452,3-S7-1	10.75	2", 3"	7" x 7"	\$426.00
C1454-S7-1	11.25	4"	7" x 7"	\$492.00

SQUARE PIPE SIZE (SEE CHART) CLEANOUT PLUG BODY HEIGHT (SEE CHART)

C1450-S OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE			
-3	Stainless steel access cover	\$ 545.00			
-6	Security screws (TR25 Torx and pin) (H-1039A)	\$ 43.00			
-30	PVC socket connection	No Add			
-31	ABS socket connection	No Add			
-95	Client logo	\$ 545.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes.


Visit www.mifab.com for the most recent product information.



C1460 SERIES


CLEANOUTS

CAST IRON STACK CLEANOUT WITH PLUG



C1460 CAST IRON STACK CLEANOUT WITH PLUG					
MODEL NUMBER	WT. Lbs	PIPE SIZE	LIST PRICE		
C1462	3.50	2"	\$138.00		
C1463	5.50	3"	\$172.00		
C1464	7.50	4"	\$268.00		
C1466	21.50	6"	\$762.00		
C1468	25.00	8"	\$947.00		


PIPE SIZES




C1460 O	PTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-6	Security screws (TR25 Torx and Pin) (H-1039A)	\$ 43.00

C1460-R CAST IRON STACK CLEANOUT W/PLUG & ROUND NICKEL BRONZE ACCESS COVER C1460-R SERIES

SERIES



C1460-R CAST IRON STACK CLEANOUT WITH PLUG AND ROUND NICKEL BRONZE ACCESS COVER				
MODEL NUMBER	WT. Lbs	PIPE SIZE	COVER DIAMETER	LIST PRICE
C1462-R6-1	9.00	2"	6"	\$354.00
C1463-R6-1	11.00	3"	6"	\$386.00
C1464-R6-1	13.00	4"	6"	\$482.00
C1466-R9-1	27.00	6"	9"	\$1297.00
C1468-R9-1	31.00	8"	9"	\$1488.00



C1460-F	OPTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-3	Stainless steel access cover	\$ 491.00
-6	Security screws (TR25 Torx and Pin) (H-1039A)	\$ 43.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

172




& MIFAB®

C1460-RD SERIES CAST IRON STACK CLEANOUT W/PLUG & ROUND STAINLESS STEEL SMOOTH ACCESS COVER & SCREW C1460-RD

SERIES


C1460 CAST IRON STAINLESS STEEL STACK CLEANOUT **ACCESS COVER** ALLEN KEY BOLT 3 1/2" OR SPECIFY (H-1086) 8", 10" COVER THREADED PLUG BODY HEIGH PIPE SIZE | BODY HEIGHT AVAILABLE FOR 2", 3", 4", 6", 8" PIPE SIZES PIPE BY OTHERS




C1460-RD CAST IRON STACK CLEANOUT WITH PLUG AND STAINLESS STEEL SMOOTH ACCESS COVER					
MODEL NUMBER	WT. Lbs	PIPE SIZE	BODY HEIGHT	COVER DIAMETER	LIST PRICE
C1462-RD5	4.00	2"	6 1/2"	5"	\$ 220.00
C1463-RD5	6.00	3"	7 3/4"	5"	\$ 253.00
C1464-RD6	8.00	4"	8 3/4"	6"	\$ 373.00
C1466-RD8	22.00	6"	12 1/2"	8"	\$ 947.00
C1468-RD10	26.00	8"	15"	10"	\$1136.00

C1460-	C1460-RD OPTIONAL VARIATIONS:			
SUFFIX	DESCRIPTION	LIST PRICE		
-6	Security screw (H-1086A)	\$ 43.00		
-87	Longer screw over 3 1/2", per inch	\$ 11.00		

C1460-S SERIES CAST IRON STACK CLEANOUT W/PLUG & SQUARE NICKEL BRONZE ACCESS COVER C1460-S **SERIES**





C1460-S CAST IRON STACK CLEANOUT WITH PLUG AND SQUARE NICKEL BRONZE ACCESS COVER				
MODEL Number	WT. Lbs	PIPE SIZE	COVER SIZE	LIST PRICE
C1462-S7-1	9.00	2"	7" x 7"	\$ 502.00
C1463-S7-1	11.00	3"	7" x 7"	\$ 536.00
C1464-S7-1	13.00	4"	7" x 7"	\$ 635.00
C1466-S9-1	27.00	6"	9" x 9"	\$1297.00

OPTIONAL VARIATIONS:	
DESCRIPTION	LIST PRICE
Stainless steel access cover	\$ 545.00
Security screws (TR25 Torx and Pin)	\$ 43.00
	DESCRIPTION Stainless steel access cover

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






C1470 CAST IRON STACK CLEANOUT WITH TEST PLUG **SERIES**

C1470 SERIES







Function: The C1470 Series is used in concealed drainage lines where access to the piping is required via a cleanout that permits testing of the piping above the plug through the use of internal threads inside of the tee.

C1470 CAST IRON STACK CLEANOUT WITH TEST PLUG						
MODEL						
NUMBER	PIPE SIZE	"B"	PLUG SIZE	"D"	SIZE	PRICE
C1474	4"	14 3/4"	4"	7 1/2"	3"	\$400.00
C1476	6"	17"	6"	8 1/2"	5"	\$800.00

C1470 OPTIONAL VARIATIONS:				
SUFFIX	UFFIX DESCRIPTION			
-13	All galvanized	\$ 400.00		
-NH	No Hub inlet connection	No Add		
Χ	Inside caulk inlet connection	No Add		
	(with no hub outlet connection)			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049





P174


Sunday, January 01, 2012 9:17:41 PM



MIFAB

C1500 SERIES DECK CLEANOUT





COVER DIAMETER		DIAMETER HART)	
(SEE CHART)		,	Ø0.3 TYP 2
4			1 1172
2	I T	T	
<u> </u>	_ ـ		
		PIP	E SIZE
		(2F	E CHART)


C1500 DEC			
MODEL Number	WT. Lbs	NICKEL Bronze (-1)	
C1502X	3.00	2" round deck cleanout	\$296.00
C1503X	4.00	3" round deck cleanout	\$411.00
C1504X	6.00	4" round deck cleanout	\$458.00
C1506X	12.00	6" round deck cleanout	\$790.00

		OVERALL	. & COVER DIA	METER
	H-1042 "T"	PIPE SIZE	OVERALL (A)	COVER (B)
	WRENCH	2" I.C.	4 3/4"	2 3/4"
	TOOL	3" I.C.	6"	3 1/2"
	_	4" I.C.	7 3/8"	4 1/2"
-	Lame of	6" I.C.	9 3/8"	7 7/8"

C1500 OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
H-1042	"T" wrench tool	\$ 84.00		

C1600 SERIES DEEP SEAL TRAP WITH FLOOR CLEANOUT

C1600 **SERIES**





ANSI/ASME RATING SEE F1100 CHART ON PG. 33 FOR RATINGS

MODEL	PIPE		
NUMBER	SIZE	Α	В
C1602	2" no hub	5 3/8"	13 1/2"
C1603	3" no hub	6"	13 1/2"
C1604	4" no hub	6 1/4"	13 1/2"

C1600 DEEP SEAL TRAP WITH FLOOR CLEANOUT					
MODEL WT. DESCRIPTION			DUCTILE IRON	NICKEL BRONZE (-1)	
NUMBER	Lbs		COVER (-4)	STAINLESS STEEL (COVER) (-3)	
C1602	43.00	Deep seal trap and cleanout	\$632.00	\$ 755.00	
C1603	45.00	Deep seal trap and cleanout	\$822.00	\$ 938.00	

C16		
SUFFIX	DESCRIPTION	LIST PRICE
-13	All galvanized	\$319.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

\$1050.00

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

47.00 Deep seal trap and cleanout \$931.00

Toll Free 1-800-465-2736, Fax 773-341-3049



Sunday, January 01, 2012 9:17:45 PM





ACCESS DOORS



See Counterline Price Book CLPB-2009-USA for List Prices and discount structure of the Access Doors. All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA







INTERCEPTORS

REMOVABLE INTERNAL COMPONENTS

MIFAB's single baffle system is removable. Others offer fixed baffles and internal parts that once corroded, compromise the entire interceptor. All of MIFAB's internal parts are removable. This allows for easier maintenance because nothing is fixed and all parts can be removed for maximum access to the inside for cleaning

POWDER EPOXY COATING

MIFAB's interceptors are manufactured with a powder coated, electrostatically applied cathodic epoxy coating as a standard feature for no additional charge. This ensures maximum wearing and resistance to corrosive cleaning agents.

FEET ON BOTTOM

MIFAB's MI-G and MI-G-L grease interceptors have 1/2" feet on the bottom to elevate the interceptor from the wet ground to prevent corrosion.

SINGLE BOLT

MIFAB's smaller interceptors (up to 25 GPM) have a single 5/8" diameter bolt to secure the lid to the body. Larger interceptors have four large bolts. Others offer screws/wing nuts that become stripped, rusted out, filled with grease/dirt and/or lost. They are also time consuming to remove. MIFAB's lids are easy to remove with the single bolt design, allowing for regular cleaning of the interceptor.

LID All of MIFAB's interceptors are manufactured with a powder coated, electrostatically applied cathodic epoxy coating as a standard feature. They all have a non-skid tread plate pattern for maximum safety and are recessed into the frame to provide either in ground or above ground installation with the same interceptor.

SEWER GAS STOPPER

MIFAB's grease interceptors are manufactured with a "sewer gas stopper" that is sealed on the top and both sides and extends into the static water level to eliminate the possibility of sewer gas entering the grease trap and kitchen area.

(MI-G ILLUSTRATED) **DEEP SEAL TRAP**

MIFAB's deep seal trap is covered by the lid. This permits easier roughing-in for the contractor since the interceptor is a perfect rectangle instead of a seven sided shape that requires extra work and time to install. It is also easier to clean out the deep seal trap with a MIFAB interceptor because one only needs to remove the lid and access is available to the body and the deep seal trap at the same time.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.











Grease Interceptors

Grease, which also includes fats and oils, has historically caused problems in plumbing drainage systems. Grease easily adheres to the inner surface of most commonly used drainage piping material and over time will form into a hard crust as tough as baked clay. The rougher the inner surface of the pipe, the easier this adherence will occur. Grease is also a problem for sewage treatment plants as it taxes the bacterial process used to break down these complex compounds. The purpose of a grease interceptor is to trap and store the suspended grease from the water passing through it. They are usually connected to kitchen sinks, floor drains, and any other plumbing fixtures in restaurants, hotels and institutions that discharge grease laden waste water. MIFAB's grease interceptors operate on the principle of separation by flotation. As our environmental laws have become more restrictive and maintenance costs have increased, public sewer departments have responded by tightening the list of materials allowed to flow into their systems. Severe fines may be levied on those users found to be in violation. Grease that is removed from the drainage system as close as possible to its source and before it becomes contaminated with other material, can be sold to rendering companies and recycled into a variety of products. It can therefore become an economic asset rather than liability.

Sizino

Reliable performance of any grease interceptor is dependant on its being correctly sized to handle the anticipated drainage load from the fixtures it serves. Each MIFAB interceptor is flow and capacity rated for easy selection when sizing requirements have been established and met. Sizing is based on fixture drainage period, service required and volume of wastewater to be handled. These factors combine to establish the anticipated flow rate and the size of the interceptor required. The flow control fitting that is provided with every MIFAB grease interceptor sized 50 GPM and smaller, is installed in the fixture drain line ahead of the interceptor and controls the flow of drainage to the interceptor's rated capacity. This is especially important when the drainage load exceeds that for which the interceptor is sized to handle. The following sizing formula is based on the P.D.I. G-101 (Plumbing and Drainage Institute) requirements:

- 1. Calculate the volume in cubic inches of all the fixtures to be served by the Grease Interceptor. (length x width x depth = capacity)
 2. * Eg: 15" x 10" x 24" = 3600 cubic inches. Since a three compartment sink is serving the grease interceptor, multiply the single compartment cubic inch capacity by three to obtain the total capacity in cubic inches. (10,800 in2). Divide this number by 231 to convert the volume to US gallons. * Eg: Cubic capacity of 10,800 in2÷231=46.75 gallons; multiplied by 75% = 35.06 U.S.G. Use MIFAB® model number MI-G-6 which has a rated flow capacity of 35 G.P.M.
- 3. These capacities are based on a one minute drain-down time with the interceptor adjacent to the fixture(s). If a two minute drain-down time is acceptable, then divide the capacity by two.
- 4. The flow control fitting, supplied with the interceptor, must be in position at all times. If this is removed, or not provided, the interceptor will not function to P.D.I. standards.
- 5. If an interceptor is to be installed with the top level at the finished floor, an extension type may be required. In that instance, the "C" dimension is required, (center line of inlet/outlet to top of the finished floor) and must be specified at time of ordering.

Fixture Unit Sizing Method

The majority of plumbing codes list the drainage fixture-unit values for plumbing fixtures. For fixtures not listed, the codes provide drainage fixture-unit values based on drain outlet or trap size. Drainage fixture-unit values are converted to GPM discharge rates on the basis of one drainage fixture-unit equaling 7.5 GPM fixture discharge rate. The drainage fixture-unit sizing for grease interceptors is included for those that prefer this approach as an alternative to the conventional (volume) sizing. The following table provides the suggested PDI size grease interceptor based on drainage fixture-unit sizing method.

Fixture Outlet or Size (inches)	Drainage Trap Fixture-unit Value	GPM Discharge Equivalent	Suggested GPM Flow Rate Interceptor	MIFAB Model Number	
1-1/4"	1	7.5	10	MI-G-2	
1-1/2"	2	15.0	15	MI-G-3	
2"	3	22.0	25	MI-G-5	
2-1/2"	4	30.0	35	MI-G-6	
3"	5	37.5	50	MI-G-7	
4"	6	45.0	50	MI-G-7	

The following factors may require an increase in the size of the grease interceptor: location, presence of detergents in the waste water, ratio of grease to water, specific gravity weight of the grease filtrates, speed of incoming water flow, presence of large particles mixed with the grease laden water, and percentage of maximum flow capacity. The interceptor should be installed as close as possible to the source of grease to prevent pipes draining into the grease interceptor from becoming clogged as grease-laden water cools before entering the grease interceptor.

MAINTENANCE & GENERAL CONSIDERATIONS

To obtain optimum operating efficiency of a properly sized and installed PDI certified grease interceptor, a regular schedule of maintenance must be adhered to. All PDI certified grease interceptors are furnished with manufacturer's operating and maintenance instructions, which must be followed to insure efficient satisfactory operation.

CLEANING

All grease interceptors must be cleaned regularly. The frequency of grease removal is dependent upon the capacity of the interceptor and the quantity of grease in the waste water. Grease removal intervals may therefore vary from once a week to once in several weeks. When the grease removal interval has been determined for a specific installation, regular cleaning at that interval is necessary to maintain the rated efficiency of the interceptor. After the accumulated grease and waste material has been removed, the interceptor should be thoroughly checked to make certain that inlet, outlet and air relief ports are clear of obstructions.

DISPOSITION OF INTERCEPTED MATERIALS

Grease and other waste matter that has been removed from the interceptor should not be introduced into any drain, sewer, or natural body of water. This waste matter should be placed in proper containers for disposal. Where recovery of grease is desired, it can be handled in a manner suitable to the authorities.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



P1





There are three main types of interceptors: grease, oil and solids. Each of them requires different considerations for sizing, operation and maintenance. The information provided will help the specifier select the correct interceptor for the application. A detailed explanation of the major components and features of each type of interceptor is also provided.

Grease Interceptors

Grease, which also includes fats and oils, has historically caused problems in plumbing drainage systems. Grease easily adheres to the inner surface of most commonly used drainage piping material and over time will form into a hard crust as tough as baked clay. The rougher the inner surface of the pipe, the easier this adherence will occur. Grease is also a problem for sewage treatment plants as it taxes the bacterial process used to break down these complex compounds.

The purpose of a grease interceptor is to trap and store the suspended grease from the water passing through it. They are usually connected to kitchen sinks, floor drains, and any other plumbing fixtures in restaurants, hotels and institutions that discharge grease laden waste water. MIFAB's grease interceptors operate on the principle of separation by flotation.

As our environmental laws have become more restrictive and maintenance costs have increased, public sewer departments have responded by tightening the list of materials allowed to flow into their systems. Severe fines may be levied on those users found to be in violation. Grease that is removed from the drainage system as close as possible to its source and before it becomes contaminated with other material, can be sold to rendering companies and recycled into a variety of products. It can therefore become an economic asset rather than liability.

The specifying engineer should consider the following when specifying grease interceptors: construction / operation, flow control fitting, extensions, cover shrouds and draw-off valves, sizing, installation and maintenance.

Construction / Operation

All of MIFAB's grease, oil and solids interceptors are manufactured with 10 gauge hot rolled steel that is welded together and coated with an electro-statically applied baked epoxy finish. The cover sealing gasket is manufactured with low durometer closed-cell neoprene with self-adhesive backing. The gasket is custom fitted to the interceptor body top rim ledge where it is an integral part of the body. Because of the gasket's thickness and density, it provides an ideal sealing environment for the lid. All of MIFAB's interceptors are supplied with the same gasket. All grease interceptors are supplied with a baffle system engineered to improve the grease/oil separation process. The baffle system is strategically located to direct inflow for maximum efficiency of the interceptor. Flow entering the interceptor is directed to the bottom by the baffle to avoid any disturbance of the previously accumulated surface layer of grease / oil in the device. The baffle also serves to reduce the velocity and surge of inflow, providing sufficient retention time for effective separation of the grease. The grease rises to the surface for manual or draw-off removal and the baffle is easy to remove for cleaning. The waste water is now relieved of over 90% of the fats, oils and greases and continues to flow through the interceptor into the drainage system. Many MIFAB grease interceptors bear the PDI (Plumbing and Drainage Institute) seal. This seal on MIFAB's grease interceptors proves that the designs and ratings marked on the interceptor have met or surpassed all standards established by PDI. All of MIFAB's PDI approved grease interceptors are supplied with external, vented flow control fittings to ensure maximum performance. A detailed description of flow control fittings is on page 122(c).

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.







MIFAB FLOW CONTROL FITTING GUIDE

FLOW CONTROL FITTING APPLICATION: Flow control fittings are furnished at no extra cost with all MIFAB® MI-G, MI-G-L, MI-G-SD MI-G-SDH and MI-G-L-SDH grease interceptors. They are essential to achieve maximum efficiency.

FLOW CONTROL FITTING DESCRIPTION: Flow control fittings insure 90% or more grease retention efficiency of the interceptor. When consideration isn't given to the flow rate of the waste water to be handled, the actual flow rate through the interceptor usually exceeds its rated maximum. With such flow rate, the interceptor would be overloaded. Retention time within the unit would not be sufficient for maximum separation. The result would be low efficiency, and pollutants left in the waste water would pass through the interceptor, making the installation less than effective. When the flow is controlled by use of a MIFAB® flow control fitting so that it can never exceed the maximum rating of the interceptor, and the interceptor is cleaned on a regular basis, the maximum pollutant retention efficiency will be achieved and maintained.

All flow control fittings are built with an air intake and should be connected to the vent stack or vent not lower than the flow level of the highest drain serviced or terminated in a return bend at the same elevation outside of the building. A vented flow control fitting improves the efficiency of the grease interceptor by introducing air into the body of the interceptor. As the air bubbles rise to the surface, they are coated with grease. This process brings grease to the surface faster, and, as a result, increases the efficiency.





(DIMENSION) DENOTES MILLIMETRES

MODEL NO.	FOR USE WITH MIFAB® INTERCEPTOR	NO HUB PIPE CONNECTION SIZE	ORFICE SIZE	VENT CONNECTION SIZE
FLC-0	MI-G-0	2"(50)	.375" (9)	2"(50)
FLC-1	MI-G-1	2"(50)	.500" (13)	2"(50)
FLC-2	MI-G-2	2" (50)	.656" (16)	2"(50)
FLC-3	MI-G-3	2" (50)	.750" (19)	2"(50)
FLC-4	MI-G-4	3"(75)	1.000" (25)	2"(50)
FLC-5	MI-G-5	3" (75)	1.250" (31)	2"(50)
FLC-6	MI-G-6	3" (75)	1.250" (31)	2"(50)
FLC-7	MI-G-7	3" (75)	2.000" (50)	2"(50)

MODEL NO.	FOR USE WITH MIFAB® INTERCEPTOR	I.PS PIPE CONNECTION SIZE	ORFICE SIZE	VENT CONNECTION SIZE
FLC-T-0	MI-G-0	2"(50)	.375" (9)	2"(50)
FLC-T-1	MI-G-1	2"(50)	.500" (13)	2"(50)
FLC-T-2	MI-G-2	2" (50)	.656" (16)	2"(50)
FLC-T-3	MI-G-3	2" (50)	.750" (19)	2"(50)
FLC-T-4	MI-G-4	3" (75)	1.000" (25)	2"(50)
FLC-T-5	MI-G-5	3" (75)	1.250" (31)	2"(50)
FLC-T-6	MI-G-6	3" (75)	1.250" (31)	2"(50)
FLC-T-7	MI-G-7	3" (75)	2.000" (50)	2"(50)

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

180








MIFAB INTERCEPTOR SELECTION GUIDE (Cont'd)

Extensions

Extensions should be specified on grease and oil interceptors when the interceptor is buried into the ground, vertical adjustment of the interceptor is necessary to meet the drainage piping, and/or floor level access is required. Extension heights range from four inches to any maximum practical for serviceability. Extensions in excess of 20" are not recommended. One must consider the slope of the drainage piping from the fixtures to the inlet of the interceptor. Typically, one should allow a slope of /" per foot in the drainage pipe. Therefore, there will be many installations, especially with large interceptors, where the sloped drainage pipe ends up below the inlet connection. An extension is added to the top of the interceptor so that the inlet can be lowered to meet the incoming drainage pipe and the lid of the interceptor can be extended to floor level. MIFAB offers three different kinds of extensions: integral, bolt on and cover shrouds. An integral extension is specified by expanding the "C" dimension on the interceptor. The "C" dimension is from the middle of the inlet and outlet to the top of the interceptor. One would specify a "C" dimension to meet the job requirements and the interceptor will be manufactured to that specification. The extension is incorporated into the production of the interceptor to produce a seamless, integral interceptor. A second method of providing an extension is a bolt on design. In this example, a top is manufactured out of the same material as the body. The extension is secured to the body by means of "C lock" devices bearing against its base flange, compressing the sealing gasket to complete the union. The regular lid is bolted to the extension top in the same manner as it would be to the body of a standard interceptor.

Cover Shrouds

In installations where the exact extension dimension required is unknown or where little notice has been provided to the installer advising of the need for an extension; integral and bolt on extensions are impractical due to the time necessary for their fabrication. MIFAB's nationwide network of manufacturer's representatives stock cover shrouds for immediate shipment to jobsites when these situations occur. The cover shroud is adjustable and is recessed into the slab to house the interceptor. Cover shrouds incorporate either standard or draw-off grease interceptors mounted on adjustable elevation cradles in either open or closed bottom housings with non-skid floor level lids. Cover shrouds are particularly important where below floor level installation of draw-off grease interceptors is required, because such models cannot be installed independently with tops at the finished floor level. Specify MIFAB MI-CS Series for use with the MI-G Series grease interceptors and MIFAB MI-CSD Series for use with the MI-G-SD and MI-G-SDH semi-automatic draw off grease interceptors.



Design and dimensions are subject to modification. Prices do not include applicable taxes.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Visit www.mifab.com for the most recent product information.






MIFAB INTERCEPTOR SELECTION GUIDE (Cont'd)

Draw-off valve

All of MIFAB's semi-automatic grease interceptors are manufactured with draw-off valves and are preferred in areas where excessive amounts of grease accumulates because they make the cleaning process easier. The draw-off valve is a gate valve that is connected to the outlet of the interceptor via a pipe nipple. When the accumulated grease is ready to be drawn off, the pipe cap on the top of the interceptor is removed and the draw-off hose is attached with a hose clamp. After warming the interceptor with hot water from the fixture to liquefy the accumulated grease, the draw-off valve is closed to block water escaping through the outlet. Water from the fixture enters at a low flow rate to elevate the liquefied grease into the draw-off pyramid and through the hose to the disposal container. When clear water appears at the hose outlet, the draw-off valve is opened to drop the water level in the interceptor for normal operation. This method of cleaning is more sanitary that the typical manual method. Specify MIFAB Series MI-G-SD, MI-G-SDH and MI-G-L-SDH Series of semi-automatic grease interceptors.



(MI-G-SDH SEMI-AUTOMATIC GREASE INTERCEPTOR ILLUSTRATED)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

P182

 \bigoplus



HLA SERIES

HIGH LEVEL ALARM



ALARM CONTROL BOX



FLOAT SWITCH



OPTION LEAK DETECTION



ALARM CONTROL BOX



LEAK DETECTION SWITCH

The purpose of the High Level Alarm is to monitor and send an audible and visual alarm when the interceptor's grease or oil capacity is approximately 75% full.

High level alarm systems can be installed on any MIFAB grease or oil interceptors to allow the customer to monitor grease and oil levels. This allows the interceptor to be maintained when required.

The -HLA option includes an alarm control box that is weatherproof rated NEMA 4/4X, 6' 120VAC power cord, 360° viewable alarm light, 85db @ 10' solid tone alarm, and a silence and test button that is to be mounted to the nearest structure. It also includes a float switch that is made from 316 stainless steel and is mounted inside the interceptor for oil or grease level detection and is connected to the alarm control box.

The purpose of the Leak Detection system is to monitor any leaks that may occur through the first wall of a double wall interceptor.

The Leak Detection system can only be used in a double wall construction. It is typically used in high risk applications where the seal of the interceptor needs to be monitored.

The Leak Detection option includes an alarm control box that is weatherproof rated NEMA 4/4X, 6' 120VAC power cord, 360° viewable alarm light, 85db @ 10' solid tone alarm, and a silence and test button that is to be mounted to the nearest structure. It also includes a pressure switch that is made from 316 stainless steel and is mounted inside the interceptor for oil or grease level detection and is connected to the alarm control box.

INTERCEPTORS

OPTION

OPTION

OPTION ENZYME DOSING SYSTEM



The purpose of the Enzyme Dosing system is to release grease and bacteria eating enzymes into the grease interceptor to consume the accumulated grease.

The Enzyme Dosing system can be ordered with any MIFAB grease interceptor. It is ideal for grease interceptors that are located in high volume kitchens.

The Enzyme Dosing system includes a 120V fully automatic dosing pump with a programmable 24 hour timer and dosage run time. The system also includes 15' of Poly tubing.

DOSING PUMP

DS OPTI	DS OPTIONAL VARIATIONS:									
SUFFIX	DESCRIPTION	LIST PRICE								
-1ENZ	Bacterial enzyme liquid (1 gallon bucket)	P.O.A.								
-5ENZ	Bacterial enzyme liquid (5 gallon bucket)	P.O.A.								
-BB	Timer battery backup	P.O.A.								

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







MIFAB GREASE INTERCEPTOR NSTALLATION AND MAINTENANCE GUIDE

Installation Diagrams

Figures A2.5.1 through A2.5.5 are included to illustrate various grease interceptor installations normally encountered in domestic, commercial and institutional systems. These figures will serve as a guide to practical application of grease interceptors.




Fig. A2.5.1 Interceptor Serving Trapped and Vented Sink - Flow Control Air Intake Intersects Vent




Fig. A2.5.2 Interceptor Serving Sink - Flow Control Air Intake Terminates in a Return Bend Above Flood Level




Fig. A2.5.3 Interceptor Serving Dishwasher - Flow Control Air Intake Terminates Above Flood Level




Fig. A2.5.4 Interceptor Serving Two Individually Trapped and Vented Sinks - Flow Control Air Intake Intersects Vent




Fig. A2.5.5 Interceptor Serving Trapped and Vented Sinks - Flow Control Air Intakes Intersect Vent

INSTALLATION CONSIDERATIONS

Install interceptor as close as practical to fixture or fixtures being served, see figures A2.5.1 through A2.5.5. The interceptor may be set on the floor, partially recessed in the floor, with top flush with the floor, or fully recessed below the floor to suit piping and structural conditions.

Anticipate sufficient clearance for removal of interceptor cover for cleaning. Avoid installation wherein long runs of pipe (exceeding 25 feet (7500)) are necessary to reach interceptor. This precaution will preclude the possibility of pipeline becoming clogged with congealed grease that will collect before reaching the grease interceptor.

Do not install grease interceptor in waste line from garbage grinder. Garbage grinder waste must by-pass interceptor, for rapid accumulation of solid matter will greatly reduce grease interceptor efficiency preventing operation in compliance with rated capacity.

FLOW CONTROL

The flow control fitting furnished with PDI certified interceptors must be installed ahead of interceptor in the waste line beyond the last connection from the fixture and as close as possible to the underside of lowest fixture. When waste of two or more sinks or fixtures are combined to be served by one interceptor, a single flow control fitting should be used. Air intake for flow control may terminate under sink drain board as high as possible to prevent overflow or terminate in a return bend at the same height and on outside of building. When fixture is individually trapped and back-vented, air intake may intersect vent stack. All installation recommendations subject to approval of code authority.

VENTING

Grease interceptors must have a vented waste, sized in accordance with code requirements for venting traps to retain water seal and prevent siphoning.

MULTIPLE FIXTURE INSTALLATION

One interceptor to serve multiple fixtures is recommended only where fixtures are located close together. In such installations, each fixture should be individually trapped and back-vented.

MAINTENANCE

GENERAL CONSIDERATIONS

To obtain optimum operating efficiency of a properly sized and installed PDI certified grease interceptor, aregular schedule of maintenance must be adhered to. All PDI certified grease interceptors are furnished with manufacturer's operating and maintenance instructions, which must be followed to insure efficient satisfactory operation.

CLEANING

All grease interceptors must be cleaned regularly . The frequency of grease removal is dependent upon the capacity of the interceptor and the quantity of grease in the waste water. Grease removal intervals may therefore vary from once a week to once in several weeks. When the grease removal interval has been determined for a specific installation, regular cleaning at that interval is necessary to maintain the rated efficiency of the interceptor. After the accumulated grease and waste material has been removed, the interceptor should be thoroughly checked to make certain that inlet, outlet and air relief ports are clear of obstructions.

DISPOSITION OF INTERCEPTED MATERIALS

Grease and other waste matter that has been removed from the interceptor should not be introduced into any drain, sewer , or natural body of water. This waste matter should be placed in proper containers for disposal. Where recovery of grease is desired, it can be handled in a manner suitable to the authorities.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

184

 \bigoplus





Dishwashers


A separate grease interceptor is recommended for each commercial dishwasher. The size of the interceptor is determined by the GPM discharge rate of the dishwasher as specified by the manufacturer.

Floor Drains

Many local plumbing inspectors require that grease laden wastewater flowing into floor drains must flow through a grease interceptor before draining into the sanitary sewer system. In these instances, the flow control fitting must be installed underground, before the inlet to the interceptor, to moderate the flow from the floor drains and to ensure maximum performance. Consideration should be given to providing access to the flow control fitting in these installations for proper cleaning and maintenance. The MIFAB MI-CSD extended cover shroud is best used in these situations because it is long enough to house the grease interceptor and the flow control fitting beside the inlet. A hole can be cut into the lid of the cover shroud to allow the vent piping to connect to the top of the flow control fitting.

Solids interceptors

The interception and retention of solids cannot be overlooked. Materials such as lint, hair, grindings, ceramic waste, plaster, dental wastes, aquarium and other small gravel, jewels and precious metals are a few solids that should pass through a solids interceptor before entering the waste drain line. Deleterious solids should be intercepted to prevent clogging of the drainage lines and valuable materials require interception for retrieval. MIFAB manufactures a complete line of solids interceptors designed to handle any waterborne solids. Most often these interceptors replace the standard traps of the fixtures they serve. The solids interceptor with a low inlet and high outlet becomes the fixture trap. Solids interceptors are manufactured with easily removable strainers or sediment baskets that serve to retain the intercepted solids while allowing water to flow through. It is good engineering practice to specify a solids interceptor immediately before a grease interceptor so that all debris and solid wastes are caught in the solids interceptor before they enter the grease interceptor. This will ensure that the grease interceptor is not filled as quickly with solid wastes that will only impair its efficiency. In addition, most foul odors from grease interceptors are from rotting solids, not from the grease itself. Proper separation of these solids will reduce the odor problem typically experienced with grease interceptors filled with rotting solids. See MIFAB's MI-SOLID, MI-LINT, MI-HAIR and MI-FISH Series of solids interceptors.



(MI-SOLID-M ILLUSTRATED)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

185





APPLICATION:

MIFAB® oil interceptors are designed for use in drain lines where oils, sediment and other volatile liquids are found. These drain lines may be from areas in parking garages, machine shops, service stations, aircraft hangars, industrial and manufacturing facilities.

DESIGN:

MIFAB* oil interceptors are designed to protect against water pollution by preventing oils and sediment in waste water from entering drain lines. The design allows intercepted oils to be drawn-off automatically for storage continuously during operation. Sediment should be removed from the interceptor at regular intervals.

SIZING:

- 1. Determine maximum volume of waste water in G.P.M. or L.P.M., by summing volumes of all discharging fixtures that may enter the drain lines at one time.
- 2. Select oil interceptor with flow rating equal to peak volume in G.M. or L.RM.(see table on shop drawing.) Provide storage tank capable of handling the volume.

TYPICAL CODE REGULATIONS

Vehicle servicing. When an oil interceptor is installed in an automobile, truck, bus, or tractor garage or in a service station or repair shop with facilities for motor or transmission overhauling, it must have a minimum static water depth of 24 inches (600) below the invert of the interceptor outlet and a minimum static water capacity of 6 cubic feet.

This regulation applies to facilities where not more than three vehicles are serviced. For each additional vehicle up to and including ten, 1 cubic foot of static capacity shall be added. For each vehicle over ten, an additional 0.25 cubic foot shall be added.

Vehicle storage and servicing. Where motor vehicles are serviced and stored, an oil interceptor shall be installed with a static water capacity of 1 cubic foot for every 100 square feet of area to be drained. The oil interceptor shall have a minimum static water level of 6 cubic feet.

Mechanical car washing. In facilities designed especially for mechanical washing of motor vehicles, a sand and gravel interceptor shall be installed to receive the waste water from all washing facilities. A minimum static water level of 2.5 feet and a minimum static water capacity of 50 cubic feet shall be maintained.

Where motor cleaning services are rendered at mechanical car washing facilities, an oil interceptor shall be installed in that section of the drainage system which receives waste water from this operation.


Vehicle storage. In motor vehicle storage facilities, a combination interceptor-drain shall be installed with a static water level of 1 gallon for every 100 square feet of area to be drained.

Manual car washing. In a one-car washing facility, a combination interceptor-drain shall be installed with a minimum static water capacity of 30 gallons.

OIL DRAW-OFF

Oil draw-off funnel is adjustable to the gravity height of oil and gallon per minute flow. It leads in to oil discharge pipe, from which suitable disposal of oil can be made in the most economical way.


After interceptor is installed, establish operating water level by running water through interceptor at maximum flow rate expected. Adjust vertical draw-off pipe 1/8" (3) to 1/4" (6) above water line. Periodic checking of this level after interceptor is in operation will assure proper functioning of the oil draw-off. If drawn off oil contains any water, raise vertical draw-off pipe until only oil flows from interceptor.



GRAVITY OIL DRAW-OFF

DRAW-OFF CONNECTIONS

Connect to Holding Tank which must be vented



(Dimension) Denotes Millimetres

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

186

MI-G-L

SERIES




MI-G SERIES



MI-G and MI-G-L (Low Rough in) Series 4 to 50 US G.P.M PDI Sized GREASE INTERCEPTOR

MI-G **SERIES**



NOTE: MI-G and MI-G-L Series of grease interceptors are shipped with an external vented flow control fitting packed within interceptor.







FLC (No Hub)

MIFAB is a recognized industry leader in the field of interceptor design and production.

As such, we offer a variety of specialized options and site-specific applications too numerous to list in this price guide. For features such as sacrificial anode packs, all stainless steel construction and a variety of other special features, please see our Engineering Catalog or consult your local MIFAB representative.

MODEL No.	US GPM	CAP. LBS.	LIQUID Holding Cap. (U.S.G.)	A IN	B IN	C IN	D IN	E IN	F IN	NO. OF LIDS	NO. OF Bolts
MI-G-0	4	8	4.43	16.75	11.25	2.5	8.5	11.0	2	1	1
MI-G-1	7	14	6.00	17.75	13.75	3.5	8.5	12.0	2	1	1
MI-G-2	10	20	9.74	21.25	15.75	3.5	9.5	13.0	2	1	1
MI-G-3	1 5	30	13.59	23.75	15.75	3.5	11.5	15.0	2	1	1 1
MI-G-4	20	40	16.18	23.75	15.75	3.5	14.0	17.5	3	1	1 1
MI-G-5	25	50	23.34	27.75	18.75	3.5	14.0	17.5	3	1	1
MI-G-6	35	70	41.31	31.25	23.75	5.5	16.5	22.0	3	1	2 cross bars
MI-G-7	50	100	46.82	31.25	23.75	5.5	18.5	24.0	3	1	2 cross bars

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts above to determine the actual body length & width.

MODEL NO.	US GPM	LIST PRICE	SEDIMENT BUCKET "-SB" (Add)	BOLT ON EXTENSION (PER 6") (Add)	ADDITIONAL "-C" UP TO "6" (Add)	PER "1" OF "C" DIM. OVER "6" (Add)	ANCHOR FLANGE "-FL" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" 10,000 Lbs. LIVE LOAD.(Add)	TILE RECESS "-TL" (Add)
MI-G-0	4	\$1,573.00	\$1,117.00	\$ 4,132.00	\$2,483.00	\$ 100.00	\$ 747.00	\$ 994.00	\$3,118.00	\$3,197.00
MI-G-1	7	\$2,182.00	\$1,117.00	\$ 4,774.00	\$2,483.00	\$ 100.00	\$ 747.00	\$ 994.00	\$4,255.00	\$3,197.00
MI-G-2	10	\$2,567.00	\$1,117.00	\$5,000.00	\$2,866.00	\$ 143.00	\$ 894.00	\$1,075.00	\$4,482.00	\$3,197.00
MI-G-3	15	\$3,802.00	\$1,117.00	\$5,447.00	\$2,945.00	\$ 161.00	\$ 894.00	\$1,075.00	\$4,953.00	\$3,660.00
MI-G-4	20	\$4,651.00	\$1,143.00	\$ 5,870.00	\$2,945.00	\$ 182.00	\$ 965.00	\$1,075.00	\$5,188.00	\$4,337.00
MI-G-5	25	\$5,228.00	\$1,210.00	\$6,072.00	\$3,232.00	\$ 207.00	\$1,004.00	\$1,198.00	\$5,478.00	\$5,013.00
MI-G-6	35	\$6,460.00	\$1,295.00	\$ 6,616.00	\$3,519.00	\$ 227.00	\$1,055.00	\$1,246.00	\$7,538.00	\$6,153.00
MI-G-7	50	\$8,555.00	\$1,936.00	\$ 6,969.00	\$3,806.00	\$ 264.00	\$1,075.00	\$1,416.00	\$8,271.00	\$8,552.00

NOTE: Add Suffix "-T" for threaded inlet, outlet & external flow control (No Add). Suffix-DP for dosing pump - Add (\$2,943.00 all Models). Suffix-HLA, high level alarm - Add (\$7,371.00 all Models) Suffix-AL, aluminum lid - (MI-G-0 to MI-G-3, \$849.00), (MI-G-4 to MI-G-7, \$1,189.00)

MI-G-L SERIES LOW ROUGH-IN SERIES

В

Ε



Sample box to be installed on outlet side of interceptor Contact MIFAB for sizing and prizing.



							ffluent Sample Bo	
DEI	211	CAP	LIQUID	Δ	R	r	n	

MODEL No.	US GPM	CAP. LBS.	LIQUID HOLDING CAP. (U.S.G.)	A In	B IN	C IN	D IN	E In	F IN	NO. OF LIDS	NO. OF Bolts
MI-G-L-20	20	40	16.76	34	24	4	7	11	3	1	4
MI-G-L-35	35	70	24.76	42	28	4	7	11	3	2	8
MI-G-L-50	50	100	29.33	46	30	4	7	11	3	2	8
			01	UDDING	050	INACNIT				ΗΕΔΥΥ Γ	UTY

MODEL NO.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	SEDIMENT BUCKET "-SB" (Add)	ANCHOR FLANGE "-FL" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" 10,000 Lbs. LIVE LOAD (Add)
MI-G-L-20	20	\$ 6,273.00	150	\$ 886.00	\$ 968.00	\$1,080.00	\$ 9,286.00
MI-G-L-35	35	\$ 8,077.00	200	\$1,219.00	\$ 1,055.00	\$1,240.00	\$12,351.00
MI-G-L-50	50	\$13.686.00	225	\$1,255,00	\$ 1.078.00	\$1.428.00	\$15.891.00

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the same. Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049




P187



XL-MI-G THE PERFORMERS: 75 TO 750 G.P.M. LARGE CAPACITY GREASE INTERCEPTOR

XL-MI-G SERIES

SERIES



MIFAB is a recognized industry leader in the field of interceptor design and production.

As such, we offer a variety of specialized options and site-specific applications too numerous to list in this price guide. For features such as sacrificial anode packs, all stainless steel construction and a variety of other special features, please see our Engineering Catalog or consult your local MIFAB representative.

MODEL NO.	US GPM	CAP. LBS.	CAPACITY (U.S.G.)	A IN	B IN	C IN	D In	E IN	F IN	NO. OF LIDS	NO. OF BOLTS
XL-MI-G-0	75	150	108.05	42	28	6	26	32	4	2	8
XL-MI-G-1	100	200	192.73	55	37	8	26	34	4	2	8
XL-MI-G-2	125	250	226.91	58	38	8	28	36	4	3	12
XL-MI-G-3	150	300	264.61	61	39	8	30	38	4	3	12
XL-MI-G-4	200	400	395.64	70	44	10	34	44	4	6	24
XL-MI-G-5	250	500	501.00	75	46	10	38	48	4	6	24
XL-MI-G-6	300	600	579.87	77	49	12	40	52	4	6	24
XL-MI-G-7	350	700	612.18	80	51	12	40	52	6	6	24
XL-MI-G-8	400	800	805.09	84	56	14	44	58	6	8	32
XL-MI-G-9	500	1000	1172.34	92	61	14	54	68	6	8	32
XL-MI-G-10	600	1200	1807.79	102	74	14	62	76	8	9	36
XL-MI-G-11	750	1500	2580.71	108	76	14	66	80	8	9	36

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts below to determine the actual body length & width.

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C"dimensions are always the same. NOTE: Suffix - DP for dosing pump -Add (\$2,943.00 all Models) Suffix - HLA - for high level alarm - Add (\$7,371.00 all Models) Suffix - AL, aluminum lid(s) - Add (\$3,270.00 all other Models).

MODEL NO.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	SEDIMENT BUCKET "-SB" (Add)	BOLT ON EXTENSION (PER 6") (Add)	ADDITIONAL "C" UP TO "10" (Add)	PER "1" OF "C" DIM. OVER "10" (Add)	ANCHOR FLANGE "-FL" (Add)	FLANGE & MEMBRANE CLAMP "-FLM"	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs LIVE LOAD (Add)
XL-MI-G-0	75	\$17,241.00	350	\$2,130.00	\$ 2,047.00	\$ 2,047.00	\$ 161.00	\$1,256.00	\$2,286.00	\$ 5,478.00
XL-MI-G-1	100	\$19,401.00	520	\$2,325.00	\$ 2,300.00	\$ 2,300.00	\$ 172.00	\$1,407.00	\$2,556.00	\$ 7,538.00
XL-MI-G-2	125	\$20,477.00	600	\$2,384.00	\$ 2,432.00	\$ 2,432.00	\$ 185.00	\$1,686.00	\$2,858.00	\$ 8,271.00
XL-MI-G-3	150	\$21,549.00	700	\$2,439.00	\$ 2,559.00	\$ 2,559.00	\$ 197.00	\$1,966.00	\$3,164.00	\$ 9,680.00
XL-MI-G-4	200	\$31,251.00	1050	\$2,563.00	\$ 4,606.00	\$ 4,606.00	\$ 207.00	\$2,107.00	\$3,699.00	\$11,040.00
XL-MI-G-5	250	\$36,389.00	1160	\$2,705.00	\$ 5,721.00	\$ 5,721.00	\$ 227.00	\$2,809.00	\$4,988.00	\$15,239.00
XL-MI-G-6	300	\$42,888.00	1240	\$3,103.00	\$ 6,839.00	\$ 6,839.00	\$ 255.00	\$3,178.00	\$5,381.00	\$19,564.00
XL-MI-G-7	350	\$47,634.00	1360	\$3,414.00	\$ 7,946.00	\$ 7,946.00	\$ 286.00	\$3,552.00	\$5,964.00	\$23,069.00
XL-MI-G-8	400	\$52,478.00	1540	\$3,787.00	\$ 9,267.00	\$ 9,267.00	\$ 315.00	\$3,715.00	\$6,248.00	\$26,567.00
XL-MI-G-9	500	\$62,115.00	2150	\$4,050.00	\$11,942.00	\$11,942.00	\$ 341.00	\$4,218.00	\$7,092.00	\$32,459.00
XL-MI-G-10	600	\$71,974.00	3000	\$4,469.00	\$13,650.00	\$13,650.00	\$ 436.00	\$4,964. 00	\$7,109.00	\$37,232.00
XL-MI-G-11	750	\$81,897.00	3280	\$4,964.00	\$16,132.00	\$16,132.00	\$ 622.00	\$6,205.00	\$9,929.00	\$49,640.00

NOTE: Add SUFFIX "-T" for threaded inlet & outlet, (No Add).

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



SERIES






NOTE: The "A" and "B" dimensions represent the largest directarts above to determine the actual body length & width. on of the interceptor. Since the lid overhangs the

MODEL NO.	US GPM	LIST PRICE	SEDIMENT BUCKET "-SB" (Add)	BOLT ON EXTENSION (PER 6") (Add)	ADDITIONAL "-C" UP TO "6" (Add)	PER "1" OF "C" DIM. OVER "6" (Add)	ANCHOR Flange "-Fl" (Add)		HEAVY DUTY REINFORCED LID "-HD" 10,000 Lbs. LIVE LOAD.(Add)	TILE RECESS "-TL" (Add)
MI-G-0-SS	4	\$ 3,934.00	\$2,347.00	\$7,165.00	\$7,165.00	\$ 354.00	\$2,237.00	\$2,691.00	\$ 7,737.00	\$3,197.00
MI-G-1-SS	7	\$ 5,461.00	\$2,347.00	\$7,165.00	\$7,165.00	\$ 354.00	\$2,237.00	\$2,691.00	\$ 8,668.00	\$3,197.00
MI-G-2-SS	10	\$ 6,415.00	\$2,347.00	\$7,165.00	\$7,165.00	\$ 354.00	\$2,237.00	\$2,691.00	\$ 9,316.00	\$3,197.00
MI-G-3-SS	15	\$ 9,505.00	\$2,347.00	\$7,362.00	\$7,362.00	\$ 400.00	\$2,237.00	\$2,691.00	\$10,024.00	\$3,660.00
MI-G-4-SS	20	\$11,631.00	\$2,401.00	\$7,362.00	\$7,362.00	\$ 452.00	\$2,410.00	\$2,691.00	\$10,612.00	\$4,337.00
MI-G-5-SS	25	\$13,066.00	\$2,541.00	\$7,848.00	\$7,848.00	\$ 513.00	\$2,514.00	\$2,995.00	\$11,203. 00	\$5,013.00
MI-G-6-SS	35	\$16,151.00	\$2,720.00	\$8,798.00	\$8,798.00	\$ 568.00	\$2,633.00	\$3,232.00	\$12,381.00	\$6,153.00
MI-G-7-SS	50	\$21,389.00	\$4,066.00	\$9,517.00	\$9,517.00	\$ 662.00	\$2,691.00	\$3,543.00	\$12,973.00	\$8,552.00

NOTE: Add Suffix "-T" for threaded inlet, outlet & external flow control (No Add). Suffix-DP for dosing pump - Add (\$2,943.00 all Models). Suffix-HLA, high level alarm - Add (\$7,371.00 all Models). Suffix-AL, aluminum lid - (MI-G-0 to MI-G-3, \$849.00), (MI-G-4 to MI-G-7, \$1,189.00)



MIFAB is a recognized industry leader in the field of interceptor design and production.

As such, we offer a variety of specialized options and site-specific applications too numerous to list in this price guide. For features such as sacrificial anode packs, all stainless steel construction and a variety of other special features, please see our Engineering Catalog or consult your local MIFAB representative.

MODEL NO.	US GPM	CAP. LBS.	LIQUID Holding Cap. (U.S.G.)	A IN	B IN	C IN	D IN	E IN	F IN	NO. OF LIDS	NO. OF BOLTS
MI-G-SD-1	7	14	6.00	17.75	13.75	3.5	8.5	12.0	2	1	1
MI-G-SD-2	10	20	9.74	21.25	15.75	3.5	9.5	13.0	2	1	1
MI-G-SD-3	1 5	30	13.59	23.75	15.75	3.5	11.5	15.0	2	1	1
MI-G-SD-4	20	40	16.18	23.75	15.75	3.5	14.0	17.5	3	1	1
MI-G-SD-5	25	50	23.34	27.75	18.75	3.5	14.0	17.5	3	1	1
MI-G-SD-6	35	70	41.31	31.25	23.75	5.5	16.5	22.0	3	1	4
MI-G-SD-7	50	100	46.82	31.25	23.75	5.5	18.5	24.0	3	1	4
MI-G-SD-8	75	150	108.05	42	28	6	26	32	3	2	8

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts above to determine the actual body length & width.

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C"dimensions are always the same. Suffix-DP for dosing pump - P.O.A. Suffix-HLA, high level alarm - P.O.A. Suffix-AL, aluminum lid - P.O.A.

MODEL NO.	US GPM	LIST PRICE	SHIPPING Weight LBS.	SEDIMENT BUCKET "-SB"(Add)	TILE RECESS "-TL" (Add)	ADD FOR Cover Shroud (MI-CSD) (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & Membrane Clamp "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs Live Load) (Add)
MI-G-SD-1	7	\$ 3,130.00	65	\$1,117.00	\$ 3,197.00	\$ 3,746.00	\$ 747.00	\$ 994.00	\$4,255.00
MI-G-SD-2	10	\$ 4,146.00	85	\$1,117.00	\$ 3,197.00	\$ 4,349.00	\$ 894.00	\$1,075.00	\$4,482.00
MI-G-SD-3	15	\$ 4,691.00	100	\$1,117.00	\$ 3,660.00	\$ 4,835.00	\$ 894.00	\$1,075.00	\$4,953.00
MI-G-SD-4	20	\$ 5,764.00	105	\$1,143.00	\$ 4,337.00	\$ 4,910.00	\$ 965.00	\$1,075.00	\$5,188.00
MI-G-SD-5	25	\$ 7,126.00	140	\$1,210.00	\$ 5,013.00	\$ 5,000.00	\$1,004.00	\$1,198.00	\$5,478.00
MI-G-SD-6	35	\$ 7,985.00	205	\$1,295.00	\$ 6,153.00	\$ 5,344.00	\$1,055.00	\$1,246.00	\$7,538.00
MI-G-SD-7	50	\$ 9,500.00	215	\$1,936.00	\$ 8,552.00	\$ 5,392.00	\$1,075.00	\$1,416.00	\$8,271.00
MI-G-SD-8	75	\$11,689.00	355	\$2,121.00	\$ 8,935.00	\$ 6,556.00	\$1,254.00	\$2,290.00	\$8,288.00

NOTE: Add SUFFIX "-T" for threaded inlet & outlet.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049




Sunday, January 01, 2012 9:30:50 PM



MI-G-SDH (With Draw-off Hose) SEMI AUTOMATIC 7 TO 50 G.P.M. GREASE INTERCEPTOR MI-G-SDH SERIES

SERIES



MODEL No.	US GPM	CAP. LBS.	LIQUID HOLDING Capacity (U.S.G.)	A IN	B IN	C IN	D IN	E IN	F IN	NO. OF LIDS	NO. OF Bolts
MI-G-SDH-1	7	14	8.44	20.25	16.25	3.5	8.5	12	2	1	10
MI-G-SDH-2	10	20	13.00	23.75	18.25	3.5	9.5	13	2	1	12
MI-G-SDH-3	15	30	18.28	26.75	18.25	3.5	11.5	15	2	1	14
MI-G-SDH-4	20	40	21.33	26.25	18.25	3.5	14	17.5	3	1	14
MI-G-SDH-5	25	50	29.43	30.25	21.25	3.5	14	17.5	3	1	16
MI-G-SDH-6	35	70	50.00	33.75	26.25	5.5	16.5	22	3	1	18
MI-G-SDH-7	50	100	56.67	33.75	26.25	5.5	18.5	24	3	1	18

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts below to determine the actual body length & width.

NOTE: Suffix-DP for dosing pump - Add (\$2,943.00 all Models). Suffix-HLA, high level alarm - Add (\$7,371.00 all Models). Suffix-AL, aluminum lid - Add (MI-G-SDH-1 to MI-G-SDH-3, \$1,090.00), (MI-G-SDH-4 to MI-G-SDH-7, \$1,635.00).

MODEL NO.	US GPM	LIST PRICE	SHIPPING Weight LBS.	ADD FOR Cover Shroud (MI-CSD) (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)
MI-G-SDH-1	7	\$ 5,586.00	75	\$4,494.00	\$ 747.00	\$ 994.00
MI-G-SDH-2	10	\$ 6,605.00	95	\$5,218.00	\$ 894.00	\$1,075.00
MI-G-SDH-3	15	\$ 7,038.00	115	\$5,799.00	\$ 894.00	\$1,075.00
MI-G-SDH-4	20	\$ 9,047.00	125	\$5,890.00	\$ 965.00	\$1,075.00
MI-G-SDH-5	25	\$10,493.00	155	\$6,000.00	\$1,004.00	\$1,198.00
MI-G-SDH-6	35	\$10,768.00	220	\$6,415.00	\$1,055.00	\$1,246.00
MI-G-SDH-7	50	\$12,293.00	235	\$6,415.00	\$1,075.00	\$1,416.00

By quotation only. C	By quotation only. Contact MIFAB for details														
MODEL No.	US GPM	CAP. LBS.	LIQUID HOLDING Capacity (U.S.G.)	A IN	B IN	C IN	D IN	E IN	F IN	NO. OF LIDS	NO. OF Bolts				
MI-G-L-SDH-20	20	40	20.13	36.5	26.5	4	7	11	3	1	18				
MI-G-L-SDH-35	35	70	28.84	44.5	30.5	4	7	11	3	1	18				
MI-G-L-SDH-50	50	100	33.77	48.5	32.5	4	7	11	3	1	18				

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the same.

MODE NO.	L	US GPM	LIST Price	SHIPPING Weight LBS.	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)
MI-G-L-S	DH-20	20	\$10,435.00	160	\$ 968.00	\$1,080.00
MI-G-L-S	DH-35	35	\$14,713.00	210	\$1,055.00	\$1,240.00
MI-G-L-S	DH-50	50	\$18,049.00	250	\$1,078.00	\$1,428.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

190

 \Rightarrow

\oplus


THE INNOVATORO

MI-CS SERIES

The shroud provides support for the interceptor and adjustability of the inlet and outlet dimensions to match drainage piping where necessary. The shroud can be set in the slab at the time of pouring. The shroud is secured and suspended in the slab by its anchoring flanges. The interceptor is easily accessible for cleaning and inspection simply by removing the cover that sits flush with the floor.

MI-CS SERIES COVER SHROUDS for 4 to 100 US G.P.M PDI GREASE INTERCEPTORS

MI-CS FOR MI-G SERIES GREASE INTERCEPTORS



MODEL NO.	USE WITH Interceptor	A IN	B IN	C IN	D IN	E IN	F IN
MI-CS-4	MI-G-0	21.75	16.25	5	1.00	11.75	4.25
MI-CS-7	MI-G-1	22.75	18.75	6	1.00	11.75	5.50
MI-CS-10	MI-G-2	26.25	20.75	6	1.00	11.75	6.25
MI-CS-15	MI-G-3	28.75	20.75	6	1.00	11.75	6.25
MI-CS-20	MI-G-4	28.75	20.75	6	1.25	14.75	6.25
MI-CS-25	MI-G-5	32.75	23.75	6	1.25	14.75	7.00
MI-CS-35	MI-G-6	36.25	28.75	8	1.25	14.75	8.75
MI-CS-50	MI-G-7	36.25	28.75	8	1.25	14.75	8.75
MI-CS-75*	XL-MI-G-0	47	33	8	1.25	14.75	9.50
MI-CS-100*	XL-MI-G-1	60	42	8	1.25	14.75	9.50

NOTE: *75 & 100 GPM require 2 lids.

MODEL NO.	LIST PRICE	SHIPPPING WEIGHT LBS.	TILE RECESS "-TL" (ADD)	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs LIVE LOAD (Add))
MI-CS-4	\$3,613.00	90	\$3,197.00	\$ 747.00	\$ 994.00	\$3,118.00
MI-CS-7	\$4,140.00	105	\$3,197.00	\$ 747.00	\$ 994.00	\$4,255.00
MI-CS-10	\$4,314.00	120	\$3,197.00	\$ 894.00	\$1,075.00	\$4,482.00
MI-CS-15	\$4,618.00	130	\$3,660.00	\$ 894.00	\$1,075.00	\$4,953.00
MI-CS-20	\$4,915.00	140	\$4,337.00	\$ 965.00	\$1,075.00	\$5,188.00
MI-CS-25	\$5,042.00	165	\$5,013.00	\$1,004.00	\$1,198.00	\$5,478.00
MI-CS-35	\$5,018.00	200	\$6,153.00	\$1,055.00	\$1,246.00	\$7,538.00
MI-CS-50	\$5,561.00	200	\$8,552.00	\$1,075.00	\$1,416.00	\$8,271.00
MI-CS-75*	\$6,447.00	265	\$8,935.00	\$1,254.00	\$2,290.00	\$8,596.00
MI-CS-100*	\$7,439.00	375	\$9,434.00	\$1,402.00	\$2,562.00	\$8,774.00


NOTE: *75 & 100 GPM requires 2 lids. **NOTE: Suffix -AL**, aluminum lid - Add (MI-CS-4 to MI-CS-15, \$1,090.00, MI-CS-20 to MI-CS-100, \$1,635.00).

MI-CS Series supplied with one interior & one exterior angle support bracket per side. Interior angle bracket to support interceptor (purchased separately), exterior angle bracket to form anchor flange.

NOTE: The "C" dimension is with the support brackets in the top set of holes. Increase this dimension by "D" for each set of holes the support brackets are moved down, to a maximum of five sets.

MI-CSD SERIES FOR MI-G-SD(H) SERIES DRAW-OFF GREASE INTERCEPTORS

MI-CSD SERIES



MODEL No.	USE WITH Interceptor	A IN	B IN	C IN	D IN	E IN	F IN
MI-CSD-7	MI-G-SD(H)-1	32.75	18.75	6	1.00	11.75	5.50
MI-CSD-10	MI-G-SD(H)-2	36.25	20.75	6	1.00	11.75	6.25
MI-CSD-15	MI-G-SD(H)-3	38.75	20.75	6	1.00	11.75	6.25
MI-CSD-20	MI-G-SD(H)-4	38.75	20.75	6	1.25	14.75	6.25
MI-CSD-25	MI-G-SD(H)-5	42.75	23.75	6	1.25	14.75	7.00
MI-CSD-35	MI-G-SD(H)-6	46.25	28.75	8	1.25	14.75	8.75
MI-CSD-50	MI-G-SD(H)-7	46.25	28.75	8	1.25	14.75	8.75
MI-CSD-75*	MI-G-SD(H)-8	57.00	33	8	1.25	14.75	9.50

NOTE: *75 & 100 GPM requires 2 lids.

MODEL NO.	LIST PRICE	SHIPPING WEIGHT LBS.	ANCHOR Flange "-Fl" (Add)	TITLE RECESS "-TL" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (ADD)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs LIVE LOAD) (Add)
MI-CSD-7	\$4,494.00	130	\$3,197.00	\$ 870.00	\$1,118.00	\$4,255.00
MI-CSD-10	\$5,218.00	150	\$3,475.00	\$ 994.00	\$1,182.00	\$4,492.00
MI-CSD-15	\$5,799.00	150	\$4,219.00	\$ 994.00	\$1,182.00	\$4,964.00
MI-CSD-20	\$5,890.00	170	\$4,715 .0 0	\$1,118.00	\$1,182.00	\$5,200. 00
MI-CSD-25	\$6,000.00	200	\$5,711.00	\$1,182.00	\$1,366.00	\$5,490.00
MI-CSD-35	\$6,415.00	235	\$6,704.00	\$1,182.00	\$1,490.00	\$7,555.00
MI-CSD-50	\$6,415.00	235	\$9,183.00	\$1,182.00	\$1,736.00	\$8,288.00
MI-CSD-75*	\$6,556.00	405	\$9,680.00	\$1,490.00	\$2,732.00	\$8,596.00

MI-CS Series supplied with one interior & one exterior angle support bracket per side. Interior angle bracket to support Interceptor (purchased separately), exterior angle bracket to form anchor flange.

NOTE: The "C" dimension is with the support brackets in the top set of holes. Increase this dimension by "D" for each set of holes the support brackets are moved down, to a maximum of five sets.

NOTE: *75 GPM requires 2 lids. NOTE: Suffix -AL, aluminum lid - Add (MI-CSD-7 to MI-CSD-20, \$1,308.00, MI-CSD-25 to MI-CSD-75, \$1,962.00).

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

191




_



MI-O SERIES

10 to 500 US G.P.M. OIL INTERCEPTOR

MI-O SERIES



NOTE: Optional holding tank (SUFFIX-HT) may be required. Holding tank is same size as interceptor. Check with local code authorities. MIFAB is a recognized industry leader in the field of interceptor design and production. As such, we offer a variety of specialized options and site-specific applications too numerous to list in this price guide. For features such as sacrificial anode packs, all stainless steel construction and a variety of other special features, please see our Engineering Catalog or consult your local MIFAB representative.

Optional high level alarm: SUFFIX "-HLA" available Add (\$7,371.00 all Models). Optional aluminum lids, Suffix - AL, Add (MI-O-A to MI-O-3, \$1,090.00, MI-O-4 to MI-O-8, \$1,962.00, MI-O-9 to MI-O-14, \$3,270.00).

MODEL No.	US GPM	LIQUID HOLDING Capacity (U.S.G.)	A IN	B IN	C IN	D IN	E IN	F IN	G IN	NO. OF LIDS	NO. OF Bolts
MI-O-A	10	9.73	21.25	15.75	3.5	9.5	13	2	4	1	1
MI-O-B	15	13.59	23.75	15.75	3.5	11.5	15	2	6	1	1 1
MI-O-C	20	20.07	23.75	15.75	3.5	14	17.5	3	8	1	1 1
MI-0-1	25	55.15	28	22	6	26	32	3	19	1	4
MI-0-2	35	74.67	34	24	6	26	32	3	19	1	4
MI-0-3	50	80.76	34	24	6	28	34	3	21	1	4
MI-0-4	75	165.68	48	34	8	28	36	4	21	2	8
MI-0-5	100	245.21	51	36	8	28	36	4	21	2	8
MI-0-6	125	195.17	53	36	8	28	36	4	21	2	8
MI-0-7	150	214.30	58	36	10	28	38	4	21	3	12
MI-0-8	200	308.57	68	38	10	32	42	4	25	6	24
MI-0-9	250	426.39	74	40	12	38	50	4	31	6	24
MI-0-10	300	549.71	78	44	12	40	52	4	33	6	24
MI-0-11	350	621.30	80	46	12	40	52	6	33	6	24
MI-0-12	400	664.52	82	48	12	42	54	6	35	6	24
MI-0-13	450	690.91	84	50	12	42	54	6	35	6	24
MI-0-14	500	781.82	86	52	12	46	58	6	39	6	24

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts below to determine the actual body length & width.

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the same.

MODEL No.	US GPM	LIST Price	SHIPPING WEIGHT LBS.	BOLT ON EXTENSION (PER 6") (Add)	ADDL. "C" UP TO 6" "-C" (Add) UP TO 10" "-C" FOR MI-0-4 and larger	PER "1" OF "C" DIM. OVER "6" (Add) OVER 10" FOR MI-O-4 and larger	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs LIVE LOAD) (Add)	HOLDING Tank "-HT" (Add)
MI-O-A	10	\$ 3,507.00	99	\$3,281.00	\$3,281.00	\$143.00	\$ 894.00	\$1,075.00	\$ 3,729.00	\$ 1,848.00
MI-O-B	15	\$ 4,811.00	115	\$3,325.00	\$3,325.00	\$161.00	\$ 894.00	\$1,075.00	\$ 4,009.00	\$ 2,410.00
MI-O-C	20	\$ 5,816.00	123	\$3,419.00	\$3,419.00	\$182.00	\$ 965.00	\$1,075.00	\$ 4,244.00	\$ 2,918.00
MI-0-1	25	\$ 6,317.00	240	\$3,519.00	\$3,519.00	\$207.00	\$1,004.00	\$1,198.00	\$ 4,482.00	\$ 3,163.00
MI-0-2	35	\$ 7,681.00	275	\$3,650.00	\$3,650.00	\$227.00	\$1,055.00	\$1,246.00	\$ 4,953.00	\$ 3,838.00
MI-0-3	50	\$10,331.00	285	\$4,358.00	\$4,358.00	\$264.00	\$1,075.00	\$1,416.00	\$ 5,188.00	\$ 5,171.00
MI-0-4	75	\$17,893.00	475	\$2,454.00	\$2,454.00	\$161.00	\$1,172.00	\$2,124.00	\$ 5,478.00	\$ 8,967.00
MI-0-5	100	\$19,401.00	515	\$2,559.00	\$2,559.00	\$172.00	\$1,311.00	\$2,377.00	\$ 7,538.00	\$ 9,736.00
MI-0-6	125	\$22,635.00	530	\$2,661.00	\$2,661.00	\$185.00	\$1,571.00	\$2,661.00	\$ 8,271.00	\$11,319.00
MI-0-7	150	\$24,028.00	580	\$2,765.00	\$2,765.00	\$197.00	\$1,830.00	\$2,945.00	\$ 9,680.00	\$12,034.00
MI-0-8	200	\$33,944.00	700	\$3,956.00	\$3,956.00	\$207.00	\$1,962.00	\$3,443.00	\$11,040.00	\$16,957.00
MI-0-9	250	\$39,308.00	1065	\$5,144.00	\$5,144.00	\$227.00	\$2,621.00	\$4,465.00	\$15,239.00	\$19,702.00
MI-0-10	300	\$44,509.00	1190	\$6,252.00	\$6,252.00	\$255.00	\$2,963.00	\$5,009.00	\$19,564.00	\$22,308.00
MI-0-11	350	\$49,677.00	1285	\$7,407.00	\$7,407.00	\$286.00	\$3,303.00	\$5,550.00	\$23,069.00	\$24,910.00
MI-0-12	400	\$57,218.00	1360	\$8,640.00	\$8,640.00	\$315.00	\$3,508.00	\$5,898.00	\$26,567.00	\$28,675.00
MI-0-13	450	\$65,364.00	1405	\$10,083.00	\$10,083.00	\$330.00	\$3,715.00	\$6,250.00	\$32,459.00	\$32,766.00
MI-0-14	500	\$72,172.00	1515	\$11,534.00	\$11,534.00	\$341.00	\$3,924.00	\$6,605.00	\$37,232.00	\$36,168.00

NOTE: Add SUFFIX "-T" for threaded inlet & outlet, (No Add).

*See MI-O-HU Series for integral holding tank series oil interceptors

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

192



SERIES

MI-O-HU SERIES

2" F.I.P. ADJUSTABLE DRAW OFF

CONNECTION

10 to 500 US G.P.M. OIL INTERCEPTOR WITH INTEGRAL OIL STORAGE TANK MI-O-HU SECURING BOLT(S) (5/8" DIAMETER) REMOVABLE NON SKID LID(S)
DESIGNED FOR IN FLOOR NO HUB (MJ) INLET OR ABOVE GROUND INSTALLATION (Pedestrian load only) ANCHOR FLANGE SUFFIX (-FL) (3" X 3" OVERSIZED NEOPRENE GASKET (1" X 1/2") ANGLE) (SEE PAGE 286 FOR REPLACEMENT **CALIBRATED STAINLESS STEEL** GASKET) **ORIFICE PLATE** D^E (INTERNAL FLOW CONTROL) AIR RELIEF BY-PASS REMOVABLE CROSS BAR TO RECEIVE BOLT NO HUB (MJ) OUTLET 2 -3" I.P.S. VENT **SEWER GAS STOPPER** CONNECTIONS (BOTH SIDES) **DEEP SEAL TRAP** SEDIMENT BUCKET WITH PERFORATED BAFFLE

MIFAB is a recognized industry leader in the field of interceptor design and production.

As such, we offer a variety of specialized options and site-specific applications too numerous to list in this price guide. For features such as sacrificial anode packs, all stainless steel construction and a variety of other special features, please see our Engineering Catalog or consult your local MIFAB representative.

.H[.]

Optional high level alarm: Suffix "-HLA" available Add (\$7,371.00 all Models) Optional aluminum lid(s), Suffix - AL, Add (MI-O-HU-A to MI-O-HU-3, \$1,962.00 MI-O-HU-4 to MI-O-HU-8, \$2,725.00 MI-O-HU-9 to MI-O-HU-14, \$4,360.00)

\$1,962.00, MI-O-HU-4 to MI-O-HU-8, \$2,725.00, MI-O-HU-9 to MI-O-HU-14, \$4,3																
MODEL	US	INTERCEPTOR LIQUID HOLDING CAPACITY	A	В	C	D	E	F	G	H	CU.	OLDING TANK FT. Lbs.	CAP. U.S.G	TOTAL	NO. 0F	1 1
NO.	GPM	(U.S.G.)	IN	IN	IN	IN	IN	IN	IN	IN	of liquid		of liquid	OPERATING Lbs.	LIDS	BOLTS
MI-O-HU-A	10	10.66	24	26	4	9	13	2	4	10	1.2	74.93	8.98	326.12	1	4
MI-O-HU-B	15	15.06	26	26.50	4	11	15	2	6	10	1.64	102.40	12.27	400.08	1	4
MI-O-HU-C	20	18.08	26	26.50	4	13.50	17.5	3	8	10	1.92	119.88	14.36	457.50	1	4
MI-0-HU-1	25	63.12	29	46	4.5	25.5	30	3	20	21.5	8.69	542.60	65.00	1466.71	2	8
MI-0-HU-2	35	100.23	37	44.5	5	26	31	3	20.5	15.5	8.16	509.51	61.04	1880.36	4	16
MI-O-HU-3	50	163.07	43	65.5	6	26	32	3	20.5	26.0	15.65	977.19	117.06	3087.07	4	16
MI-O-HU-4	75	201.89	49	65	9.5	26.5	36	4	20.5	22.5	16.27	1015.90	121.70	3513.86	4	16
MI-O-HU-5	100	302.91	58	90	9.5	26.5	36	4	20.5	37	31.78	1984.34	237.71	5866.90	4	16
MI-O-HU-6	125	344.42	62	90	12	28	40	4	22	37	35.97	2245.97	269.06	6580.28	9	36
MI-O-HU-7	150	356.85	66	76	14	30	44	4	24	28	31.11	1942.51	232.70	6536.30	9	36
MI-O-HU-8	200	452.72	73.25	90	17	30.5	48	4	24.5	36.5	46.39	2896.59	347.00	8803.22	9	36
MI-O-HU-9	250	588.97	73.25	90	15.5	35.5	51	4	29.5	31	46.65	2912.83	348.94	9997.11	9	36
MI-0-HU-10	300	814.82	94.875	86	15.5	36.5	52	6	29.5	23.5	46.16	2882.23	345.28	12312.77	9	36
MI-0-HU-11	350	1066.06	100.875	94	16.5	43.5	60	6	36.5	30.5	76.01	4746.06	568.55	16624.95	9	36
MI-0-HU-12	400	1109.11	107.875	91	17	43	60	6	36	28.5	75.17	4693.61	562.27	17052.63	9	36
MI-0-HU-13	450	1113.05	118.875	83	17	43	60	6	36	26.0	75.70	4726.71	566.24	17236.29	9	36
MI-0-HU-14	500	1240.03	118.875	83	20	46	66	6	39	24.0	74.75	4667.39	559.13	18483.51	9	36

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" (13) on all sides, deduct 1" (25) from the stated dimensions in the charts below to determine the actual body length & width.

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the same.

MODEL NO.	US GPM	LIST Price	SHIPPING WEIGHT LBS.	BOLT ON EXTENSION (PER 6") (Add)	ADDL. "C" UP TO 6" "-C" (Add) UP TO 10" "-C" FOR MI-O-HU-4 and larger	PER "1" OF "C" DIM. OVER "6" (Add) OVER 10" FOR MI-O-HU-4 and larger	ANCHOR FLANGE "-FL" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY Reinforced Lid "-Hd" (10,000 Lbs Live Load) (Add)
MI-O-HU-A	10	\$ 5,259.00	170	\$ 4,926.00	\$ 4,926.00	\$205.00	\$1,337.00	\$1,608.00	\$ 5,944.00
MI-O-HU-B	15	\$ 7,216.00	183	\$ 4,988.00	\$ 4,988.00	\$249.00	\$1,337.00	\$1,608.00	\$ 6,314.00
MI-O-HU-C	20	\$ 8,725.00	197	\$ 5,137.00	\$ 5,137.00	\$282.00	\$1,448.00	\$1,608.00	\$ 6,686.00
MI-0-HU-1	25	\$ 9,472.00	420	\$ 5,275.00	\$ 5,275.00	\$308.00	\$1,512.00	\$1,792.00	\$ 7,054.00
MI-0-HU-2	35	\$11,510.00	545	\$ 5,472.00	\$ 5,472.00	\$335.00	\$1,572.00	\$1,856.00	\$ 7,429.00
MI-O-HU-3	50	\$15,492.00	780	\$ 6,538.00	\$ 6,538.00	\$396.00	\$1,608.00	\$2,123.00	\$ 7,808.00
MI-O-HU-4	75	\$26,840.00	890	\$ 3,680.00	\$ 3,680.00	\$249.00	\$1,769.00	\$3,197.00	\$ 8,208.00
MI-O-HU-5	100	\$29,117.00	1,500	\$ 3,838.00	\$ 3,838.00	\$261.00	\$1,982.00	\$3,568.00	\$11,316.00
MI-O-HU-6	125	\$33,928.00	1,615	\$ 3,998.00	\$ 3,998.00	\$282.00	\$2,353.00	\$3,998.00	\$12,405.00
MI-0-HU-7	150	\$36,032.00	1,740	\$ 4,151.00	\$ 4,151.00	\$296.00	\$2,748.00	\$4,421.00	\$14,524.00
MI-0-HU-8	200	\$50,900.00	2,340	\$ 5,944.00	\$ 5,944.00	\$308.00	\$2,933.00	\$5,163.00	\$16,568.00
MI-0-HU-9	250	\$58,965.00	2,400	\$ 7,713.00	\$ 7,713.00	\$344.00	\$3,937.00	\$6,686.00	\$22,847.00
MI-0-HU-10	300	\$66,767.00	2,860	\$ 9,387.00	\$ 9,387.00	\$396.00	\$4,446.00	\$7,526.00	\$29,345.00
MI-0-HU-11	350	\$74,530.00	3,300	\$11,109.00	\$11,109.00	\$436.00	\$4,953.00	\$8,320.00	\$34,612.00
MI-0-HU-12	400	\$85,830.00	3,420	\$12,963.00	\$12,963.00	\$471.00	\$5,259.00	\$8,781.00	\$39,847.00
MI-0-HU-13	450	\$98,057.00	3,540	\$15,119.00	\$15,119.00	\$496.00	\$5,567.00	\$9,385.00	\$45,543.00
MI-0-HU-14	500	\$108,258.00	3,760	\$17,309.00	\$17,309.00	\$518.00	\$5,897.00	\$9,906.00	\$48,704.00

NOTE: Add Suffix "-T" for threaded inlet & outlet, (No Add).

*See MI-O-HU Series for integral holding tank series Oil interceptors from MIFAB.

HOLDING TANK

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



P193


MI-OS **SERIES**

NTERCEPTORS

SERIES

MI-OS OIL/SEDIMENT INTERCEPTOR

MI-OS SERIES




MODEL No.	SLUDGE CAP. LBS.	FREE	NO. OF Grates	A IN	B IN	C IN	D IN	E IN	F IN	LIQ HOLDII USG	UID NG CAP. Cu. Ft.
MI-0S-1	12	49	1	24.375	12.5	4.5	10.5	15.0	2	12	1.6
MI-0S-2	60	131	2	24.375	24.5	7.625	17.625	25.25	4	40	6.13
MI-0S-3	100	262	3	36.625	24.375	11	22	33	4	77	10.25
MI-0S-4	200	393	4	48.750	24.375	11	22	33	4	103	15.8
MI-0S-5	300	524	4	48.750	48.675	11	22	33	4	193.33	29.7
MODEL No.		LIST PRIC		SHIPPING Weight LBS.	ADDITIO "C" UP "6" "C" (TO OT	PER "1" OF "C" DIM. Er "6" "C" (A	FL	CHOR Ange (Add)	FLANG Membr Clamp "Fli	ANE
MI-0S-1 MI-0S-2 MI-0S-3 MI-0S-4 MI-0S-5		2,306 6,22 8,839 13,097	0.00 9.00 7.00	140 300 445 560 560	\$386 \$578 \$766 \$1,153 \$1.524	.00 .00 .00	\$ 58.00 \$ 87.00 \$124.00 \$182.00 \$241.00	\$ 6 \$ 8 \$1,0	81.00 62.00 34.00 98.00 48.00	\$ 662 \$ 997 \$1,256 \$1,614 \$2,131	.00 .00 .00

MI-HAIR SERIES

LAVATORY MOUNTED HAIR & SEDIMENT INTERCEPTOR MI-HAIR SERIES



MODEL No.	LIST PRICE (Cast Iron)	SHIPPING Weight LBS.	CHROME Plated (-49) (Add)	REPLACEMENT SS BUCKET "-SSB" (ADD)	POLISHED Brass "-2" (Add)
MI-HAIR	\$590.00	6	\$362.00	\$177.00	\$495.00




MI-SOLID-S

SUSPENDED SEDIMENT and SOLIDS INTERCEPTOR

MI-SOLID-S SERIES






MODEL NO.	US GPM	CAPACITY (U.S.G.)		LIST PRICE	WEIGHT LBS.
MI-SOLID-S	15	2.22	\$	824.00	23
MI-SOLID-LB	15	2.22	\$	2886.00	23
MI-SOLID-M	20	5.00	\$	824.00	50
MI-SOLID-L	30	6.28	\$	2886.00	70
	ECC	DEDLACEMEN	ıT	CTAINI F	OC OTEEL

S	STAINLESS	REPLACEMENT	STAINLESS STEEL
	STEEL BODY	BUCKET	MESH ON BUCKET
VARIATIONS	"-SS" (ADD)	"-SB" (ADD)	"-SSM" (ADD)
\geq	\$ 1,090.00	\$ 359.00	\$ 185.00
OPTIONAL	\$ 1,090.00	\$ 359.00	\$ 185.00
음	\$ 1,500.00	\$ 826.00	\$ 298.00
8	\$ 2,000.00	\$1,323.00	\$ 426.00


F.I.P. = Female iron pipe (Threaded Connection)

MI-SOLID-M

SERIES



MI-SOLID-L SERIES



Design and dimensions are subject to modification. Prices do not include applicable taxes.


Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MI-SOLID-SA

MI-SOLID-SA SIDE ACCESS SOLIDS INTERCEPTOR






MODEL NO.	CAPACITY GPM	SHIPPING WEIGHT LBS	LIST PRICE
MI-SOLID-SA	35	22	\$5,166.00

MI-SOL	ID-SA AND MI-SOLID-TA OPTIONAL VARIATIO	DNS:		
SUFFIX	DESCRIPTION	LIST PRICE		
-RB	Replacement bucket	\$ 1,780.00		
-SSM	Stainless steel mesh on bucket	\$ 659.00		
-6	Vandal proof	\$ 264.00		

MI-SOLID-TA TOP ACCESS SOLIDS INTERCEPTOR

MI-SOLID-TA

SERIES



MODEL NO	US GPM	WEIGHT LBS	LIST PRICE EPOXY COATED MILD STEEL	LIST PRICE Stainless Steel "-304 SS"
MI-SOLID-TA-0	4	23	\$1,218.00	\$1,893.00
MI-SOLID-TA-1	7	30	\$1,248.00	\$2,011.00
MI-SOLID-TA-2	10	40	\$1,311.00	\$2,165.00
MI-SOLID-TA-3	15	50	\$1,442.00	\$2,441.00
MI-SOLID-TA-4	20	60	\$1,561.00	\$2,654.00
MI-SOLID-TA-5	25	80	\$1,733.00	\$3,089.00
MI-SOLID-TA-6	35	90	\$1,872.00	\$3,462.00
MI-SOLID-TA-7	50	100	\$2,047.00	\$3,900.00
MI-SOLID-TA-8	75	110	\$2,262.00	\$4,370.00

MODEL NO	PIPE SIZE	A IN	B IN	D IN
MI-SOLID-TA-0	2"	10"	9 7/8"	7 1/4"
MI-SOLID-TA-1	2"	11 1/8"	11 7/8"	8 1/8"
MI-SOLID-TA-2	3"	11 3/4"	14"	8 1/4"
MI-SOLID-TA-3	3"	13 3/8"	16 3/4"	9 3/8"
MI-SOLID-TA-4	3"	15"	17 1/4"	11 3/4"
MI-SOLID-TA-5	4"	17"	19 7/8"	12 7/16"
MI-SOLID-TA-6	4"	18 3/4"	22 1/2"	14 3/16"
MI-SOLID-TA-7	4"	21 1/2"	22 1/2"	16"
MI-SOLID-TA-8	4"	22 3/4"	22 1/2"	18 1/2"


Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MI-SAND SAND AND GRIT INTERCEPTORS

MI-SAND SERIES



MODEL No.	LIQUID HOLDING Cap. USG	A IN	B IN	C IN	D IN	E IN	F IN		O.OF BOLTS
MI-SAND-1	323	60	36	22	38	60	4	3	12
MI-SAND-2	405	72	36	22	38	60	4	3	12
MI-SAND-3	540	96	36	22	38	60	6	4	16
MI-SAND-4	608	108	36	22	38	60	6	5	20
MI-SAND-5	700	120	36	22	38	60	6	5	20
MI-SAND-6	810	144	36	22	38	60	8	6	24
MI-SAND-7	1013	180	36	22	38	60	8	8	32

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts about to determine the actual body length & width

Note: GPM flow rate is based on pipe size


MODEL NO.	LIQUID HOLDING Cap. USG	LIST PRICE	SHIPPING WEIGHT LBS.	BOLT ON EXTENSION (PER 6") (Add)	ADDITIONAL "C" UP TO "6" (Add)	PER "1" OF "C" DIM. OVER "6" (Add)	ANCHOR FLANGE "-FL" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs. LIVE LOAD) (Add)
MI-SAND-1	323	\$26,361.00	1020	\$ 804.00	\$ 804.00	\$ 124.00	\$1,153.00	\$1,736.00	\$1,032.00
MI-SAND-2	405	\$38,884.00	1100	\$ 988.00	\$ 988.00	\$ 164.00	\$1,319.00	\$1,986.00	\$1,297.00
MI-SAND-3	540	\$50,621.00	1310	\$1,425.00	\$1,425.00	\$ 227.00	\$2,637.00	\$1,900.00	\$1,897.00
MI-SAND-4	608	\$51,732.00	1400	\$1,733.00	\$1,733.00	\$ 268.00	\$2,968.00	\$3,973.00	\$2,163.00
MI-SAND-5	700	\$56,510.00	1575	\$1,977.00	\$1,977.00	\$ 288.00	\$3,295.00	\$4,219.00	\$2,351.00
MI-SAND-6	810	\$58,283.00	1770	\$2,388.00	\$2,388.00	\$ 330.00	\$3,956.00	\$5,212.00	\$2,594.00
MI-SAND-7	1013	\$69,402.00	1900	\$2,637.00	\$2,637.00	\$ 392.00	\$4,944.00	\$6,452.00	\$3,254.00

NOTE: Add SUFFIX "-T" for threaded inlet & outlet, (No Add). Suffix - AL for aluminum lid, Add (\$3,270.00 each Model)

MI-SD **SERIES**

SEDIMENT DRAIN INTERCEPTOR

MI-SD SERIES



MODEL No.	STATIC CAP. USG	CAP USG	A IN	B IN	C IN	D In	E IN	F IN	NO. OF Grates
MI-SD-1	3.5	12	12	14	4.5	10.5	15	2	1
MI-SD-2	6.5	23	16	20.75	7.5	12.5	20	3	1
MI-SD-3	22	77	20.5	27.0	7.625	17.625	25.25	3	1
MI-SD-4	30	105	20.5	27.0	10	23	33	3	1
MI-SD-5	55	193	24.375	24.5	10	22	32	3	2
MI-SD-6	100	350	48.625	24.5	10	22	32	3	4
MI-SD-7	140	438	48.625	30.5	11	27	38	4	6
MI-SD-8	214	665	60.50	36.5	11	27	38	4	9
MI-SD-9	330	910	72.625	36.5	11	27	38	4	9
MI-SD-10	374	1155	96.625	36.5	15	29	44	4	12

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts above to determine the actual body length & width.

NOTE: For solid cover, specify -SC. This product a no hub inlet

Note: GPIVI 110	ow rate is dase	ea on pipe size		connection	on (same size as out	iet) (No Add).	
MODEL NO.	LIQUID HOLDING Cap. USG	LIST PRICE	SHIPPING WEIGHT LBS.	ADDITIONAL "C" up to 6" "-C" (Add)	PER "1" OF "C" DIM OVER 6" (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)
MI-SD-1	3.5	\$ 2,237.00	64	\$ 311.00	\$ 75.00	\$ 372.00	\$ 496.00
MI-SD-2	6.5	\$ 2,359.00	116	\$ 335.00	\$100.00	\$ 398.00	\$ 558.00
MI-SD-3	22	\$ 4,964.00	185	\$ 436.00	\$100.00	\$ 496.00	\$ 747.00
MI-SD-4	30	\$ 5,212.00	215	\$ 436.00	\$100.00	\$ 520.00	\$ 770.00
MI-SD-5	55	\$ 6,704.00	225	\$ 558.00	\$124.00	\$ 664.00	\$ 931.00
MI-SD-6	100	\$ 9,434.00	420	\$ 870.00	\$187.00	\$ 809.00	\$1,182.00
MI-SD-7	140	\$10,672.00	515	\$1,118.00	\$223.00	\$ 869.00	\$1,366.00
MI-SD-8	214	\$12,163.00	760	\$1,240.00	\$238.00	\$ 994.00	\$1,613.00
MI-SD-9	330	\$13,650.00	855	\$1,613.00	\$311.00	\$1,182.00	\$1,736.00
MI-SD-10	374	\$17,375.00	1135	\$2,422.00	\$436.00	\$1,366.00	\$1,986.00


Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



MI-HEL SERIES HELIPORT FUEL SPILL INTERCEPTORS



MODEL NO.	STATIC \ Cap. USG	/OLUME Cu. Ft.	FUEL Retention Cap. USG	A IN	B IN	C IN	D IN	E IN	F IN
MI-HEL-1	135	18.0	35	90	36	12	36	48	6
MI-HEL-2	175	23.3	65	126	48	12	36	48	6
MI-HEL-3	200	26.6	90	132	63	12	36	48	6
MI-HEL-4	300	40.0	195	192	92	12	36	48	6
MI-HEL-5	350	46.6	220	213	96	12	36	48	6
MI-HEL-6	400	52.48	250	240	96	12	36	48	6

The MIFAB® MI-HEL heliport fuel spill interceptor is designed for use where there is the potential of an aircraft fuel leak entering the storm sewer system, (such as a roof top helipad), where the regular roof drains are connected to a municipal storm sewer system. The MI-HEL is constructed from high strength 1/4" plate steel and features: outlet vent connection, internal vent connection, gasketed access covers with stainless steel bolts, 2" fuel drain connection, 1" fresh water inlet supply connection with gate valve, back flow preventer, automatic water level controlling float valve, external sight glass level indicator with drain cocks, 2" interceptor drain plugs, channel support rails and body corner lifting lugs. The unit is regularly furnished with a two part epoxy interior and exterior coating.

MODEL NO.	FUEL CAP. USG	LIST PRICE	SHIPPING WEIGHT LBS.
MI-HEL-1	35	P.O.A.	1,984
MI-HEL-2	65	P.O.A.	2,975
MI-HEL-3	90	P.O.A.	3,524
MI-HEL-4	195	P.O.A.	6,200
MI-HEL-5	220	P.O.A.	6,800
MI-HEL-6	250	P.O.A.	7,200

NOTE: Add SUFFIX "-TO" for top outlet, (No Add)

MI-SAND/OIL SERIES SAND AND OIL INTERCEPTOR

MI-SA	I_{i}	D	0	L
NO	5	EF	RIE	S

MI-SAND/OIL SENIES	SAND AND OIL INTERCE
CALIBRATED STAINLESS STEE ORIFICE PLATE (INTERNAL FLOW CONTROL) NO HUB (MJ) INLET B 2" F.I.P. ADJUSTABLE DRAIN OFF CONNECTION SEDIMENT BUCKET WITH PERFORATED	REMOVABLE NON SKID LIDS (Pedestrian load only) REMOVABLE CROSS BAR TO RECEIVE BOLTS OUTLET
BAFFLE BESIDE INLET	2-3" VENT CONNECTION (BOTH SIDES)
Optional high level alarm, SUFFIX	"-HLA" available Add (\$7.371.00 all

	MODEL	LIQUID Holding	Α	В	C	D	E	F	G		10.)F
	NO.	CAP. USG	IN	IN	IN	IN	IN	IN	IN		BOLTS
Г	MI-SO-0	108.9	42	28	6	26	32	4	19	2	8
	MI-S0-1	192.7	55	37	8	26	34	4	19	2	8
	MI-S0-2	226.9	58	38	8	28	36	4	21	3	12
	MI-SO-3	264.6	61	39	8	28	36	4	23	3	12
	MI-SO-4	395.6	70	44	10	34	44	4	27	6	24
	MI-S0-5	500.6	75	46	10	38	48	4	31	6	24
	MI-SO-6	579.7	77	49	12	40	52	6	32	6	24
	MI-SO-7*	612.2	80	51	12	40	52	6	36	8	24
	MI-SO-8*	785.9	84	56	14	44	58	6	46	8	32
	MI-SO-9*	1172.3	92	61	14	54	68	6	46	8	32
	MI-SO-10*	1807.8	102	74	14	62	76	8	53	9	36
	MI-S0-11*	2105.3	108	76	14	66	80	8	57	9	36

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts above to determine the actual body length & width

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the same

Optional high level alarm. **SUFFIX "-HLA"** available Add (\$7,371.00 all Models). Optional aluminum lid, **Suffix - AL**, Add (\$4,360.00 each Model).

MODEL NO.	LIQUID HOLDING CAPACITY USG	LIST PRICE	SHIPPING WEIGHT LBS.	BOLT ON EXTENSION (PER 6") (Add)	ADDITIONAL "C" UP TO 6" "-C" (Add)	PER "1" OF "C" DIM. OVER "6" (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & Membrane Clamp "-FLM" (Add)	HEAVY DUTY REINFORCED LID "- HD" (10,000 Lbs Live Load) (Add)
MI-SO-0	109	\$26,361.00	545	\$ 807.00	\$ 807.00	\$ 124.00	\$1,154.00	\$1,736.00	\$1,033.00
MI-S0-1	193	\$38,884.00	625	\$ 991.00	\$ 991.00	\$ 164.00	\$1,321.00	\$1,986.00	\$1,299.00
MI-S0-2	227	\$50,621.00	725	\$1,427.00	\$1,427.00	\$ 227.00	\$2,644.00	\$3,077.00	\$1,900.00
MI-SO-3	265	\$51,732.00	1075	\$1,735.00	\$1,735.00	\$ 268.00	\$2,975.00	\$3,973.00	\$2,166.00
MI-SO-4	396	\$56,510.00	1185	\$1,981.00	\$1,981.00	\$ 290.00	\$3,301.00	\$4,219.00	\$2,354.00
MI-SO-5	580	\$58,283.00	1265	\$2,395.00	\$2,395.00	\$ 330.00	\$3,964.00	\$5,212.00	\$2,601.00
MI-SO-6	612	\$69,402.00	1385	\$2,644.00	\$2,644.00	\$ 392.00	\$4,956.00	\$6,452.00	\$3,263.00

NOTE: Add SUFFIX "-T" for threaded inlet & outlet, (No Add).

MI-SO-7 and larger "Call for Quote"

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

197






MI-FISH FISH SCALE INTERCEPTOR

MI-FISH SERIES

SERIES



MODEL NO.	INTERCEPTOR LIQUID HOLDING CAPACITY (U.S.G.)	A IN	B IN	C IN	D IN	E IN	F IN		O.OF BOLTS
MI-FISH-1	34.29	29.5	20	3	17	20	2	1	4
MI-FISH-2	40.74	29.5	20.5	4	20	24	3	1	4
MI-FISH-3	80.18	33.5	26	4	26	30	3	2	4
MI-FISH-4	114.03	37.5	30	4	28	32	3	2	8
MI-FISH-5	155.64	55.5	26	6	30	36	4	2	8
MI-FISH-6	213.80	67.5	28	8	32	40	6	3	12
MI-FISH-7	302.26	67.5	28	10	44	54	6	3	12
MI-FISH-8	404.91	67.5	30	12	54	66	6	3	12
MI-FISH-9	506.42	67.5	40	10	50	60	6	3	12
MI-FISH-10	868.65	91.5	40	8	54	62	6	4	16
MI-FISH-11	1017.35	98	50	12	54	66	6	4	16
MI-FISH-12	1536.00	98	50	12	80	92	6	4	16


MODEL NO.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	TILE RECESS "-TL" (Add)	ADDITIONAL "C" UP TO "6" "-C" (Add)	PER "1" OF "C" DIM. OVER "6" (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & Membrane Clamp "-Flm" (Add)	HEAVY DUTY Reinforced Lid "-Hd" (10,000 live load lbs. (Add))	REPLACEMENT BAFFLE "-RSSB" (Add)
MI-FISH-1	34	\$ 7,860.00	215	\$ 6,273.00	\$1,183.00	\$ 82.00	\$ 680.00	\$1,427.00	\$ 4,964.00	\$ 485.00
MI-FISH-2	40	\$ 7,943.00	245	\$ 8,563.00	\$1,182.00	\$ 82.00	\$ 841.00	\$1,445.00	\$ 5,212.00	\$ 485.00
MI-FISH-3	80	\$ 9,434.00	370	\$ 8,935.00	\$1,417.00	\$ 82.00	\$ 952.00	\$1,634.00	\$ 5,486.00	\$ 677.00
MI-FISH-4	111	\$11,170.00	445	\$ 9,434.00	\$1,650.00	\$ 117.00	\$1,056.00	\$2,011.00	\$ 7,559.00	\$ 971.00
MI-FISH-5	155	\$12,409.00	550	\$10,425.00	\$1,650.00	\$ 129.00	\$1,218.00	\$2,216.00	\$ 9,709.00	\$1,103.00
MI-FISH-6	213	\$12,659.00	750	\$10,922.00	\$1,650.00	\$ 141.00	\$1,221.00	\$2,438.00	\$11,072.00	\$1,235.00
MI-FISH-7	302	\$14,892.00	910	\$11,915.00	\$1,650.00	\$ 164.00	\$1,235.00	\$3,015.00	\$19,727.00	\$1,425.00
MI-FISH-8	405	\$17,375.00	1080	\$12,908.00	\$1,650.00	\$ 187.00	\$1,366.00	\$3,334.00	\$26,621.00	\$1,525.00
MI-FISH-9	506	\$18,615.00	1175	\$13,404.00	\$2,001.00	\$ 187.00	\$1,457.00	\$3,623.00	\$32,540.00	\$1,667.00
MI-FISH-10	750	\$37,232.00	1550	\$17,375.00	\$4,964.00	\$ 496.00	\$1,736.00	\$4,964.00	\$49,642.00	\$2,180.00
MI-FISH-11	1017	\$45,916.00	1900	\$21,099.00	\$5,461.00	\$ 747.00	\$2,237.00	\$7,446.00	\$62,054.00	\$2,725.00
MI-FISH-12	1536	\$54,606.00	2325	\$24.821.00	\$6.205.00	\$ 994.00	\$2.483.00	\$8.687.00	\$74,462.00	\$3,270.00

NOTE: Add SUFFIX "-T" for THREADED INLET & OUTLET, (No Add). Suffix - AL, aluminum lid, Add (\$2,180.00 all Models).

MI-LINT

LINT INTERCEPTOR

MI-LINT SERIES



MODEL NO.	LIQUID HOLDING CAPACITY (U.S.G.)	A IN	B IN	C IN	D IN	E IN	F IN		O.OF BOLTS
MI-LINT-1	34.29	29.5	20	3	17	20	2	1	4
MI-LINT-2	40.74	29.5	20.5	4	20	24	3	1	4
MI-LINT-3	80.18	33.5	26	4	26	30	3	2	4
MI-LINT-4	114.03	37.5	30	4	28	32	3	2	8
MI-LINT-5	155.64	55.5	26	6	30	36	4	2	8
MI-LINT-6	213.80	67.5	28	8	32	40	6	3	12
MI-LINT-7	302.26	67.5	28	10	44	54	6	3	12
MI-LINT-8	404.91	67.5	30	12	54	66	6	3	12
MI-LINT-9	506.42	67.5	40	10	50	60	6	3	12
MI-LINT-10	868.65	91.5	40	8	54	62	6	4	16
MI-LINT-11	1017.35	98	50	12	54	66	6	4	16
MI-LINT-12	1536.00	98	50	12	80	92	6	4	16

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts above to determine the actual body length & width.

MODEL NO.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	SEDIMENT BUCKET "-SB" (Add)	BOLT ON EXTENSION (PER 6") (Add)	ADDITIONAL "C" UP TO "6" "-C" (Add)	PER "1" OF "C" DIM. OVER "6" (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & Membrane Clamp "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs. Live Load) (Add)	REPLACEMENT BAFFLE STAINLESS "-RSSB" (Add)
MI-LINT-1	34	\$ 6,919.00	225	\$1,305.00	\$1,183.00	\$1,183.00	\$ 82.00	\$ 680.00	\$1,427.00	\$ 4,964.00	\$ 485.00
MI-LINT-2	40	\$ 7,486.00	260	\$1,936.00	\$1,183.00	\$1,183.00	\$ 82.00	\$ 841.00	\$1,445.00	\$ 5,212.00	\$ 485.00
MI-LINT-3	80	\$ 8,053.00	385	\$2,121.00	\$1,417.00	\$1,417.00	\$ 82.00	\$ 952.00	\$1,634.00	\$ 5,486.00	\$ 677.00
MI-LINT-4	111	\$ 9,473.00	475	\$2,322.00	\$1,650.00	\$1,650.00	\$117.00	\$1,056.00	\$2,011.00	\$ 7,559.00	\$ 971.00
MI-LINT-5	155	\$10,412.00	575	\$2,422.00	\$1,650.00	\$1,650.00	\$129.00	\$1,218.00	\$2,216.00	\$ 9,709.00	\$1,103.00
MI-LINT-6	213	\$11,467.00	785	\$2,546.00	\$1,650.00	\$1,650.00	\$141.00	\$1,221.00	\$2,438.00	\$11,072.00	\$1,235.00
MI-LINT-7	302	\$13,331.00	960	\$3,103.00	\$1,650.00	\$1,650.00	\$164.00	\$1,235.00	\$3,015.00	\$19,727.00	\$1,425.00
MI-LINT-8	405	\$15,199.00	1150	\$3,787.00	\$1,650.00	\$1,650.00	\$187.00	\$1,366.00	\$3,334.00	\$26,621.00	\$1,525.00
MI-LINT-9	506	\$17,069.00	1265	\$4,034.00	\$2,001.00	\$2,001.00	\$187.00	\$1,457.00	\$3,623.00	\$32,540.00	\$1,667.00
MI-LINT-10	750	\$34,731.00	1655	\$4,964.00	\$4,964.00	\$4,964.00	\$496.00	\$1,736.00	\$4,964.00	\$49,642.00	\$2,180.00
MI-LINT-11	1017	\$42,182.00	2050	\$7,446.00	\$5,461.00	\$5,461.00	\$747.00	\$2,237.00	\$7,446.00	\$62,054.00	\$2,725.00
MI-LINT-12	1536	\$52,098.00	2520	\$8,688.00	\$6,205.00	\$6,205.00	\$994.00	\$2,483.00	\$8,687.00	\$74,462.00	\$3,270.00

NOTE: Suffix - AL, aluminum lid, Add (\$2,180.00 all Models)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

P198

SERIES

MI-RICE SERIES RICE INTERCEPTOR



MODEL NO.	US GPM	A IN	B IN	C IN	D IN	E IN	F IN		.OF BOLTS
MI-RICE-1	34	29.5	20	3	17	20	2	1	4
MI-RICE-2	40	29.5	20.5	4	20	24	3	1	4
MI-RICE-3	80	33.5	26	4	26	30	3	2	4
MI-RICE-4	111	37.5	30	4	28	32	3	2	8
MI-RICE-5	155	55.5	26	6	30	36	4	2	8
MI-RICE-6	213	67.5	28	8	32	40	6	3	12
MI-RICE-7	302	67.5	28	10	44	54	6	3	12
MI-RICE-8	405	67.5	30	12	54	66	6	3	12
MI-RICE-9	506	67.5	40	10	50	60	6	3	12
MI-RICE-10	750	91.5	40	8	54	62	6	4	16
MI-RICE-11	1017	98	50	12	54	66	6	4	16
MI-RICE-12	1536	98	50	12	80	92	6	4	16

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor (lid). Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts above to determine the actual body length & width.

	MODEL No.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	SEDIMENT BUCKET "-SB" (Add)	BOLT ON Extension (PER 3") (Add)	ADDITIONAL "C" UP TO "6" "-C" (Add)	PER "1" OF "C" DIM. Over "6" (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)		REPLACEMENT Baffle Stainless "-RSSB" (Add)
Γ	MI-RICE-1	34	\$ 6,919.00	225	\$1,305.00	\$1,183.00	\$1,183.00	\$ 82.00	\$ 680.00	\$1,427.00	\$ 4,964.00	\$ 485.00
	MI-RICE-2	40	\$ 7,486.00	260	\$1,936.00	\$1,183.00	\$1,183.00	\$ 82.00	\$ 841.00	\$1,445.00	\$ 5,212.00	\$ 485.00
	MI-RICE-3	80	\$ 8,053.00	385	\$2,121.00	\$1,417.00	\$1,417.00	\$ 82.00	\$ 952.00	\$1,634.00	\$ 5,486.00	\$ 677.00
	MI-RICE-4	111	\$ 9,473.00	475	\$2,322.00	\$1,650.00	\$1,650.00	\$117.00	\$1,056.00	\$2,011.00	\$ 7,559.00	\$ 971.00
	MI-RICE-5	155	\$10,412.00	575	\$2,422.00	\$1,650.00	\$1,650.00	\$129.00	\$1,218.00	\$2,216.00	\$ 9,709.00	\$1,103.00
	MI-RICE-6	213	\$11,467.00	785	\$2,546.00	\$1,650.00	\$1,650.00	\$141.00	\$1,221.00	\$2,438.00	\$11,072.00	\$1,235.00
	MI-RICE-7	302	\$13,331.00	960	\$3,103.00	\$1,650.00	\$1,650.00	\$164.00	\$1,235.00	\$3,015.00	\$19,727.00	\$1,425.00
	MI-RICE-8	405	\$15,199.00	1150	\$3,787.00	\$1,650.00	\$1,650.00	\$187.00	\$1,366.00	\$3,334.00	\$26,621.00	\$1,525.00
	MI-RICE-9	506	\$17,069.00	1265	\$4,034.00	\$2,001.00	\$2,001.00	\$187.00	\$1,457.00	\$3,623.00	\$32,540.00	\$1,667.00
	MI-RICE-10	750	\$34,731.00	1655	\$4,964.00	\$4,964.00	\$4,964.00	\$496.00	\$1,736.00	\$4,964.00	\$49,642.00	\$2,180.00
	MI-RICE-11	1017	\$42,182.00	2050	\$7,446.00	\$5,461.00	\$5,461.00	\$747.00	\$2,237.00	\$7,446.00	\$62,054.00	\$2,725.00
L	MI-RICE-12	1536	\$52,098.00	2520	\$8,688.00	\$6,205.00	\$6,205.00	\$994.00	\$2,483.00	\$8,687.00	\$74,462.00	\$3,270.00

NOTE: SUFFIX "-TL" lid recessed for tile P.O.A. Suffix - AL, aluminum lid, P.O.A.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA








MI-G-AD SERIES AUTOMATIC RECOVER GREASE INTERCEPTOR

MI-G-AD Series



The MI-G-AD Series is an automatic recovery grease interceptor that is self cleaning and requires minimal maintenance. The unit intercepts solids with an internal sediment bucket and extracts free floating oil and grease from the unit automatically into a separate holding compartment.

The MI-G-AD Series should be used in large restaurants, kitchens, institutions, industrial facilities such as food processing and packaging plants where fats, oil and grease (FOG) drains into the wastewater.

The MI-G-AD includes an epoxy coated body, also available in stainless steel (-SS Suffix) with a deep seal trap with sewer gas stopper, air relief bypass, dual lid for easy access to the internal sediment bucket, grease and oil collection container, 24 hour timer with heating element and automatic skimming wheel.

container, 24	4 nour tim	er with neat	ling elemen	t and autom	iatic skimm	ing wheel.				
MI-G-AD	SERIES									
MODEL No.	US GPM	CAP. LBS.	A IN	B IN	C IN	D In	E IN	F IN	G IN	NO. OF LIDS
MI-G-AD-3	15	30	23.75	15.75	3.5	11.5	15.0	2	6.75	2
MI-G-AD-4	20	40	23.75	15.75	3.5	14.0	17.5	3	6.75	2
MI-G-AD-5	25	50	27.75	18.75	3.5	14.0	17.5	3	6.75	2
MI-G-AD-6	35	70	31.25	23.75	5.5	16.5	22.0	3	6.75	2 2
MI-G-AD-7	50	100	31.25	23.75	5.5	18.5	24.0	3	6.75	2
MI-G-L-A	D SERIES		'	'					'	'
MODEL No.	US GPM	CAP. LBS.	A IN	B IN	C IN	D IN	E IN	F IN	G IN	NO. OF LIDS
MI-G-L-AD-20	20	40	34	24	4	7	11	3	6.75	2
MI-G-L-AD-35	35	70	42	28	4	7	11	3	6.75	2
MI-G-L-AD-50	50	100	46	30	4	7	11	3	6.75	2
XL-MI-G-	L-AD SI	ERIES								
MODEL No.	US GPM	CAP. LBS.	A IN	B IN	C IN	D IN	E IN	F IN	G IN	NO. OF LIDS
XL-MI-G-AD-0	75	150	42	28	6	26	32	4	14	2
XL-MI-G-AD-1	100	200	55	37	8	26	34	4	14	2
XL-MI-G-AD-2	125	250	58	38	8	28	36	4	14	2 3
XL-MI-G-AD-3	150	300	61	39	8	30	38	4	14	3

MODEL NO.	US GPM	LIST Price	SHIPPING Weight LBS	STAINLESS STEEL "-SS" (Add)
MI-G-AD-3	15	P.O.A	95	P.O.A
MI-G-AD-4	20	P.O.A	100	P.O.A
MI-G-AD-5	25	P.O.A.	125	P.O.A
MI-G-AD-6	35	P.O.A	185	P.O.A
MI-G-AD-7	50	P.O.A	195	P.O.A

MODEL NO.	US GPM	LIST PRICE	SHIPPING Weight LBS	STAINLESS STEEL "-SS" (Add)
XL-MI-G-AD-0	75	P.O.A	350	P.O.A
XL-MI-G-AD-1	100	P.O.A	520	P.O.A
XL-MI-G-AD-2	125	P.O.A.	600	P.O.A
XL-MI-G-AD-3	150	P.O.A	700	P.O.A
MI-G-L-AD-20	20	P.O.A	150	P.O.A
MI-G-L-AD-35	35	P.O.A	200	P.O.A
MI-G-L-AD-50	50	P.O.A	225	P.O.A

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit **www.mifab.com** for the most recent product information.



MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA








MI-E-G SERIES 4 TO 50 US G.P.M. ELECTRONIC GREASE INTERCEPTOR

SERIES



MIFAB's electronic grease interceptor monitors the grease level within the interceptor. A control panel built into a standard electrical box consists of a multi-level LED display that alerts the operator to the current grease level. A green light on the control panel indicates normal operating conditions. At 50% grease storage capacity, the green light will change to yellow. At 75% grease storage capacity, the yellow light changes to red, the alarm will sound, and the inlet will be closed by a motorized valve. The closed inlet prevents additional grease from entering the interceptor and from discharging into the piping system. The operator must remove the lid of the interceptor and remove the accumulated grease and clean off the grease sensing probe to ensure that the motorized valve opens and regular operation can resume. A back-up battery ensures continued operation during short power failures and closes for safety during extended failures. The control panel and internal controls are pre-wired by MIFAB. 115 volt main to 24 volt transformer and low voltage wiring from the control panel to probe inside of the interceptor to be provided by others.

MIFAB is a recognized industry leader in the field of interceptor design and production.

As such, we offer a variety of specialized options and site-specific applications too numerous to list in this price guide. For features such as sacrificial anode packs, all stainless steel construction and a variety of other special features, please see our Engineering Catalog or consult your local MIFAB representative. **Suffix -AL** for aluminum lid, Add (MI-E-G-0 to MI-E-G-3, \$849.00), (MI-E-G-4 to MI-E-G-7, \$1,189.00). NOTE: Suffix - DP for dosing pump - Add (\$2,943.00, all Models).

MODEL NO.	US GPM	CAP. LBS.	LIQUID HOLDING CAPACITY (U.S.G.)	A IN	B IN	C IN	D In	E IN	F IN	NO. OF LIDS	NO. OF BOLTS
MI-E-G-0	4	8	4.43	16.75	11.25	7.5	8.5	16.0	4	1	1
MI-E-G-1	7	14	6.00	17.75	13.75	7.5	8.5	16.0	4	1	1
MI-E-G-2	10	20	9.74	21.25	15.75	7.5	9.5	17.0	4	1	1
MI-E-G-3	15	30	13.59	23.75	15.75	7.5	11.5	19.0	4	1	1
MI-E-G-4	20	40	16.18	23.75	15.75	7.5	14.0	21.5	4	1	1
MI-E-G-5	25	50	23.34	27.75	18.75	7.5	14.0	21.5	4	1	1
MI-E-G-6	35	70	41.31	31.25	23.75	7.5	16.5	24.0	4	2	4
MI-E-G-7	50	100	46.82	31.25	23.75	7.5	16.5	26.0	4	2	4

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. since the lid overhangs the body by 1/2" (13) on all sides, deduct 1" (25) from the stated dimensions in the charts below to determine the actual body length & width.

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. inlet & outlet "C" dimensions are always the same.

MODEL NO.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	SEDIMENT BUCKET "-SB" (Add)	BOLT ON EXTENSION (PER 3") (Add)	ADDITIONAL "-C" UP TO 6" (Add)	PER "1" OF "-C" DIM. OVER "6" (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" LIVE LOAD (10,000 Lbs) (Add)
MI-E-G-0	4	\$ 8,943.00	75	\$1,117.00	\$4,132.00	\$2,483.00	\$100.00	\$747.00	\$ 994.00	\$3,118.00
MI-E-G-1	7	\$ 9,553.00	85	\$1,117.00	\$4,774.00	\$2,483.00	\$100.00	\$747.00	\$ 994.00	\$4,255.00
MI-E-G-2	10	\$ 9,938.00	105	\$1,117.00	\$5,000.00	\$2,866.00	\$143.00	\$894.00	\$1,075.00	\$4,482.00
MI-E-G-3	15	\$11,172.00	120	\$1,117.00	\$5,447.00	\$2,945.00	\$161.00	\$894.00	\$1,075.00	\$4,953.00
MI-E-G-4	20	\$12,022.00	125	\$1,143.00	\$5,870.00	\$2,945.00	\$182.00	\$965.00	\$1,075.00	\$5,188.00
MI-E-G-5	25	\$12,598.00	150	\$1,210.00	\$6,072.00	\$2,904.00	\$207.00	\$1,004.00	\$1,198.00	\$5,478.00
MI-E-G-6	35	\$13,831.00	210	\$1,295.00	\$6,616.00	\$3,519.00	\$227.00	\$1,055.00	\$1,246.00	\$7,538.00
MI-E-G-7	50	\$15,926.00	220	\$1,925.00	\$6,969.00	\$3,805.00	\$264.00	\$1,075.00	\$1,416.00	\$8,271.00

NOTE: Add SUFFIX "-T" for threaded inlet & external flow control.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover,






MI-E-O





10 TO 500 US G.P.M. ELECTRONIC OIL INTERCEPTORS

MI-E-O SERIES



MIFAB's electronic oil interceptor monitors the oil level within the interceptor. A control panel built into a standard electrical box consists of a multi-level LED display that alerts the operator to the current oil level. A green light on the control panel indicates normal operating conditions. At 50% oil storage capacity, the green light will change to yellow. At 75% oil storage capacity, the yellow light changes to red, the alarm will sound, and the inlet will be closed by a motorized valve. The closed inlet prevents additional oil from entering the interceptor and from discharging into the piping system. The operator must remove the lid of the interceptor and remove the accumulated oil and clean off the oil sensing probe to ensure that the motorized valve opens and regular operation can resume. A back-up battery ensures continued operation during short power failures and closes for safety during extended failures. The control panel and internal controls are pre-wired by MIFAB. 115 volt main to 24 volt transformer and low voltage wiring from the control panel to probe inside of the interceptor to be provided by others.

MODEL No.	US GPM	A IN	B IN	C IN	D IN	E IN	F IN	G IN	LIQUID H USG	OLDING CAP. Cu. Ft.	NO. OF LIDS	NO. OF Bolts
MI-E-O-A	10	21.25	15.75	3.5	9.5	13	2	4	9.73	1.00	1	1
MI-E-O-B	15	23.75	15.75	3.5	11.5	15	2	6	13.59	1.20	1	1
MI-E-O-C	20	23.75	15.75	3.5	14	17.5	3	8	20.07	1.35	1	1
MI-E-0-1	25	28	22	6	26	32	3	19	55.15	6.25	1	4
MI-E-0-2	35	34	24	6	26	32	3	19	74.67	8.40	1	4
MI-E-0-3	50	34	24	6	28	34	3	21	80.76	9.10	1	4
MI-E-0-4	75	48	34	8	28	36	4	21	165.68	19.98	2	8
MI-E-0-5	100	51	36	8	28	36	4	21	245.21	22.76	2	8
MI-E-0-6	125	53	36	8	28	36	4	21	195.17	24.73	2	8
MI-E-0-7	150	58	36	10	28	38	4	21	214.30	28.60	3	12
MI-E-0-8	200	68	38	10	32	42	4	25	308.57	42.88	6	24
MI-E-0-9	250	74	40	12	38	50	4	31	426.39	53.44	6	24
MI-E-0-10	300	78	44	12	40	52	4	33	549.71	64.30	6	24
MI-E-0-11	350	80	46	12	40	52	6	33	621.30	69.25	6	24
MI-E-0-12	400	82	48	12	42	54	6	35	664.52	78.38	6	24
MI-E-0-13	450	84	50	12	42	54	6	35	690.91	83.95	6	24
MI-E-0-14	500	86	52	12	46	58	6	39	781.82	98.92	6	24

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" on all sides, deduct 1" from the stated dimensions in the charts below to determine the actual body length & width.

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the same.

MODEL NO.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	BOLT ON Extension (PER 6") (Add)	ADDITIONAL "-C" UP TO 6" (Add)	PER "1" OF "-C" DIM. OVER "6" (Add)	ANCHOR Flange "-Fl" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs. LIVE LOAD) (Add)	HOLDING TANK "-HT" (Add)
MI-E-O-A	10	\$10,877.00	124	\$3,281.00	\$3,281.00	\$143.00	\$ 894.00	\$1,075.00	\$ 3,729.00	\$ 1,848.00
MI-E-O-B	15	\$12,182.00	140	\$3,325.00	\$3,325.00	\$161.00	\$ 894.00	\$1,075.00	\$ 4,009.00	\$ 2,410.00
MI-E-O-C	20	\$13,187.00	148	\$3,419.00	\$3,419.00	\$182.00	\$ 965.00	\$1,075.00	\$ 4,244.00	\$ 2,918.00
MI-E-0-1	25	\$13,687. 00	265	\$3,519.00	\$3,519.00	\$207.00	\$1,004.00	\$1,198.00	\$ 4,482.00	\$ 3,163.00
MI-E-0-2	35	\$15,052.00	300	\$3,650.00	\$3,650.00	\$227.00	\$1,055.00	\$1,246.00	\$ 4,953.00	\$ 3,838.00
MI-E-0-3	50	\$17,702.00	310	\$4,358.00	\$4,358.00	\$264.00	\$1,075.00	\$1,416.00	\$ 5,188.00	\$ 5,171.00
MI-E-0-4	75	\$25,264.00	500	\$2,454.00	\$2,454.00	\$161.00	\$1,172.00	\$2,124.00	\$ 5,478.00	\$ 8,967.00
MI-E-0-5	100	\$26,771.00	540	\$2,559.00	\$2,559.00	\$172.00	\$1,311.00	\$2,377.00	\$ 7,538.00	\$ 9,736.00
MI-E-0-6	125	\$30,006.00	555	\$2,661.00	\$2,661.00	\$185.00	\$1,571.00	\$2,661.00	\$ 8,271.00	\$11,319.00
MI-E-0-7	150	\$31,399.00	605	\$2,765.00	\$2,765.00	\$197.00	\$1,830.00	\$2,945.00	\$ 9,680.00	\$12,034.00
MI-E-0-8	200	\$41,314.00	725	\$3,956.00	\$3,956.00	\$207.00	\$1,962.00	\$3,443.00	\$11,040.00	\$16,957.00
MI-E-0-9	250	\$46,678.00	1090	\$5,144.00	\$5,144.00	\$227.00	\$2,621.00	\$4,465.00	\$15,239.00	\$19,702.00
MI-E-0-10	300	\$51,880.00	1215	\$6,252.00	\$6,252.00	\$255.00	\$2,963.00	\$5,009.00	\$19,564.00	\$22,308.00
MI-E-0-11	350	\$57,047.00	1310	\$7,407.00	\$7,407.00	\$286.00	\$3,303.00	\$5,550.00	\$23,069.00	\$24,910.00
MI-E-0-12	400	\$64,589.00	1385	\$8,640.00	\$8,640.00	\$315.00	\$3,508.00	\$5,898.00	\$26,567.00	\$28,675.00
MI-E-0-13	450	\$72,735.00	1430	\$10,082.00	\$10,082.00	\$330.00	\$3,715.00	\$6,250.00	\$32,459.00	\$32,766.00
MI-E-0-14	500	\$79,543.00	1540	\$11,534.00	\$11,534.00	\$341.00	\$3,924.00	\$6,605.00	\$37,232.00	\$36,168.00

NOTE: Add Suffix "-T" for threaded inlet & outlet, (No Add).

*See MI-O-HU Series for integral holding tank series Oil Interceptors from MIFAB. Add Suffix - AL, aluminum lid, (Add same as for MI-O-Page 192).

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA








MI-E-O-HU SERIES 10 TO 500 US G.P.M. ELECTRONIC OIL INTERCEPTORS WITH INTEGRAL OIL STORAGE TANK MI-E-O-HU

SERIES



MIFAB's electronic oil interceptor monitors the oil level within the interceptor. A control panel built into a standard electrical box consists of a multi-level LED display that alerts the operator to the current oil level. A green light on the control panel indicates normal operating conditions. At 50% oil storage capacity, the green light will change to yellow. At 75% oil storage capacity, the yellow light changes to red, the alarm will sound, and the inlet will be closed by a motorized valve. The closed inlet prevents additional oil from entering the interceptor and from discharging into the piping system. The operator must remove the lid of the interceptor and remove the accumulated oil and clean off the oil sensing probe to ensure that the motorized valve opens and regular operation can resume. A back-up battery ensures continued operation during short power failures and closes for safety during extended failures. The control panel and internal controls are pre-wired by MIFAB. 115 volt main to 24 volt transformer and low voltage wiring from the control panel to probe inside of the interceptor to be provided by others.

MODEL	US	A	В	С	D	Е	F	G	Н	INTERCEPTOR LIQUID		DLDING TANK C		TOTAL	NO. OF	NO. OF
NO.	GPM	IN	IN	IN	IN	IN	IN	IN	IN	HOLDING CAPACITY (U S.G.).	CU. FT. of liquid	Lbs. of liquid	U.S.G of liquid	OPERATING Lbs.	LIDS	BOLTS
MI-E-O-HU-A	10	24	26	4	9	13	2	4	10	10.66	1.2	74.93	8.98	326.12	1	4
MI-E-O-HU-B	15	26	26.50	4	11	15	2	6	10	15.06	1.64	102.40	12.27	400.08	1	4
MI-E-O-HU-C	20	26	26.50	4	13.50	17.5	3	8	10	18.08	1.92	119.88	14.36	457.50	1	4
MI-E-O-HU-1	25	29	46	4.5	25.5	30	3	20	21.5	63.12	8.69	542.60	65.00	1466.71	2	8
MI-E-0-HU-2	35	37	44.5	5	26	31	3	20.5	15.5	100.23	8.16	509.51	61.04	1880.36	4	16
MI-E-O-HU-3	50	43	65.5	6	26	32	3	20.5	26.0	163.07	15.65	977.19	117.06	3087.07	4	16
MI-E-O-HU-4	75	49	65	9.5	26.5	36	4	20.5	22.5	201.89	16.27	1015.90	121.70	3513.86	4	16
MI-E-O-HU-5	100	58	90	9.5	26.5	36	4	20.5	37	302.91	31.78	1984.34	237.71	5866.90	4	16
MI-E-O-HU-6	125	62	90	12	28	40	4	22	37	344.42	35.97	2245.97	269.06	6580.28	9	36
MI-E-O-HU-7	150	66	76	14	30	44	4	24	28	356.85	31.11	1942.51	232.70	6536.30	9	36
MI-E-O-HU-8	200	73.25	90	17	30.5	48	4	24.5	36.5	452.72	46.39	2896.59	347.00	8803.22	9	36
MI-E-O-HU-9	250	73.25	90	15.5	35.5	51	4	29.5	31	588.97	46.65	2912.83	348.94	9997.11	9	36
MI-E-0-HU-10	300	94.875	86	15.5	36.5	52	6	29.5	23.5	814.82	46.16	2882.23	345.28	12312.77	9	36
MI-E-0-HU-11	350	100.875	94	16.5	43.5	60	6	36.5	30.5	1066.06	76.01	4746.06	568.55	16624.95	9	36
MI-E-0-HU-12	400	107.875	91	17	43	60	6	36	28.5	1109.11	75.17	4693.61	562.27	17052.63	9	36
MI-E-0-HU-13	450	118.875	83	17	43	60	6	36	26	1113.05	75.70	4726.71	566.24	17236.29	9	36
MI-E-0-HU-14	500	118.875	83	20	46	66	6	39	24	1240.03	74.75	4667.39	559.13	18483.51	9	36

NOTE: The "A" and "B" dimensions represent the largest dimension of the interceptor. Since the lid overhangs the body by 1/2" (13) on all sides, deduct 1" (25) from the stated dimensions in the charts above to determine the actual body length & width.

NOTE: The "C" dimension is from the center of the inlet/outlet (invert) to the top of the interceptor. Inlet & outlet "C" dimensions are always the same.

MODEL NO.	US GPM	LIST PRICE	SHIPPING WEIGHT LBS.	BOLT ON Extension (PER 6") (Add)	ADDITIONAL "-C" UP TO 6" "-C" (Add)	PER "1" OF "-C" DIM. Over "6" (Add)	ANCHOR FLANGE "-FL" (Add)	FLANGE & MEMBRANE CLAMP "-FLM" (Add)	HEAVY DUTY REINFORCED LID "-HD" (10,000 Lbs. LIVE LOAD) (Add)
MI-E-O-HU-A	10	\$12,630.00	211	\$ 4,926.00	\$ 4,926.00	\$205.00	\$1,337.00	\$1,608.00	\$ 5,944.00
MI-E-O-HU-B	15	\$14,586.00	223	\$ 4,988.00	\$ 4,988.00	\$249.00	\$1,337.00	\$1,608.00	\$ 6,314.00
MI-E-O-HU-C	20	\$16,096.00	235	\$ 5,137.00	\$ 5,137.00	\$282.00	\$1,448.00	\$1,608.00	\$ 6,686.00
MI-E-O-HU-1	25	\$16,843.00	445	\$ 5,275.00	\$ 5,275.00	\$308.00	\$1,512.00	\$1,792.00	\$ 7,054.00
MI-E-O-HU-2	35	\$18,881.00	570	\$ 5,472.00	\$ 5,472.00	\$335.00	\$1,572.00	\$1,856.00	\$ 7,429.00
MI-E-O-HU-3	50	\$22,863.00	805	\$ 6,538.00	\$ 6,538.00	\$396.00	\$1,608.00	\$2,123.00	\$ 7,808.00
MI-E-O-HU-4	75	\$34,211.00	915	\$ 3,680.00	\$ 3,680.00	\$249.00	\$1,769.00	\$3,197.00	\$ 8,208.00
MI-E-O-HU-5	100	\$36,488.00	1525	\$ 3,838.00	\$ 3,838.00	\$261.00	\$1,982.00	\$3,568.00	\$11,316.00
MI-E-O-HU-6	125	\$41,299.00	1640	\$ 3,998.00	\$ 3,998.00	\$282.00	\$2,353.00	\$3,998.00	\$12,405.00
MI-E-O-HU-7	150	\$43,403.00	1565	\$ 4,151.00	\$ 4,151.00	\$296.00	\$2,748.00	\$4,421.00	\$14,524.00
MI-E-O-HU-8	200	\$58,270.00	2365	\$ 5,944.00	\$ 5,944.00	\$308.00	\$2,933.00	\$5,163.00	\$16,568.00
MI-E-O-HU-9	250	\$66,335.00	2425	\$ 7,713.00	\$ 7,713.00	\$344.00	\$3,937.00	\$6,686.00	\$22,847.00
MI-E-0-HU-10	300	\$74,137.00	2885	\$ 9,387.00	\$ 9,387.00	\$396.00	\$4,446.00	\$7,526.00	\$29,345.00
MI-E-0-HU-11	350	\$81,900.00	3325	\$11,109.00	\$11,109.00	\$436.00	\$4,953.00	\$8,320.00	\$34,612.00
MI-E-0-HU-12	400	\$93,200.00	3445	\$12,963.00	\$12,963.00	\$471.00	\$5,259.00	\$8,781.00	\$39,847.00
MI-E-0-HU-13	450	\$105,428.00	3565	\$15,118.00	\$15,118.00	\$496.00	\$5,567.00	\$9,385.00	\$45,543.00
MI-E-0-HU-14	500	\$115,628.00	3785	\$17,309.00	\$17,309.00	\$518.00	\$5,897.00	\$9,906.00	\$48,704.00

NOTE: Add Suffix "-T" for threaded inlet & outlet, (No Add).

*See MI-O-HU Series for integral holding tank series 0il Interceptors from MIFAB. Add **Suffix - AL**, aluminum lid, Add (same as on Page 193 MI-O-HU Models).

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

203







MI-G-BO BOLT ON (FIXED) EXTENSIONS FOR MI-G SERIES GREASE INTERCEPTORS MI-G-BO SERIES

SERIES



(Shipped with sealing gasket and lockdown hardware)

MODEL NO.	USE WITH	US GPM	LIST PRICE	A IN	B IN	E IN	NO. Bolts
MI-G-BO-4-6	MI-G-4	20	\$ 5,870.00	23.75	15.75	6	1
MI-G-B0-4-12	MI-G-4	20	\$11,740.00	23.75	15.75	12	1
MI-G-BO-5-6	MI-G-5	25	\$ 6,072.00	27.75	18.75	6	1
MI-G-B0-5-12	MI-G-5	25	\$12,144.00	27.75	18.75	12	1
MI-G-BO-6-6	MI-G-6	35	\$ 6,616.00	31.25	23.25	6	4
MI-G-B0-6-12	MI-G-6	35	\$13,232.00	31.25	23.25	12	4
MI-G-BO-7-6	MI-G-7	50	\$ 6,969.00	31.25	23.25	6	4
MI-G-B0-7-12	MI-G-7	50	\$13,938.00	31.25	23.25	12	4

Note: All bolt or extensions are made with 10 gauge, powder epoxy coated steel.

XL-MI-G-BO SERIES XL-MI-G-BO BOLT ON (FIXED) EXTENSIONS FOR XL-MI-G SERIES GREASE INTERCEPTORS



(Shipped with sealing gasket and lockdown hardware)

MODEL NO.	USE WITH	US GPM	LIST PRICE	A IN	B IN	E IN	NO. Bolts
XL-MI-G-BO-0-6	XL-MI-G-0	75	\$ 2,047.00	42	28	6	8
XL-MI-G-BO-1-6	XL-MI-G-1	100	\$ 2,300.00	55	37	6	8
XL-MI-G-BO-2-6	XL-MI-G-2	125	\$ 2,432.00	58	38	6	12
XL-MI-G-BO-3-6	XL-MI-G-3	150	\$ 2,559.00	61	39	6	12
XL-MI-G-BO-4-6	XL-MI-G-4	200	\$ 4,606.00	70	44	6	24
XL-MI-G-BO-5-6	XL-MI-G-5	250	\$ 5,721.00	75	46	6	24
XL-MI-G-BO-6-6	XL-MI-G-6	300	\$ 6,839.00	77	49	6	24
XL-MI-G-BO-7-6	XL-MI-G-7	350	\$ 7,946.00	80	51	6	24
XL-MI-G-BO-8-6	XL-MI-G-8	400	\$ 9,267.00	84	56	6	32
XL-MI-G-BO-9-6	XL-MI-G-9	500	\$11,942.00	92	61	6	32
XL-MI-G-BO-10-6	XL-MI-G-10	600	\$13,650.00	102	74	6	36
XL-MI-G-BO-11-6	XL-MI-G-11	750	\$16,132.00	108	76	6	36

NOTE: Remove lid of existing interceptor to install extension. To determine height of bolt on extension, measure from top of neoprene gasket to desired ground level. Then, add ½" to that dimension to allow for bolt on to settle into interceptor.

MI-O-BO MI-O-BO SERIES **BOLT ON (FIXED)EXTENSIONS FOR MI-O(-HU) SERIES OIL INTERCEPTORS**

SERIES

MODEL NO.	USE WITH	LIST PRICE
MI-0-B0-A-6	MI-O-A	\$ 3,281.00
MI-O-BO-B-6	MI-O-B	\$ 3,325.00
MI-0-B0-C-6	MI-O-C	\$ 3,419.00
MI-O-BO-1-6	MI-0-1	\$ 3,519.00
MI-0-B0-2-6	MI-0-2	\$ 3,650.00
MI-0-B0-3-6	MI-0-3	\$ 4,358.00
MI-0-B0-4-6	MI-0-4	\$ 2,454.00
MI-0-B0-5-6	MI-0-5	\$ 2,559.00
MI-O-BO-6-6	MI-0-6	\$ 2,661.00
MI-0-B0-7-6	MI-0-7	\$ 2,765.00
MI-O-BO-8-6	MI-0-8	\$ 3,956.00
MI-O-BO-9-6	MI-0-9	\$ 5,144.00
MI-0-B0-10-6	MI-0-10	\$ 6,252.00
MI-0-B0-11-6	MI-0-11	\$ 7,407.00
MI-0-B0-12-6	MI-0-12	\$ 8,640.00
MI-0-B0-13-6	MI-0-13	\$10,082.00
MI-0-B0-14-6	MI-0-14	\$11,534.00

MI-O-HU-BO SERIES			
MODEL	USE	US	LIST
NO.	WITH	GPM	PRICE
MI-O-HU-BO-A-6	MI-O-HU-A	10	\$ 4,926.00
MI-O-HU-BO-B-6	MI-O-HU-B	15	\$ 4,988.00
MI-O-HU-BO-C-6	MI-O-HU-C	20	\$ 5,137.00
MI-0-HU-B0-1-6	MI-0-HU-1	25	\$ 5,275.00
MI-O-HU-BO-2-6	MI-O-HU-2	35	\$ 5,472.00
MI-O-HU-BO-3-6	MI-O-HU-3	50	\$ 6,538.00
MI-O-HU-BO-4-6	MI-O-HU-4	75	\$ 3,680.00
MI-O-HU-BO-5-6	MI-O-HU-5	100	\$ 3,838.00
MI-O-HU-BO-6-6	MI-O-HU-6	125	\$ 3,998.00
MI-0-HU-B0-7-6	MI-O-HU-7	150	\$ 4,151.00
MI-O-HU-BO-8-6	MI-O-HU-8	200	\$ 5,944.00
MI-O-HU-BO-9-6	MI-O-HU-9	250	\$ 7,713.00
MI-0-HU-B0-10-6	MI-0-HU-10	300	\$ 9,387.00
MI-0-HU-B0-11-6	MI-0-HU-11	350	\$11,109.00
MI-0-HU-B0-12-6	MI-0-HU-12	400	\$12,963.00
MI-0-HU-B0-13-6	MI-0-HU-13	450	\$15,118.00
MI-0-HU-B0-14-6	MI-0-HU-14	500	\$17,309.00

MI-G-RL

REPLACEMENT LIDS FOR MI-G SERIES GREASE INTERCEPTORS MI-G-RL

SERIES



MODEL NO.	US GPM	A IN	B IN	LIST PRICE EA.	NO. OF LIDS	NO. OF BOLTS
MI-G-O-LID	4	10.75	16.25	\$ 628.00	1	1
MI-G-1-LID	7	13.25	17.75	\$ 628.00	1	1
MI-G-2-LID	10	15.75	21.25	\$ 689.00	1	1
MI-G-3-LID	15	15.75	23.75	\$ 814.00	1	1
MI-G-4-LID	20	15.75	23.75	\$ 814.00	1	1
MI-G-5-LID	25	18.75	27.75	\$ 814.00	1	1
MI-G-6-LID	35	23.25	30.75	\$1,254.00	1	4
MI-G-7-LID	50	23.25	30.75	\$1,254.00	1	4

SUFFIX - AL for replacement aluminum lids, Add (MI-G-0-LID to MI-G-3-LID - \$779.00,

MI-G-4-LID to MI-G-7-LID -\$1,091.00).

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Sunday, January 01, 2012 10:58:29 PM





FIXTURE CARRIERS

STRUCTURAL FEET

The feet are heavy duty cast ductile iron and invertible. No distinction is necessary between right and left hand. Each foot wraps around the specially formed edge of the carrier body extending only 7/8" (22) beyond the faceplate. This wrap around design allows for better seating with a continuous adjustment slot that covers the full mounting range. Slots at the top and bottom provide additional means to install the feet. The 18" (460) height covers most mounting requirements for both standard and ADA water closets.

EXTENSION

The extension includes a test cap and N.P.T. (tapered) threads. It is made of ABS plastic. The standard length is 8" (200) long and covers a 1" (25) minimum to 6 1/4" (160) maximum range. After system testing, the extension is easily cut off to meet the installation requirements.

HARDWARE

The hardware is cadmium plated, with chrome plated MIFAB cap nuts.

FITTING GASKET

The gasket is elastomer and is designed with a raised bead to provide a positive watertight seal between the a positive watertight seal between the fitting and carrier body. It is held in place at the fitting opening, eliminating awkward handling when attaching the carrier body to the fitting.

CARRIER FACEPLATE

The faceplate is lacquered cast iron heavy duty and invertible for use with siphon jet or blowout water closets. Breakaway tabs and elongated mounting slots accommodate the full range of standard and wheelchair roughing-in heights. It slides into the groove in the structural feet to form a rigid assembly.



OPTIONAL ANCHOR FOOT

The anchor foot is heavy-duty lacquered cast iron, which provides three-point support. Adjustable threaded rod attaches the foot to the

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA










FIXTURE CARRIER SELECTION AND CONSIDERATION INFORMATION

APPLICATION	TYPES	RECOMMENDED CARRIER
Commercial construction Off the floor Water Closet	Horizontal or vertical Fixed or Adjustable	MC-10, MC-10-EXT, MC-12, MC-13 MC-14, MC-15.
Light commercial or residential Off the floor Water Closet	Fixed Vertical	MC-14-3, MC-21, MC-25
Off the floor lavatories (mounted on structural support legs constructed behind the finished wall) Wash Sinks, Surgical Scrub Sinks	Plate type Exposed Arm Concealed Arm Wheelchair	MC-30, MC-31, MC-32, MC-33 MC-40, MC-56, MC-41, MC-51, MC-52, MC-53, MC-53, MC-54 MC-42, 52 MC-60 Series
Off the Floor Urinals		MC-30 Series
Off the Floor Drinking Fountains and Water Coolers		MC-30, MC-31, MC-33 Series
Penal Fixtures	Stack mounted fixtures	MC-26, MC-27, MC-28


CLOSET CARRIER NIPPLE VARIATIONS

(STANDARD) Tapered Thread	ROLLED STRAIGHT THREAD (suffix -OR)	TAPERED THREAD TWO PIECE Nipple with adjustable horn (suffix -AH)
TEST CAP (BE BRADEN BEFORE BOOK LANGUAL ATTEN	TEST CAP BEST OF THE SERVICE SERVICE SHARE A S	DEST CAPARE REMOVE BEFORE PROBLEMENT LEAVER.
MC-10-PN8-31 (12" also available)	MC-10-PN8R-31 (12" also available)	MC-10-PN8AH-31 (12" also available)

CONCEALED ARM CARRIERS



The center of the concealed arm nipple is 2 1/4" offset from center line of the uprights. It is imperative that this offset be accommodated when locating the position of the upright before it is lag bolted to the floor slab!



NOTE: Minimum and maximum dimensions are front of mounting bracket to the end of the concealed arm. The outermost leveler position is 3/4" from the end of the arm

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

206

200





Fixture Carrier Selection Guide

ADVANTAGES OF OFF-THE-FLOOR PLUMBING **FIXTURES**

Off-the-floor plumbing fixtures are easily the most widely used plumbing fixture in commercial building today. As the name implies, no part of the fixture touches the floor of the installation. The fixture is mounted to steel studs protruding through the wall from a carrier support in the pipe chase. This carrier support is anchored to the chase floor and receives the fixture load. The advantages of off-the-floor fixtures, as opposed to floor mounted fixtures, are numerous. The most obvious advantages installation, maintenance, sanitation and aesthetics are presented here.

1. INSTALLATION

The installation of floor mounted fixtures can be costly and time-consuming to the job. Floor mounted fixtures require slab penetration and sleeving at each location. The resulting waste piping is run under the slab, thus creating a need in multi-story buildings to provide a false ceiling for concealment purposes. The piping assembly also requires special consideration as it is usually accomplished piece by piece during installation. By comparison, the off-thefloor fixture installation does not involve slab penetration in the toilet room. Since all piping is behind the wall, there is no need for ceiling modification. And off-the-floor support systems are fairly modular in design, allowing for prefabrication, on or off site, before installation. All this contributes to substantial savings in time and cost.

2. MAINTENANCE

Both floor mounted and off-the-floor plumbing installations may have similar mechanical service requirements; however, due to their inherent characteristics, the off-the-floor installations are generally considered easier to service and maintain.

3. SANITATION

The most important consideration of toilet room design is sanitation, the ability to maintain a clean environment. The floor mounted fixture installation directly opposes this consideration. The base of the fixture magnetically attracts dirt that is difficult, if not impossible, to remove. Floor deterioration in the area of fixture contact also contributes to unsanitary conditions. The clearance that the off-the-floor fixture installation provides immediately resolves the problems of floor mounted design. Complete sanitation is easily maintained with normal cleaning.


4. AESTHETICS

Aesthetic appeal is an important consideration in deciding upon fixtures. The clean, smooth lines of off-the-floor fixtures complement today's contemporary toilet room designs.


TYPES OF WATER CLOSETS

There are two types of water closets commonly used in commercial installations: siphon jet and blowout. The MIFAB closet carrier can be used to mount either type.

SIPHON JET WATER CLOSETS use siphonic flushing action to evacuate the bowl. This is a quiet and economical type of flushing action that provides quick, efficient results. The large water surface area of the bowl, for better sanitation, is another desirable feature of the siphon jet water closet. The siphon jet closet mounts to the carrier with four mounting studs.



BLOWOUT WATER CLOSETS use a direct jet stream for bowl evacuation. This type of flushing action is rapid and forceful and primarily used in heavy duty installations such as stadiums and terminals. Due to this powerful flushing, the blowout water closet is noisier in operation than the siphon jet. The blowout closet mounts to the wall with three mounting studs. NOTE: It is highly unadvisable to mount Blow-out type water closets in a "Back to Back" type installation.



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






Fixture Carrier Selection Guide (Cont'd.)

FIXTURE CARRIERS


PLATE TYPE CARRIERS

The MIFAB plate type floor mounted fixture carriers have been developed to accommodate the majority of hanger plate supported fixtures such as urinals, plate type lavatories and water coolers for support independent of the wall. The MIFAB universal backing plate provides adjustment for a wide variety of fixtures from most manufacturers.




CONCEALED ARM CARRIERS

MIFAB concealed arm lavatory carriers can be used with any lavatory fixture that has been drilled for concealed arm supports. This concealed arm support consists of ductile iron arms with leveling and locking hardware. These arm assemblies are available in two lengths to accommodate standard and wheelchair fixtures. After carrier installation and completion of wall construction, final adjustment can be made to the arm and sleeve assembly. Then the fixture is slid over the arms. Level and locking are accomplished through openings in the fixture itself. Installation is then complete.



Carriers are provided with complete installation instructions for customer convenience.



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

208



Fixture Carrier Suggested Specifications

WALL HUNG CLOSET CARRIERS

Wall Hung Water Closets shall be supported independently of the wall by MIFAB Series MC-1(*) carrier fittings with ductile iron adjustable foot supports. Where space permits, waste piping shall be run horizontally above the floor and MIFAB Series MC-10 series single or double carrier fittings shall be

Connection to the stack in a horizontal run shall be a TY or a MC-13 carrier fitting. Where pipe space is limited, or where single fixtures are installed use MIFAB MC-14 Series. Where fixtures are located on common waste/vent stacks use MIFAB Series MC-15 series carrier fittings.

* Series number denotes horizontal, vertical adjustable or vertical fixed water closet carrier.

WALL HUNG URINALS


Wall Hung Urinals shall be supported independently of the wall by MIFAB Series MC-32 Series Urinal Carrier with two supporting plates, heavy-duty rectangular steel uprights with integral welded feet.

WALL HUNG LAVATORIES

Wall Hung Lavatories shall be supported independently of the wall by MIF AB Series MC -40 Series Lavatory Carrier with heavy duty rectangular steel uprights with integral welded feet. Wherever possible, fixtures shall be supplied with access for concealed arm supports and MIFAB Series MC-41 with cast ductile iron arms shall be used. Supply chrome plated escutcheons on slab type lavatories. Where fixtures are not available with access for concealed arms, fixtures shall be supported by MIFAB Series MC-31 or MC-32 for plate supported lavatories, or MC-40 for exposed arms.


WHEEL CHAIR LAVATORIES

Wheel chair lavatories shall be supported independently of the wall by MIF AB Series MC-42 Lavatory Carrier with extended cast ductile iron concealed arms and heavy duty rectangular steel uprights with integral welded feet.









Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





TYPICAL CLOSET CARRIER LAYOUT


ANSI Standard A-112.19.2, Vitreous China Plumbing Fixtures, paragraph 5.1.3.3 states that a "Physically Handicapped" water closet is a siphon jet design that is positioned 18" from the finished floor to the top of the rim.

The closet carrier layout detailed below has the following common installation dimensions:

- * Waste piping is pitched at 1/4" per foot
- * Centerline of the regular water closet outlets to the finished floor is 5 1/4"
- * Regular water closet rim to the finished floor is 15 1/4"
- * Centerline of the physically handicapped water closet outlet to the finished floor is 8 1/4"
- * Physically handicapped water closet rim to the finished floor is 18"

The regular water closets are supported by MIFAB's MC-10-27-37 long barrel carrier fittings that are produced with a 37" long barrel. This can save the installer time and material by not having to purchase and cut waste pipe to install between standard "short barrel" carrier fittings (MC-10 Series) that are 13" long.


Note that physically handicapped water closets can also be installed onto the MC-13, vertical, adjustable carrier by positioning the centerline of the 4" female threaded nipple connection in the faceplate 8-1/4" from the finished floor.




Up to a maximum of ten fixtures may be installed on either side of the stack fitting provided that the waste drain piping is pitched 1/8" per foot.

ADJUSTMENT RANGE OF MIFAB'S MC-10 AND MC-13 SERIES CARRIER FITTINGS

Lowest fixture outlet and drain line position



Highest	fixture	outlet and	drain	line position	



OUTLET HEIGHT FROM	FROM THE FINISHED FLOOR		
FINISHED FLOOR	MINIMUM	MAXIMUM	
4 1/2"	4 1/2"	1/4"	
4 3/4"	4 1/2"	1/2"	
5"	4 3/4"	3/4"	
5 1/2"	5 1/4"	1 1/4"	
6"	5 3/4"	1 3/4"	
6 1/2"	6 1/4"	2 1/4"	
7"	6 3/4"	2 3/4"	
7 1/2"	7 1/4"	3 1/4"	
8"	7 3/4"	3 3/4"	
8 1/4"	8"	4"	
8 1/2"	8 1/4"	4 1/4"	
8 3/4"	8 1/2"	4 1/2"	
9"	8 3/4"	4 3/4"	
9 1/2"	9 1/4"	5 1/4"	

Note: For all rough-in heights, the closet carrier fitting has a 4" vertical adjustment range. This is to ensure that there is enough drainage pitch on long runs.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049








HORIZONTAL AND VERTICAL ADJUSTABLE / FIXED CLOSET CARRIER MINIMUM SPACE REQUIREMENTS

Dimensions shown are minimum assuming carrier face plate and foot are built in wall and minimum length shortened coupling is used.


Dimensions shown are minimum assuming carrier fitting, face plate foot and rear anchor foot are located in pipe chase.

HORIZONTAL ADJUSTABLE CARRIERS

IN WALL




IN PIPE CHASE




VERTICAL ADJUSTABLE CARRIERS

IN WALL




IN PIPE CHASE




VERTICAL FIXED OFFSET CARRIERS

IN WALL



IN PIPE CHASE



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA







MC-10 **SERIES**

HORIZONTAL ADJUSTABLE WATER CLOSET CARRIER (FOR SIPHON JET AND BLOWOUT TOILETS)

MC-10 series






SUPPORT STRUT
AND CUSHION CLAMP BY OTHERS 1 1/4' 1 1/2" 3 5/8 FINISHED WALL

Note: 8" tapered thread ABS nipple shipped standard with MC-10 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

"X"=4" MIN TO 6-1/4 MAX WALL THICKNESS WITH STANDARD NIPPLE. MIN. OF 5/8" POSSIBLE WITH SHORTENED NIPPLE

MC-10 SER	ES			
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	¢
MC-10L MC-10R MC-10D	Single left hand Single right hand Double - back to back	66.00 66.00 117.00	\$ 913.00 \$ 913.00 \$1709.00	
Add for:	-HS Hub and spigot con	nection (single)	\$25.00 \$46.00	



		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	N/A	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add
-10	Auxiliary support, recommended	\$496.00	\$989.00	-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add
	with nipple lengths over 12" (MC-10-AFS)			-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	No Add	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00
-13	All galvanized	\$470.00	\$937.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$157.00	-FM	Floor mount back outlet fixture support	No Add	No Add
-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	-HDX	1,000 Lb. rated extra heavy duty	\$1761.00	\$3451.00
-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$100.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add
-22	Less fitting	\$456.50	\$796.00	-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	No Add
				-PFAB	Prefabricated carriers	No Add	No Add

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") 14.00 Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

CARRIERS

-HDX REAR SUPPORT

6 3/4"

SUPPORT


_4 1/2" ℃∐


MC-10D-HDX


-HDX SUPPORT

SERIES

MC-10-HDX SERIES 1,000LBS. EXTRA HEAVY DUTY HORIZONTAL ADJUSTABLE WATER CLOSET CARRIER MC-10-HDX







Note: 8" tapered thread ABS nipple shipped standard with MC-10 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

"X"=4" MIN TO 6-1/4 MAX
WALL THICKNESS WITH STANDARD

MC-10-HDX SERIES						
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE			
MC-10L-HDX MC-10R-HDX MC-10D-HDX	Single left hand Single right hand Double - back to back	85.00 85.00 160.00	\$2674.00 \$2674.00 \$5160.00			

Add for: \$25.00 -HS Hub and spigot connection (single) (double) \$46.00

	"X"
D	14 1/2"
	2 3/4"
	HDX SUPPORT
	FINISHED WALL ☐ 7

2" VENT CONNECTION

MC-10-	MC-10-HDX OPTIONAL VARIATIONS:								
		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE		
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE		
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-CI-24	24" rolling thread cast iron nipple	\$ 179.00	\$ 358.00		
-1	Finishing / Tiling frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-PF	Prefabricated carriers	No Add	No Add		
-12	12" tapered thread ABS nipple*	No Add	No Add	-13	All galvanized	\$ 535.00	\$1070.00		
-0R8	8" rolling thread ABS nipple	No Add	No Add	-14	Vandal proof finished trim (MC-10-PFH-14)	\$ 77.00	\$ 154.00		
-0R12	12" rolling thread ABS nipple*	No Add	No Add	-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00		
-AH8	8" ABS nipple with adjustable horn	No Add	No Add	-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00		
-AH12	12" ABS nipple with adjustable horn*	No Add	No Add	-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$ 100.00		
-CI-4	4" rolling thread cast iron nipple	No Add	No Add	-22	Less fitting	\$ 456.50	\$ 796.00		
-CI-6	6" rolling thread cast iron nipple	No Add	No Add						
-CI-8	8" rolling thread cast iron nipple	No Add	No Add						
-CI-12	12" rolling thread cast iron nipple*	\$ 58.00	\$ 113.00						

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") 14.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA



MC-10-EXT HORIZONTAL ADJUSTABLE WATER CLOSET CARRIER FOR ADA HEIGHT MC-10-EXT WATER CLOSETS IN MIDDLE OF BATTERY (FOR SIPHON JET AND BLOWOUT TOILETS)

18" 7 1/2 17 3/4"

MC-10-PFPOZ Universal Faceplate assembly


For standard and ADA toilets


Note: Add 1" to dimension if option (-3) is specified, rear anchor support for drywall construction

FOOT SUPPORTS SHOULD BE SECURELY ANCHORED TO FLOOR WITH 1/2" BOLTS AND ANCHORS BY OTHERS

1/2" TAPPING FOR STRUT MOUNTED FLUSH VALVE WATER SUPPLY INCORPORATED INTO BACK OF CARRIER FACEPLATE

*MC-10-EXT Series is tested to support a 500 lb. load with the rear anchor support.





Note: 8" tapered thread ABS nipple shipped standard with MC-10 Series The universal faceplate carriers. assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

MC-10R-EXT
2" VENT CONNECTION 5 ½" 3 3/4" 4 1/2" 4 1/2" 2 3/4" FINISHED WALL 10" 10"
"X"=4" MIN TO 6-1/4 MAX WALL THICKNESS WITH STANDARD NIPPLE. MIN OF 5/8" POSSIBLE WITH SHORTENED NIPPLE
Note: right hand versions illustrated, left hand are mirror

MC-10-EXT SERIES								
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE					
MC-10L-EXT MC-10R-EXT MC-10D-EXT	IC-10R-EXT Single right hand		\$ 913.00 \$ 913.00 \$1709.00					



		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	N/A	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add
-10	Auxiliary support, recommended	\$496.00	\$989.00	-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add
	with nipple lengths over 12" (MC-10-AFS)			-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	No Add	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00
-13	All galvanized	\$470.00	\$937.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$157.00	-FM	Floor mount back outlet fixture support	No Add	No Add
-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	-HDX	1,000 Lb. rated extra heavy duty	\$1761.00	\$3451.00
-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$100.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add
-22	Less fitting	\$456.50	\$796.00	-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	No Add
				-PFAB	Prefabricated carriers	No Add	No Add

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14")


Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

HORIZONTAL ADJUSTABLE WATER CLOSET CARRIER WITH AUX.2" INLET MC-10-27 (FOR SIPHON JET AND BLOWOUT TOILETS)

MC-10-27 **SERIES**



Note: Add 1" to dimension if option 2" AUXILIARY INLET. MC-10L-27 (-3) is specified, rear anchor support for drywall construction 6 3/4" "X"=4" MIN TO 6-1/4 MAX WALL THICKNESS WITH STANDARD NIPPLE. MIN OF 5/8" POSSIBLE WITH SHORTENED NIPPLE 9 1/2 2" VENT CONNECTION 2 3/4" 5 1/2" DIMENSION BETWEEN AUXILIARY Note: left hand versions INLET AND VENT IS IDEAL illustrated, right hand are 4 1/4" FOR A STANDARD WYE AND 1/8th mirror image. 2 1/4" **FINISHED WALL BEND CONNECTION**

Note: 8" tapered thread ABS nipple shipped standard with MC-10 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-Cl) and tapered thread ABS with adjustable horn (-AH).

of and taporod throad ADO with adjustable norm (711).								
MC-10-27 SERIES								
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE					
MC-10L-27 MC-10R-27 MC-10D-27	Single left hand Single right hand Double - back to back	66.00 66.00 117.00	\$1,122.00 \$1,122.00 \$1,918.00					
Add for:	-HS Hub and spigot con	\$25.00 \$46.00						



1/10-	10-27 OPTIONAL VARIATIONS:	LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	N/A	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add
-10	Auxiliary support, recommended	\$496.00	\$989.00	-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add
	with nipple lengths over 12" (MC-10-AFS)			-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	No Add	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00
-13	All galvanized	\$470.00	\$937.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$157.00	-FM	Floor mount back outlet fixture support	No Add	No Add
-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	-HDX	1,000 Lb. rated extra heavy duty	\$1761.00	\$3451.00
-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$100.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add
-22	Less fitting	\$665.50	\$987.00	-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	No Add
				-PFAB	Prefabricated carriers	No Add	No Add

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14")

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

* MIFAB


MPB-2012-USA

SERIES


CARRE RS

MC-10-27-37 HORIZONTAL ADJUSTABLE WATER CLOSET CARRIER WITH AUX.2" **INLET & 37" LONG BARREL (FOR SIPHON JET AND BLOWOUT TOILETS)**


MC-10-27-37 **SERIES**



Note: 8" tapered thread ABS nipple shipped standard with MC-10 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).



*MC-10-27-37 Series is tested to support a 500 lb. load with the rear anchor support.



(double)

332.00

MC-10L-27-37

"X"=4" MIN TO 6-1/4 MAX WALL THICKNESS WITH STANDARD NIPPLE. MIN OF 5/8" POSSIBLE WITH SHORTENED NIPPLE

5 1/2" DIMENSION BETWEEN AUXILIARY INLET AND VENT IS IDEAL FOR A STANDARD WYE AND 1/8th BEND CONNECTION



MC 10 27 27 9	MC-10-27-37 SERIES								
MODEL NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE						
MC-10L-27-37 MC-10R-27-37 MC-10D-27-37	- 3 - 3	85.00 85.00 135.00	\$1,095.00 \$1,095.00 \$1,891.00						
Add for:	-HS Hub and spigot con	\$ 133.00							

2" AUXILIARY INLET 14 1/2" 1 1/2 2" VENT CONNECTION 2 1/4" **FINISHED** MC-10D-27-37 WALL

MC-1	MC-10-27-36 OPTIONAL VARIATIONS:							
		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE	
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE	
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add	
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add	
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	N/A	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add	
-10	Auxiliary support, recommended	\$496.00	\$989.00	-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add	
	with nipple lengths over 12" (MC-10-AFS)			-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add	
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	No Add	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00	
-13	All galvanized	\$470.00	\$937.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00	
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$157.00	-FM	Floor mount back outlet fixture support	No Add	No Add	
-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00	
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	-HDX	1,000 Lb. rated extra heavy duty	\$1761.00	\$3451.00	
-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$100.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add	
-22	Less fitting	\$638.50	\$978.00	-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	No Add	
				-PFAB	Prefabricated carriers	No Add	No Add	
* H-116	7-KA-14 (Threaded rods for 12" nipples 5/8" x 14")	14.0	00 28.	00				


Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





Direction to flow to stack MC-13L-PF STACK MC-10R-PF MC-10L-PF MC-10L-PF

From the perspective of facing the vertical stack, if the open inlet is to the left of you, you have a left handed

required. If the stack is to the right of you, a right handed carrier is required.

carrier. If the open inlet is to the right of you, you have a right handed carrier.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.








SERIES




MC-12

VERTICAL ADJUSTABLE WATER CLOSET CARRIER (FOR SIPHON JET MC-12 SERIES AND BLOWOUT TOILETS)



MC-12 2" VENT CONNECTION **-**5 1/4" 1 3/4" 6 3/4' 9 1/2" 2 3/4" **FINISHED WALL** "X"=4" MIN TO 6-1/4 MAX
WALL THICKNESS WITH STANDARD
NIPPLE. MIN OF 5/8" POSSIBLE
WITH SHORTENED NIPPLE


*MC-12 Series is tested to support a 500 lb. load with the rear anchor support.



Note: 8" tapered thread ABS nipple shipped standard with MC-10 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

Function: To be used as a stand alone carrier. No side inlets.

MC-12 SERIES									
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE						
MC-12 MC-12D Add for:	Single left hand Double - back to back -HS Hub and spigot con								
	1.0	(double)	\$ 94.00						



NOTE: MC-14 fixed vertical or MC-15 vertical offset recommended for most applications

MC-1	MC-12 OPTIONAL VARIATIONS:							
		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE	
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE	
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add	
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add	
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	N/A	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add	
-10	Auxiliary support, recommended	\$496.00	\$989.00	-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add	
	with nipple lengths over 12" (MC-10-AFS)			-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add	
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	No Add	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00	
-13	All galvanized	\$470.00	\$937.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00	
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$157.00	-FM	Floor mount back outlet fixture support	No Add	No Add	
-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00	
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	-HDX	1,000 Lb. rated extra heavy duty	\$1761.00	\$3451.00	
-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$100.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add	
-22	Less fitting	\$577.50	\$917.00	-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	No Add	
				-PFAB	Prefabricated carriers	No Add	No Add	

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") 14.00 28.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


Toll Free 1-800-465-2736, Fax 773-341-3049


CARRIERS




MC-12-HS SERIES VERTICAL ADJUSTABLE HUB AND SPIGOT WATER CLOSET CARRIER MC-12-HS (FOR SIPHON JET AND BLOWOUT TOILETS)

SERIES







L FINISHED WALL

Note: 8" tapered thread ABS nipple shipped standard with MC-10 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

rear anchor support.

MC-12-HS SERIES									
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE						
MC-12-HS MC-12D-HS	Single left hand Double - back to back	75.00 125.00	\$1085.00 \$1781.00						

*NOTE: MC-14 fixed vertical or MC-15 vertical offset recommended for most applications

MC-12-I	MC-12-HS OPTIONAL VARIATIONS:							
		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE	
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE	
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-HDX	1,000 lb. rated extra heavy duty	\$1761.00	\$3451.00	
-1	Finishing / Tiling frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-PF	Prefabricated carriers	No Add	No Add	
-3	Rear anchor support (MC-10-3-PRSFK)	No Add	N/A	-10	Auxiliary support, recommended	\$ 496.00	\$ 989.00	
-12	12" tapered thread ABS nipple*	No Add	No Add		with nipple lengths over 12" (MC-10-AFS)			
-0R8	8" rolling thread ABS nipple	No Add	No Add	-13	All galvanized	\$ 470.00	\$ 937.00	
-0R12	12" rolling thread ABS nipple*	No Add	No Add	-14	Vandal proof finished trim (MC-10-PFH-14)	\$ 77.00	\$ 157.00	
-AH8	8" ABS nipple with adjustable horn	No Add	No Add	-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	
-AH12	12" ABS nipple with adjustable horn*	No Add	No Add	-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	
-CI-4	4" rolling thread cast iron nipple	No Add	No Add	-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$ 100.00	
-CI-6	6" rolling thread cast iron nipple	No Add	No Add	-22	Less fitting	\$ 628.50	\$ 868.00	
-CI-8	8" rolling thread cast iron nipple	No Add	No Add	-25	2" auxiliary inlet, right side	\$ 209.00	\$ 418.00	
-CI-12	12" rolling thread cast iron nipple*	\$ 58.00	\$ 113.00	-26	2" auxiliary inlet, left side	\$ 209.00	\$ 418.00	
-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00	-31	Two 2" auxiliary inlet	\$ 419.00	\$ 838.00	
-HD-750	750 lb rated heavy duty	\$ 976.00	\$1938.00	-39	41 1/4" long fitting	\$ 545.00	\$1090.00	

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") 14.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049


CARRIERS



MC-13 **SERIES**

VERTICAL ADJUSTABLE WATER CLOSET CARRIER WITH ONE OR TWO SIDE INLETS (FOR SIPHON JET AND BLOWOUT TOILETS)

SERIES MC-13



MC-13 2" VENT CONNECTION → 5 1/4" 4 1/2" 9 1/2" 2 3/4" FINISHED WALL SIDE INLETS "X"=4" MIN TO 6-1/4 MAX
WALL THICKNESS WITH STANDARD
NIPPLE. MIN OF 5/8" POSSIBLE
WITH SHORTENED NIPPLE

MC-13D

14 1/2" ± 4 1/2"

2" VENT CONNECTION

2 3/4

2 3/4'

FINISHED WALL

5 1/4'

support.

BOTTOM OF FACEPLATE = 7"

Note: 8" tapered thread ABS nipple shipped standard with MC-13 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

MC-13 SE	MC-13 SERIES								
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE						
MC-13-2 MC-13L	Single - two side inlet Single - one left hand side inlet	80.00 80.00	\$ 1389.00 \$ 1212.00						
MC-13R	Single - one right hand side inlet	80.00	\$ 1212.00						
MC-13D MC-13D-2	Double - back to back one side inlet Double - back to back two side inlet	130.00 130.00	\$ 2002.00 \$ 2179.00						
Add for:	-HS Hub and spigot connection (single)	\$ 84.00						

"X"=4" MIN TO 6-1/4 MAX
WALL THICKNESS WITH STANDARD
NIPPLE. MIN OF 5/8" POSSIBLE
WITH SHORTENED NIPPLE ——

SIDE INLETS

NO.	DESCRIPTION	(Lbs.)	LIST FRICE	0
MC-13-2 MC-13L MC-13R MC-13D	Single - two side inlet Single - one left hand side inlet Single - one right hand side inlet Double - back to back one side inlet	80.00 80.00 80.00 130.00	\$ 1389.00 \$ 1212.00 \$ 1212.00 \$ 2002.00	
MC-13D-2 Add for:	Double - back to back two side inlet -HS Hub and spigot connection (single) double)	\$ 2179.00 \$ 84.00 \$ 283.00	
MC-13 OP	TIONAL VARIATIONS:			

MC-1	MC-13 OPTIONAL VARIATIONS:								
		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE		
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE		
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-31	Two 2" Auxiliary inlets	\$ 417.00	\$ 417.00		
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add		
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	N/A	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add		
-10	Auxiliary support, recommended	\$496.00	\$ 989.00	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add		
	with nipple lengths over 12" (MC-10-AFS)			-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add		
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	No Add	-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add		
-13	All galvanized	\$839.00	\$1365.00	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00		
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$ 157.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00		
-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	-FM	Floor mount back outlet fixture support	No Add	No Add		
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00		
-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$ 100.00	-HDX	1,000 Lb. rated extra heavy duty	\$1761.00	\$3451.00		
-22	Less fitting	\$932.50	\$1266.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add		
-25	2" Auxiliary inlet, right side	\$209.00	\$ 209.00		12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	No Add		
-26	2" Auxiliary inlet, left side	\$209.00	\$ 209.00	-PFAB	Prefabricated carriers	No Add	No Add		

28.00

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") 14.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

220


CARRIERS

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




MC-13-HS VERTICAL ADJUSTABLE HUB AND SPIGOT WATER CLOSET CARRIER WITH ONE OR TWO SIDE INLETS (FOR SIPHON JET AND BLOWOUT TOILETS) **SERIES**


SERIES MC-13-HS



Note: 8" tapered thread ABS nipple shipped standard with MC-13 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

MC-13-HS SERIES								
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE					
MC-13-2-HS	Single - two side inlets	80.00	\$ 1439.00					
MC-13L-HS	Single - one left hand side inlet	80.00	\$ 1261.00					
MC-13R-HS	Single - one right hand side inlet	80.00	\$ 1261.00					
MC-13D-HS	Double - back to back one side inlet	130.00	\$ 2051.00					
MC-13D-2-HS	Double - back to back two side inlets	130.00	\$ 2230.00					





MC-13-	MC-13-HS OPTIONAL VARIATIONS:									
		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE			
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE			
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-HDX	1,000 lb. rated extra heavy duty	\$1761.00	\$3451.00			
-1	Finishing / Tiling frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-PF	Prefabricated carriers	No Add	No Add			
-3	Rear anchor support (MC-10-3-PRSFK)	No Add	N/A	-10	Auxiliary support, recommended	\$ 486.00	\$ 989.00			
-12	12" tapered thread ABS nipple*	No Add	No Add		with nipple lengths over 12" (MC-10-AFS)					
-0R8	8" rolling thread ABS nipple	No Add	No Add	-13	All galvanized	\$ 470.00	\$ 937.00			
-0R12	12" rolling thread ABS nipple*	No Add	No Add	-14	Vandal proof finished trim	\$ 77.00	\$ 157.00			
-AH8	8" ABS nipple with adjustable horn	No Add	No Add	-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00			
-AH12	12" ABS nipple with adjustable horn*	No Add	No Add	-19	Nipple wrench	\$ 61.00	\$ 61.00			
-CI-4	4" rolling thread cast iron nipple	No Add	No Add	-20	Flush valve support	\$ 50.00	\$ 100.00			
-CI-6	6" rolling thread cast iron nipple	No Add	No Add	-22	Less fitting	\$ 987.00	\$1319.00			
-CI-8	8" rolling thread cast iron nipple	No Add	No Add	-25	2" Auxiliary inlet, right side	\$ 209.00	\$ 418.00			
-CI-12	12" rolling thread cast iron nipple*	\$ 58.00	\$ 113.00	-39	41 1/4" long fitting	\$ 547.00	\$1094.00			
-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00							
-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00							

^{*} H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") 14.00 28.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


Toll Free 1-800-465-2736, Fax 773-341-3049


Sunday, January 01, 2012 11:06:53 PM

MC-14 **SERIES**

FIXED VERTICAL ON-STACK WATER CLOSET CARRIER

MC-14 SERIES





MODEL NUMBER	A	В	С
MC-14-3-V2	4 3/4" (89)	5 1/2" (140)	5 7/8" (125)
MC-14-4-V2	4 7/8" (100)	5 1/2" (140)	7" (156)
MC-14-4-V4	4 7/8" (100)	5 1/2" (140)	7" (156)

waste with 2" vent

CARRIERS

Note: 8" tapered thread ABS nipple shipped standard with MC-14 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).

*MC-14 Series is tested to support a 500 lb. load with the rear anchor support.

MC-14 SERIES							
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE				
MC-14-3-V2	3" No-Hub Single - with 2" vent	62.00	\$ 822.00				
MC-14-4-V2	4" No-Hub Single - with 2" vent	70.00	\$ 822.00				
MC-14-4-V4	4" No-Hub Single - with 4" vent	70.00	\$ 822.00				
Add for:	-HS Hub and spigot connection		\$ 21.00				




SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	-31	Two 2" Auxiliary inlets	\$ 417.00
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	-AH12*		No Add
-10	Auxiliary support, recommended	\$496.00	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add
	with nipple lengths over 12" (MC-10-AFS)		-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add
-13	All galvanized	\$839.00	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00
-17	Test plug for cast iron nipples	\$ 35.00	-FM	Floor mount back outlet fixture support	No Add
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	-HD-750	750 lb. rated heavy duty	\$ 976.00
-20	Flush valve support (MC-10-FVS)	\$ 50.00	-HDX	1,000 lb. rated extra heavy duty	\$1761.00
-22	Less Fitting	\$411.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add
-25	2" Auxiliary inlet, right side	\$209.00	-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add
-26	2" Auxiliary inlet, left side	\$209.00	-PFAB	Prefabricated carriers	No Add

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

SERIES

MC-15 SERIES FIXED VERTICAL WATER CLOSET CARRIER OFFSET FROM STACK




Note: 8" tapered thread ABS nipple shipped standard with MC-15 Series carriers. The universal faceplate assembly accepts all nipple variations, rolling thread (-OR), cast iron (-CI) and tapered thread ABS with adjustable horn (-AH).




MC-15 SER	IES		
MODEL No.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
MC-15L MC-15R	Single left hand offset Single right hand offset	77.00 77.00	\$ 815.00 \$ 815.00
MC-15D	Double - back to back offset	116.00	\$1400.00

Add for: -HS Hub and spigot connection (single)



*MC-15 Series is tested to support a 500 lb. load with the rear anchor support.



(double) \$ 46.00

MC-1	MC-13 OPTIONAL VARIATIONS:										
		LIST PRICE	LIST PRICE			LIST PRICE	LIST PRICE				
SUFFIX	DESCRIPTION	SINGLE	DOUBLE	SUFFIX	DESCRIPTION	SINGLE	DOUBLE				
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	\$ 74.00	-31	Two 2" Auxiliary inlets	\$ 417.00	\$ 417.00				
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	\$ 94.00	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add				
-3	Rear anchor support (MC-10-3-PRSFK)	Standard	N/A	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add				
-10	Auxiliary support, recommended	\$496.00	\$ 989.00	-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add				
	with nipple lengths over 12" (MC-10-AFS)			-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add				
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	No Add	-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add				
-13	All galvanized	\$839.00	\$1365.00	-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00				
-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$ 157.00	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00				
-17	Test plug for custom cast iron nipples	\$ 35.00	\$ 70.00	-FM	Floor mount back outlet fixture support	No Add	No Add				
-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00				
-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$ 100.00	-HDX	1,000 Lb. rated extra heavy duty	\$1761.00	\$3451.00				
-22	Less fitting	\$404.00	\$ 578.00	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add				
-25	2" Auxiliary inlet, right side	\$209.00	\$ 209.00	-0R12*	3	No Add	No Add				
-26	2" Auxiliary inlet, left side	\$209.00	\$ 209.00	-PFAB	Prefabricated carriers	No Add	No Add				

* H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") 14.00

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

28.00 Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

P223


MC-21


SERIES

MIFAB

COMPACT REAR OUTLET WATER CLOSET CARRIER

MC-21 SERIES






MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-21N	30.00	No hub for siphon jet	\$ 496.00
MC-21T	30.00	Female threaded for siphon jet	\$ 496.00
MC-22N	30.00	No hub for blowout	\$ 496.00
MC-22T	30.00	Female threaded for blowout	\$ 496.00


MC-2	MC-21 TO MC-22 OPTIONAL VARIATIONS:										
SUFFIX	DESCRIPTION	DESCRIPTION	LIST PRICE								
-01	Neoprene bowl gasket (MC-10-PBG)	\$ 37.00	-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00						
-1	Finishing / Tiling Frame (MC-10-1-PTFK)	\$ 47.00	-17	Test plug for cast iron nipples	\$ 35.00						
-10	Auxiliary foot support, recommended with nipple	\$ 496.00	-19	Nipple wrench (MC-10-PCW)	\$ 61.00						
	Lengths over 12" (MC-10-AFS)		-20	Flush valve support (MC-10-FVS)	\$ 50.00						
-12	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add						
-13	All galvanized	\$ 338.00	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add						

^{*} H-1167-KA-14 (Threaded rods for 12" nipples 5/8" x 14") \$ 14.00

MC-24, MC-25 SERIES RESIDENTIAL WATER CLOSET CARRIER

MC-24, MC-25 SERIES





MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-24	25.00	Single carrier with 3" PVC adapter	\$ 386.00
MC-24-DC	25.00	Single carrier with foot supports and opening for 4" PVC adapter fitting	\$ 386.00
MC-25-3-2	30.00	3" No Hub single with 2" vent for connection to No Hub, PVC, ABS, Copper	\$ 452.00
MC-25-4-2	40.00	4" No Hub single with 2" vent for connection to No Hub, PVC, ABS, Copper	\$ 622.00
MC-25-4-4	40.00	4" No Hub single with 4" vent for connection to No Hub, PVC, ABS, Copper	\$ 644.00
MC-25-4D-RV2	50.00	4" No Hub - back to back	\$1069.00
MC-25-RV2	40.00	4" No Hub offset with 2" vent	\$ 822.00
Add for:		-29 Foot support system (MC-25 Series only)	\$ 205.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

CARRIERS

P224

LIST PRICE | LIST PRICE

MC-26

\$ 37.00

\$ 47.00

Standard

\$ 496.00

MC-27

\$ 74.00

\$ 94.00

\$ 989.00

No Add

N/A





MC-26 SERIES SINGLE STACK FITTING FOR FLOOR MOUNTED BACK OUTLET WATER CLOSETS MC-26

MC-26 and MC-27 OPTIONAL VARIATIONS:

Neoprene bowl gasket (MC-10-PBG)

Finishing / Tiling Frame (MC-10-1-PTFK)


Rear anchor support (MC-10-3-PRSFK)

Auxiliary support, recommended with nipple lengths over 12" (MC-10-AFS)

12" tapered thread ABS nipple* (MC-10-PN12-31)

DESCRIPTION

SERIES



				-13	All galvanized	\$ 275.00	\$ 611.00
	C HELD			-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	\$ 157.00
				-17	Test plug for cast iron nipples	\$ 35.00	\$ 70.00
8" 8"		"X"		-19	Nipple wrench (MC-10-PCW)	\$ 61.00	\$ 61.00
			7	-20	Flush valve support (MC-10-FVS)	\$ 50.00	\$ 100.00
			6"	-31	Two 2" NH vent connections	N/A	\$ 90.00
	4"		_ / •	-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add	No Add
	4	\	~	-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	No Add
		\		-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	No Add
	" MIN TO 5"			-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	No Add
	ICKNESS W	'ITH		-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	No Add
SI	ANDARD			-CI-12*	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	\$ 113.00
				-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$ 179.00	\$ 358.00
IODEL NO	WELL	DECODIDATION	LIGT DRIGE	-HD-750	750 lb. rated heavy duty	\$ 976.00	\$1938.00
10DEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE	-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	No Add
MC-26	28.00	4" Single fitting with 2" vent	\$ 839.00	-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	No Add

SUFFIX

-01


-3

-10

-12

MC-27 SERIES 90°DOUBLESTACK FITTING FOR FLOOR MOUNTED BACK OUTLET WATER CLOSETS


MC-27 **SERIES**



MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-27	46.00	Double fitting for back outlet, floor mounted closet	\$ 2463.00

90 DOUBLE NO-HUB STACK FITTING FOR FLOOR MOUNTED BACK OUTLET WATER CLOSETS

MC-28 **SERIES**



MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE				
MC-28	46.00	4" Pipe size 90°Double fitting with 2" center vent	\$ 945.00				
MC-28 OPTIONAL VARIATIONS:							
SUFFIX		LIST PRICE					
-13	All galvanize	\$ 462.00					
-23	45° Auxiliary	\$ 209.00					
-32	No hub nipp	\$ 877.00					

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049



P225

MC-28 SERIES

MC-31


SERIES





SINGLE HANGER PLATE CARRIER WITH TWO UPRIGHTS

MC-31 SERIES




NOTE: Foot supports should be securely anchored to floor with ½" bolts and anchors by others

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-31	22.00	Single hanger plate - two uprights	\$ 432.00
MC-31-HDH	25.00	Single hanger plate with heavy duty hanger	\$ 804.00
MC-31D	28.00	Single hanger plate - back to back	\$ 570.00
MC-31-C	60.00	Two hanger plates - three uprights for corner mounted lavatory	\$ 763.00

MC-31 SERIES OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
-B	Floor to ceiling upright	\$ 573.00	-20	Flush valve support (MC-10-FVS)	\$ 50.00			

MC-32 SERIES DOUBLE PLATE TYPE CARRIER SYSTEM WITH 2 UPRIGHTS MC-32 SERIES



NOTE: Foot supports should be securely anchored to floor with ½" bolts and anchors by others

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-32	27.00	With bearing plate and studs	
MC-32D	29.00	With bearing plate - back to back	\$ 673.00

MC-32 SERIES OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
-B	Floor to ceiling upright	\$ 573.00	-20	Flush valve support (MC-10-FVS)	\$ 50.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049




P226





MC-33 SERIES SINGLE HANGER PLATE CARRIER WITH THREE UPRIGHTS


MC-33 **SERIES**



MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-33	38.00	Two hanger plates, three uprights	
MC-33-2	40.00	Two hanger plates, three uprights and two bottom bearing plates	\$ 755.00

MC-33 SERIES OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
			-Z	Add per each foot over 42" of upright	\$ 226.00			

MC-34 SERIES MC-34 SERIES SINGLE HANGER PLATE CARRIER WITH EXPOSED ARMS



MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-34	68.00	Hanger plate with exposed arms	\$1549.00
MC-34D	70.00	Back to back hanger plate with exposed arms (Note: option prices are double for MC-34D)	\$1693.00

MC-34 SERIES OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
-G	Wall support plate (MC-31-PUP)	\$ 86.00	-Z	Add per each foot over 42" of upright	\$ 226.00			
-1	3/8" Threaded eye bolts for cast iron lavs (H-1208)	\$ 86.00	-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





MC-35


SERIES





HANGER PLATE CARRIER WITH 3 UPRIGHTS AND EXPOSED ARMS

MC-35 SERIES



UNIVERSAL PLATE ASSEMBLY, SECURED TO UPRIGHTS WITH "U" **BOLTS TO PROVIDE EASE OF ROUGH-IN HEIGHT ADJUSTMENT**

1/4" - 20 x 8" ALL THREADED PLATED RODS (6 PIECES) W / HARDWARE

WHITE LACQUERED CAST IRON **EXPOSED SUPPORT ARM**

EXTRA HEAVY DUTY RECTANGULAR STEEL STRUCTURAL UPRIGHTS (2" x 1" x 1/8" WALL THICKNESS)


HEAVY DUTY WELDED FEET THAT FIT WITHIN STANDARD STUD WALL CONSTRUCTION

NOTE: FOOT SUPPORTS SHOULD BE SECURELY ANCHORED TO FLOOR WITH 1/2" BOLTS AND ANCHORS BY **OTHERS**

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-35	102.00 Hanger plates with exposed arms and three uprights		\$2327.00

MC-35 OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	Stud length over 8" (specify), Add per inch	\$ 58.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
-G	Wall support plate (MC-31-PUP)	\$ 172.00	-Z	Add per each foot over 42" of upright	\$ 452.00			
-1	3/8" Threaded eye bolts for cast iron lavs (H-1208)	\$ 172.00	-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 154.00			

WALL SUPPORTED FIXTURE MOUNTING PLATES MC-36 TO MC-39D SERIES MC-36 TO MC-39D



NOTE: Wall supported fixture mounting plates must be securely affixed (with suitable hardware by others) to a wall fully capable of bearing the weight of the plate and fixture.

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-36	6.00	Top universal plate with studs only	
MC-36-2	36-2 24.00 Top universal plate with studs and bottom bearing plate with bearing studs		\$ 190.00
MC-37	12.00	Top front and back plates with studs and bottom front and back plates with bearing studs	\$ 211.00
MC-38D	15.00	Back to back top front plates with studs only	\$ 242.00
MC-39D	24.00	Back to back top front plate with studs and bottom front plate with bearing studs	\$ 146.00

Note: Standard studs are 1/4" - 20 x 8" (6pcs) with hardware. Bearing studs are 5/16" x 10" (2pcs) with hardware.

MC-36 TO MC-39D OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE					
		SINGLE	DOUBLE				
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	\$ 58.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049




P228

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



MC-41-TR SERIES FIXTURE CARRIER WITH CONCEALED ARMS AND MEASURING PLATES MC-41-TR



NOTE: Foot supports should be securely anchored to floor with 1/2" bolts and anchors by others

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-41-TR	28.00	28.00 Concealed arms with two vertical uprights and measuring plates	
MC-41D-TR	42.00	Concealed arms, back to back (Note: Option prices are double for MC-41D-TR)	\$1078.00

MC-41-T	MC-41-TR OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	Add per inch for nipple length over 6"	\$ 29.00	-G	Wall support plate (MC-31-PUP)	\$ 86.00			
-B	Floor to ceiling upright	\$ 573.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00	-32	Foot pedal mounting plate	\$ 75.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.








MC-40 SERIES

FIXTURE CARRIER WITH EXPOSED ARMS

MC-40 SERIES




NOTE: foot supports should be securely anchored to floor with ½" bolts and anchors by others

MODEL NO.	NO. WT Lbs. DESCRIPTION		LIST PRICE
MC-40	MC-40 36.00 Exposed arms with two vertical uprights		\$ 811.00
MC-40D	55.00	Exposed arms - back to back (Note: option prices are doubled per MC-40D)	\$ 1272.00

MC-40	-40 SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00		
-F	Bar support valve plate	\$ 86.00	-Z	Add per each foot over 42" of upright	\$ 226.00		
-G	Wall support plate (MC-31-PUP)	\$ 86.00	-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 75.00		
-I	3/8" Threaded eye bolts for cast iron lavs (H-1208)	\$ 86.00	-32	Foot pedal mounting plate	\$ 75.00		

MC-41 SERIES FIXTURE CARRIER WITH CONCEALED ARMS

MC-41 SERIES



MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-41	28.00	Concealed arms with two vertical uprights	\$ 570.00

MC-41	MC-41 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	Add per inch for nipple length over 6"	\$ 29.00	-G	Wall support plate (MC-31-pup)	\$ 86.00			
-B	Floor to ceiling upright	\$ 573.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00	-32	Foot pedal mounting plate	\$ 75.00			
			-88	Mounting hardware for cast iron wall hung lavs	\$ 75.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


Toll Free 1-800-465-2736, Fax 773-341-3049

230

 \bigoplus

P230 Sunday, January 01, 2012 11:10:08 PM


MC-41D SERIES BACK TO BACK FIXTURE CARRIER WITH CONCEALED ARMS



MODEL NO.	WT Lbs.	DESCRIPTION	
MC-41D	42.00	Concealed arms - back to back	\$ 811.00

MC-41	MC-41D OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-A	Add per inch for nipple length over 6"	\$ 58.00	-G	Wall support plate (MC-31-PUP)	\$ 86.00		
-B	Floor to ceiling upright	\$ 573.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 130.00		
-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 190.00	-32	Foot pedal mounting plate	\$ 75.00		
			-88	Mounting hardware for cast iron wall hung lavs	\$ 75.00		

MC-41-R SERIES FIXTURE CARRIER WITH CONCEALED ARMS AND ROUND UPRIGHTS MC-41-R SERIES



MODEL NO.	WT Lbs.	DESCRIPTION	
MC-41-R	MC-41-R 42.00 Concealed arms w/ Round Uprights		\$ 570.00

MC-41-R OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-B	Floor to ceiling upright	\$ 573.00	-G	Wall support plate (MC-31-PUP)	\$ 86.00			
-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00			
			-32	Foot pedal mounting plate	\$ 75.00			
			-88	Mounting hardware for cast iron wall hung lavs	\$ 75.00			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

CARRIERS




MC-41D-R BACK TO BACK FIXTURE CARRIER WITH CONCEALED ARMS AND ROUND UPRIGHTS MC-41D-R SERIES

1/8" WALL THICKNESS)

CONSTRUCTION

HEAVY DUTY WELDED FEET THAT FIT WITHIN STANDARD STUD WALL




NOTE: Foot supports should be securely anchored to floor with 1/2" bolts and anchors by others

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-41D-R 40.00 Double Concealed arms w/ R		Double Concealed arms w/ Round Uprights	\$ 811.00

MC-41	MC-41D-R OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-B	Floor to ceiling upright	\$ 573.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 130.00		
-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 190.00	-32	Foot pedal mounting plate	\$ 75.00		
-G	Wall support plate, per plate (MC-31-PUP)	\$ 86.00	-88	Mounting hardware for cast iron wall hung lavs	\$ 75.00		

MC-42 SERIES FIXTURE CARRIER WITH CONCEALED ARMS FOR ADA LAVS MC-42 SERIES



NOTE: Foot supports should be securely anchored to floor with 1/2" bolts and anchors by others

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-42	30.00	ADA Concealed arms with two vertical uprights	\$ 606.00

MC-42 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-A	Add per inch for nipple length over 6"	\$ 29.00	-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00		
-B	Floor to ceiling upright	\$ 573.00	-G	Wall support plate (MC-31-PUP)	\$ 86.00		
			-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




CARRIERS

MC-42D

SERIES



MC-42D SERIES BACK TO BACK FIXTURE CARRIER WITH CONCEALED ARMS FOR ADA LAVS




NOTE: Foot supports should be securely anchored to floor with $\frac{1}{2}$ " bolts and anchors by others

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-42D	46.00	Back to Back ADA Concealed arms with two vertical uprights	\$ 886.00

MC-42D	MC-42D OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-A	Add per inch for nipple length over 6"	\$ 58.00	-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 190.00				
-B	Floor to ceiling upright	\$ 573.00	-G	Wall support plate (MC-31-PUP)	\$ 86.00				
			-PFAB	Prefabricated carrier bank (per carrier)	\$ 130.00				

MC-42-R SERIES ADA LAV CARRIER WITH CONCEALED ARMS AND ROUND UPRIGHTS MC-42-R SERIES



NOTE: Foot supports should be securely anchored to floor with 1/2" bolts and anchors by others

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-42-R	28.00	ADA Concealed arms with Round Upright	\$ 606.00

	SUFFIX DESCRIPTION		LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
	-B	Floor to ceiling upright	\$ 573.00	-G	Wall support plate (MC-31-PUP)	\$ 86.00
	-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00	-PFAB	Prefabricated carrier bank (per carrier)	\$ 65.00


Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MC-42D-R

SERIES




MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-42D-R	44.00	Double ADA Concealed arms w/ Round Uprights	\$ 886.00

MC-42					
SUFFIX	SUFFIX DESCRIPTION		SUFFIX	DESCRIPTION	LIST PRICE
-B	Floor to ceiling upright	\$ 573.00	-G	Wall support, plate per plate (MC-31-PUP)	\$ 86.00
-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 190.00	-PFAB	Prefabricated carrier bank (per carrier)	\$130.00

MC-51 SERIES **CONCEALED ARMS WITH ADJUSTABLE PLATE**

MC-51 SERIES



MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-51	18.00	Concealed arms with adjustable plate	\$ 338.00
MC-51-WC	20.00	ADA concealed arms with adjustable plate	\$ 413.00

MC-51 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-A	Add per inch for nipple length over 6"	\$ 29.00	-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MC-53


SERIES

MC-54 **SERIES**

MC-55

SERIES





		,	
MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE (PER SET)
MC-51-LP	7.00	Concealed arms (two pieces), less plate	\$ 213.00
MC-51-LP-WC	8.00	ADA Lav concealed arms, (two pieces), less plate	\$ 261.00

MC-53 SERIES CONCEALED ARMS WITH ADJUSTABLE PLATE AND BACKING PLATES BACKING BACKING 6" LONG 1" DIA. STEEL NIPPLE FIXTURE LEVELING & LOCKING PI ATF PI ATF WITH 4" OF THREAD HARDWARE **RUBBER CAP ON** LEVELING HARDWARE LOCKNUT **DUCTILE IRON CONCEALED** SUPPORT ARM ADJUSTABLE CAST 16 1/8" - 21" (MC-53) 18 7/8" - 23 3/4" (MC-53-WC) **IRON WALL PLATE** 14 1/2" - 21 1/4" (MC-53-PB, 2 PIECES **ADJUSTMENT** REQUIRED)

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE		
MC-53	22.00	Concealed arms with surface adjustable plate and back-up plates	\$ 338.00		
MC-53-WC	24.00	ADA concealed arms with surface adjustable plate and back-up plates	\$ 413.00		
NA TA ANDINA ADDIONAL MADURIANA					

M	MC-53 SERIES OPTIONAL VARIATIONS:						
S	UFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
	-A	Add per inch for nipple length over 6"	\$ 29.00	-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00	

MC-54 SERIES 16" LONG CONCEALED ARMS WITH FIXED STEEL PLATE

CAPPED LEVELING SCREWS LEVEL THE LAVATORY AT FOUR CORNERS NON-SLIP LOCKING DEVICE TIGHTENS DOWN ON THE INSIDE OF THE FIXTURE AFTER LEVELING DUPLICATE IRON CONCEALED SUPPORT ARMS. LIST PRICE MODEL NO. WT Lbs. DESCRIPTION MIN PROVIDE ADEQUATE SUPPORT FOR ANY LAVATORY SPECIFIED. AND ARE COMPLETELY MAX MC-54 25.00 16" Long concealed arms with fixed steel plate \$ 264.00 PRE-ASSEMBLED WITH LEVELING SCREWS AND 14 3/4" | 18 1/8" | MC-54-A

LOCKING DEV	LOCKING DEVICES AT FACTORY							
MC-54	MC-54 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-A	18" long arms	\$ 75.00	-E2	2" Chrome plated escutcheons (pair) (MC-41-PE2)	\$ 95.00			

MC-55 SERIES EXPOSED ARMS WITH ADJUSTABLE SURFACE PLATE & BACK MOUNTING PLATES

RUBBER CAP ON LEVELING HARDWARE WHITE LACQUERED CAST **IRON EXPOSED SUPPORT ARM** NOTE: WALL SUPPORTED FIXTURE MOUNTING PLATES MUST BE SECURELY AFFIXED (WITH SUITABLE HARDWARE ADJUSTABLE CAST BY OTHERS) TO A WALL FULLY CAPABLE **IRON WALL PLATE** OF BEARING THE WEIGHT OF THE (MC-53-PB, 2 PIECES PLATE AND FIXTURE. REQUIRED) 1 1/4" - 4 7/8" 14 1/2" - 21 1/4" ADJUSTMENT **ADJUSTMENT**

MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE		
MC-55	25.00	Exposed arms with adjustable surface plate and back up plates	\$ 564.00		
MC-55 OPTIONAL VARIATIONS:					

MIC-55	MC-55 UPITUNAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE		
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 75.00		
-F	Bar support valve plate	\$ 86.00		·			

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



MC-56 SERIES

EXPOSED ARMS WITH ADJUSTABLE SURFACE PLATE

MC-56 SERIES




MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE (PER SET)		
MC-56	24.00	Exposed arms with adjustable surface plate	\$ 340.00		
MC-56-LP 15.00 Exposed arms, less plate \$367			\$ 367.00		

MC-56 SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-A	Stud length over 8" (specify), Add per inch	\$ 29.00	-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 75.00	
-F	Bar support valve plate	\$ 86.00				

MC-60 SERIES

FLOOR SUPPORTED SYSTEM WITH OUTLET CONNECTIONS FOR WALL URINALS AND SERVICE SINKS

MC-60 SERIES



MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MC-61-N	55.00	Two vertical uprights with 4" No Hub waste connection	\$ 689.00
MC-61-T	55.00	Two vertical uprights with 4" female threaded connection	\$ 689.00
MC-62-3-V2	71.00	Two vertical uprights with 3" inline fitting with 2" vent	\$ 823.00
MC-62-4-V2	79.00	Two vertical uprights with 4" inline fitting with 2" vent	\$ 825.00
MC-62-4-V4	79.00	Two vertical uprights with 4" inline fitting with 4" vent	\$ 825.00

MC-61 and MC-62 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-12*	12" tapered thread ABS nipple* (MC-10-PN12-31)	No Add	-CI-12	12" rolling thread cast iron nipple* (MC-10-PN12R-50)	\$ 58.00	
-0R8	8" rolling thread ABS nipple (MC-10-PN8R-31)	No Add	-CI-24	24" rolling thread cast iron nipple (MC-10-PN24R-50)	\$179.00	
-0R12*	12" rolling thread ABS nipple (MC-10-PN12R-31)	No Add	-10	Auxiliary support, recommended with nipple	\$496.00	
-AH8	8" ABS nipple with adjustable horn (MC-10-PN8AH-31)	No Add		lengths over 12" (MC-10-AFS)		
-AH12*	12" ABS nipple with adjustable horn* (MC-10-PN12AH-31)	No Add	-14	Vandal proof finish trim (MC-10-PFH-14)	\$ 77.00	
-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	No Add	-19 Nipple wrench (MC-10-PCW)		\$ 61.00	
-CI-6	6" rolling thread cast iron nipple (MC-10-PN6R-50)	No Add	-20	Flush valve support (MC-10-FVS)	\$ 50.00	
-CI-8	8" rolling thread cast iron nipple (MC-10-PN8R-50)	No Add	-32	Foot pedal mounting plate	\$ 93.00	
			* H-11	67-KA-14 (Threaded rods for 12" nipples 5/8" x 14")	\$ 14.00	
Design and	dimensions are subject to modification. Prices do not include appli	cable taxes.	Visit w	ww.mifab.com for the most recent product inform	ation.	

236

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



 \bigoplus

MC-70

MC-70 SERIES EASTERN STYLE WATER CLOSET 30 mm **INTEGRAL NON-SKID** 1/2" CONNECTION BRASS BOWL **FOOT PADS WASH DOWN HEADS** 600 mm **STAMPED TYPE 304** STAINLESS STEEL, 1.2 MM THICK 700 mm

MODEL NO.	LIST PRICE	Type 304 FABRICATED Stainless Steel P-trap (-73)	TWO STAINLESS STEEL Flushing Heads (-71)	TWO CHROME PLATED BRASS Flushing Heads (-72)
MC-70	P.O.A.	P.O.A.	P.O.A.	P.O.A.

The MIFAB MC-70 Eastern Style Water Closet is manufactured from Type 304 stamped stainless steel (1.2mm thick). It is manufactured with integral non-skid foot pads and ½" bowl wash down connection heads (provides 2 gallons of water flow). The MC-70 is self supporting and does not require external mounting hardware. It should be installed flush with the finished floor providing floor drainage into the bowl. Non potable water (sea water or brackish water) may be used to flush the bowl. Specify -73 for a fabricated Type 304 stainless steel p-trap.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





CUSTOM CARRIERS WITH UPRIGHTS CONTACT MIFAB FOR ADDITIONAL CARRIER LAYOUTS



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

Sunday, January 01, 2012 11:15:19 PM



CUSTOM CARRIERS WITH UPRIGHTS CONTACT MIFAB FOR ADDITIONAL CARRIER LAYOUTS



36.05 [916]TYP

33.67 [855]

10.00 [254]

10.00 [254]

10.00 [254]

9.00 [229]


9.00 [229]


2.00 [51]

8.00 [203]


MC-32-BRADLEY-MG-2
CARRIER FOR HAWS H1107L

MC-32-BRADLEY-SN2023
CARRIER FOR ACORN 1440





MC-31-MC-31-ELKAY-EDFPB117C CARRIER FOR BRADLEY FL-1L



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

239





HYDRANTS

DUAL SIZE INLET CONNECTION

MIFAB's hydrants are manufactured with a combination 3/4" female and 1" male threaded "inlet" connection for maximum installation flexibility.

VACUUM BREAKER


MIFAB's MHY-10, MHY-20 and MHY-60 hydrants are manufactured with a vandal resistant integral vacuum breaker that is tested and certified to the A.S.S.E. 1019-B Standard.

POLISHED CHROME FACE PLATE

MIFAB's wall hydrants are manufactured with a polished chrome plated face plate for a high quality and endearing appearance.

DRIP LIP

MIFAB's hydrant boxes are manufactured with a "drip lip" When the hydrant is turned off, and the hose is removed, the water that is within the hydrant will drain into the box and down the drip lip, away from the wall and onto the ground. This eliminates unsightly stains on the wall below the hydrant box which is typical with others.



(MHY-20 ILLUSTRATED)

CASING

MIFAB's hydrants are manufactured with a heavy duty brass casing. This offers the contractor a solid and consistent shape to attach a wall clamp to.

NICKEL BRONZE BOX

MIFAB's encased wall hydrants are provided with a heavy duty cast nickel bronze box with hinged locking cover for maximum durability. Optional cast Stainless Steel box will not discolor due to oxidation. Specify suffix -3.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









MIFAB Hydrant Selection Guide

MIFAB HYDRANT SELECTION GUIDE


MIFAB hydrants are engineered to control the supply of water in various types of applications. Due to a wide range of uses, careful consideration should be taken when selecting and specifying the hydrants. The information provided below will aid the specifier in selecting the correct hydrant for the application considering such issues as temperature, recessed boxes, vacuum breaker / backflow preventer and optional variations.

WALL HYDRANTS

The most common installation area for hydrants is in the wall. They may be installed either inside or outside of commercial buildings and serve numerous purposes including watering plants and shrubs and washing floors or parking areas. Non-freeze wall hydrants are available in various lengths to accommodate different wall thick nesses to ensure that the inlet connection is inside the heated building to prevent freezing. Sometimes, nonfreeze wall hydrants must be concealed entirely within the wall. In these instances, an overall dimension can be specified. This dimension measures from the back of the face of the hydrant to the end of the inlet connection. Extra precautions must be taken to properly insulate the valve body to protect against freezing. In addition to the standard wall hydrant, MIFAB offers a combination hot and cold water hydrant that allows connection to both hot and cold supplies. It is used to supply tempered water. See MIFABMHY-45.

NARROW WALL HYDRANTS

Narrow wall hydrants are installed in areas where the entire product must fit within a 4" thick wall. A unique feature on the inlet supply of the MIFAB hydrant permits the installer to rotate the connection to any position to connect to the water supply line. The narrow wall hydrant may also be encased to gain all of the advantages of installing the hydrant in a recessed box. MIFAB's MHY-55 encased narrow wall hydrant has an overall length of 35/8" to ensure that it will still fit within a 4" thick wall.



Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information





MIFAB Hydrant Selection Guide Cont'd.

RECESSED BOXES

MIFAB's recessed hydrant boxes are made with a flange that covers the rough opening and is installed flush against the exterior wall surface. The hinged locking cover conceals the hose nozzle and all of the operating parts. The advantages of the flush recessed box:

- Arecessed box provides roughing in the box flush with the exterior wall for a pleasing appearance.
- The hose connection and operating mechanism are concealed within the box instead of protruding from the wall surface.
- The box has a locking hinged cover that will prevent unauthorized access and vandalism of the operating mechanism and hose nozzle. The same key that operates the hydrant also unlocks the box. This key is a special 3-3/4" long to ensure that the operator's fingers are outside of the hydrant box while operating the hydrant. Typically, short keys are provided by others that result in the operator's fingers being scraped or cut by the inside of the hydrant box.

MIFAB hydrant boxes are standard in a satin finished nickel bronze material. Polished chrome plated and cast stainless steel, are also available. The open face hydrant should be specified when the operating mechanism and hose nozzle is preferred to be exposed and may extend beyond the finished wall. This hydrant should be installed in a concealed location or where security is provided. MIFAB's MHY-10 and MHY-30 hydrants can be easily attached to the hydrant box. The hydrant is inserted through the front of the box until the back of the faceplate rests flush against the inside of the box. Two set screws on the top and bottom of the back of the box are used to tighten the hydrant securely into the box.

MIFAB has engineered several unique features into its' wall hydrant boxes.

- A"drip lip" on the exterior of the hydrant box accumulates water that results from the closing of the hydrant. This residual water drips from the lip onto the ground clear of the wall. Standard competitive designs cause unsightly oxide stains on the wall.
- · The bottom of MIFAB's hydrant boxes are solid. There are no slots or grooves for water to drain back into the wall and cause damage.
- The boxes are also available with four /" x 1" slots (suffix -S) (one at each side and two on the top of the box) and three mounting brackets (suffix -BR) for easy installation by the contractor into the frame or ladder system. Too often, contractors have difficulty installing hydrant boxes into walls because nothing is provided to secure the box to the wall. Many contractors go to considerable expense to fabricate their own hydrant box mounting devices. MIFAB's hydrant boxes eliminate these extra costs and ensure that the installation and operation of the hydrant box is simple.

COMBINATION 3/4" SWT. OR 1" MALE THREADED 360 DEGREE SWIVEL INLET CONNECTION THAT CAN BE REMOVED FOR A STRAIGHT BACK 3/4" SWT. INLET CONNECTION **HEAVY DUTY CHROME** PLATED BRONZE HEAD CASTING VANDAL RESISTANT INTEGRAL VACUUM **BREAKER** HEAVY DUTY CASING ____ **POLISHED** CHROME PLATED FACE PLATE **NICKEL BRONZE BOX** WITH HINGED LOCKING COVER DRIP LIP **STANDARD** 3/4" MALE HOSE CONNECTION

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






GROUND, POST and YARD HYDRANTS

Ground hydrants are available for buried applications. The hydrant control and hose connection are housed in a box which is installed flush with the ground or floor. These hydrants are standard with a 1/8" tapped hole in the valve body to drain water from the casing after operation. The valve body should beset in a bed of gravel so that water drained from the casing can leach into the ground. Some locations that require nonfreeze ground hydrants cannot permit water draining from the 1/8" tapped hole. Parking garages, plazas, and roof decks used for recreational purposes are obvious examples. In these types of applications, the valve body will protrude into a finished area that is not subject to freezing. A drain line can be connected to the 1/8" tapped hole to carry away water. The depth of bury should be specified to match the hydrant to the water supply piping which must be below the frost line. Post hydrants are similar in application except that the ground hydrant outlet is recessed below ground and the post hydrant series as an above ground outlet. Yard hydrants are typically used in parks, recreational areas and other places that require both clean, uncontaminated water and the assurance that the water system will not be polluted through the hydrant installation. The yard hydrant drains residual standpipe water while protecting against cross connection with groundwater.



WALL FAUCETS

Wall faucets are required in restrooms, mechanical rooms, and storage areas to prevent the evaporation of water from floor drain traps. Floor drains in these areas often do not receive enough water from the cleaning of the floors to maintain the water seal in their traps. A reliable supply of water is supplied by the MIFAB wall faucet, when operated by maintenance personnel. Typically, they are installed underneath lavatories or counters in restrooms. Wall faucets are also commonly used in moderate climate residential applications and are available with or without an enclosed box. Three different finishes are available: cast brass, rough chrome plated and polished chrome plated. Four different handle options are available: clear plastic wheel handle, brown plastic wheel handle, cast iron wheel handle and loose operating key. Also, 1/2" and 3/4" F.F. inlet supply connections are available.





Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.





MIFAB Hydrant Selection Guide Cont'd.

TEMPERATURE CONSIDERATIONS

One of the most critical factors in determining the correct hydrant to specify is how ambient temperature will affect its' operation. Moderate climate hydrants are not self draining and should only be specified in heated areas or "mild climates" where freezing temperatures are not a possibility. Non freeze wall hydrants may be installed outside or on outside walls where freezing temperatures may occur. To prevent these hydrants from freezing, the actual valve mechanism susceptible to freezing is positioned away from outside temperatures. Also, standing water is drained from the hydrant after each use via a built-in drainage system. Misapplication of a hydrant regarding surrounding temperature could result in water damage or costly repairs to the hydrant or water piping.


VACUUM BREAKER / BACKFLOW PREVENTER

A vacuum breaker or backflow preventer is an important consideration in preventing fluids from siphoning back from the hose connection into the hydrant or water supply. All MIFAB hydrants are available with vacuum breakers that are A.S.S.E. certified.

When the hydrant valve is open, the supply of water flows through the hydrant and the vacuum breaker automatically opens to allow the water to flow through the hose connection. Water from upstream can siphon back into the hydrant if the hydrant valve is left open and there is no vacuum breaker. A vacuum breaker will automatically close to allow water to drain through it's air vents and not back through the hydrant. When the hydrant valve is closed, the water left in the hydrant is allowed to drain out of the water relief ports surrounding the operating mechanism while the vacuum breaker automatically closes to prevent backflow from the hose.

The preceding paragraph is very important because it describes the draining of the water left in the hydrant body after the hydrant valve is closed. The draining function is critical because water could freeze if it is left inside of the hydrant body. The hydrant must be installed in the correct position to correctly drain and eliminate the possibility of freezing.

All wall hydrants must be installed in a horizontal position. If the hydrant were to be installed with the face plate in the vertical position with the vacuum breaker on the bottom, the vacuum breaker will not permit water to drain from the hydrant and eventually cause the excess water in the hydrant to freeze.





Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049







Sunday, January 01, 2012 11:16:27 PM





SUGGESTED APPLICATIONS FOR MIFAB HYDRANTS

Wall hydrants	Non-freeze	Moderate climate
Apartments	MHY-10	MHY-30, MHY-35
Cleaning Areas Slop sinks	MHY-10	
Commercial / Multi Family, Narrow wall construction		MHY-30
Hospitals, Institutions, Schools	MHY-20	MHY-35
Office Buildings	MHY-20	MHY-35
Retail Stores	MHY-20	MHY-35

MHY-10

Ground hydrants	Non-freeze	Moderate climate
Agricultural, Farms	MHY-65, MHY-68	
Gardens	MHY-60, MHY-60-HSB, MHY-65, MHY-68	MHY-35
Industrial	MHY-60-HSB	
Malls, Supermarkets	MHY-60	MHY-35
Recreational Areas, Parks	MHY-60, MHY-60-HSB, MHY-68	

MHY-65, MHY-68

Note: Any of the non-freeze hydrants may be used in moderate climates

FLOW RATES, OPERATING PRESSURES AND TEMPERATURE RANGE

MIFAB's 3/4" hose connection wall and ground hydrants provide a flow of approximately 10 GPM under average water line pressures. The flow rates are in excess of 100 GPM for the 1-1/4", 1-1/2", and 2" hose connection hydrants.

The maximum static operating pressure is 125 psi and the minimum running pressure is 8 psi for MIFAB's wall and ground hydrants.

The maximum temperature range is 130 degrees Fahrenheit and the minimum temperature range is 33 degrees Fahrenheit for MIFAB's wall and ground hydrants.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049







Stables, Livestock Areas



MHY-CIA-18-A (FOR ALL HY-1000, HY-2000, MHY-10 and MHY-15, MHY-16, MHY-20, MHY-25 AND MHY-26) COMPLETE INTERNAL ASSEMBLY REPLACEMENT INSTRUCTIONS - HYDRANT REPAIR KIT

This kit includes: 2-plunger assemblies; 2-worm stem assemblies; 2-lock nuts; 1-head nut seal; 1-tube thread locker; 1-tube lubricant

REMOVAL

Shut off water supply to hydrant and relieve water pressure. Remove hydrant stem assembly. (Do not disassemble. The old stem must remain assembled for reference dimensions.) Remove the old head nut seal.

Note: The plunger tips provided in this kit will replace all old versions of plunger tips. See inset.




MEASUREMENT

Fully thread the appropriate worm stem assembly on to the 4-1/4" uninterrupted threaded end of the fully threaded rod. Lay the old stem assembly next to the new stem, aligning the o rings on the worm stem assemblies.

Mark the groove in the threaded rod that is closest to the end of the old plunger tip, but **not** past the plunger end.
Using the appropriate holding fixture and a 32TPI hack saw, cut the threaded rod to the appropriate length.

Note: The undercut grooves in the threaded rod will guide the hack saw blade without the need for thread end "clean up" after cutting. See inset.



ASSEMBLY AND ADJUSTMENT

Remove the worm stem assembly from the cut rod and thread the two lock nuts onto the rod approximately 1" inward from each end.

Apply thread locker to the two ends of the threaded rod (approx. 3/8" coverage) and a small amount to the internal threads of the plunger and worm assemblies.



Thread the worm stem assembly until seated fully and then thread the plunger assembly to match the length of the old hydrant stem assembly. (Remove excess thread locker.)

Note: Align the o rings of the two stems side by side and adjust the plunger tips to match.

Once the proper length has been attained, advance the lock nuts toward the two end assemblies and tighten with a 9/16" wrench

Generously apply lubricant to the plunger tip seals, o ring, and worm stem screw threads.

INSTALLATION

Install the new head nut seal into the body of the hydrant. Thread the worm screw **fully** into the head nut using a hydrant key.

Thread the head nut and stem assembly into the hydrant body and tighten.

Shut off the hydrant and open the water supply. Test the hydrant for proper function.



All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.











MHY-10 TO MHY-16 SERIES NON-FREEZE EXPOSED WALL HYDRANT WITH SELF DRAINING VACUUM BREAKER MHY-10 TO MHY-16



MHY-10			
MODEL Number	WALL. THICKNESS (in)	WEIGHT Lbs.	LIST PRICE
MHY-10-4,6,8	4-6-8	6	\$ 864.00
MHY-10-10,12,14	10-12-14	8	\$ 923.00
MHY-10-16,18	16-18	10	\$1007.00
MHY-10-20,22,24	20-22-24	12	\$1074.00



2" x 4" Recommended wall opening

MHY-15 & 16 NON-FREEZE EXPOSED WALL HYDRANT,							
ANTI SIPHON, AU	ANTI SIPHON, AUTOMATIC DRAINING						
MODEL NUMBER	WALL. THICKNESS (in)	WEIGHT Lbs.	LIST PRICE				
MHY-15-4,6,8	4-6-8	5	\$ 683.00				
MHY-15-10,12,14	10-12-14	6	\$ 739.00				
MHY-15-16,18	16-18	7	\$ 825.00				
MHY-15-20, 22, 24	20-22-24	8	\$ 894.00				
MHY-15-26, 30	26-30	9	\$1075.00				
MHY-16-4,6,8	4,6,8	5	\$ 540.00				
MHY-16,10,12,14	10-12-14	6	\$ 573.00				
MHY-16-16, 18	16-18	7	\$ 628.00				
MHY-16-20, 22, 24	20-22-24	8	\$ 679.00				
MHY-16-26, 30	26-30	9	\$ 804.00				

MHY-10,15,16 OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-0	1" Hose Connection (HY-HC1)	\$131.00		
MHY-CIA-18-A	Hydrant Repair Kit	\$207.00		
-WC	Wall clamp (HY-H01)	No add		

MHY-25 AND 26 NON-FREEZE ENCASED WALL HYDRANT,

WEIGHT

Lbs.

8

9

10

11

8

9

10

11

WALL.

THICKNESS (in)

12-14-16

22-24-26

12-14-16

22-24-26

1" Hose Connection (HY-HC1)

Cylinder key lock (RETRO-C)

8-10

18-20

8-10

18-20

DESCRIPTION

Cast Type 304 Stainless steel box (HY-1500-3)

2 on sides) Includes 3 mounting brackets (HY-PC)

Fabricated stainless steel hydrant box with round back

for tilt up construction (HY-1500-3-RB, 81/4" back opening)

Cast Nickel Bronze Box (HY-1500-1)

Cast Chrome Plated box (HY-1500-49)

" x 1/4" Slots (4 on top & bottom)

MHY-20 TO MHY-26 SERIES NON-FREEZE ENCASED WALL HYDRANT WITH SELF DRAINING VACUUM BREAKER MHY-20 TO MHY-26

5 5/8

MODEL

NUMBER

MHY-25-10,12,14

MHY-25-20, 22, 24

MHY-26,10,12,14

MHY-26-20, 22, 24

MHY-CIA-18-A Hydrant Repair Kit

MHY-26-16, 18

MHY-25-16.18

MHY-25-6,8

MHY-26-6,8

SUFFIX

-0

-1

-3

-49

-K -S


-RB

-WC

Wall thickness

ANTI SIPHON, AUTOMATIC DRAINING

MHY-20, 25, 26 OPTIONAL VARIATIONS:



MHY-20						
MODEL NUMBER	WALL. THICKNESS (in)	WEIGHT Lbs.	LIST PRICE			
MHY-20-6,8	8-10	8	\$1733.00			
MHY-20-10,12,14	12-14-16	9	\$1784.00			
MHY-20-16,18	18-20	10	\$1870.00			
MHY-20-20,22, 24	22-24-26	12	\$1936.00			

Visit www.mifab.com for the most recent product information.

Wall clamp (HY-H01)

Toll Free 1-800-465-2736, Fax 773-341-3049

SERIES





LIST

PRICE

\$1179.00

\$1235.00

\$1325.00

\$1385.00

965.00

997.00

LIST PRICE

\$131.00

Standard

No add

\$190.00

\$117.00

No Add

\$207.00

No Add

No Add

\$1050.00

\$1105.00





Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA



MODERATE CLIMATE EXPOSED WALL HYDRANT

MHY-30 SERIES





MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MHY-30	3.00	4 1/2" Overall Length	\$ 417.00


	MHY-30 OPTIONAL VARIATIONS:					
	SUFFIX	DESCRIPTION	LIST PRICE			
Γ	MHY-CIA-30/50	Hydrant Repair Kit	\$ 207.00			
	-0	1" Hose Connection (HY-HC1)	\$ 131.00			


MHY-35

MODERATE CLIMATE ENCASED WALL HYDRANT

MHY-35 SERIES

SERIES





MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE
MHY-35	6.50	4 3/4" Overall Depth	\$ 872.00

MHY-35 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
-0	1" Hose Connection (HY-HC1)	\$ 131.00	-\$	1" x 1/4" Slots (4 on top & bottom),	No Add	
-1	Cast Nickel Bronze Box (HY-1500-1)	Standard		2 on sides) Includes 3 mounting brackets (HY-PC)		
-3	Cast Type 304 Stainless steel box (HY-1500-3)	No Add	-K	Cylinder key lock (RETRO-C)	\$ 117.00	
-49	Cast Chrome Plated box (HY-1500-49)	\$ 190.00	MHY-CIA-30/50	Hydrant Repair Kit	\$ 207.00	
			-RB	Fabricated stainless steel hydrant box with round back	No Add	
				for tilt up construction (HY-1500-3-RB, 81/4" back opening)		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




P248

SERIES

MHY-40 SERIES NON-FREEZE DUAL TEMPERATURE (HOT & COLD) WALL HYDRANT

MHY-40





ROUGH CHROME

PLATED HEAD

Note: 2 Kits required per hydrant.

MHY-40 SERIES:						
MODEL No.	WALL THICKNESS (IN)	WT Lbs.	LIST PRICE			
MHY-40-4,6,8	4-6-8	8.00	\$1850.00			
MHY-40-10,12,14	10-12-14	10.00	\$1916.00			
MHY-40-16,18	16-18	12.00	\$2128.00			
MHY-40-20,24	20-24	16.00	\$2260.00			

MHY-40	OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-0	1" Hose Connection (HY-HC1)	\$ 131.00	MHY-CIA-4000	Hydrant Repair Kit (2 required)	\$ 354.00
-6	3/4" IPS 90 degree elbow and union nut	\$ 58.00	-WC	Wall clamp (HY-H01)	No Add

MHY-45 SERIES NON-FREEZE ENCASED DUAL TEMP WALL HYDRANT

SERIES

Overhead view **COMBINATION 3/4" FEMALE HEAVY DUTY BRASS CASING** SWEAT OR 1" MALE THREADED CONNECTIONS HEAVY DUTY CHROME PLATED BRONZE HEAD **+**2 7/8"+| CASTING KEY OPERATED MIXING 8 5/8" VALVES (KEY INCLUDED) STANDARD 3/4" MALE HOSE CONNECTION Wall thickness VANDAL RESISTANT 6 3/4" INTEGRAL VACUUM BREAKER (HY-1000-CP) 8 5/8" NICKEL BRONZE BOX WITH

MHY-45 SERIES:			
MODEL	WALL THICKNESS	WT	LIST PRICE
NO.	(IN)	Lbs.	
MHY-45-8	8	18.00	\$2383.00
MHY-45-10,12,14	10-12-14	20.00	\$2449.00
MHY-45-16,18	16-18	22.00	\$2661.00
MHY-45-20,24	20-24	26.00	\$2793.00

MHY-45	MHY-45 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE			
-0	1" Hose Connection (HY-HC1)	\$ 131.00	-K	Cylinder key lock (RETRO-C)	\$ 117.00			
-5	3/4" Female solder adapter	No Add	MHY-CIA-4000	Hydrant Repair Kit (2 required)	\$ 354.00			
-6	3/4" IPS 90 degree elbow and union nut	\$ 58.00	-WC	Wall clamp (HY-H01)	No Add			
-49	Cast Chrome Plated box (HY-4100-49)	\$ 213.00						

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

7 5/8" x 5 3/4" RECOMMENDED WALL OPENING

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

HINGED LOCKING COVER





MHY-50

MODERATE CLIMATE NARROW WALL HYDRANT

MHY-50 SERIES

SERIES





	WT Lbs.	DESCRIPTION	LIST PRICE
MHY-50	3.25	2 5/8" Overall Depth	\$ 417.00


MHY-50 OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE					
MHY-CIA-30/50	Hydrant Repair Kit	\$ 207.00					
-0	1" Hose Connection (HY-HC1)	\$ 131 00					


MHY-55 SERIES

MODERATE CLIMATE ENCASED NARROW WALL HYDRANT

MHY-55 SERIES







MODEL NO.	WT Lbs.	DESCRIPTION	LIST PRICE				
MHY-55	7.00	3 15/16" Overall Depth	\$ 790.00				

MHY-55 OPTIONAL VARIATIONS:									
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE				
-0	1" Hose Connection (HY-HC1)	\$ 131.00	-\$	1" x 1/4" Slots (4 on top & bottom),	No Add				
-3	Cast Type 304 Stainless steel box (HY-1500-3)	No Add		2 on sides) Includes 3 mounting brackets (HY-PC)					
-49	Cast Chrome Plated box (HY-1500-49)	\$ 190.00	-RB	Fabricated stainless steel hydrant box with round back	No Add				
-K	Cylinder key lock (RETRO-C)	\$ 117.00		for tilt up construction (HY-1500-3-RB, 8 1/4" back opening)					
			MHY-CIA-30/50	Hydrant Repair Kit	\$ 207.00				
			-WC	Wall clamp (HY-H01)	No Add				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







MHY-15 SERIES CAST BOX FOR MHY-10,30,50 & 60 SERIES HYDRANTS

MHY-15

SERIES







	PRODUCT	T		T PRICE	LIS	T PRICE
PART NO.	MATERIAL (CASTING) & FINISH	DESCRIPTION	((-1,-3)		(49)
MHY-15-(1,3,49)*	NB or SS or Chrome plated	Standard Box for MHY-10 through MHY-55 Series (except MHY-40,45)	\$	419.00	\$	609.00
MHY-15-(1,3,49)-S*	NB or SS or Chrome plated	Standard Box for MHY-10 through MHY-55 Series (except MHY-40,45)	\$	545.00	\$	735.00
		for MHY-10 through MHY-50 Series				
MHY-15-(1,3,49)-NL*	NB or SS or Chrome plated	No lip box for MHY-60 Series	\$	419.00	\$	609.00
MHY-3-RB	Fabricated Type 304 Stainless Steel	Fabricated stainless steel Box with 6" round back opening for tilt up construction	1 \$	419.00	\$	609.00

* Add a cylinder key lock to any of the above hydrant boxes by specifying SUFFIX-K in the part number and adding \$117.00 to the LIST PRICE HYDRANT REPAIR KIT FOR MHY-10 15 16 20 25 and 26 HYDRANTS MHY-CIA-18-A MHY-CIA-18-A SERIES **SERIES** BRASS THREADED ROD NOTCHED AT 1" INTERVALS FOR EASY CUTTING & MIFAB

THREE DIFFERENT PLUNGERS ARE INCLUDED WITH THE MHY-CIA-18-A HYDRANT REPAIR KIT SO THAT ANY **GENERATION OF MIFAB'S MHY-10, 15, 16, 20, 25 AND 26 HYDRANTS**

MHY-CIA-18-A Hydrant repair kit for MHY-10, 15, 16, 20, 25 and 26 Hydrants (Up to 18" size only)

PART NO	DESCRIPTION	LIST PRICE
CAN BE REPA	INED WITH THIS UNIVERSAL REPAIR KIT	The second section of the second section of the second section of the second section of the second section sec

MHY-58 OPTIONAL VARIATIONS						
SUFFIX	DESCRIPTION	LIST PRICE				
-0	1" Hose Connection (HY-HC1)	\$ 131.00				
-8	3/4" Adapter Vacuum Breaker (HY-9005-CP)	\$ 86.00				
-42	Decorative Casing Guard (HY-6500-PCG)	\$ 147.00				

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MHY-58 ROOF HYDRANT

MHY-58 SERIES

SERIES



MODEL NO.	DESCRIPTION	LIST PRICE
MHY-58	Roof hydrant	\$ 1977.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P252

WEEPING AREA


BURY DEPTH





MHY-60 SERIES NON-FREEZE ENCASED GROUND HYDRANT

MHY-60 SERIES



/4" MALE HOSE NECTION WITH JAL RESISTANT GRAL VACUUM BREAKER (HY-1000-CP)	1 1/2"
BINATION 3/4" E OR 1" MALE CONNECTION	4"


MODEL Number	BURY Depth (Ft)	WEIGHT	LIST PRICE 3/4" HOSE CONNECTION
MHY-60-1	1	10	\$ 1256.00
MHY-60-2	2	13	\$ 1291.00
MHY-60-3	3	16	\$ 1386.00
MHY-60-4	4	19	\$ 1485.00
MHY-60-5	5	22	\$ 1590.00
MHY-60-6	6	25	\$ 1688.00
MHY-60-7	7	28	\$ 1784.00
MHY-60-8	8	31	\$ 1882.00
MHY-60-9	9	34	\$ 1988.00
MHY-60-10	10	37	\$ 2080.00

MHY-	60 OPTIONAL VARIATIONS:	
SUFFIX	DESCRIPTION	LIST PRICE
-0	1" Hose Connection (HY-HC1)	\$ 131.00
-3	Cast Type 304 Stainless steel box (HY-1500-NL-3)	No Add
-9	1/4" Drain Port in Box	\$ 117.00
-10	3/8" Drain Port in Box	\$ 117.00
-11	1/2" Drain Port in Box	\$ 117.00
-49	Cast Chrome Plated box (HY-1500-NL-49)	\$ 190.00
-FL	Membrane (Anchor) Flange (HY-PC)	\$ 523.00
-FLM	Flange with clamp	\$ 569.00
-HSB	Hose Storage Box (Epoxy coated steel)	\$1009.00
-K	Cylinder key lock (RETRO-C)	\$ 117.00
-RK	Hydrant Repair Kit	\$ 207.00

6 3/4"

MHY-61 SERIES NON- FREEZE 1 1/4", 1 1/2" AND 2" ENCASED GROUND HYDRANT

MHY-61 SERIES



MODEL NUMBER BURY DEPTH (Ft) WEIGHT LIST PRICE (-1.25) LIST PRICE (-1.50) LIST PRICE (-1.50) 1 1/4" BOTTOM 1 1	DRAIN POR	Γ/		THREADED CONNECTION			
MHY-61-3 3 46 \$ 5675.00 \$ 6215.00 \$ 7223.00 MHY-61-4 4 49 \$ 5853.00 \$ 6390.00 \$ 7399.00 MHY-61-5 5 52 \$ 6047.00 \$ 6584.00 \$ 7593.00 MHY-61-6 6 55 \$ 6238.00 \$ 6774.00 \$ 7784.00				1 1/4" BOTTOM	1 ½" BOTTOM ´	2" BOTTOM	
MHY-61-4 4 49 \$5853.00 \$6390.00 \$7399.00 MHY-61-5 5 52 \$6047.00 \$6584.00 \$7593.00 MHY-61-6 6 55 \$6238.00 \$6774.00 \$7784.00	MHY-61-2	2	43	\$ 5498.00	\$ 6034.00	\$ 7044.00	
MHY-61-5 5 52 \$ 6047.00 \$ 6584.00 \$ 7593.00 MHY-61-6 6 55 \$ 6238.00 \$ 6774.00 \$ 7784.00	MHY-61-3	3	46	\$ 5675.00	\$ 6215.00	\$ 7223.00	
MHY-61-6 6 55 \$ 6238.00 \$ 6774.00 \$ 7784.00	MHY-61-4	4	49	\$ 5853.00	\$ 6390.00	\$ 7399.00	
	MHY-61-5	5	52	\$ 6047.00	\$ 6584.00	\$ 7593.00	
MHV-61-7 7 28 \$ 6527 00 \$ 7064 00 \$ 8074 00	MHY-61-6	6	55	\$ 6238.00	\$ 6774.00	\$ 7784.00	
MITT-01-7 7 20 0027.00 07004.00 0074.00	MHY-61-7	7	28	\$ 6527.00	\$ 7064.00	\$ 8074.00	
MHY-61-8 8 31 \$ 6932.00 \$ 7470.00 \$ 8478.00	MHY-61-8	8	31	\$ 6932.00	\$ 7470.00	\$ 8478.00	

WEEPING AREA 6 3/4" **BURY DEPTH**

MHY-61 OPTIONAL VARIATIONS:								
SUFFIX	DESCRIPTION	LIST PRICE						
-3	Cast Type 304 Stainless steel box (HY-1500-NL-3)	No Add						
-9	1/4" Drain Port in Box	\$ 117.00						
-10	3/8" Drain Port in Box	\$ 117.00						
-11	1/2" Drain Port in Box	\$ 117.00						

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



MHY-65 NON-FREEZE 3/4" AND 1" POST HYDRANT

MHY-65 SERIES

SERIES



MHY-65 SERIES:						
MODEL No.	BURY DEPTH (Ft)	WT Lbs.	LIST PRICE 3/4" HOSE CONNECTION			
MHY-65-2	2	24.00	\$1114.00			
MHY-65-3	3	28.00	\$1217.00			
MHY-65-4	4	32.00	\$1321.00			
MHY-65-5	5	36.00	\$1426.00			
MHY-65-6	6	40.00	\$1535.00			
MHY-65-7	7	44.00	\$1652.00			
MHY-65-8	8	48.00	\$1764.00			
MHY-65-9	9	52.00	\$1879.00			
MHY-65-10	10	56.00	\$1996.00			

MHY-66 SERIES: NON FREEZE 1 1/4", 1 1/2" AND 2" POST HYDRANT						
MODEL NO.	BURY DEPTH (Ft)	WT Lbs.	1 1/4" BOTTOM INLET CONNECTION (-1.25)	1 1/2" BOTTOM INLET CONNECTION (-1.50)	2" BOTTOM Inlet connection (-2.00)	
MHY-66-2	2	40.00	\$2960.00	\$4102.00	\$5178.00	
MHY-66-3	3	61.00	\$3282.00	\$4421.00	\$5505.00	
MHY-66-4	4	66.00	\$3592.00	\$4733.00	\$5816.00	
MHY-66-5	5	71.00	\$3776.00	\$4916.00	\$6000.00	
MHY-66-6	6	76.00	\$3955.00	\$5093.00	\$6178.00	
MHY-66-7	7	81.00	\$4161.00	\$5301.00	\$6384.00	
MHY-66-8	8	86.00	\$4370.00	\$5509.00	\$6592.00	
MHY-66-9	9	91.00	\$4577.00	\$5718.00	\$6774.00	
MHY-66-10	10	97.00	\$4879.00	\$6019.00	\$7104.00	

MHY-65	MHY-65,66 OPTIONAL VARIATIONS:						
SUFFIX	LIST PRICE						
-0	\$ 131.00						
-8	3/4" Adapter Vacuum Breaker (HY-9005-CP)	\$ 86.00					
-12	Wheel Handle (HY-9003)	\$ 182.00					
-42	Decorative Casing Guard (HY-6500-PCG)	\$ 147.00					

MHY-68 YARD HYDRANT WITH LIFT HANDLE AND GALVANIZED CASING

MHY-68 SERIES

SERIES

CAST IRON LIFT HANDLE HEAVY DUTY CAST IRON HEAD CASTING	6"
3/4" MALE HOSE CONNECTION	
1" GALVANIZED STEEL CASING	18" 24"
GROUND LEVEL	
1" GALVANIZED STEEL CASING	
DRAIN PORT TAPPED FOR 1/8" N.P.T.	BURY DEPTH
COMBINATION 3/4" FEMALE OR 1" MALE INLET CONNECTION	
	North and the short and the short to the

MHY-68 SERIES:					
MODEL NO.	BURY DEPTH (Ft)	WT Lbs.	OVERALL LENGTH (In)	3/4" HOSE CONNECTION	
MHY-68-1	1	10.00	36"	\$ 689.00	
MHY-68-2	2	12.00	48"	\$ 737.00	
MHY-68-3	3	17.00	60"	\$ 790.00	
MHY-68-4	4	19.00	72"	\$ 810.00	
MHY-68-5	5	22.00	84"	\$ 833.00	
MHY-68-6	6	24.00	96"	\$ 857.00	
MHY-68-7	7	25.00	108"	\$ 893.00	
MHY-68-8	8	26.00	120"	\$ 928.00	

MHY-68 OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-0	1" Hose Connection (HY-HC1)	\$ 131.00		
-8	3/4" Adapter Vacuum Breaker (HY-9005-CP)	\$ 86.00		
-42	Decorative Casing Guard (HY-6500-PCG)	\$ 147.00		

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049




P254






MHY-90 SERIES **ROUGH BRASS SERIES**







MODEL NO.	PRODUCT FINISH	OPERATING DEVICE	CONNECTION	LIST PRICE
MHY-9010	Rough Brass	Brown plastic wheel [†]	1/2" F.P.T.	\$ 242.00
MHY-9011	Rough Brass	Brown plastic wheel [†]	3/4" F.P.T.	\$ 242.00
MHY-9020	Rough Brass	Clear plastic wheel [†]	1/2" F.P.T.	\$ 242.00
MHY-9021	Rough Brass	Clear plastic wheel [†]	3/4" F.P.T.	\$ 242.00
MHY-9030*	Rough Brass	Cast iron wheel [†]	1/2" F.P.T.	\$ 242.00
MHY-9031*	Rough Brass	Cast iron wheel [†]	3/4" F.P.T.	\$ 242.00
MHY-9040	Rough Brass	Operating key	1/2" F.P.T.	\$ 242.00
MHY-9041	Rough Brass	Operating key	3/4" F.P.T.	\$ 242.00

^{*} Not for use with MHY-95 Series Wall Box


[†] Operating key also included in each box (HY-9004)


MHY-90 OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-B	Cast brass box	\$ 538.00	-B-49	Chrome plated cast brass box	\$ 751.00
-BK	Cast brass box with cylinder lock	\$ 654.00	-BK-49	Chrome plated cast brass box with cyl. lock	\$ 867.00

MHY-91 SERIES **ROUGH CHROME PLATED SERIES**

MHY-91

SERIES





MODEL NO.	PRODUCT FINISH	OPERATING DEVICE	CONNECTION	LIST PRICE
MHY-9110	Rough Chrome Plated	Brown plastic wheel [†]	1/2" F.P.T.	\$ 270.00
MHY-9111	Rough Chrome Plated	Brown plastic wheel [†]	3/4" F.P.T.	\$ 270.00
MHY-9120	Rough Chrome Plated	Clear plastic wheel [†]	1/2" F.P.T.	\$ 270.00
MHY-9121	Rough Chrome Plated	Clear plastic wheel [†]	3/4" F.P.T.	\$ 270.00
MHY-9130*	Rough Chrome Plated	Cast iron wheel [†]	1/2" F.P.T.	\$ 270.00
MHY-9131*	Rough Chrome Plated	Cast iron wheel [†]	3/4" F.P.T.	\$ 270.00
MHY-9140	Rough Chrome Plated	Operating key	1/2" F.P.T.	\$ 270.00
MHY-9141	Rough Chrome Plated	Operating key	3/4" F.P.T.	\$ 270.00

^{*} Not for use with MHY-95 Series Wall Box

[†] Operating key also included in each box (HY-9004)

MHY-91 OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-B	Cast brass box	\$ 538.00	-B-49	Chrome plated cast brass box	\$751.00
-BK	Cast brass box with cylinder lock	\$ 654.00	-BK-49	Chrome plated cast brass box with cyl. lock	\$867.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.






MHY-92

POLISHED CHROME PLATED SERIES

MHY-92 SERIES

SERIES





MODEL NO.	PRODUCT FINISH	OPERATING DEVICE	CONNECTION	LIST PRICE
MHY-9210	Polished Chrome Plated	Brown plastic wheel [†]	1/2" F.P.T.	\$ 315.00
MHY-9211	Polished Chrome Plated	Brown plastic wheel [†]	3/4" F.P.T.	\$ 315.00
MHY-9220	Polished Chrome Plated	Clear plastic wheel [†]	1/2" F.P.T.	\$ 315.00
MHY-9221	Polished Chrome Plated	Clear plastic wheel [†]	3/4" F.P.T.	\$ 315.00
MHY-9230*	Polished Chrome Plated	Cast iron wheel [†]	1/2" F.P.T.	\$ 315.00
MHY-9231*	Polished Chrome Plated	Cast iron wheel [†]	3/4" F.P.T.	\$ 315.00
MHY-9240	Polished Chrome Plated	Operating key	1/2" F.P.T.	\$ 315.00
MHY-9241	Polished Chrome Plated	Operating key	3/4" F.P.T.	\$ 315.00

^{*} Not for use with MHY-95 Series Wall Box

[†] Operating key also included in each box (HY-9004)


MHY-92 OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-B	Cast brass box	\$ 538.00	-B-49	Chrome plated cast brass box	\$ 751.00
-BK	Cast brass box with cylinder lock	\$ 654.00	-BK-49	Chrome plated cast brass box with cyl. lock	\$ 867.00

MHY-95

FLUSH MOUNTED WALL BOX SERIES

MHY-95 SERIES

SERIES



MHY-95 Series is not intended for use with MHY-9(*)30 or 31 Series Cast Iron Wheel Handle Wall Hydrants

(*) 0, 1, or 2

Recommended wall opening: 7 3/4" x 6 1/8" overall depth: 3 3/4"

MODEL NO.	PRODUCT FINISH	DESCRIPTION	ADD TO MHY-90, 91 OR 92 LIST PRICE
MHY-95-B	Cast Brass	Cast Brass Box	\$ 538.00
MHY-95-B-49	Chrome plated Cast Brass	Chrome Plated Box	\$ 751.00
MHY-95-BK	Cast Brass	Cast Brass Box with Cylinder Key Lock	\$ 654.00
MHY-95-BK-49	Chrome plated Cast Brass	Chrome Plated with Cylinder Key Lock	\$ 867.00

^{*} Add to the following list prices: MHY-90 \$242, for MHY-91 \$270.00, for MHY-92 \$315.00

MHY-90 SERIES REPLACEMENT PARTS

MODEL NO.	DESCRIPTION	LIST PRICE
MHY-9001	Brown plastic wheel handle	\$ 75.00
MHY-9002	Clear plastic wheel handle	\$ 75.00
MHY-9003	Cast iron wheel handle	\$ 75.00
MHY-9004	Operating key	\$ 58.00
MHY-9005-B	A.S.S.E. 1011 approved vacuum breaker - rough brass	\$ 75.00
MHY-9005-PC	A.S.S.E. 1011 approved vacuum breaker - polished chrome	\$ 94.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA


All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P256


MIFAB

BV1000 SERIES CAST IRON HORIZONTAL BACKWATER VALVE WITH BRONZE FLAPPER BV1000 **SERIES**




MODEL Number	CONNECTION SIZE	WEIGHT (Lbs)	LIST PRICE
BV1002	2" No hub	11.50	\$ 790.00
BV1003	3" No hub	18.00	\$ 1235.00
BV1004	4" No hub	24.50	\$ 1521.00
BV1006	6" No hub	42.00	\$ 2188.00
BV1008	8" No hub	79.00	\$ 3074.00
BV1010	10" No hub	102.00	\$ 5019.00

BV1000 OPTIONAL VARIATIONS:					
SUFFIX		DESCRIPTION		LIST PRICE	
-13	All galv	anized (2", 3", 4")		\$ 319.00	
-13	All galv	anized (6")		\$ 532.00	
-13	All galv		\$ 955.00		
-HS	Hub an	d spigot connection on inlet on	ly	No Add	
MODEL NUMBER		SIZE	WEIGHT (Lbs)	LIST PRICE	
BV1280		Specify Depth (up to 30")	150.00	\$ 7694.00	
		Add per inch over 30"	+22lbs/in	\$ 50.00	



MODEL Number	CONNECTION Size	LENGTH A	HEIGHT B	INVERT (OUTLET) C	INVERT (INLET) C1	
BV1002	2" No hub	10 3/4"	5 1/2"	2.40"	2 1/8"	
BV1003	3" No hub	11 3/4"	6 3/4"	3.40"	3 1/8"	
BV1004	4" No hub	12 3/4"	7 1/2"	3 5/8"	3 1/2"	
BV1006	6" No hub	14 3/4"	10"	5"	4 5/8"	
BV1008	8" No hub	17"	12 1/4"	7"	6 1/2"	
BV1010	10" No hub	23 5/8"	13 1/2"	7"	7 1/2"	

BV1280 EPOXY COATED HOUSING AND ACCESS COVER FOR BV1000



REPLACEMENT COVER GASKETS					
MODEL NUMBER	DESCRIPTION	LIST PRICE			
BV1002-GSK	Replacement cover gasket for the BV1002	\$ 82.00			
BV1003-GSK	Replacement cover gasket for the BV1003	\$ 93.00			
BV1004-GSK	Replacement cover gasket for the BV1004	\$ 104.00			
BV1006-GSK	Replacement cover gasket for the BV1006	\$ 114.00			
BV1008-GSK	Replacement cover gasket for the BV1008	\$ 164.00			
BV1010-GSK	Replacement cover gasket for the BV1010	\$ 191.00			

BV1200-R SERIES CAST IRON BACKWATER VALVE WITH FLOOR LEVEL NICKEL BRONZE ACCESS COVER BV1200-R


OPENING

4" NO HUB

4" NO HUB

6" NO HUB

8" NO HUB



MODEL Number	CONNECTION Size	WEIGHT (Lbs)	LIST PRICE	
BV1202-R-1	2" No hub	23.00	\$ 1970.00	
BV1203-R-1	3" No hub	30.00	\$ 2047.00	
BV1204-R-1	4" No hub	37.00	\$ 2180.00	
BV1206-R-1	6" No hub	56.00	\$ 2967.00	
Design and dimensions are subject to modification. Prices do not include applicable taxes.				

SIZE	MODEL Number	PIPE Size	LENGTH A	
2"	BV1202-R-1	2" No hub	10 3/4"	
3"	BV1203-R-1	3" No hub	11 3/4"	
4"	BV1204-R-1	4" No hub	12 3/4"	
6"	BV1206-R-1	6" No hub	14 3/4"	
DV1200 D ODTIONAL VADIATIONS:				

1 7/8"

PIPE SIZE

BV1200-R OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE		
-13	All galvanized	\$ 702.00		
-HS	Hub and spigot connection on inlet only	No Add		
/isit www.mifab.com for the most recent product information.				

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

PIPE SIZE

SERIES

BY OTHERS

CAST IRON

EXTENSION

257







BV1210

CAST IRON ANGLE PIT DRAIN WITH BACKWATER VALVE

BV1210 SERIES

SERIES





(*) Denotes outlet size (2, 3, 4 or 6)

(**) Denotes outlet size and type (2, 3 or 4 No Hub or 2T, 3T or 4T (F.I.P.) 6"
size only available in no hub with combined body and outlet design.

(***) Denotes strainer finish (-1

PARTS R1300-PG(***) BV1212-PBF







MODEL NO.	SIZE	WEIGHT (Lbs.)	C.I. BODY WITH C.I. Grate (-50) List Price	C.I. BODY WITH N.B. Grate (-1) List Price
BV1212,3,4	2", 3", 4" No hub	45.00	\$ 1141.00	\$ 1681.00
BV1216	6" No hub	55.00	\$ 1718.00	\$ 2255.00

R1300-P0G
V x2





BV1210 SERIES OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE	
T	Threaded outlet (except 6")	No Add	-13	All galvanized (6")	\$ 400.00	
-6	Vandal proof grate (TR25 Torx and Pin)	\$ 50.00	-83	Stainless steel mesh screen	\$ 322.00	
-13	All galvanized (2",3",4")	\$400.00				

BV1250 **BRONZE BACKWATER VALVE WITH NEOPRENE SEAT**

BV1250 SERIES

SERIES







MODEL No.	"A" Pipe size	WEIGHT (Lbs.)	LIST PRICE
BV1252	2" No hub	1.50	\$ 230.00
BV1253	3" No hub	2.00	\$ 230.00
BV1254	4" No hub	2.50	\$ 230.00

BV1260 VERTICAL CAST IRON BACKWATER VALVE WITH NEOPRENE SEAT

BV1260 SERIES

SERIES





MODEL NO.	"A" Pipe size	WEIGHT (Lbs.)	LIST PRICE
BV1262	2" No hub	10.00	\$ 353.00
BV1263	3" No hub	15.00	\$ 353.00
BV1264	4" No hub	20.00	\$ 353.00

BV1260 OPTIONAL VARIATIONS:			
SUFFIX	DESCRIPTION	LIST PRICE	
-13	All galvanized (2", 3", 4")	\$ 64.00	

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

Sunday, January 01, 2012 11:26:00 PM



BV1280 SERIES TERMINAL VALVE

BV1280 SERIES




Note: The BV1280 terminal valve is used at the end of sewer lines to prevent backflow into areas that require draining.

MODEL Number	WEIGHT (Lbs.)	"A" Pipe size	"B" Diameter	"C" Length	LIST Price	ADD FOR -13 Galvanized Body
BV1282	10	2"	6 1/4"	5 1/4"	\$ 330.00	\$ 187.00
BV1283	12	3"	8"	5 ½"	\$ 330.00	\$ 187.00
BV1284	15	4"	9"	5 3/4"	\$ 481.00	\$ 187.00
BV1285	20	5"	11 ½"	6"	\$ 1147.00	\$ 262.00
BV1286	28	6"	11 ½"	6"	\$ 1373.00	\$ 262.00
BV1288	42	8"	13 ½"	6 3/4"	\$ 1671.00	\$ 545.00
BV1280-10	58	10"	15 3/4"	7 3/4"	\$ 5023.00	\$ 545.00
BV1280-12	80	12"	17 ½"	8 3/4"	\$ 5668.00	\$ 641.00
BV1280-16	120	16"	26 1/4"	16 ½"	\$10746.00	\$1000.00
BV1280-18	140	18"	26 1/4"	16"	\$14000.00	\$1500.00

BV1290 SERIES DRAIN TILE SUMP

BV1290 SERIES



BV12	BV1290 OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE				
-1	Nickel Bronze grate and frame (veneer)	\$ 593.00				
-3	Stainless Steel grate and frame (veneer)	\$ 593.00				
-13	All Galvanized	\$ 428.00				
-25	Solid cover	\$ 150.00				

Note: The function of the BV1290 is to provide a sump with multiple inlets that the foundation drain lines connect to.

MODEL	WEIGHT	FREE AREA	OUTLET	LIST
Number	(Lbs.)	Square Drain	Size	Price
BV1294	50	14.25"	4"	

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

BACKWATER VALVES







BV1300 MANUALLY OPERATED GATE TYPE BACKWATER VALVE

BV1300 SERIES

TS1000 SERIES

SERIES








BV1300 E	DIMENSIONS					
PIPE SIZE	В	"A" Ody Height	"B" Invert	C	"C" Over diameter	"D" Length
4" (102)	15	3/4" (400)	12" (205)		8" (203)	14" (356)
6" (152)		19" (483)	14 1/2" (368)	1	0 1/2" (368)	16" (406)
MODEL Number		P	"A" IPE Size		WEIGHT (Lbs)	LIST PRICE
BV1304		4" No hul)		80.00	\$ 2699.00
BV1306		6" No hul)		120.00	\$ 4143.00
BV1300 (PT	ONAL VAR	RIATIONS:			
SUFFIX		DE	SCRIPTION			LIST PRICE
-13	All	galvanized				\$ 813.00
-15x12	12	" extension ((BV1304)			\$1256.00
-15x12	12	" extension ((BV1306)			\$1442.00
-15x24	24	" extension ((BV1304)			\$1760.00
-15x24	24" extension (BV1306)				\$1925.00	
-34G		onze flapper				No Add
-HS	Hu	b spigot con	nection on inlet	on	ly	No Add

TS1000 TRAP STANDARD

SERIES

BACKWATER VALVES



NUMBER		(Lbs)		
TS1002,3	Trap Standard	22.00	\$ 553.00	
esign and dimensions are subject to modification. Prices do not include applicable taxes				

2 NPT-11.5 OR 3NPT-8

1.25" MAX

GASKET

2 NPT-11.5

GASKET

10"-TS1002
11"-TS1003

1.5 NPS-11.5

0.35" MIN

TS10		
SUFFIX	LIST PRICE	
-11	Acid resistant coating Inside & Out	\$ 172.00

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

260

 \bigoplus


 \oplus



MIFAB

MI-940 SERIES COMPACT DEEP SEAL TRAP WITH FUNNEL

MI-940 **SERIES**




MI-940 DIMENSIO	NS		
"A" Pipe size	"B" Center to outlet	"C" CENTER OF INLET TO BOTTOM	"D" trap depth
1 1/2"	6"	5"	5 1/2"
2"	6"	5"	5 1/2"
3"	6"	6"	6" "

MI-940 (MI-940 OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE				
-13	Galvanized body 1 1/2"	\$ 152.00				
-13	Galvanized body 2"	\$ 172.00				
-13	Galvanized body 3"	\$ 194.00				
-49	Chrome Plated	\$ 605.00				
-NH	No hub outlet conection (See MI-850)	See MI-850				

MODEL Number	SIZE	WEIGHT (Lbs)	LIST PRICE
MI-941	1 1/2"	4.00	\$ 268.00
MI-942	2"	5.00	\$ 443.00
MI-943	3"	6.00	\$ 517.00

MI-950 SERIES DEEP SEAL TRAP

MI-950 **SERIES**



MI-950 DIMENSIONS						
"A" Pipe size	"B" Body Height	"C" Trap Depth	"D" Center to outlet	"E" Invert		
2"	10 1/2"	4"	6 1/2"	2 3/4"		
3"	13 1/2"	4"	8"	3 1/2"		
4"	15 1/4"	5"	10"	4 1/4"		


MI-950	MI-950 OPTIONAL VARIATIONS:						
SUFFIX	DESCRIPTION	LIST PRICE					
-G	Flushing Connection	\$ 90.00					
-7	Trap Primer Connection (½")	\$ 90.00					
-13	Galvanized body 2"	\$ 75.00					
-13	Galvanized body 3"	\$179.00					
-13	Galvanized body 4"	\$282.00					

MODEL Number	SIZE	WEIGHT (Lbs)	LIST PRICE
MI-952	2" No hub	8.00	\$ 266.00
MI-953	3" No hub	17.00	\$ 408.00
MI-954	4" No hub	25.00	\$ 611.00

MI-950-F SERIES **DEEP SEAL TRAP WITH FUNNEL**

MI-950-F **SERIES**

DEEP SEAL TRAPS



MI-950-F DIMENSIONS							
"A" PIPE SIZE	"B" Body Height	"C" Trap Depth	"D" Center to outlet	"E" Invert			
2"	10 1/2"	4"	6 1/2"	2 3/4"			
3"	13 1/2"	4"	8"	3 1/2"			
4"	15 1/4"	5"	10"	4 1/4"			

MI-950-F OPTIONAL VARIATIONS:							
SUFFIX	DESCRIPTION	LIST PRICE					
-G	Flushing Connection	\$ 90.00					
-20	Secondary Flat Strainer (FD-9600 Series)	\$ 36.00					
-6	6" Dia. Funnel (-50)	\$ 65.00					
-6	6" Dia. Funnel (-1)	\$ 99.00					
-13	Galvanized body 2"	\$186.00					
-13	Galvanized body 3"	\$186.00					
-13	Galvanized body 4"	\$186.00					

MODEL Number	SIZE	WEIGHT (Lbs)	LIST PRICE (-50) CAST IRON	LIST PRICE (-1) NICKEL BRONZE
MI-952-F	2" No hub	9.00	\$ 443.00	\$ 834.00
MI-953-F	3" No hub	18.00	\$ 516.00	\$ 906.00
MI-954-F	4" No hub	26.00	\$ 589.00	\$1783.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049


P261




MI-CAG CAST IRON FIXED AIR GAP

MI-CAG SERIES

SERIES





MODEL NUMBER	SIZE (SLIP JOINT x F.I.P.)	SIZE (SLIP JOINT x NO HUB)	"A"	"B"	"C"	"D"	"E"	"G"	WEIGHT (Lbs.)	LIST PRICE
MI-CAG-10T	1/2" x 1"	-	1/2"	1"	3 1/4"	4 3/4"	2"	2 3/4"	3.00	\$ 190.00
MI-CAG-15T	3/4" x 1 1/2"	-	3/4"	1 1/2"	4 1/4"	6 1/3"	2 3/4"	3 1/4"	3.00	\$ 264.00
MI-CAG-20T	1" x 3"	-	1"	2"	4 1/2"	8"	4"	4"	4.00	\$ 264.00
MI-CAG-20NH	-	1 1/2" x 2"	1 1/2"	2"	5 ½"	11 1/2 "	4"	7 1/2"	4.00	\$ 182.00
MI-CAG-30NH	-	2" x 3"	2"	3"	5 1/2"	13"	5 3/4"	7 1/2"	8.00	\$ 220.00


Add for:

All galvanized (-13) Acid resistant epoxy coated body **BRASS TRAP SEAL PRIMER AIR GAP FITTING**

\$ 124.00 MI-GAP SERIES

MI-GAP **SERIES**

TYPICAL MI-GAP INSTALLATION LINE SHUT OFF UNION CONNECTION MI-500 SERIES TRAP SEAL PRIMER MI-GAP AIR GAP FITTING F1100 SERIES FLOOR DRAIN



MIFAB's MI-GAP air gap fitting can be used with MIFAB's MR-500, M1-500, M2-500, MI-TSP-1, MI-TSP-2, MI-TSP-3 trap seal primers and MIFAB's MI-DU Series distribution units. The MI-GAP performs the dual functions of backflow preventer and vacuum breaker.

Note: A vertical air gap of twice the connection size is required by code.

MI-600 TRAP SEAL PRIMER CONNECTOR


	MODEL NO.	DESCRIPTION	LIST PRICE	SHIP WEIGHT (Lbs)	CARTON QTY.	CARTON WEIGHT (Lbs)
Γ	MI-GAP	Brass Air Gap Fitting for Trap Seal Primer Valves	\$ 190.00	1.5	10	15.0

MI-GRILL FRESH AIR INLET



SERIES





MODEL Number	"A" Pipe size	"C" Cover Diameter	WEIGHT (lbs)	LIST PRICE NICKEL BRONZE	LIST PRICE Chrome Plated (-49)
MI-GRILL-4	3", 4"	8"	3.00	\$ 296.00	\$ 494.00
MI-GRILL-6	5", 6"	12"	4.00	\$ 467.00	\$ 664.00
MI-GRILL-8	8"	15"	5.00	\$ 722.00	\$ 919.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.




MI-800 SERIES FEMALE THREADED ECCENTRIC REDUCER BUSHING

MI-800



MODEL Number	"A" SIZE "B" (M.PT. x F.P.T.)	WEIGHT (Lbs)	LIST PRICE
MI-800-2	3" x 2"	1.00	\$ 50.00
MI-800-3	4" x 2"	3.00	\$ 84.00
MI-800-4	4"x 3"	1.75	\$ 84.00
MI-800-6	6" x 5"	5.00	\$119.00




MI-830 SERIES CAST IRON MALE THREADED TO HUB ADAPTER

MI-830



MODEL Number	SIZE Threaded x hub	WEIGHT (Lbs)	LIST PRICE
MI-830-3	3"	5.00	\$107.00
MI-830-4	4"	6.00	\$145.00
MI-830-5	5"	7.50	\$239.00
MI-830-6	6"	9.00	\$275.00

MI-830 OPTIONAL VARIATIONS:					
SUFFIX	DESCRIPTION	LIST PRICE			
-6	Set of 3 security screws mounted at top.	\$ 218.00			




MI-850 SERIES CAST IRON NO HUB TO MALE THREADED ADAPTOR

MI-850 **SERIES**



MODEL Number	SIZE M.I.P. x NO HUB	WEIGHT (Lbs)	LIST PRICE
MI-850-2	2"	1.00	\$ 58.00
MI-850-3	3"	2.00	\$ 84.00
MI-850-4	4"	3.00	\$132.00
MI-850-6	6"	5.00	\$405.00
MI-850-8	8"	8.00	\$451.00
MI-850-10	10"	11.00	\$538.00
MI-850-12	12"	16.00	\$673.00




MI-860 SERIES CAST IRON ELBOW ADAPTER

MI-860 **SERIES**



MODEL Number	PIPE SIZE (A)	DIMENSIONS (C) (D)		WEIGHT (lbs.)	LIST PRICE
MI-862	2"	2 3/4"	6"	5	\$205.00
MI-863	3"	3 3/4"	7"	8	\$323.00
MI-864	4"	4"	8"	14	\$367.00
MI-866	6"	5 1/2"	9"	25	\$433.00



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P263







TRAP SEAL PRIMERS

3 P.S.I. PRESSURE DROP

Only a three p.s.i. line pressure drop is required to activate the primer compared to five or ten p.s.i. by others. Lower water volume fixtures and faucets has resulted in lower line pressure drops. A three p.s.i. performance point ensures reliable water delivery to maintain the trap seal

SEDIMENT FILTER

A replacement stainless steel sediment filter prevents line debris from entering the primer. This can be replaced after wear and build up of debris to ensure maximum life and performance of the primer.

NO ADJUSTMENTS

The replaceable and repairable cartridge tubes inside of the body are factory engineered to deliver enough water to service three, six or ten floor drain traps without adjustment. This eliminates confusion during field installation.

VIEW HOLES

Four view holes permit easy inspection of water delivery. The holes are across from each other, enabling light at the opposite end to illuminate the performance of the

NO PRECHARGE

MIFAB's trap seal primers can be disassembled in the field for easy cleaning and repair, without risk of losing a precharge.

(MR-500 ILLUSTRATED)

MR-500

anywhere in the cold ater supply line.

up to six floor drains Pasent # 6,152,164
al No. 5 4 3 2 6 9

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







264






MIFAB Trap Seal Primer Selection Guide

Trap seal primers are a necessity where floor drains are infrequently used and in areas such as mechanical and service rooms prone to warm and dry temperatures that result in rapid evaporation of water in floor drain traps. Today's typical method of cleaning floors involves the use of a mop that produces very little water that drains into floor drains. Trap seal primers provide a constant supply of water to replenish the deep seal or "P" trap of a drain to prevent sewer or potentially explosive methane gas from entering the area through the floor drain. They are installed within the water supply line. The selection and specification of trap seal primers merits careful consideration.

Factors such as type of trap seal primer, installation considerations, and local code requirements must be taken into account when specifying trap seal primers. The A.S.S.E. (American Society of Sanitary Engineers) trap seal primer standard # 1018 is the key Standard that relates to trap seal primers. MIFAB's M-500 and MI-TSP trap seal primers are tested and certified to the A.S.S.E. 1018 Standard.

TYPES OF TRAP SEAL PRIMERS

There are four main types of trap seal primers. They include: continuous flow, pressure drop activated, flush valve operated and electronic.



CONTINUOUS FLOW TRAP SEAL PRIMERS

Continuous flow trap seal primers are the original style of trap seal primers. They are typically constructed of cast brass or bronze with a neoprene rubber poppet float on the inside that rises upward as water flows through the primer. When the poppet rises off of its seat, water flows from the primer, through the plumbing line connection, and into the floor drain trap. They are manufactured in either sweat, threaded or union connections and should be installed in a vertical position within the horizontal water supply line, at least ten inches above the floor drain trap that it serves. Continuous flow trap seal primers do not have any method of screening out line debris. This often results in their clogging and either flowing water continuously, or not at all. The volume of water that they discharge is directly related to the amount of water that continuously flows through them. For these reasons, pressure drop activated trap seal primers have become the selection of choice for specifiers.

ELECTRONIC TRAP SEAL PRIMERS

MIFAB's MI-100 Series of electronic trap seal primers is an enclosed electronic trap seal primer system programmed to maintain the water seal of floor drain traps. The device is made with an A.S.S.E. approved vacuum breaker, solenoid valve operated by a timer, shut off valve for maintenance and a manifold system to distribute water evenly to the desired floor drain traps. The design is programmed at MIFAB's factory with standard flush times. These flush times can be adjusted by the operator in order to discharge more or less water to the floor drain traps, depending on the installation weather conditions. Applications include commercial buildings such as schools, hospitals, manufacturing facilities, and any other buildings floor drain trap seal protection. that require The distribution of water from the MI-100 to the traps avoids possible odors coming from the drains.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.







MIFAB Trap Seal Primer Selection Guide (Cont'd)


PRESSURE DROP ACTIVATED TRAP SEAL PRIMERS

Pressure drop activated trap seal primers are typically manufactured out of brass. They are engineered with a fi" M.I.. inlet connection and a fi" .I.P outlet connection. They have an interior cartridge that seals when the line pressure is in a static state. When the line pressure drops as little as three p.s.i. (pounds per square inch) (caused by the flushing of a toilet, opening of a faucet, or any draw of water from the water supply line within a close distance to the primer) the interior cartridge will rise due to the pressure differential within the primer and a metered amount of water is discharged under pressure into the plumbing line connected to the floor drain trap. Pressure drop activated trap seal primers are supplied with a fine mesh brass filter that will screen out debris to ensure that the cartridge is not clogged and that the water deliveries are uniform. The filter is easily accessible for quick cleaning or replacement. Three different cartridges offer three different water deliveries into the floor drain, depending on the number of floor drain traps served and the evaporation rate of the water in the floor drain traps. Assuming line pressure of 60 p.s.i, and a line pressure drop of 3 p.s.i., MIFAB's MR-500 trap seal primer will discharge a one half ounce of water the M1-500 will discharge a full ounce of water and the M2-500 will discharge a one quarter ounce of water into the floor drain trap every time the line pressure changes by 3 p.s.i.

FLUSH VALVE TRAP SEAL PRIMERS

Flush valve trap seal primers are installed below the flush valve and direct an amount of waste water discharged from the flush valve into a tube that connects to the floor drain to maintain the water seal. Their advantages are that the water used is already consumed by the flush valve operation, and this type of primer has no moving parts. Their disadvantage is that their location is determined by the location of the fixtures which may be too far away from the floor drains to be practical, unlike supply line mounted trap seal primers which can be more easily installed close to the drain to be primed. Many installations cannot use flush valve trap seal primers because the floor drain traps are too far away to be reached by the flush valve trap seal primer.





Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mif

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

266

P266

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA





INSTALLATION CONSIDERATIONS

Continuous flow and pressure drop activated trap seal primers should be installed at least ten inches above the floor drain traps to ensure that there is enough of a drop for the discharged water to flow to the traps. Pressure drop activated primers should be connected to the water supply line with a raised elbow and in a vertical position to ensure that line debris does not enter and contaminate the valve. Access doors should always be specified to provide easy access to all trap seal primers. Trap seal primers have moving parts that will eventually wear or be compromised by line debris even in the best of circumstances. The access doors specified should be large enough to provide "hand access" to the trap seal primer, related accessories and line shut off valve. For quick and easy repair, a line shut off valve is recommended directly before the trap seal primer on the water supply line.

AIR GAP FITTING


Many local codes require the use of an air gap fitting underneath the trap seal primer (see MIFAB's MI-GAP product). The purpose of an air gap fitting is to provide a vertical space that is twice the diameter of the water supply connection in order to ensure positive protection against backflow. ANSI / ASME Standard A112.1.2 air gap in plumbing systems is written for the application of air gap fittings. It is recommended that air gaps be specified for use in areas where splashing water from the air gap will not be objectionable or cause damage.

DISTRIBUTION UNITS

Distribution units can be installed underneath pressure drop activated trap seal primers to distribute water to up to ten floor drain traps that are in close proximity to each other. (See MIFAB's MI-DU product) Typically, distribution units are used when a men and women's restroom are located side by side with a common pipe chase between them. In this instance, one trap seal primer with a distribution unit dialed to the 2 setting can be used to service both floor drain traps. This eliminates a second costly installation procedure, shut off valve, access door and air gap fitting. MIFAB's distribution units are engineered so that they do not need to be installed level to distribute water evenly and can be adjusted to serve either two, three or four floor drain traps with a single unit. Up to ten floor drain traps can be Design and dimensions are subject to modification. Prices do not include applicable taxes.

served by having one main distribution unit feed others below it. Contact MIFAB for layout information on distribution units serving multiple drains.

The closing of this valve will facilitate the cleaning and maintenance of the primer without having to separately shut off the building's water supply. Water supply lines should be flushed several times before the trap seal primers are initially installed to ensure that debris will not enter the primers and negatively affect their performance. Pipe dope and paste should never be used when installing trap seal primers in water supply lines because the fine residue from these adhesives will enter the trap seal primers and clog the cartridges. Once installed, pressure drop activated trap seal primers should be cycled at least five times to ensure reliable operation. Quickly opening and closing the line shut off valve can accomplish this. Four view holes located directly across from each other at the bottom of the pressure drop activated trap seal primers allow easy observation of water discharging into the make up line that leads to the floor drain trap.



Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA




MPB-2012-USA

MI-TSP CONTINUOUS FLOW TRAP SEAL PRIMER

MI-TSP SERIES







MODEL NO.	DESCRIPTION	LIST PRICE	ADD FOR: Chrome Plated (-CP)	SHIP WEIGHT (Lbs.)	CARTON QTY.	WEIGHT (Lbs.)	REPAIR KIT (-RK)
MI-TSP-1	1/2" Sweat	\$ 177.00	\$ 58.00	1.0	20	20	\$ 86.00
MI-TSP-2	1/2" Threaded	\$ 177.00	\$ 58.00	1.0	20	20	\$ 86.00
MI-TSP-3	1/2" Threaded with union	\$ 271.00	\$ 58.00	1.0	20	20	\$ 86.00
	connections						

Part number for MI-TSP-1,2,3, repair kit is MI-TSP-RK. (SUFFIX-RK)

M-500 PRESSURE DROP ACTIVATED TRAP SEAL PRIMERS

MIFAB MR-500, MI-500 & M2-500 SERIES pressure drop activated brass trap seal primer, with inlet opening of 1/2" male N.P.T. and outlet opening of female 1/2" N.P.T.
Complete with four view holes and removable filter screen. Requires adjustments and no air precharge. MIFAB'S Series of pressure activated trap seal primers (MR-500, M1-500 and M2-500) can be connected to any cold water line, and will be automatically activated when a valve or faucet, that is on the line, is opened. A pressure drop of three p.s.i. will activate all of the trap seal primers. MIFAB's Series of trap seal primers can be disassembled in the field. Their unique design permits filter replacement without affecting the performance of the primer. The "O" ring seals are tested for reliability at a temperature range of -40 degrees to 450 degrees F. The M-500 Series of trap seal primers do not require adjustment. The operating range for all of MIFAB's Series of trap seal primers is 20 to 125 p.s.i. All three models are listed with I.A.P.M.O. and C.S.A. and are tested and certified to the A.S.S.E. Standard 1018 and are so marked. U.S. Patent # 6,152,164




MODEL NO.	. A	В		DRAINS SERVED	REPLACEMENT Filter Screen (-RF)	REPLACEMENT Cartridge (-RC)
MR-500	4 1/8"	1 1/4"	1 1/8"	6	See CLPB-2011-USA	See CLPB-2011-USA
M1-500	4 1/8"	1 1/4"	1 1/8"	10	See CLPB-2011-USA	See CLPB-2011-USA
M2-500	4 1/8"	1 1/4"	1 1/8"	3	See CLPB-2011-USA	See CLPB-2011-USA

MOD	EL NO.	DESCRIPTION	LIST Price	SHIP WEIGHT (Lbs.)	CARTON QTY.	CARTON WEIGHT (Lbs.)
MR-	-500	Up to 6 drain	See CLPB-2011-USA	.75	25	18.35
M1-	500	Up to 10 drains	See CLPB-2011-USA	.75	25	18.35
M2-	500	Up to 3 drains	See CLPB-2011-USA	.75	25	18.35

MI-DU TRAP SEAL PRIMER DISTRIBUTION UNIT

MIFAB's MI-DU trap seal primer distribution unit is engineered to receive a metered amount of water from a trap seal primer and distribute the water equally to either two, three or four floor drain traps. Choose from either 1/2" or 5/8" compression connections by indicating suffix (-500) for 1/2" or suffix (-625) for 5/8". The lid of the distribution unit has the numbers "2", "3" and "4" marked on it. The body of the distribution unit has a guide marker on the top of the body. The numbers and the guide marker are positioned by removing the three screws in the lid of the unit and rotating the lid to match the appropriate numbers with the guide marker to provide priming for the desired number of drains. Do not over torque the three lid screws when securing the lid back to the body. It is not necessary to install MIFAB's distribution unit perfectly level. The unique design will distribute water uniformly when out of level up to 5 degrees. Model MI-DU is listed with I.A.P.M.O.



MODEL NO.	DESCRIPTION	LIST PRICE -500 (-½" compression)		SHIP WEIGHT (Lbs.)	CARTON	CARTON WEIGHT (Lbs.)
MIUDEL NU.	DESCRIPTION	(-72 Complession)	(-0/0 compression)	(LUS.)	QII.	(LUS.)
MI-DU-500	Trap Seal Primer Distributio	See CLPB-2011-USA	See CLPB-2011-USA	.75	6	4.50
OR	unit that serves two, three or					
MI-DU-625	four floor drain traps.					

See Counterline Price Book CLPB-2011-USA for List Prices and discount structure of M-500 and MI-DU Series of products.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049




<u>—</u>

 \oplus

MPB-2012-USA

MI-100 SERIES **ENCLOSED ELECTRONIC TRAP SEAL PRIMER**

MI-100 **SERIES** MI-100 ENGINEERED FOR EQUAL



MII-100 ENGINEERED FOR EQUAL
DISTRIBUTION AT ALL PORTS
The perfect solution to keep sewer gas from
entering the building from seldom used floor
drains. The MI-100 can be located anywhere
in the water supply and is engineered to permit
the building owner to adjust the frequency and
amount of water delivery through a timer and
solenoid valve. An engineered distribution
manifold ensures that a minimum of 2 ounces
of water are delivered equally to every port
over a twenty four hour period. The unit must
be mounted 12" above the finished floor for
every 20' of trap water line. The MI-100 can be
installed with a MIFAB MI-100-AD access
door. It can be installed up to 5° out of plumb.
The system is capable of priming from 1 to 10
floor drain traps. The MI-100 is practical to
serve many floor drain traps in infrequently
used buildings such as convention centers
and sports facilities.
The MI-100 may be installed flush or surface

The MI-100 may be installed flush or surface mounted.


SEE COUNTERLINE PRICE BOOK CLPB-2012-USA **FOR LIST PRICES** AND DISCOUNT STRUCTURE
OF MI-100 SERIES OF ELECTRONIC TRAP SEAL PRIMERS

MODEL NUMBER	DESCRIPTON	WEIGHT (lbs)	LIST PRICE
MI-100-5 MI-100-10	1-5 opening distribution unit w/ flush mounted box 6-10 opening distribution unit w/ flush mounted box	25 26	See CLPB-2012-USA See CLPB-2012-USA

MI-100 O	PTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE	SUFFIX	DESCRIPTION	LIST PRICE
-AD	Custom access door to fit cabinet	See CLPB-2012-USA	- 24	24 VDC	See CLPB-2012-USA
			-120	120 VAC	See CLPB-2012-USA

ELECTRONIC TRAP SEAL PRIMER WITH AIR GAP

MI-200 **SERIES**



The MI-200 is engineered to connect to the voltage building energy management system used to manage the services in commercial, educational, institutional buildings. It can be located anywhere in the water supply. MIFAB's MI-DU-625 is provided as part of the assembly so that up to 4 drains can be served. The MI-200 is practical for infrequently used buildings such as convention centers and sports facilities. The MI-200 is manufactured in accordance with

ANSI/ASME A112.1.2 air gap in plumbing systems Standard. UA 12x12 access door is suggested for access to the MI-200 when installed into the wall.


SEE COUNTERLINE PRICE **BOOK CLPB-2012-USA FOR LIST PRICES** AND DISCOUNT STRUCTURE OF MI-200 and MI-300 **ELECTRONIC** TRAP SEAL PRIMERS

MODEL NUMBER	DESCRIPTON	WEIGHT (lbs)	LIST PRICE
MI-200-24 VDC	24 VDC	2	SEE CLPB-2012-USA

Design and dimensions are subject to modification. Prices do not include applicable taxes.

ELECTRONIC TRAP SEAL PRIMER WITH AIR GAP, DISTRIBUTION UNIT AND CONTROL PANEL

MI-300 **SERIES**



The MI-300 is manufactured with a solenoid valve, air gap, distribution unit and electronic controller. The water discharge frequency can be adjusted to meet the building's needs. The MI-300 can be located anywhere in the water supply. MIFAB's MI-DU distribution unit is connected to the bottom of the MI-300 to serve up to 4 drains. Additional distribution units can be added to serve up to 13 drains from

one MI-300 with standard soft copper piping. The MI-300 is practical for infrequently used buildings such as convention centers and sports facilities. The MI-300 is manufactured in accordance with ANSI/ASME A112.1.2 air gap in plumbing systems Standard. Specify - ENC option for unit mounted in a 12" x 12" NEMA style enclosure.

	MODEL NUMBER	DESCRIPTON	WEIGHT (lbs)	LIST PRICE
	MI-300-500-24 VDC	24 VDC	4	See CLPB-2012-USA
	MI-300-625-24 VDC	24 VDC	4	See CLPB-2012-USA
	MI-300-500-120 VAC	120 VAC	4	See CLPB-2012-USA
	MI-300-625-120 VAC	120 VAC	4	See CLPB-2012-USA
,	Visit www.mifab.com	m for the most re	ecent produ	ct information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.


* MIFAB

MI-600 AE

ABS OR PVC "P-TRAP" TRAP SEAL PRIMER CONNECTOR

MI-600 SERIES

NOTE: 1/2" connections for 3/8" copper pipe. 5/8" connections for 1/2" copper pipe.



SEE COUNTERLINE PRICE BOOK
CLPB-2012-USA
FOR LIST PRICES
AND
DISCOUNT STRUCTURE
OF MI-600 SERIES
OF TRAP SEAL PRIMERS

TRAP SEAL PRIMERS


MODEL NO.	CONNECTION SIZE	COMPRESSION Connection Size	MATERIAL	CARTON WEIGHT (Lbs.)	CARTON QTY.	WEIGHT (Lbs.)	LIST PRICE
MI-602	2"	1/2"	ABS	.30	24	7.20	See CLPB-2012-USA
MI-603	3"	1/2"	ABS	.50	18	9.00	See CLPB-2012-USA
MI-604	4"	1/2"	ABS	.70	12	8.40	See CLPB-2012-USA
MI-612	2"	5/8"	ABS	.30	24	7.2	See CLPB-2012-USA
MI-613	3"	5/8"	ABS	.50	18	9.00	See CLPB-2012-USA
MI-614	4"	5/8"	ABS	.70	12	8.40	See CLPB-2012-USA
MI-622	2"	1/2"	PVC	.30	24	7.20	See CLPB-2012-USA
MI-623	3"	1/2"	PVC	.50	18	9.00	See CLPB-2012-USA
MI-624	4"	1/2"	PVC	.70	12	8.40	See CLPB-2012-USA
MI-632	2"	5/8"	PVC	.30	24	7.20	See CLPB-2012-USA
MI-633	3"	5/8"	PVC	.50	18	9.00	See CLPB-2012-USA
MI-634	4"	5/8"	PVC	.70	12	8.40	See CLPB-2012-USA

MI-600-50 CAST II

CAST IRON P-TRAP SEAL PRIMER CONNECTOR

MI-730 SERIES

SERIES




POLISHED CHROME PLATED BRASS P-TRAP



MODEL Number	PIPE Size	DESCRIPTION	LIST PRICE
MI-602,3,4-50	2", 3", 4"	Cast iron Trap Primer Adapter	\$ 117.00

MI-600	MI-600-50 SERIES OPTIONAL VARIATIONS:				
SUFFIX	DESCRIPTION	LIST PRICE			
-13	All galvanized	\$ 58.00			



MI-730	
SERIES	

MODEL NUMBER	A Slip nut inlet	A Outlet	GAUGE	С	DIMENSIONS D	E	LIST PRICE
MI-730-125	1 1/4"	1 1/4"	17"	11 1/4"	3 1/4"	8"	\$ 218.00
MI-730-150	1 1/2"	1 1/2"	17"	12 1/2"	3 1/2"	9"	\$ 245.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



P270

Sunday, January 01, 2012 11:29:40 PM

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



MI-750 **SERIES**

MI-700 **SERIES**



MI-700 SERIES GRAVITY FED TRAP SEAL PRIMERS

MIFAB's MI-700 Series trap seal primers are engineered to prime one floor drain trap that is no further than twenty feet from the fixture supplying the prime. A 1/2" (13) O.D. copper make-up water line connecting the trap seal primer to the floor drain trap is recommended for the M-700 & MI-701

Note: S.S. braided supply pipe w/escutcheon is available for the MI-702 (option -BH)

1 1/4" M.I.P. THREAD 1 1/2" F.I.P. THREAD 1 1/2" F.I.P. THREAD ٧ VACUUM BREAKER 2 3/16 6" 6" 5 1/2" 8 1/2" 11 1/2" 19" MI-700 MI-701 MI-702 17 GAUGE CHROME PLATED CAST BRASS BODY

SEE COUNTERLINE PRICE BOOK CLPB-2012-USA **FOR LIST PRICES** AND
DISCOUNT STRUCTURE OF MI-700 SERIES OF GRAVITY FED TRAP SEAL PRIMERS

MODEL NO.	DESCRIPTION	LIST PRICE	SHIP WEIGHT (Lbs.)	CARTON QTY.	CARTON WEIGHT (Lbs.)
MI-700	1 1/4" Lavatory Trap seal Primer	See CLPB-2012-USA	0.75	20	15.00
MI-701	1 1/2" Valve Trap seal Primer	See CLPB-2012-USA	1.25	20	25.00
MI-702-9.5	1 1/2" Valve Trap seal Primer w/ VB, 9 1/2"long	See CLPB-2012-USA	1.25	20	25.00
MI-702-12.5	1 1/2" Valve Trap seal Primer w/ VB, 12 1/2" long	See CLPB-2012-USA	1.50	20	30.00
MI-702-15.5	1 1/2" Valve Trap seal Primer w/ VB, 15 1/2" long	See CLPB-2012-USA	1.75	20	35.00
MI-702-23	1 1/2" Valve Trap seal Primer w/ VB, 23" long	See CLPB-2012-USA	2.25	20	45.00

MI-750 SERIES TAILPIECE TRAP SEAL PRIMER WITH BRAIDED CONNECTING HOSE

17 GAUGE CHROME **CHROME PLATED** ESCUTCHEONS ___ INCLUDED PLATE TAIL PIECE 1/2" SLIP JOINT 1/2" M.I.P. CONNECTION 1/2" M.I.P. CONNECTION FLEXIBLE BRAIDED PRIMER HOSE 1/4" M.I.P. CONNECTION 17 GAUGE CHROME

TRAP CLEAN		BRASS BODY					
Note: Both 1 1/2" and 1 1/4" slip joint nuts are provided.							
MODEL NUMBER	DESCRIPTION	LIST PRICE					
MI-750	Tailpiece Trap Seal Primer	\$ 354.00					
Design and dimensions are subject to modification. Prices do not include applicable taxes.							

11.5 5.0 4.938

Visit www.mifab.com for the most recent product information.


MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.





& MEAB

WATER HAMMER ARRESTORS



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







WATER HAMMER ARRESTOR SIZING

Single and Multiple Fixture Branch Lines

The water hammer arrestor sizing procedure for single and multiple fixtures described below conforms to that established by the American Society of Sanitary Engineers in their Standard ASSE-1010. Selection of the water hammer arrestor is based upon the total quantity of Fixture-Units on each cold and hot water branch line.

Fixture-Unit Listing

Determine the total number of Fixture-Units on each branch line by referring to the list of fixtures in Table One.

Water Hammer Arrestor Selection

Refer to Table Two and select the water hammer arrestor model with proper Fixture-Unit capacity. In long batteries of fixtures over 20 feet in length, more than one water hammer arrestor will be required. (See placement data shown below.)

WATER HAMMER ARRESTOR PLACEMENT DATA

On multiple fixture branch lines up to 20 feet in length, the water hammer arrestor should be installed on the branch line between the last two fixtures being served. The water hammer arrestor should have a Fixture-Unit rating equal to or greater than the total Fixture-Units connected to the branch line.

On multiple fixture branch lines over 20 feet in length, two water hammer arrestors should be used on each line with the second unit placed at the approximate midpoint of the line. The sum of the Fixture-Unit ratings of the water hammer arrestors on each branch should be equal to or greater than the total Fixture-Units connected to the branch line.

Table One


	Weight in Fixture Units Public Private				
Fixture	Type of Supply Control	C.W.	H.W.	C.W.	H.W.
Water Closet	Flush Valve	10	_	6	_
Water Closet	Flush Tank	5	-	3	-
Pedestal Urinal	Flush Valve	10	-	-	-
Stall or Wall Urinal	Flush Valve	5	-	-	-
Stall or Wall Urinal	Flush Tank	3	-	-	-
Lavatory	Faucet	1-1/2	1-1/2	1	1
Bathtub	Faucet	2	3	1-1/2	1-1/2
Shower Head	Mixing Valve	2	3	1	2
Bathroom Group	Flush Valve Closet	-	-	8	3
Bathroom Group	Flush Tank Closet	-	-	6	3
Separate Shower	Mixing Valve	-	-	1	2
Service Sink	Faucet	3	3	-	-
Laundry Tubs (1-3)	Faucet	-	-	3	3
Combination Fixture	Faucet	-	-	3	3

Table Two

Water Hammer Arrestor Model No.	A	В	С	D	E	F
Fixture Unit Capacity	1-11	12-32	33-60	61-113	114-1541	155-330

NOTES:

- (1) All sizing data in this book are based on flow velocities of 10 feet per second or less.
- (2) When the static water pressure in the line exceeds 65 psig, contact the MIFABEngr. Dept.
- (3) If the fixture-unit total has 1/2" fraction, it is to be "rounded-up" to the next larger whole number. If the total is 11-1/2 fixture units, use 12 fixture units.



(Dimension Denotes Millimeters)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

273

WATER HAMMER ARRESTORS









MWH **SERIES**

PISTON TYPE WATER HAMMER ARRESTORS

MWH SERIES

Thick walled one piece, seamless "K" copper body. Unique design eliminates separate end cap connection to ensure maximum integrity of the body and guarantees free movement of the piston for maximum performance.

RYTON™ PPS piston with two EPDM o-rings (Parco#5778-80) with FDA(Dow Corning™#111) approved silicone lubricant. Ribbed piston design reduces secondary shock and flared piston skirt prevents hard particles suspended in the water supply from contacting the o-rings to provide increased product life.

Large volume air chamber provides better dampening for superior water hammer arrestor performance.

LEAD FREE

NOT RECOMMENDED FOR INSTALLATION IN HORIZONTAL OR **INVERTED POSITION**

- Temperature range: maximum working temperature is 250 °F
- Operating pressure: Water hammer arrestors are engineered for a flowing pressure of up to 60 p.s.i. If the system pressure exceeds 85 p.s.i., a pressure reducing valve should be installed upstream of the arrestor to lower the line pressure.
- Engineered to limit the system surge pressure of 1,500 p.s.i. Tested and certified to the A.S.S.E. 1010 and ANSI A112.26.1M Standards and listed with I.A.P.M.O.

Patent # 6,539,976

MODEL Number	ASSE Rating	FIXTURE UNITS	(A) Height	(B) PIPE SIZE	(C) Wrench flats	LIST PRICE
MWH-A	A	1-11	4 1/2"	1/2"	1 1/8"	\$ 141.00
MWH-B	В	12-30	6 3/4"	3/4"	1 1/8"	\$ 282.00
MWH-C	С	31-60	6 3/4"	1"	1 1/8"	\$ 426.00
MWH-D	D	61-113	10 1/2"	1 1/4"	1 3/4"	\$1069.00
MWH-E	E	114-154	11 1/4"	1 1/2"	2"	\$1277.00
MWH-F	F	155-330	13"	2"	2 1/2"	\$1482.00

WHS **SERIES**

STAINLESS STEEL BELLOWS

WHB SERIES

TYPE WATER HAMMER ARRESTORS



MODEL Number	PDI Rating	FIXTURE Units	PIPE Size	"A" Height	"B" Conn. Size	"C" Diameter	LIST PRICE
WHB-A	Α	1-11	3/4"	3 3/8"	3/4"	3 3/8"	\$ 344.00
WHB-B	В	12-30	1"	4"	1"	3 3/8"	\$ 695.00
WHB-C	C	31-60	1"	4 3/8"	1"	3 3/8"	\$1046.00
WHB-D	D	61-113	1"	5 3/8"	1"	3 3/8"	\$2619.00
WHB-E	Е	114-154	1"	7 1/4"	1"	3 3/8"	\$2957.00
WHB-F	F	155-330	1"	7 1/4"	1"	3 3/8"	\$3634.00

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

274

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









WHS **SERIES**



MODEL Number	"E" Height	WEIGHT (Lbs.)	LIST PRICE Bronze Body	LIST PRICE (Type 304 SS Body)
WHS-1	13"	20	\$ 4219.00	\$ 7996.00
WHS-2	21"	28	\$ 4888.00	\$ 9286.00
WHS-3	29"	36	\$ 5604.00	\$10645.00
WHS-4	37"	44	\$ 6821.00	\$12958.00
WHS-5	45"	52	\$ 7868.00	\$14949.00
WHS-6	53"	60	\$ 8917.00	\$16940.00
WHS-7	61"	68	\$13331.00	\$25325.00
WHS-8	69"	76	\$14718.00	\$27963.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









A1 BODY

FOR: F1000, F1100, F1300, F1320 and F1420 Series floor drains, R1100 Series roof drains, C1000 and C1100 Series cleanouts

PART NO.	DESCRIPTION	PIPE SIZE	CARTON QTY.	CARTON WT. (LBS.)	LIST PRICE	Find this part in A1 BODY
A1-2,3,4NH-7		2", 3", 4"	8/8/8	39/39/39	\$ 67.00	MIFAB literature
	trap seal primer tapping					by this
A1-5,6NH-7	Cast Iron, no hub with ½" NPT	5", 6"	8/8	37/87	\$ 402.00	component icon:
44 0 0 4 00 7	trap seal primer tapping	011 011 411	10/10/0	0/7 5/0 5	e c7.00	8"
A1-2,3,4-30-1		2", 3", 4"	12/10/8	8/7.5/6.5	\$ 67.00	
A1_2 3 /L-31_7	trap seal primer tapping ABS, Socket Weld with ½" NPT	2", 3", 4"	12/10/8	8/7.5/6.5	\$ 67.00	
A1-2,0,4-01-1	trap seal primer tapping	2,0,4	12/10/0	0/1.5/0.5	φ 07.00	
A1-2,3,4P-7		2", 3", 4"	8/8/8	45/45/56	\$ 67.00	
	trap seal primer tapping	_ , , , .	3,3,3	.0, .0, 00	Ų 01.00	A1-2, 3, 4-90-NH
A1-6P-7	Cast Iron, push-on with ½" NPT	6"	4	50	\$ 402.00	A1-2, 0, 4-30-NII
	trap seal primer tapping					
A1-2,3,4T-7		2", 3", 4"	8/8/8	40/40/40	\$ 114.00	
l	trap seal primer tapping	_				(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
A1-5T-7	Cast Iron, threaded with ½" NPT	5"	4	40	\$ 402.00	8"
44 0 0 4V 7	trap seal primer tapping	0" 0" 4"	4/4/4	45/45/05	A 67.00	
A1-2,3,4X-7	Cast Iron, inside caulk with ½" NPT	2", 3", 4"	4/4/4	45/45/35	\$ 67.00	
A1-5X-7	trap seal primer tapping Cast Iron, inside caulk with ½" NPT	5"	4	50	\$ 402.00	A1 No Hub side outlet body
AI-UA-1	trap seal primer tapping	3	7	30	ψ 402.00	
A1-2.3.4-28-7		2". 3". 4"	NA	NA	\$ 734.00	
	trap seal primer tapping	_ , , , ,			+ 1100	
A1-2,3T-90	Cast Iron, threaded side outlet	2", 3"	NA	NA	\$ 199.00	
	Cast Iron, no hub side outlet	2", 3"	NA	NA	\$ 199.00	A1-2, 3, 4T-90
A1-4T-90	Cast Iron, threaded side outlet	4"	NA	NA	\$ 255.00	A1 Threaded Side Outlet body
A1-4-90-NH	Cast Iron, no hub side outlet	4"	NA	NA	\$ 255.00	AT THE GALEGE OLD OUT

	PART No.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
	C1442	"T-cone" style plastic closure plug		\$220.00
		w/ neoprene compression gasket, 2"	.50	
	C1443	"T-cone" style plastic closure plug		\$220.00
		w/ neoprene compression gasket, 3"	.75	
	C1444	"T-cone" style plastic closure plug		\$220.00
		w/ neoprene compression gasket, 4"	1.00	
Γ	Note: fo	or use in No Hub and Plastic Socket o	utlet boo	dies only.



A5 BODY									
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST Price						
A5-2,3,4,6-NH	Cast iron, no hub		\$ 153.00						
A5-2 3 4 6X	connection body Cast iron, inside caulk	.10	\$ 153 00						

connection body



A2 BODY

FOR: F1330C, F1340, F1360, F1430C, F1440, Series Floor Drains, R1200 Series Roof Drains

PART NO.	DESCRIPTION	PIPE SIZE	WEIGHT (LBS.)	LIST PRICE
A2-2,3,4NH-7	Cast Iron, no hub w/ 1/2 NPT trap primer tapping	2", 3", 4"	15.00	\$ 195.00
A2-5,6NH-7	Cast Iron, no hub w/ 1/2 NPT trap primer tapping	5",6"	15.00	\$ 381.00
A2-8NH-7	Cast Iron, no hub w/ 1/2 NPT trap primer tapping	8"	18.00	\$ 565.00
A2-2,3,4-30-7	PVC, Socket Weld w/ 1/2 NPT trap primer tapping	2", 3", 4"	14.00	\$ 195.00
A2-2,3,4-31-7	ABS, Socket Weld w/ ½ NPT trap primer tapping	2", 3", 4"	14.00	\$ 195.00
A2-2,3,4P-7	Cast Iron, push-on w/ ½ NPT trap primer tapping	2", 3", 4"	15.00	\$ 195.00
A2-6P-7	Cast Iron, push-on w/ ½ NPT trap primer tapping	6"	15.00	\$ 565.00
A2-2,3,4T-7	Cast Iron, threaded w/ 1/2 NPT trap primer tapping	2", 3", 4"	15.00	\$ 242.00
A2-5,6T-7	Cast Iron, threaded w/ 1/2 NPT trap primer tapping	5",6"	15.00	\$ 427.00
A2-2,3,4X-7	Cast Iron, inside caulk w/ 1/2 NPT trap primer tapping	2", 3", 4"	15.00	\$ 195.00
A2-5,6X-7	Cast Iron, inside caulk w/ ½ NPT trap primer tapping	5",6"	15.00	\$ 381.00
A2-2,3,4T-90-7	Cast Iron, with threaded side outlet	2", 3", 4"	20.00	\$ 419.00
A2-2,3,4-90-NH-7	Cast Iron, with no hub side outlet	2", 3", 4"	22.00	\$ 419.00
712 2,0, 1 30 HH 7	jouet non, with no hub olde outlet	L, J, T	22.00	Ų 110.00



A3 BODY

List price of A3 body is \$ 453.00



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
POG-2	2" Push-on neoprene gasket for all MIFAB A1, A2, A3, A4 bodies (PVC + Cl. pipe)	.75	\$ 18.00
POG-3	3" Push-on neoprene gasket for all MIFAB A1, A2, A3, A4 bodies (PVC + Cl. pipe)	1.00	\$ 18.00
POG-4	4" Push-on neoprene gasket for all MIFAB A1, A2, A3, A4 bodies (PVC + Cl. pipe)	1.25	\$ 18.00
POG-6	6" Push-on neoprene gasket for all MIFAB A1, A2, A3, A4 bodies (Cl. pipe) (Black color)	1.75	\$ 35.00
POG-6-PVC	6" Push-on neoprene gasket for all MIFAB A1, A2, A3, A4 bodies (PVC pipe only) (White color)	1.75	\$ 35.00

POG "PUSH ON GASKET"

Note: Push on gasket fits all plastic schedule 40 & service weight cast iron pipe.
For 6" push on gasket,
specify POG-6 or POG-6-PVC for either C.I. or PVC pipe. Add Suffix - PVC to model number when PVC gasket is required.



Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P276





PARTS PARTS

A4 BODY PART NO.	DESCRIPTION	PIPE SIZE	CARTON QTY.	CARTON WT. LBS.	LIST PRICE	
A4-2,3,4NH-7 A4-2,3,4-30-7 A4-2,3,4-31-7 A4-2,3,4P-7 A4-34B A4-34P	Cast Iron, no hub with trap seal primer tapping PVC Socket Weld with trap seal primer tapping ABS Socket Weld with trap seal primer tapping Cast Iron, push-on with trap seal primer tapping Threaded bronze tapered closure plug fits all A4 bodies Threaded plastic tapered closure plug fits all A4 bodies	2", 3", 4" 2", 3", 4" 2", 3", 4" 2", 3", 4"	9 27(2")/18(3",4") 27(2")/18(3",4") 9	20.00 22/16/17 22/16/17 43.00 N/A	\$ 67.00 \$ 67.00 \$ 67.00 \$ 67.00 \$ 117.00	



A7 BODY	A7 BODY for R1260 SERIES ROOF DRAINS			
PART NO.	DESCRIPTION	PIPE SIZE	WEIGHT (Lbs.)	LIST PRICE
A7-8X A7-10NH A7-12NH	Cast iron, inside caulk with Cast iron, no hub with Cast iron, no hub with	8" 10" 12"	25.00 24.00 21.00	\$ 886.00 \$ 886.00 \$1121.00



Find this part in MIFAB literature by this component icon



CLAMPS			
PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A1-C1	Low rough-in membrane clamp used where top assembly threads into body	1.50	\$ 50.00
A1-C1-3	Low rough-in 304-SS membrane clamp	1.50	\$332.00



Find this part in MIFAB literature by this component icon



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A1-C2	High rough-in membrane clamp for all 8" diameter A1 bodies to receive threaded top assemblies	2.50	\$50.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A1-C3	Membrane clamp and dome receiver w/ integral gravel stop adjustable extension ring and/or underdeck clamp for all drains using A1 bodies.	2.00	\$90.00
A1-C3-C0	A1-C3 with cutaway side	1.75	\$90.00



Find this part in MIFAB literature by this component icon:



Contact MIFAB for correct underdeck clamp to work with A1-4X and a all 5" and 6" outlet A1 bodies. Part number A1-C3-4PU

INCLUDES HS-2 HARDWARE PACK AT NO CHARGE

INCLUDES HS-1 HARDWARE PACK AT NO CHARGE





Find this part in MIFAB literature by this component icon



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A2-C3	Membrane clamp and dome receiver w/ integral gravel stop. Adjustable extension ring and or underdeck clamp for all drains using A2 bodies	6.75	\$146.00



Find this part in MIFAB literature by this component icon:



INCLUDES HS-2 HARDWARE PACK AT NO CHARGE

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A2-C3-C0	Underdeck Clamp with cut-out to install around existing roof drain piping and A2-90 side outlet bodies	5.75	\$146.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A2-C3-W	Membrane clamp and dome receiver threaded for 4" standpipe w/integral gravel stop	9.50	\$298.00
A2-C3-W6	As above, threaded for 6" standpipe	8.00	\$377.00



Find this part in MIFAB literature by this component icon



INCLUDES HS-2 HARDWAR	RE PACK AT NO CHARGE

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A2-WD	Membrane clamp and dome receiver w/integral 2" water dam for all drains using A2 bodies	10.00	\$287.00



Find this part in MIFAB literature by this component icon:



INCLUDES HS-2 HARDWARE PACK AT NO CHARGE

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







CLAMPS HARDWARE PARTS

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A368-DC	Deck Clamp and extension ring for all drains using A2-8NH bodies	6.25	\$146.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A7-C3	Membrane Clamp and dome receiver w/ integral gravel stop for all drains using A7 bodies	7.50	\$146.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A7-UDC-10	Underdeck Clamp and/or adjustable extension ring for R1261 10" no hub outlet large capacity roof drain	8.50	\$146.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A7-UDC-12	Underdeck Clamp and/or adjustable extension ring for R1262 12" no hub outlet large capacity roof drain	10.00	\$146.00

DESCRIPTION

Universal Membrane Clamp Bolts directly onto all MIFAB A2 bodies and roof

drains from the following manufacturers: Josam,

J. R. Smith, Wade, Watts & Zurn



Find this part in MIFAB literature by this component icon:

INCLUDES HS-8 HARDWARE PACK AT NO CHARGE!

INCLUDES HS-8 HARDWARE PACK AT NO CHARGE!



CE			

LIST PRI

\$179.00

\$14.50

\$90.00

\$207.00

.75

5.00

7.50

WEIGHT (LBS.)

8.75



INCLUDES HS-9 HARDWARE PACK AT NO CHARGE!

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
HS-1	3 hex head cap screws for assembling membrane clamps to floor and roof drains (5/16" x 7/8")	.20	\$6.00
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
HS-2	Set of 3 studs, washers and nuts for use		



Find this part in MIFAB literature by this component icon:

THE STATE OF THE S	THIII O	annin.	
	HS-	2	
60 60	60	en en	

000

HS-2	Set of 3 studs, washers and nuts for use with A2-SR siphonic roof drains (5/16" x 2-3/4")	.75	\$9.00
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
HS-3	Set of 3 studs, 9 washers and nuts for assembling deck clamps	1.50	\$16.50



Find this part in MIFAB literature by this component icon:

Find this part in MIFAB literature by this component icon

670	670	670
-	0	6
		1
		1

HS-3

	(-U) and/or extensions (-E)(5/16" x 10")		
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
HS-4	Set of 3 hex head bolts for assembling (A2-V2) fixed extension to A2 body (5/16" x 2")	.50	\$11.00
HS-5	Set of 3 hex head bolts for assembling (A2-V3)	.00	Ψ11.00





PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
HS-6	Set of 3 hex head bolts for assembling		
	A2-V4 fixed extension to A2 body (5/16" x 4")	1.25	\$15.50
HS-10	Set of 3 hex head bolts for assembling		
	A7-V2 fixed extension to A7 body.	.50	\$11.00
HS-11	Set of 3 hex head bolts for assembling		
	A7-V3 fixed extension to A7 body.	.75	\$14.50
HS-12	Set of 3 hex head bolts for assembling		
	A7-V4 fixed extension to A7 body.	1.25	\$15.50
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE





HS-6	

A5-WD

A5 BODY

2" water dam for all drains using A5 bodies. Design and dimensions are subject to modification. Prices do not include applicable taxes.

fixed extension to A2 body (5/16" x 3")

Visit www.mifab.com for the most recent product information.

A5-C3

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Membrane clamp and dome receiver w/ integral gravel stop. Adjustable extension ring and/or

underdeck clamp for all drains using A5 bodies.

Membrane clamp and dome receiver w/ integral

Toll Free 1-800-465-2736, Fax 773-341-3049

PARTS

PART NO.

R1810

P278

A5-C3

A5-WD





PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	9 6	9 6			0000
HS-7 HS-8	Set of 4 studs, washers and nuts for assembling A7-C3 membrane clamp to top of A7 body (5/16" x 2-3/4") Set of 4 studs, 12 washers and nuts for assembling deck clamps (. 50 -U)	\$11.50		To the same of the			
	and/or extensions (-E) to the underside of the A7 b(60/316" x 10")	1.00	\$17.50		HS-7			HS-8
PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE			0	9 9	
HS-9	Set of 4 studs, nuts & washers for the R1810 universal membrane clamp when retrofitting to Zurn, Smith, Wade, Josam roof drains* (3/8" x 2-3/4") * Use HS-2 for Watts or when installing on MIFAB R1200 Series Roof Drains (5/16" x 2-3/4")	.50	\$130 0					HS-9
PART NO.	DESCRIPTION						WEIGHT (Lbs.)	LIST PRICE
HS-20	Set of 3 brackets and hardware for assembling the A2-BP bearing p	oan to the un	derside of the A	2 body (5/16" >	x 3/4")	.50	\$8.50

EXTENSIONS

(Shipped Standard with all A2-BP)

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	5" ▼ Find this part in DD-50
DD-50	Cast iron extension for all floor drains with adjustable top assemblies which thread into A1 bodies	2.25	\$84.00	1" MIFAB literature 2" by this component icon:
PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	Find this part in A2-V(*)
				Find this part in AZ-V(*)

						(*) DENO	OTES EXTENSION	N HEIGHT (IN
P	PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE		T	Find this part in	A2-XY
	A2-XY	Cast iron adjustable extension for all drains	15.00	\$146.00		7"	MIFAB literature	
	A2-H	using A2 bodies. Extension range is from 3 3/4" to 5 5/8". Cast iron adjustable extension for all drains using A2 bodies. Extension range is from 3 3/4" to 5 5/8".	15.00	\$476.00	A2-H		by this component icon:	

SPACERS

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	The SPR spacer ring can be used to adjust the height of	1 1 1
SPR-5-1 SPR-5-3 SPR-6-1 SPR-6-3	5" Dia. x 3/8" Nickel Bronze 5" Dia. x 3/8" Stainless Steel 6" Dia. x 3/8" Nickel Bronze 6" Dia. x 3/8" Stainless Steel	.75 .75 1.00 1.00	\$180.00 \$180.00 \$180.00 \$180.00	the strainer to match any discrepancies in finished floor grade. Any number of rings can be aded together. Each ring adds 3/8" of height	
	Note: See page 47 for hardware required				

STANDARD REINFORCED ROUND STRAINER (NICKEL BRONZE OR STAINLESS STEEL)

		•		0	
				See page 46 & 47 for the complete	range of strainer variations and materials
PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE		Find this part in (*)-1 or 3
4-1	4" Dia. NB	1.00	\$173.00		MIFAB literature
5-(1,3)	5" Dia. NB or SS*	1.25	\$173.00	211110112	by this
6-(1,3)	6" Dia. NB or SS*	1.75	\$238.00		component icon:
7-(1,3)	7" Dia. NB or SS*	2.50	\$293.00		4
8-(1,3)	8" Dia. NB or SS*	4.00	\$399.00		
10-(1,3)	10" Dia. NB or SS*	8.50	\$590.00		

* Heavy Duty Load Rated Stainless Steel at the same price as light duty nickel bronze!

(*) DENOTES STRAINER DIAMETER

STANDARD REINFORCED SQUARE STRAINER (NICKEL BRONZE OR STAINLESS STEEL)

				See page 46 & 47 for the complete	range of strainer variations and materials
PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE		Find this port in S(*)-1 or 3
S5-(1,3)	5" x 5" NB or SS*	2.00	\$269.00		Find this part in MIFAB literature
S6-(1,3)	6" x 6" NB or SS*	3.00	\$315.00		by this
S8-(1,3)	8" x 8" NB or SS*	7.00	\$511.00		component icon:
\$10-(1,3)	10" x 10" NB or SS*	12.00	\$891.00		

* Heavy Duty Load Rated Stainless Steel at the same price as light duty nickel bronze!

(*) DENOTES STRAINER SIZE

DUCTILE IRON, ROUND, HEAVY DUTY STRAINER

					See page 46 & 47 for the complete	e range of strainer variations and mat
PART NO.		DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE		Find this part in X5-4
X5-4	5" Dia. Ductile Iron		2.00	\$ 140.00	(140.77.00))	MIFAB literature
						by this
						component icon:

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



P279



EF 4" ROUND FUNNEL STRAINER

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
EF-(1,3)	4" Round funnel strainer in NB or SS	3.25	\$429.00
EF-50	4" Round funnel strainer in Cast Iron	3.50	\$247.00



Find this part in MIFAB literature by this component icon



F FUNNELS ONLY

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE			
F4-(1,3)	4" Round NB or SS funnel only	1.50	\$256.00			
F4-50	4" Round cast iron funnel only	1.75	\$107.00			
NOTE: Includes	1 of H-1083 1/4-20 x 3/4 Hex head can screw to assem	ble funnel to strainer	and H-1081 Washer			



Find this part in MIFAB literature by this component icon:



EG 4" x 9" ELONGATED FUNNEL STRAINER

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
EG-(1,3) EG-50	9" Oval funnel strainer in NB or SS 9" Oval funnel strainer in Cast Iron	4.25 5.25	\$704.00 \$396.00



Find this part in MIFAB literature by this component icon



G FUNNELS ONLY

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
G-(1,3)	9" NB or SS oval funnel only	2.50	\$531.00
G-50	9" Cast Iron oval funnel only	3.50	\$256.00



Find this part in MIFAB literature by this component icon:



NOTE: Includes 1 of H-1083 1/4-20 x 3/4 Hex head cap screw to assemble funnel to strainer and H-1081 Washer

STAINLESS STEEL DOME FOR OVERFLOW AND PLANTING AREA DRAINS					
PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE		
F1830-PD-3	Cast Type 304 Stainless steel dome	2.50	\$738.00		



(F1830-PD-3)

\$17.50

REPLACEMENT STRAINER GRATES, SECURING HARDWARE & SPECIAL TOOLS

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
4PG-1	4" Dia. NB Grate with securing screws	.35	\$132.00
5PG-(1,3)	5" Dia. NB or SS Grate with securing screws	.50	\$134.00
5PG-4	5" Dia. Ductile Iron Grate with securing screws	.75	\$102.00
6PG-(1,3)	6" Dia. NB or SS Grate with securing screws	.75	\$180.00
7PG-(1,3)	7" Dia. NB or SS Grate with securing screws	1.00	\$223.00
8PG-(1,3)	8" Dia. NB or SS Grate with securing screws	1.50	\$300.00
10PG-(1,3)	10" Dia. NB or SS Grate with securing screws	1.90	\$443.00
S5PG-(1,3)	5" Sq. NB or SS Grate with securing screws	.75	\$207.00
S6PG-(1,3)	6" Sq. NB or SS Grate with securing screws	1.00	\$241.00
S8PG-(1,3)	8" Sq. NB or SS Grate with securing screws	1.75	\$386.00
S10PG-(1,3)	10" Sq. NB or SS Grate with securing screws	2.25	\$657.00
X5PG-1	5" Dia. 1/2" thick NB Grate with securing screws	.75	\$227.00
X6PG-1	6" Dia. 1/2" thick NB Grate with securing screws	1.00	\$276.00
X8PG-1	8" Dia. 1/2" thick NB Grate with securing screws	2.00	\$396.00

5" Sq. 1/2" thick NB Grate with securing screws

6" Sq. 1/2" thick NB Grate with securing screws

8" Sq. 1/2" thick NB Grate with securing screws

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
H-1010	Standard SS Allen Head screws (3)	.10	\$ 14.00
H-1039A	(10-24 x 3/8" SS flat allen key) SS Vandal Proof screws (3) (TR25 Torx and Pin, 10-24 x 3/8")	.10	\$ 33.00
H-1032A	SS Veneer securing screws (4)	.10	\$ 35.00
H-1083	("snake eyes", 10-24 x 3/8") Adj. top assembly & extension set screws (3) for A2 body (1/4-20 x 3/4" Hex head cap screw)	.10	\$ 14.00
H-1033	Snake eye screw tool	1.00	\$71.00
H-1032	(TR25 Torx and Pin) Tamper proof Torx Screw driv		\$71.00
H-1042	"T" Strainer cover removal tool	1.00	\$84.00
NOTE ON REPLACEMENT GRATE FINISHES: add to the I			LIST PRICE
SUFFIX	DESCRIPTION	of replace	ment grate
-2	Polished Brass		\$17.50

Polished Chrome Plated NB

STRAINER HARDWARE

GRATE DIMENSIONS

XS8PG-1

PART NO.	GRATE DIMENSION
4PG-1	3.86" DIA
5PG-(1,3)	4.86" DIA
5PG-4	4.86" DIA
6PG-(1,3)	5.42" DIA
7PG-(1,3)	6.61" DIA
8PG-(1,3)	7.13" DIA
10PG-(1,3)	9.72" DIA
S5PG-(1,3)	4.50" SQ
S6PG-(1,3)	5.47" SQ
S8PG-(1,3)	7.44" SQ
S10PG-(1,3)	9.15" SQ

PART NO.	GRATE DIMENSION
X5-PG-1	4.86" DIA
X6-PG-1	5.42" DIA
X8-PG-1	7.13" DIA
XS5-PG-1	4.50" SQ
XS6-PG-1	5.47" SQ
XS8-PG-1	7.44" SQ

\$256.00

\$315.00

-49

1.00

1.50

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

T-11 Fire and 200 405 0700 Fire 770 044

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

280

PARTS

-

 \oplus





PARTS PARTS

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
F1300-TA-(1,3)	7" round NB or SS top assembly	8.50	\$388.00
F1300-TA-4	7" round ductile iron top assembly	7.00	\$209.00
F1300-PG-(1,3)	7" round NB or SS Grate Only	4.50	\$293.00
F1300-PG-4	7" round ductile iron Grate Only (6.42" DIA)	3.00	\$156.00



Find this part in MIFAB literature by this component icon:



(*) DENOTES TOP ASSEMBLY FINISH

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
F1320-TA-(1,3) F1320-TA-4 F1320-PG-(1,3) F1320-PG-4 F1320-TA-4-Z	9" round ductile iron top assembly	12.00 10.50 6.50 5.00 15.00	\$627.00 \$288.00 \$471.00 \$217.00 \$554.00



Find this part in MIFAB literature by this component icon:



(*) DENOTES TOP ASSEMBLY FINISH

11020 17. 72	o round adollo from top accombly with 2 hange	10.00	ψ 00-1.00
PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
F1340-TA-(1,3) F1340-TA-4 F1340-PG-(1,3) F1340-PG-4	12" round ductile iron top assembly	28.00 26.00 16.00 14.00	\$1029.00 \$ 574.00 \$ 772.00 \$ 432.00



Find this part in MIFAB literature by this component icon



(*) DENOTES TOP ASSEMBLY FINISH

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
F1360-TA-(1,3)	15" round ductile iron top assembly	41.00	\$2255.00
F1360-TA-4		38.00	\$1261.00
F1360-PG-(1,3)		23.00	\$1693.00
F1360-PG-4		20.00	\$ 945.00



Find this part in MIFAB literature by this component icon:



(*) DENOTES TOP ASSEMBLY FINISH

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
F1420-TA-(1,3)	8" Sq. DI top assembly w/NB or SS Veneer	10.00	\$860.00
F1420-TA-4	8" Sq. ductile iron top assembly	8.50	\$519.00
F1420-PG-(1,3)	8" Sq. DI Grate Only w/NB or SS Veneer	5.00	\$647.00
F1420-PG-4	8" Sq. ductile iron Grate Only (7.09" SQ)	3.50	\$391.00



Find this part in MIFAB literature by this component icon:



(*) DENOTES TOP ASSEMBLY FINISH

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
F1440-TA-(1,3)	12" Sq. ductile iron top assembly	37.50	\$1231.00
F1440-TA-4		35.50	\$ 706.00
F1440-PG-(1,3)		21.00	\$ 923.00
F1440-PG-4		19.00	\$ 530.00



Find this part in MIFAB literature by this component icon



(*) DENOTES TOP ASSEMBLY FINISH

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
F1460-TA-(1,3)	15" Sq. DI top assembly w/NB or SS Veneer	54.00	\$ 2381.00
F1460-TA-4	15" Sq. ductile iron top assembly	51.00	\$ 1283.00
F1460-PG-(1,3)	15" Sq. DI Grate Only w/NB or SS Veneer	30.50	\$ 1784.00
F1460-PG-4	15" Sq. ductile iron Grate Only (15.00" SQ)	27.50	\$ 962.00



Find this part in MIFAB literature by this component icon:



(*) DENOTES TOP ASSEMBLY FINISH

SEDIMENT BUCKETS

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A1-PB	Plastic Sediment Bucket for all F1100 Series Floor Drains	.10	\$ 65.00
A1-MB	Cast iron Sediment Bucket for F1300, F1320, F1330C, F1420 and F1430C top assemblies	1.50	\$ 84.00
A1-MB-83	Cast iron Sediment Bucket for F1300, F1320, F1330C, F1420 and F1430C top assemblies with	1.75	\$221.00
A1-SSB	stainless steel mesh screen Stainless Steel Sediment Bucket for all F1100 Series Floor Drains	.75	\$312.00



Find this part in MIFAB literature by this component icon:









(*) DENOTES BUCKET MATERIAL

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
A2-MB	Cast Iron Sediment Bucket for all area drain	4.00	\$124.00
	top assemblies that fit the A2 Body*		
	*Except "TFB" area drains, see below		
A2-MB-83	Cast Iron Sediment Bucket w/SS mesh screen	4.50	\$398.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	LIST PRICE
F1320-TA-4-TFB		\$ 298.00
	9" Dia. true fit area drain. (-1, -3) (8.07" DIA)	\$ 604.00
F1340-TA-4-TFB	Top assembly for F1340-TFB	\$ 717.00
	12" Dia. true fit area drain. (-1, -3) (11.94" DIA)	\$1156.00
F1360-TA-4-TFB	Top assembly for F1360-TFB	\$3026.00
	16" Dia. true fit area drain. (-3 only) (14.96" DIA)	\$4906.00



DESCRIPTION Cast Iron Sediment Bucket for F1320-TFB Cast Iron Sediment Bucket for F1340-TFB Cast Iron Sediment Bucket for F1360-TFB

LIST PRICE \$134.00 \$179.00

\$358.00

F1320-TFB-MB

Design and dimensions are subject to modification. Prices do not include applicable taxes. MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information.







PA	ART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1	1500-PG 1500-PG-150 1500-PG-175	8" x 8" A.R.E. coated cast iron floor sink full grate (7.68" SQ) 8" x 8" A.R.E. coated cast iron floor sink half grate (7.68" SQ) 8" x 8" A.R.E. coated cast iron floor sink three quarter grate *Grate size is nominal to fit body (7.68" SQ)		\$ 117.00 \$ 117.00 \$ 117.00

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	(-PG) grate only	(-PF) frame only
FS1500-TA-(1,3)	8" x 8" NB or SS floor sink full frame & grate* (8.09" SQ)	4.75	\$376.00	\$183.00	\$193.00
FS1500-TA-150-(1,3)	8" x 8" NB or SS floor sink full frame & half grate* (8.09" SQ)	4.00	\$376.00	\$183.00	\$193.00
FS1500-TA-175-(1,3)	8" x 8" NB or SS full frame & three quarter grate* (8.09" SQ)	3.75	\$376.00	\$183.00	\$193.00
	*Add \$211.00 for -9 Hinged grate to above prices in NB or SS				
	*Grate size is nominal to fit body				



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1530-PG FS1530-PG-150 FS1530-PG-175	4" x 8" A.R.E. coated cast iron floor sink full grate (6.9" x 2.86") 4" x 8" A.R.E. coated cast iron floor sink half grate (6.9" x 2.86") 4" x 8" A.R.E. coated cast iron floor sink three quarter grate *Grate size is nominal to fit body (6.9" x 2.86")		\$ 90.00 \$ 90.00 \$ 90.00



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	(-PG) grate only	(-PF) frame only
FS1530-TA-150-(1,3)	4" x 8" NB or SS floor sink full frame & grate* (3.56" x 7.44") 4" x 8" NB or SS floor sink full frame & half grate* (3.56" x 7.44") 4" x 8" NB or SS full frame & three quarter grate* (3.56" x 7.44") *Grate size is nominal to fit body	3.50 3.00 2.75	\$288.00 \$288.00 \$288.00	\$183.00 \$183.00 \$183.00	\$105.00



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1700-PG	12" x 12" A.R.E. coated cast iron floor sink full grate (9.31" SQ)	6.75	\$ 138.00
FS1700-PG-150	12" x 12" A.R.E. coated cast iron floor sink half grate (9.31" SQ)	5.50	\$ 138.00
FS1700-PG-175	12" x 12" A.R.E. coated cast iron floor sink	6.25	\$ 138.00
	three quarter grate (9.31" SQ)		
	*Grate size is nominal to fit body		



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	(-PG) grate only	(-PF) frame only
FS1700-TA-(1,3)	12" x 12" NB or SS floor sink full frame & grate* (11.86" SQ)	8.50	\$594.00	\$416.00	\$178.00
FS1700-TA-150-(1,3)	12" x 12" NB or SS floor sink full frame & half grate* (11.86" SQ)	6.75	\$594.00	\$416.00	\$178.00
	12" x 12" NB or SS full frame & three quarter grate* (11.86" SQ)		\$594.00	\$416.00	\$178.00
	* Add \$211.00 for -9 Hinged grate to above prices in NB or SS	;			
	*Grate size is nominal to fit body				



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1750-PG	8" Round A.R.E. coated cast iron floor sink full grate (6.98" DIA)	2.75	\$ 117.00
FS1750-PG-150	8" Round A.R.E. coated cast iron floor sink half grate (6.98" DIA)	2.25	\$ 117.00
FS1750-PG-175	8" Round A.R.E. coated cast iron floor sink	2.50	\$ 117.00
	three quarter grate (6.98" DIA)		
	*Grate size is nominal to fit body		



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	(-PG) grate only	(-PF) frame only
FS1750-TA-150-(1,3)	8" Round NB or SS floor sink full frame & grate* (7.70" D 8" Round NB or SS floor sink full frame & half gra@*70" DIA) 8" Round NB or SS full frame & three quarter grate* (7.70" D * Add \$211.00 for -9 Hinged grate to above prices in NB of	3.75 A) 4.25	\$392.00 \$392.00 \$392.00	\$275.00	\$117.00
	*Grate size is nominal to fit body				



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1760-PG	12" Round A.R.E. coated cast iron floor sink full grate (10.37" DIA)	6.50	\$161.00
FS1760-PG-150	12" Round A.R.E. coated cast iron floor sink half grate (10.37" DIA)	5.25	\$161.00
FS1760-PG-175	12" Round A.R.E. coated cast iron floor sink	5.75	\$161.00
	three quarter grate (10.37" DIA)		
	*Grate size is nominal to fit body		



	-				
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	(-PG) grate only	(-PF) frame only
FS1760-TA-(1,3)	12" Round NB or SS floor sink full frame & grate* (12.10" DIA)	8.00	\$766.00	\$536.00	\$230.00
FS1760-TA-150-(1,3)	12" Round NB or SS floor sink full frame & half grate* (12.10" DIA	6.50	\$766.00	\$536.00	\$230.00
FS1760-TA-175-(1,3)	12" Round NB or SS full frame & three quarter grate*(12.10" DIA)	7.75	\$766.00	\$536.00	\$230.00
	* Add\$211.00 for -9 Hinged grate to above prices in NB or SS				
	*Grate size is nominal to fit hody				



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1500-PD FS1500-PD-3	Aluminum Dome Strainer (for all cast iron floor sinks) Stainless Steel Dome Strainer (for all SS floor sinks)	.50 1.25	\$ 35.00 \$249.00
FD-9602 FD-9603	2" Stainless Steel Snap in Secondary Strainer 3" Stainless Steel Snap in Secondary Strainer	.10 .15	\$ 36.00 \$ 36.00
FD-9604	4" Stainless Steel Snan in Secondary Strainer	25	\$ 36 00





Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

PARTS








A.R.E. COATED CAST IRON FLOOR SINK BODIES

Floor sink body list prices are with the standard No Hub outlet connection. See outlet optional variations below floor sink body listing for prices and suffixes.



NOTE: Transition floor sink bodies are available at the same price as the standard floor sink body pricing above. Transition floor sink bodies use the A3-PG gasket and the appropriate A1 body to attain the outlet connection size and type required. See the floor sink section of the www.mifab.com website for specification sheets on MIFAB's transition floor sink bodies. See page 96 for transition floor sink body heights.

STAINLESS STEEL (TYPE 304) FLOOR SINK BODIES

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1922,3,4-FL-PB	12" x 12" x 6" deep floor sink body, w/anchor flange, 2", 3",4" no hub conn.	17.00	\$2025.00
FS1932,3,4-FL-PB	12" x 12" x 8" deep floor sink body, w/anchor flange, 2", 3",4" no hub conn.	19.00	\$2130.00
FS1942,3,4-FL-PB	12" x 12" x 10" deep floor sink body, w/anchor flange, 2", 3", 4" no hub conn.	21.00	\$2327.00

OUTLET OPTIONAL VARIATIONS (for cast iron and stainless steel bodies)

OUTLET CONNECTION	(SUFFIX) add after outlet size	WEIGHT (LBS.)	add to No Hu	b LIST PRICE
Push on outlet (2", 3", 4")	P	1.00	No Add	
Threaded outlet (2", 3", 4")	T	1.00	\$47.00	
Inside caulk outlet (2", 3", 4")	X	1.50	No Add	FD-9600 Series \$ 36.00
PVC socket outlet w/A.R.E. body	-30	-	No Add	Stainless steel
ABS socket outlet w/A.R.E. body	-31	-	No Add	secondary strainer (2", 3"or 4")


PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
FS1500-PB-3	S.S Sediment Bucket for 8" x 8" floor sinks	2.00	\$261.00
FS1700-PB-3	S.S Sediment Bucket for 12" x 12" floor sinks	4.00	\$362.00
FS1750-PB-3	S.S Sediment Bucket for 8" round floor sinks	2.00	\$327.00
FS1760-PB-3	S.S Sediment Bucket for 12" round floor sinks	4.00	\$286.00
* Add for S.S. mes	sh screen over bucket (Suffix -83) and \$286.00 to all the above S.S. sediment	buckets. Combine	ed suffix is -69-83.



To specify a stainless steel sediment bucket, add **suffix-69** to the floor sink model number.

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE		
FS1500-PB FS1700-PB FS1750-PB	Plastic Sediment Bucket for 8" x 8" floor sinks Plastic Sediment Bucket for 12" x 12" floor sinks Plastic Sediment Bucket for 8" round floor sinks	1.00 1.50 1.00	\$ 120.00 \$ 193.00 \$ 138.00		
FS1760-PB	Plastic Sediment Bucket for 12" round floor sinks The -5 suffix is for the standard plastic sediment bucket.	1.50	\$ 193.00	FS1750-PB	FS1500-PB

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	
FS1500-PC	Membrane clamps (2) for 8" x 8" floor sinks w/ 6 H-1083 screws	4.00	\$ 94.00] [-
FS1700-PCS &	Short and long membrane clamps (2 each)			
FS1700-PCL	for 12" x 12" floor sinks w 8 H-1083 screws	6.00	\$ 120.00	
FS1750-PC	Membrane clamps (2) for 8" round floor sinks w/ 4 H-1083 screws	5.00	\$ 112.00	
FS1760-PC	Membrane clamps (2) for 12" round floor sinks w/ 4 H-1083 screw	rs 8.00	\$ 111.00	
FS1900-PCS	Short and long membrane clamps (2 each) for 12" x 12"	6.00	\$ 120.00	
& FS1900-PCL	stainless steel floor sinks w 8 H-1083 screws			
	$H-1083 = 1/4-20 \times 3/4$ " hex head plated cap screws			



Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

283









ROOF DRAIN PARTS

PART NO.

R1150-BP

A1-BP-90

A1-BP

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
W-31	4" Dia. x 5" high ABS solid standpipe for R1200-W 4" Dia. x 5" perforated standpipe for F1830-P, PL 6" Dia. x 5" high ABS solid standpipe for R1200-W6	1.00	\$ 102.00
W-31-PERF		.80	\$ 147.00
W6-31		1.50	\$ 147.00



Find this part in MIFAB literature by this component icon



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A2-BG	R1200-G, 6" high S.S. ballast gaurd	3.00	\$ 476.00
A2-BG8	R1200-G, 8" high S.S. ballast gaurd	4.00	\$ 538.00
A5-BG	R1200-G, 5" high S.S. ballast guard	3.50	\$ 380.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A1-PD	Poly dome (R1100 Series)	.75	\$ 165.00
A1-MD	Metal dome (R1100 Series)	1.00	\$ 165.00
A1-MD-81	Bronze dome (R1100 Series)	1.50	\$ 365.00
A1-SSD	SS Mesh over metal dome (R1100 Series)	1.25	\$ 362.00

DESCRIPTION

Loose Set Sump Receiver for R1150 (12" x 24")

Sump receiver for R1100 Series side outlet roof drains

Sump Receiver (12" x 12")

combination Roof Drain.







\$ 365.00 \$ 362.00	
LIST PRICE	
\$ 156.00	/
\$ 281.00	

\$ 277.00

2.25

5.20







PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A1-BG	6" high SS ballast guard	2.00	\$281.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A1-F1	One slot weir for R1100 Series (5 GPM Max)	3.25	\$ 261.00
A1-F2	Two slot weir for R1100 Series (10 GPM Max)	3.15	\$ 261.00
A1-F3	Three slot weir for R1100 Series (15 GPM Max)	3.00	\$ 261.00



Find this part in MIFAB literature by this component icon:



	INCLUDES HS-2 HARDWARE PACK AT NO CHARGE!		
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A1-C3	Membrane Clamp and dome receiver w/ integral gravel stop, adjustable extension ring and/or underdeck clamp	2.00	\$ 90.00
A1-C3-C0	for all drains using A1 bodies Underdeck clamp with cut out to install around A1-2T-90	1.75	\$ 90.00



Find this part in MIFAB literature by this component icon:



* Use **HS-20** hardware pack for A1-4T-90 side outlet bodies for underdeck clamp.

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A1-WD	Membrane Clamp and and dome receiver w/ integral water dam for all 8" diameter A1 bodies INCLUDES HS-2 HARDWARE PACK AT NO CHARGE!	3.50	\$ 117 .00



Find this part in MIFAB literature by this component icon



PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A2-PD	Poly dome (R1200 Series) Cast Iron Dome (R1200 Series) Low Profile Aluminum dome (R1200 Series) Low Profile Bronze dome (R1200 Series) SS Mesh over A2-MDL-80 (R1200 Series) Cast Iron Dome (R1220 Series)	1.75	\$ 87.00
A2-MD		9.00	\$ 216.00
A2-MDL-80		5.75	\$ 237.00
A2-MDL-81		8.00	\$ 717.00
A2-SSD		6.50	\$ 518.00
A5-MD		7.00	\$ 142.00



Find this part in MIFAB literature by this component icon







PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A2-BP	Sump receiver (R1200 Series)(24" x 24")	6.50	\$ 164.00
A2-BP-90	Bearing pan for R1200-90 seriès (24" x 24")	6.00	\$ 329.00
A7-BP	Bearing pan for R1260 series Roof Drains	7.00	\$ 329.00
R1270-BP	Bearing pan for large combination Roof Drain	14.00	\$ 455.00
A5-BP	Bearing pan for R1220 series (24" x 24")	5.00	\$ 156.00
ALLE	READING DANG MADE FROM CALVANIZED 10 CALICE	CTEEL /I	NOT LIDES HE 3






(A2-BP)

(INCLUDES HS-20 HARDWARE PACK TO BOLT A2 BODY TO SUMP RECEIVER)

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
A2-F1	One slot weir for R1200 Series (5 GPM Max.)	7.25	\$ 745.00
A2-F2	Two slot weir for R1200 Series (10 GPM Max.)	7.35	\$ 745.00
A2-F3	Three slot weir for R1200 Series (15 GPM Max.)	7.00	\$ 745.00



Find this part in MIFAB literature by this component icon:



Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







CLEANOUT PARTS

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
R-1	5" Round N.B. combined cover/plug	3.50	\$469.00
R-3	5" Round heavy duty S.S. combined cover/plug	3.50	\$469.00



Find this part in MIFAB literature by this component icon:



(*) DENOTES COVER FINISH

PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
RC-1	5" Round N.B. combined cover/plug with carpet marker	3.60	\$516.00
H-1019	Stainless Steel marker disc with screw (2" Dia.)	.10	\$ 47.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
RFC7-1,3	7" Round N.B. or S.S. combined cover/plug with finished floor level clamping flange (for Pirelli® type floor coverings)	6.00	\$486.00
RFC9-1,3		8.00	\$643.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
S-1	5" Square N.B. combined cover/plug 5" Square S.S. combined cover/plug 6" Square N.B. combined cover/plug 6" Square S.S. combined cover/plug	5.50	\$469.00
S-3		5.50	\$469.00
6S-1		7.50	\$580.00
6S-3		7.50	\$580.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
T-1 T-3	5" Round nickel bronze combined cover/plug with tile recess 5" Round stainless steel combined cover/plug with tile recess	3.75 3.75	\$469.00 \$469.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	_
TS-1 TS-3	5" Square nickel bronze combined cover/plug with tile recess 5" Square stainless steel combined cover/plug with tile recess	5.00 5.00	\$469.00 \$469.00	



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
	5" Round nickel bronze combined cover/plug with terrazzo reces 5" Round stainless steel combined cover/plug with terrazzo reces		\$682.00 \$682.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	
US-1 US-3	5" Square nickel bronze combined cover/plug with terrazzo reces 5" Square stainless steel combined cover/plug with terrazzo rece	s 8.00 ss 9.00	\$682.00 \$682.00	




Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
XR-1	5" Round heavy duty nickel bronze combined cover/plug	4.00	\$564.00
XR-4	5" Round heavy duty ductile iron combined cover/plug	5.00	\$354.00



Find this part in MIFAB literature by this component icon:



PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE	
XS-1 XS-3	5" Square heavy duty N.B. combined cover/plug 5" Square heavy duty S.S. combined cover/plug	6.00 6.00	\$564.00 \$564.00	



Find this part in MIFAB literature by this component icon:



(*) DENOTES COVER FINISH

REPLACEMENT CLEANOUT COVERS ONLY

	PART NO.	DESCRIPTION	WEIGHT (Lbs.)	LIST PRICE
	5CO-(1,3) 5CO-4	5" Replacement NB or SS cover only for R-1,3 w/ 3 securing screws (4.86" DIA)	1.50	\$353.00 \$266.00
	X5CO-1	5" Replacement ductile iron cover for XR-4 w/ 3 securing screws (4.86" DIA) 5" Replacement 1/2" thick heavy duty NB cover only for XR-1 w/ 3 securing screws (4.86" DIA)	2.50 2.00	\$200.00
	H-1019	Replacement 2" Dia. SS carpet marker plate and screw (H-1019) for RC-(1,3)	.10	\$ 47.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA







*MIFAB®

CLEANOUT PARTS

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	4 −8 1/4"→
C1226-TA-(1,3)	Heavy duty round SS or NB veneer cleanout top assembly for C1226 (cover and shank) (C1226-PS-50 = shank only), 8 1/4" Dia.	8.00	\$ 630.00	
C1226-TA-4	Heavy duty round ductile iron cleanout top assembly for C1226 (cover and shank) (C1226-PS-50 = shank only), 8 1/4" Dia.	9.00	\$ 492.00	
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	9 1/4"
C1228-TA-(1,3)	Heavy duty round SS or NB veneer cleanout top	11.00	\$ 686.00	
C1228-TA-4	assembly for C1228 (cover and shank) (C1228-PS-50 = shank only), $9\ 1/4$ " Dia. Heavy duty round ductile iron cleanout top assembly for C1228 (cover and shank) (C1228-PS-50 = shank only), $9\ 1/4$ " Dia.	12.00	\$ 561.00	
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	
C1226-PB-50* C1226X-PB-50* C1228-PB-50*	6" no hub cast iron cleanout body w/ABS closure plug for C1226 6" inside calk cast iron cleanout body w/ABS closure plug for C1226 8" no hub cast iron cleanout body w/ABS closure plug for C1228 * For brass plug, add suffix "-81" and add \$ 373.00	12.00 13.00 14.00	\$ 244.00 \$ 244.00 \$ 312.00	
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	6
C1226-PP-31 C1226-PP-81 C1228-PP-31 C1228-PP-81	ABS closure plug for C1226 Brass closure plug for C1226 ABS closure plug for C1228 Brass closure plug for C1228	1.00 3.00 1.00 4.00	\$ 179.00 \$ 373.00 \$ 179.00 \$ 373.00	C1226-PP-31
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	
CO-1 CO-2	Cover Gasket for C1000, C1100, C1230 Series Test Seal "O" ring Gasket for C1000 & C1100 Series	.10 .15	\$ 24.00 \$ 24.00	CO-1 CO-2
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	
C1442 C1443 C1444	"T-cone" style plastic closure plug w/ neoprene compression gasket "T-cone" style plastic closure plug w/ neoprene compression gasket "T-cone" style plastic closure plug w/ neoprene compression gasket	.50 .75 1.00	\$ 220.00 \$ 220.00 \$ 220.00	
PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	

2.00

.50

\$117.00

\$ 71.00

INTERCEPTOR PARTS

A4-34B A4-34P

PART NO.	DESCRIPTION	NUMBER OF BOLTS REQU.	WEIGHT (LBS.)	LIST PRICE	
MI-G-0-LID	Epoxy Lid for MI-G-O	1	20.00	\$ 628.00	
MI-G-1-LID	Epoxy Lid for MI-G-1	1	22.00	\$ 628.00	
MI-G-2-LID	Epoxy Lid for MI-G-2	1	25.00	\$ 689.00	
MI-G-3-LID	Epoxy Lid for MI-G-3	1	27.00	\$ 814.00	
MI-G-4-LID	Epoxy Lid for MI-G-4	1	29.00	\$ 814.00	
MI-G-5-LID	Epoxy Lid for MI-G-5	1	33.00	\$ 814.00	
MI-G-6-LID	Epoxy Lid for MI-G-6	4	36.00	\$1254.00	
MI-G-7-LID	Epoxy Lid for MI-G-7	4	36.00	\$1254.00	
MI-G-L-20-LID	Epoxy Lid for MI-G-L-20	4	45.00	\$ 814.00	
MI-G-L-35-LID(2)	Epoxy Lid for MI-G-L-35	8	55.00	\$1254.00	MI-BOLT MI-CAP
MI-G-L-50-LID(2)	Epoxy Lid for MI-G-L-50	8	70.00	\$1254.00	/ \
XL-MI-G-0-LID(2)	Epoxy Lid for XL-MI-G-0	8	125.00	\$1881.00	*
XL-MI-G-1-LID(2)	Epoxy Lid for XL-MI-G-1	8 8	150.00	\$2131.00	
MI-CAP	Plastic Bolt Cap for MI-G Series, each		.50	\$ 63.00	
MI-BOLT	5/8"-11, 2" bolt, washer & neoprene gasket,		1.00		
IIII-DOLI	(moe than one bolt maybe required per lid)		1.00	\$ 63.00	
	(HS-11)			, J.	
MI-G GASKET	50' Roll interceptor gasket		1.00	\$ 414.00	
MI-G-SGS	Sewer gas stopper, each		.10	\$ 46.00	
MI-HAIR-O-RING	O-ring gasket for MI-HAIR lid		.10	\$ 24.00	4
					/

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

A4-34B

286

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Threaded bronze tapered closure plug that fits 2", 3", 4" A4 bodies Threaded plastic tapered closure plug that fits 2", 3", 4" A4 bodies

_



INTERCEPTOR PARTS

PART NO.	DESCRIPTION	LIST PRICE	
MI-G-0-XBAR	Cross Bar & Cotter pins for MI-G-0	\$ 189.00	
MI-G-1-XBAR	Cross Bar & Cotter pins for MI-G-1	\$ 189.00	(COTTER PINS)
MI-G-2-XBAR	Cross Bar & Cotter pins for MI-G-2	\$ 213.00	
MI-G-3-XBAR	Cross Bar & Cotter pins for MI-G-3	\$ 213.00	100
MI-G-4-XBAR	Cross Bar & Cotter pins for MI-G-4	\$ 250.00	11
MI-G-5-XBAR	Cross Bar & Cotter pins for MI-G-5	\$ 250.00	11 31
MI-G-6-XBAR	Cross Bar & Cotter pins for MI-G-6 (1 set of 2 cross bars)	\$ 377.00	(set of 2)
MI-G-7-XBAR	Cross Bar & Cotter pins for MI-G-7 (1 set of 2 cross bars)	\$ 377.00	(set of 2)
MI-G-L-20-XBAR	Cross Bar & Cotter pins for MI-G-L-20 (1 set of 2 cross bars)	\$ 250.00	(set of 2) (CROSS BAR)
MI-G-L-35-XBAR	Cross Bar & Cotter pins for MI-G-L-35 (1 set of 2 cross bars)	\$ 377.00	(set of 2)
MI-G-L-50-XBAR	Cross Bar & Cotter pins for MI-G-L-50 (1 set of 2 cross bars)	\$ 377.00	(set of 2)
XL-MI-G-0-XBAR	Cross Bar & Cotter pins for XL-MI-G-0 (1 set of 2 cross bars)	\$ 651.00	(set of 2)
XL-MI-G-1-XBAR	Cross Bar & Cotter pins for XL-MI-G-1 (1 set of 2 cross bars)	\$ 877.00	(set of 2)

PART NO.		DESCRIPT	ION		LIST	PRICE
MI-G-L-50-0P	Orfice Plate for MI-G-L-50				\$ 29	4.00
XL-MI-G-0-0P	Orfice Plate for XL-MI-G-0				\$ 39	2.00
XL-MI-G-1-0P	Orfice Plate for XL-MI-G-1				\$ 44	1.00
PART NO.	SAMPLE BOXES	LIST PRICE	PART NO.	SAMPLE BOXES	LIS	PRICE
G-XL-0-SMPB	Sample box - for XL-MI-G-0	\$ 2000.00	G-0-SMPB	Sample box - for MI-0	G-0 \$	1900.00
G-XL-1-SMPB	Sample box - for XL-MI-G-1	\$ 2100.00	G-1-SMPB	Sample box - for MI-0	G-1 \$	1900.00
G-XL-2-SMPB	Sample box - for XL-MI-G-2	\$ 2100.00	G-2-SMPB	Sample box - for MI-0	G-2 \$	1900.00
G-XL-3-SMPB	Sample box - for XL-MI-G-3	\$ 2100.00	G-3-SMPB	Sample box - for MI-0	G-3 \$	1900.00
G-XL-4-SMPB	Sample box - for XL-MI-G-4	\$ 2200.00	G-4-SMPB	Sample box - for MI-0	G-4 \$	1900.00
G-XL-5-SMPB	Sample box - for XL-MI-G-5	\$ 2200.00	G-5-SMPB	Sample box - for MI-0	G-5 \$	1900.00
G-XL-6-SMPB	Sample box - for XL-MI-G-6	\$ 2300.00	G-6-SMPB	Sample box - for MI-0	G-6 \$	1900.00
G-XL-7-SMPB	Sample box - for XL-MI-G-7	\$ 2300.00	G-7-SMPB	Sample box - for MI-0	G-7 \$	1900.00
G-XL-8-SMPB	Sample box - XL-MI-G-8	\$ 2500.00	G-L-20-SMPB	Sample box - MI-G-L-	20 \$	1900.00
G-XL-9-SMPB	Sample box - XL-MI-G-9	\$ 2500.00	G-L-35-SMPB	Sample box - MI-G-L-	35 \$	1900.00
G-XL-10-SMPB	Sample box - XL-MI-G-10	\$ 2500.00	G-L-50-SMPB	Sample box - MI-G-L-	50 \$	1900.00
G-XL-11-SMPB	Sample box - XL-MI-G-11	\$ 2500.00		·		



	•		
PART NO.	DESCRIPTION	LIST PRICE	
FLCT-0	2" F.I.P. 4 G.P.M. Flow Control Fitting (.250" orfice size)	\$ 250.00	
FLCT-1	2" F.I.P. 7 G.P.M. Flow Control Fitting (.375" orfice size)	\$ 250.00	1 ½" VENT CONNECTION
FLCT-2	2" F.I.P. 10 G.P.M. Flow Control Fitting (.500" orfice size)	\$ 250.00	(FOR ALL)
FLCT-3	2" F.I.P. 15 G.P.M. Flow Control Fitting (.750" orfice size)	\$ 250.00	
FLCT-4	3" F.I.P. 20 G.P.M. Flow Control Fitting (1.000" orfice size)	\$ 377.00	
FLCT-5	3" F.I.P. 25 G.P.M. Flow Control Fitting (1.250" orfice size)	\$ 377.00	CLASS .
FLCT-6	3" F.I.P. 35 G.P.M. Flow Control Fitting (1.500" orfice size)	\$ 377.00	
FLCT-7	3" F.I.P. 50 G.P.M. Flow Control Fitting (2.000" orfice size)	\$ 377.00	
FLCT-XL-0	4" F.I.P. 75 G.P.M. Flow Control Fitting (2.000" orifice size)	\$ 500.00	The second second
FLCT-XL-1	4" F.I.P. 100 G.P.M. Flow Control Fitting (2.25" orifice size)	\$ 500.00	The state of the s
FLC-0	2" No Hub 4 G.P.M. Flow Control Fitting (.250" orfice size)	\$ 250.00	
FLC-1	2" No Hub 7 G.P.M. Flow Control Fitting (.375" orfice size)	\$ 250.00	
FLC-2	2" No Hub 10 G.P.M. Flow Control Fitting (.500" orfice size)	\$ 250.00	
FLC-3	2" No Hub 15 G.P.M. Flow Control Fitting (.750" orfice size)	\$ 250.00	
FLC-4	3" No Hub 20 G.P.M. Flow Control Fitting (1.000" orfice size)	\$ 377.00	
FLC-5	3" No Hub 25 G.P.M. Flow Control Fitting (1.250" orfice size)	\$ 377.00	(5) 07 0 1 11 1 1 1
FLC-6	3" No Hub 35 G.P.M. Flow Control Fitting (1.500" orfice size)	\$ 377.00	(FLCT Series illustrated)
FLC-7	3" No Hub 50 G.P.M. Flow Control Fitting (2.000" orfice size)	\$ 377.00	
FLC-XL-0	4" No Hub 75 G.P.M. Flow Control Fitting (2.000" orifice size)	\$ 500.00	
FLC-XL-1	4" No Hub 100 G.P.M. Flow Control Fitting (2.25" orifice size)	\$ 500.00	

Note: F.I.P. - Female iron pipe (threaded connection)

110101	ic non pipe (uncaded connection)		
PART NO.	DESCRIPTION	LIST PRICE	_
MI-G-0-BAF	Baffle for MI-G-0 - 7" High x 8.80" Wide	\$ 250.00	
MI-G-1-BAF	Baffle for MI-G-1 - 7" High x 11.30" Wide	\$ 250.00	
MI-G-2-BAF	Baffle for MI-G-2 - 7" High x 13.30" Wide	\$ 312.00	6.4
MI-G-3-BAF	Baffle for MI-G-3 - 10" High x 13.30" Wide	\$ 377.00	HEIGHT
MI-G-4-BAF	Baffle for MI-G-4 - 12.30" High x 13.30" Wide	\$ 377.00	
MI-G-5-BAF	Baffle for MI-G-5 - 12.60" High x 16.40" Wide	\$ 377.00	
MI-G-6-BAF	Baffle for MI-G-6 - 17.20" High x 21.30" Wide	\$ 502.00	→
MI-G-7-BAF	Baffle for MI-G-7 - 19" High x 21.30" Wide	\$ 502.00	The state of the s
MI-G-L-20-BAF	Baffle MI-G-L-20 - 6.70" High x 21.80" Wide	\$ 377.00	WIDTH
MI-G-L-35-BAF	Baffle MI-G-L-35 - 6.70" High x 25.80" Wide	\$ 502.00	•
MI-G-L-50-BAF	Baffle MI-G-L-50 - 6.70" High x 27.80" Wide	\$ 502.00	I

Note: Only one baffle required per interceptor.

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



P287



CARRIER PARTS

CLOSET CARRIER TRIM KITS

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE	I
MC-100 MC-100-8	Standard nipple trim kit only for adjustable chair carriers: MC-10, MC-12, MC-13* Adjustable horn nipple trim kit only for adjustable chair carriers: MC-10, MC-12, MC-13	40.00 * 40.00	\$ 456.50 \$ 456.50	l
MC-100-OR MC-200	Rolling thread nipple trim kit only for adjustable chair carriers: MC-10, MC-12, MC-13* Trim Kit only for fixed vertical carriers: MC-14, MC-15*	40.00 33.00	\$ 456.50 \$ 411.00	l
1110-200	*Note: 2 required for double (back to back) carrier installations	55.00	ψ 4 11.00	1

CARRIER FITTING + TRIM KIT

=COMPLETE CARRIER

TRIM KITS ARE NOT COMPLETE CARRIERS! ADD APPROPRIATE CARRIER FITTING FROM BELOW!

NO HUB CARRIER FITTINGS

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
MC-10L-PF	Left Hand carrier fitting only for MC-10L horizontal adj. chair carrier	29.00	\$ 456.50
MC-10R-PF	Right Hand carrier fitting only for MC-10R horizontal adj. chair carrier	29.00	\$ 456.50
MC-10D-PF	Double carrier fitting only for MC-10D horizontal adj. chair carrier	43.00	\$ 796.00
MC-10L-27-PF	Left Hand carrier fitting only for MC-10L-27 horizontal adj. chair carrier w/ aux. 2" inlet	31.00	\$ 665.50
MC-10R-27-PF	Right Hand carrier fitting only for MC-10R-27 horizontal adj. chair carrier w/ aux. 2" inlet	31.00	\$ 665.50
MC-10D-27-PF	Double carrier fitting only for MC-10D-27 horizontal adj. chair carrier w/ aux. 2" inlet	45.00	\$ 987.00
MC-10L-27-36-PF	Left Hand carrier fitting only for MC-10D-27-36 horizontal adj. chair carrier w/ aux. 2" inlet and 36" barrel	55.00	\$ 638.50
MC-10R-27-36-PF	Right Hand fitting only for MC-10D-27-36 horizontal adj. chair carrier w/ aux. 2" inlet and 36" barrel	55.00	\$ 638.50
MC-10D-27-36-PF	Double carrier fitting only for MC-10D-27-36 horizontal adj. chair carrier w/ aux. 2" inlet and 36" barrel	71.00	\$ 978.00
MC-10L-EXT-PF	High Rough in (ADA) Left Hand carrier fitting only for MC-10L-EXT horizontal adj. chair carrier	32.00	\$ 456.50
MC-10R-EXT-PF	High Rough in (ADA) Right Hand carrier fitting only for MC-10R-EXT horizontal adj. chair carrier	32.00	\$ 456.50
MC-10D-EXT-PF	High Rough in (ADA) Double carrier fitting only for MC-10D-EXT horizontal adj. chair carrier	46.00	\$ 796.00

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
MC-12-PF	Carrier fitting only for MC-12 vertical adjustable chair carrier	39.00	\$ 577.50
MC-12D-PF	Carrier fitting only for MC-12D vertical adjustable chair carrier	50.00	\$ 917.00

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
MC-13-2-PF	Carrier fitting only for MC-13-2 vertical adjustable chair carrier w/ 2 side inlets and one TC-4 test cap	45.00	\$ 932.50
MC-13L-PF	Carrier fitting only for MC-13L vertical adjustable chair carrier w/ left hand side inlet and one TC-4 test cap	45.00	\$ 932.50
MC-13R-PF	Carrier fitting only for MC-13R vertical adjustable chair carrier w/ right hand side inlet and one TC-4 test cap	45.00	\$ 932.50
MC-13D-PF	Carrier fitting only for MC-13D vertical adjustable back to back chair carrier w/ one side inlet and one TC-4 test cap	56.00	\$1266.00
MC-13D-2-PF	Carrier fitting only for MC-13D-2 vertical adjustable back to back chair carrier w/ two side inlets and one TC-4 test cap	56.00	\$1266.00

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
MC-14-3-V2-PF	Carrier fitting only for MC-14-3-V2 fixed vertical chair carrier w/ 3" barrel and 2" vent	26.00	\$ 411.00
MC-14-4-V2-PF	Carrier fitting only for MC-14-4-V2 fixed vertical chair carrier w/ 4" barrel and 2" vent	31.00	\$ 411.00
MC-14-4-V4-PF	Carrier fitting only for MC-14-4-V4 fixed vertical chair carrier w/ 4" barrel and 4" vent	31.00	\$ 411.00
MC-15L-PF	Carrier fitting only for MC-15L fixed vertical chair carrier offset to left of stack	36.00	\$ 411.00
MC-15R-PF	Carrier fitting only for MC-15R fixed vertical chair carrier offset to right of stack	36.00	\$ 411.00
MC-15D-PF	Carrier fitting only for MC-15D fixed vertical back to back offset chair carrier	46.00	\$ 578.00

HUB AND SPIGOT CARRIER FITTINGS

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
MC-10L-HS-PF	Left Hand carrier fitting only for MC-10L-HS hub & spigot horizontal adj. chair carrier	35.00	\$ 481.50
MC-10R-HS-PF	Right Hand carrier fitting only for MC-10R-HS hub & spigot horizontal adj. chair carrier	35.00	\$ 481.50
MC-10D-HS-PF	Double carrier fitting only for MC-10D-HS hub & spigot horizontal adj. chair carrier	45.00	\$ 842.00
MC-10L-HS-27-PF	Left Hand carrier fitting only for MC-10L-HS-27 hub & spigot horizontal adj. chair carrier w/ aux. 2" inlet	37.00	\$ 690.50
MC-10R-HS-27-PF	Right Hand carrier fitting only for MC-10R-HS-27 hub & spigot horizontal adj. chair carrier w/ aux. 2" inlet	37.00	\$ 690.50
MC-10D-HS-27-PF	Double carrier fitting only for MC-10D-HS-27 hub & spigot horizontal adj. chair carrier w/ aux. 2" inlet	47.00	\$1033.00
MC-10L-HS-27-37-PF	Left Hand carrier fitting only for MC-10L-HS-27-37 hub & spigot horizontal adj. chair carrier w/ aux. 2" inlet and 3	7" ba 6@100	\$ 771.50
MC-10R-HS-27-37-PF	Right Hand carrier fitting only for MC-10R-HS-27-37 hub & spigot horizontal adj. chair carrier w/ aux. 2" inlet and 3	7" ba 66e.100	\$ 771.50
MC-10D-HS-27-37-PF	Double carrier fitting only for MC-10D-HS-27-37 hub & spigot horizontal adj. chair carrier w/ aux. 2" inlet and 3	7" ba 9@100	\$1310.00

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
MC-12-HS-PF	Carrier fitting only for MC-12-HS hub & spigot vertical adjustable chair carrier	45.00	\$ 655.50
MC-12D-HS-PF	Carrier fitting only for MC-12D-HS hub & spigot vertical adjustable chair carrier	57.00	\$1011.00
MC-13-2-HS-PF	Carrier fitting only for MC-13-2-HS hub & spigot vertical adjustable chair carrier w/ 2 side inlets	58.00	\$1016.50
MC-13L-HS-PF	Carrier fitting only for MC-13L-HS hub & spigot vertical adjustable chair carrier w/ left hand side inlet	58.00	\$1016.50
MC-13R-HS-PF	Carrier fitting only for MC-13R-HS hub & spigot vertical adjustable chair carrier w/ right hand side inlet	58.00	\$1016.50
MC-13D-HS-PF	Carrier fitting only for MC-13D-HS hub & spigot vertical adjustable back to back chair carrier w/ one side inlet	69.00	\$1549.00
MC-13D-2-HS-PF	Carrier fitting only for MC-13D-2-HS hub & spigot vertical adjustable back to back chair carrier w/ two side inlets	69.00	\$1549.00

PART NO.	DESCRIPTION	WEIGHT (LBS.)	LIST PRICE
	Carrier fitting only for MC-14-4-V2-HS hub & spigot fixed vertical chair carrier w/ 4" barrel and 2" vent Carrier fitting only for MC-15L-HS hub & spigot fixed vertical chair carrier offset to left of stack	36.00 41.00	\$ 432.00 \$ 431.00
MC-15R-HS-PF	Carrier fitting only for MC-15L-HS hub & spigot fixed vertical chair carrier offset to right of stack	41.00	\$ 431.00
MC-15D-HS-PF	Carrier fitting only for MC-15D-HS hub & spigot fixed vertical back to back offset chair carrier	50.00	\$ 624.00

REAR ANCHOR FOOT SUPPORT SHIPPED AT NO CHARGE WITH CARRIER FITTING

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

288

200

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







MC-12-HS (HUB AND SPIGOT, VERTICAL ADJUSTABLE CARRIER FITTINGS) PART NO. **DESCRIPTION** Vertical, adjustable water closet carrier fitting, regular length MC-12-HS-PF \$628.00 MC-12-HS-25-PF Vertical, adjustable water closet carrier fitting, one 2" aux. inlet tapping, right \$837.00 side, regular length MC-12-HS-26-PF Vertical, adjustable water closet carrier fitting, one 2" aux, inlet tapping, left \$837.00 side, regular length MC-12-HS-31-PF Vertical, adjustable water closet carrier fitting, two 2" aux. inlet tappings, regular \$1,047.00 lenath MC-12-HS-39-PF Vertical, adjustable water closet carrier fitting, 41 1/4" long \$1,173.00 MC-12-HS-25-39-PF Vertical, adjustable water closet carrier fitting, one 2" aux. inlet tapping, right \$1,173.00 side, 41 1/4" long Vertical, adjustable water closet carrier fitting, one 2" aux. inlet tapping, left MC-12-HS-26-39-PF \$1,382.00 side, 41 1/4" long MC-12-HS-31-39-PF Vertical, adjustable water closet carrier fitting, two 2" aux. inlet tappings, \$1,592.00 **MC-12-HS** 41 1/4" long MC-12D-HS-PF Vertical, adjustable water closet carrier back to back fitting, regular length \$868.00 MC-12D-HS-25-PF Vertical, adjustable water closet carrier back to back fitting, one 2" aux. inlet \$1,077.00 tapping, right side, regular length MC-12D-HS-26-PF Vertical, adjustable water closet carrier back to back fitting, one 2" aux. inlet \$1,077.00 tapping, left side, regular length MC-12D-HS-31-PF Vertical, adjustable water closet carrier back to back fitting, two 2" aux. inlet \$1,287.00 tappings, regular length \$1,513.00 MC-12D-HS-39-PF Vertical, adjustable water closet carrier back to back fitting, 41 1/4" long Vertical adjustable water closet carrier back to back fitting, one 2" aux. inlet tapping, right side, 41 1/4" long MC-12D-HS-25-39-PF \$1,723.00 MC-12D-HS-26-39-PF Vertical, adjustable water closet carrier back to back fitting, one 2" aux. inlet \$1,723.00 tapping, left side, 41 1/4" long MC-12D-HS-31-39-PF Vertical, adjustable water closet carrier back to back fitting, two 2" aux. inlet \$1,932.00 MC-12D-HS tappings, 41 1/4" long

MC-13-HS (HUB AND SPIGOT, VERTICAL ADJUSTABLE CARRIER FITTINGS WITH ONE OR TWO SIDE INLETS)

TWO SIDE HALL 13)				
PART NO.	DESCRIPTION	LIST PRICE		
MC-13R-HS-PF	Vertical, adjustable water closet carrier fitting, one right hand side inlet,	\$805.00	57375	
MC-13R-HS-25-PF	regular length Vertical, adjustable water closet carrier fitting, one right hand side inlet and one 2" aux. inlet, left side, regular length	\$1,014.00		
MC-13R-HS-39-PF	Vertical, adjustable water closet carrier fitting, one right hand side inlet, 41 1/4" long	\$1,352.00		
MC-13R-HS-25-39-PF	Vertical, adjustable water closet carrier fitting, one right hand side inlet and one 2" aux. inlet, left side, 41 1/4" long	\$1,561.00		
MC-13L-HS-PF	Vertical, adjustable water closet carrier fitting, one left hand side inlet, regular length	\$805.00		
MC-13L-HS-25-PF	Vertical, adjustable water closet carrier fitting, one left hand side inlet and one 2" aux. inlet, right side, regular length	\$1,014.00	MC-13-HS	
MC-13L-HS-39-PF	Vertical, adjustable water closet carrier fitting, one left hand side inlet, 41 1/4" long	\$1,352.00	IVIC-13-FIS	
MC-13L-HS-25-39-PF	Vertical, adjustable water closet carrier fitting, one left hand side inlet and one 2" aux. inlet, right side, 41 1/4" long	\$1,561.00	T I I I I I I I I I I I I I I I I I I I	
MC-13-2-HS-PF	Vertical, adjustable water closet carrier fitting, two side inlets, regular length	\$982.00		
MC-13-2-HS-39-PF	Vertical, adjustable water closet carrier fitting, two side inlets, 41 1/4" long	\$1528.00		
MC-13D-HS-PF	Vertical, adjustable water closet carrier back to back fitting, one side inlet, regular length	\$1,138.00		
MC-13D-HS-25-PF	Vertical, adjustable water closet carrier back to back fitting, one side inlet and one 2" aux. inlet, 41 1/4" long	\$1,348.00		
MC-13D-HS-39-PF	Vertical, adjustable water closet carrier back to back fitting, one side inlet, 41 1/4" long	\$1,687.00		
MC-13D-HS-25-39-PF	Vertical, adjustable water closet carrier back to back fitting, one side inlet and one 2" aux. inlet, 41 1/4" long	\$1,896.00	uuuu ke nn	
MC-13D-2-HS-PF	Vertical, adjustable water closet back to back carrier fitting, two side inlets, regular length	\$1,317.00	MC-13D-HS	
MC-13D-2-HS-39-PF	Vertical, adjustable water closet back to back carrier fitting, two side inlets, 41 1/4" long	\$1,865.00	WO-10D-113	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

P289





MC-100 TRIM KIT CONTENTS*

CARRIER PARTS

PART NO.	DESCRIPTION	REQU'D QUANTITY	LIST PRICE	KNOW YOUR GASKETS!
MC-10-PFPOZ MC-FP O-ring MC-10-PFTZ H-1167-KA-10 MC-10-PRP	Faceplate w/ "0" ring Faceplate "0" ring gasket (included inside faceplate groove) Foot (two assembled to MC-10-PFPOZ face plate) 5/8" X 10" Threaded rods with 5/8" hex nuts (to support toilet) 8" plastic rod protector (assembled onto H-1167-KA-10 studs)	1 1 2 4 4	\$205.00 \$ 12.00 \$53.00 (for 2 pcs.) \$14.00 (for 4 pcs.) \$ 3.00 (for 4 pcs.)	FITTING TO FACE PLATE MC-10-PFPG MC-FP 0-ring
MC-10-PHP1 PARTS	"FINISH" HARDWARE PACK	REQU'D QUANTITY	EACH	
H-1194 MC-10-PBG MC-10-PNS MC-10-LUB H-1176 H-1166A	Chrome plated finishing cap nuts Neoprene Bowl gasket Silicone Sealant for tapered thread & adj. Horn nipple Lubricant for faceplate "O" ring nipple Bowl saver washer 8 high density polyethylene washers (use with H-1176)	4 1 1 1 4 8	\$43.00 (for 4 pcs.) \$ 37.00 \$ 18.00 \$ 6.00 \$3.00 each (\$12.00 for 4 pcs.) \$1.00 each (\$8.00 for 8 pcs.)	NIPPLE TO FIXTURE MC-10-PBG
MC-10-PHP2 PARTS	"ROUGH-IN" HARDWARE PACK	REQU'D QUANTITY	EACH	
H-1164	5/8" Hex nuts (for use as "back-up" nuts on H-1167 studs behind faceplate)	4	2.00 each (\$8.00 for 4 pcs.)	MC-10-PBG-CA
MC-10-PFPG H-1209	Faceplate gasket (install between faceplate and fitting) 1/2" x 1-3/4" flanged bolts (to secure faceplate to fitting)	1 4	\$ 26.00 2.00 each (\$8.00 for 4 pcs.)	
NIPPLE PART NO.	DESCRIPTION	REQU'D QUANTITY	LIST PRICE	F
MC-10-PN8-31	8" Standard tapered thread ABS nipple	1	\$ 54.00	H-1176 H-1209

MC-200 TRIM KIT CONTENTS*

200			
PART NO.	DESCRIPTION	REQU'D QUANTITY	LIST PRICE
MC-14-PFP MC-FP O-ring MC-10-PNS MC-10-LUB MC-10-PFT MC-10-PHP1 H-1146 H-1141 H-1167-KA-10	Faceplate Fitting "O" ring Silicone Sealant for tapered thread & adj. horn nipple Lubricant for faceplate "O" ring nipple Foot Hardware pack (contents listed above in MC-100 parts) 1/2" Flat washers 1/2" X 1" Hex head machine screws 5/8" X 10" Threaded rods, (for rod protectors see MC-100 parts)	1 1 1 1 2 1 4 4	\$196.00 \$ 12.00 \$ 18.00 \$ 6.00 \$53.00 (for 2 pcs.) \$ 49.00 \$2.00 each (\$8.00 for 4 pcs.) \$9.00 each (\$36.00 for 4 pcs.)
MC-14-PHP1 PARTS	DESCRIPTION	REQU'D QUANTITY	LIST PRICE
H-1164 H-1209 H-1146 NIPPLE PART NO.	5/8" Hex nuts 1/2" x 1-3/4" flanged bolts 1/2" Flat washers DESCRIPTION	8 4 4 REQU'D QUANTITY	\$2.00 each (\$8.00 for 4 pcs.) \$7.00 each (\$28.00 for 4 pcs.) \$2.00 each (\$8.00 for 4 pcs.) LIST PRICE
MC-10-PN8-31	8" Standard tapered thread ABS nipple	1	\$54.00



CLOSET CARRIER NIPPLE VARIATIONS

8" rolling thread ABS nipple

12" rolling thread ABS nipple

4" rolling thread cast iron nipple

6" rolling thread cast iron nipple

8" rolling thread cast iron nipple

12" rolling thread cast iron nipple

24" rolling thread cast iron nipple

8" Standard tapered thread ABS nipple 12" tapered thread ABS nipple

DESCRIPTION

H-1167-KA-10

\$ 54.00

\$ 54.00

\$ 58.00

\$ 45.00

\$ 54.00

\$ 58.00

\$ 179.00

\$ 35.00



MC-10-FVS

MC-10-3-PRSFK

PVC nipple P.O.A.
000
99
MC-10-1-PTFK

PARTS FOR CLOSET CARRIER NIPPLE VARIATIONS

8" tapered thread ABS nipple with adjustable horn

12" tapered thread ABS nipple with adjustable horn

PART NO.	DESCRIPTION	CARRIER MODEL NUMBER SUFFIX	LIST PRICE	TC-4
MC-10-1-PTFK	Finishing tiling Frame w/ hardware kit	-1	\$ 47.00	
MC-10-3-PRSFK	Rear anchor support kit	-3 (normally furnished at no charge)	\$ 35.00	
MC-10-AFS	Auxillary fixture support for wide pipe chase	-10	\$496.00	Minimum S
H-1194-14	Set of 4 vandal proof fixture securing cap nuts	-14	\$ 77.00	
H-1194	Set of 4 fixture securing shoulder cap nuts	-S	\$ 43.00	
MC-10-PCW	Nipple wrench	-19	\$ 61.00	
MC-10-FVS	Flush Valve support	-20	\$ 50.00	
MC-10-PBG-FELT	Felt bowl gaskets for use with toilets		\$ 37.00	
MC-31-PBG-FELT	Felt gaskets for use with lavatories		\$ 35.00	-
H-1167-KA-14	5/8" X 14"Threaded rod (4 required)	(varies by longer nipple suffix)	\$ 14.00	MC-10-PCW
TC-2, TC-4	2" or 4" Caps for aux. /side inlets	(varies by closet carrier model)	\$ 35.00	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

Standard

-12

-0R

-AH

-A12

-CI-4

-CI-6

-CI-8

-CI-12

-CI-24

-0R12

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049

PART NO.

MC-10-PN8-31

MC-10-PN12-31

MC-10-PN8R-31

MC-10-PN12R-31

MC-10-PN8AH-31

MC-10-PN12AH-31

MC-10-PN4R-50

MC-10-PN6R-50

MC-10-PN8R-50

MC-10-PN12R-50

MC-10-PN24R-50



PART NO.

MC-40-PHB MC-40-PLA MC-41-PA MC-40/50-PN6 MC-40/50-PLN H-1137

H-1208

H-1083

H-1132 H-1084

H-1126

PART NO.

H-1101

H-1102

H-1103

MC-31-PBP

MC-40-PUA

MC-40-PUA-IK MC-40-R-PLA MC-41-PDB

MC-40-R-PHB

MC-41-AHK

MC-41-PE2

MC-41-R-PA

MC-42-PA

MC-53-PB

MC-51-PBP

H-1138

H-1126

H-1101

MC-42-R-PA

URINAL AND LAVATORY CARRIER PARTS MC-31 PARTS DESCRIPTION REQU'D QUANTITY PART NO. LIST PRICE \$143.00 (for 2 pcs.) MC-31-PLA Upright, 42' MC-31-PUP Universal plate \$119.00 MC-31-PHP Hardware pack (contents listed below) \$ 71.00 MC-31-PHP PARTS DESCRIPTION REQU'D QUANTITY **LIST PRICE** PART NO. \$4.00 each (\$16.00 for 4 pcs.) \$1.25 each (\$10.00 for 8 pcs.) \$4.00 each (\$24.00 for 6 pcs.) H-1104 5/16" U-Bolts H-1102 5/16" Hex nuts 8 1/4-20 x 8" Threaded rods H-1087 6 \$1.25 each (\$30.00 for 24 pcs.) H-1080 1/4-20 Hex nuts 24 \$1.25 each (\$40.00 for 32 pcs.) 32 H-1081 1/4 Flat washers

MC-30/40/50 SERIES PARTS VARIATIONS

5/16" Nuts MC-32 bearing plate studs

Left or right exposed arm for MC-40

Header bracket for round uprights

for round header bracket

for round header bracket

Back plate for MC-53 Series

5/16" x 10" Threaded rod

3/8" Hex nuts

5/16" Washers MC-32 bearing plate studs

Installation kit for MC-40-PUA exposed arm Round upright, 36", for **MC-41-R** Series Double header bracket for **MC-41-D**

Adjustable wall bracket for MC-50 Series

2" deep by 3-3/8" Dia. chrome plated escutcheon

Concealed threaded arm with locking & leveling hardware

ADA Lav. concealed arm with locking & leveling hardware

3/8" x 1/2" Flat phillips head machine screw for MC-53-PB

Lower bearing plate for **MC-32** 5/16" X 10" Threaded rods for MC-32 lower bearing plate

Set of replacement leveling & locking hardware for concealed arms

ADA Lav. concealed threaded arm with locking & leveling hardware



MC-40-50-PLN



H-1208

MC-41 PARTS DESCRIPTION	REQU'D QUANTITY	LIST PRICE
Header bracket	2	\$35.00 each (\$70.00 for 2 pcs.)
Upright, 36"	2	\$89.00 each (\$178.00 for 2 pcs.)
Concealed arm with locking & leveling hardware	2	\$106.50 each (\$213.00 for 2 pcs.)
6" Nipple & lock nut w/ screws for concealed arm	2	\$35.00 each (\$70.00 for 2 pcs.)
Locknut for nipple	2	\$7.00 each (\$14.00 for 2 pcs.)
Tie rod	1	\$24 00



2

4

2

2

2

2 2 2

8

- 11

LIST PRICE

\$50.00

\$1.25 each (\$5.00 for 4 pcs.) \$1.25 each (\$5.00 for 4 pcs.)

\$184.00 each (\$368.00 for 2 pcs.)

\$49.00 each (\$98.00 for 2 pcs.) \$109.00 each (\$218.00 for 2 pcs.) \$71.00 each (\$142.00 for 2 pcs.) \$45.00 each (\$90.00 for 2 pcs.)

\$45.00

\$95.00 each (\$190.00 for 2 pcs.)

\$109.00 each (\$218.00 for 2 pcs.)

\$129.00 each (\$258.00 for 2 pcs.) \$131.00 each (\$262.00 for 2 pcs.)

\$87.00 each (\$174.00 for 2 pcs.) \$1.25 each (\$2.50 for 2 pcs.) \$1.25 each (\$2.50 for 2 pcs.)

\$87.00 each (\$174.00 for 2 pcs.)

\$12.00 each (\$24.00 for 2 pcs.)

\$12.00 each (\$24.00 for 2 pcs.)

H-1104

MC-40-50-PN6

MC-41-PE2



MC-40-PHB

HYDRANT PARTS

PART NO.	MHY INTERNAL PARTS DESCRIPTION		REQU'D QUANTITY	LIST PRICE
MHY-CIA-18-A MHY-CIA-30/50 MHY-1 MHY-2 MHY-CIA-4000 PART NO.	Universal hydrant repair kit for MHY-10 /20 (up to 18" wall thickness) Universal hydrant repair kit for MHY-30 /50 Hydrant operating key Chrome plated head nut Hydrant repair kit for MHY-40 Series up to MHY-40-14 only PARTS FOR HYDRANT VARIATIONS	MHY-CIA-18-A	1 1 1 1 1 Hydrant Suffix	\$ 207.00 \$ 207.00 \$ 53.00 \$ 53.00 \$ 354.00 LIST PRICE
HY-HC1 HY-H01 HY-PC	1" hose connection Wall clamp 3 Mounting brackets with hardware MHY-1	HY-H01 HY-HC-1	-0 -WC -S	\$131.00 \$ 36.00 \$ 89.00
PART NO. MHY-9001 MHY-9002 MHY-9003 MHY-9005-B MHY-9005-PC HY-1000-CP	MHY-90 SERIES REPLACEMENTS PARTS Brown plastic wheel handle Clear plastic wheel handle Cast iron wheel handle Operating key A.S.S.E. 1011 approved vacuum breaker - rough brass A.S.S.E. 1011 approved vacuum breaker - polished chrome A.S.S.E. 1019 approved vacuum breaker for MHY-10 Series	HY-1000-CP	REQU'D QUANTITY 1 1 1 1 1 1 1 1 1 1	\$ 75.00 \$ 75.00 \$ 75.00 \$ 75.00 \$ 58.00 \$ 75.00 \$ 94.00 \$ 95.00

CAST HYDRANT BOXES

PART NO.	PRODUCT FINISH	DESCRIPTION	LIST PRICE (-1,-3)	LIST PRICE (-49)
MHY-15-(1,3,49)*	Cast NB or SS or Ch. Plated	Standard Box for MHY-10 through MHY-55 Series (except MHY-40,45) Slotted Box with installation brackets and hardware for MHY-10 through MHY-55 Series (except MHY-40, 45)	\$ 419.00	\$ 609.00
MHY-15-(1,3,49)-S*	Cast NB or SS or Ch. Plated		\$ 545.00	\$ 735.00
MHY-15-(1,3,49)-NL*	Cast NB or SS or Ch. Plated	No lip box for MHY-60 Series Cast Brass Box for MHY-90 Series Fabricated stainless steel Box with 6" round back opening for tilt up construction	\$ 419.00	\$ 609.00
MHY-95(1,3,49)*	Cast NB or SS or Ch. Plated		\$ 538.00	\$ 751.00
MHY-3-RB	Fabricated Type 304 Stainless Steel		\$ 419.00	\$ 609.00

*ADD A KEY LOCK TO ANY OF THE ABOVE HYDRANT BOXES BY SPECIFYING SUFFIX "-K" IN THE PART NUMBER ADDING \$117.00 TO LIST PRICE Visit www.mifab.com for the most recent product information Design and dimensions are subject to modification. Prices do not include applicable taxes.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



Monday, January 02, 2012 9:50:29 PM

P291

MIFAB





JOSAM - MIFAB CROSS REFERENCE

JOSAM

17105

17110

17120

17125

17130 17380

17385

17390

17395

17400

17415

17420

17425

17430. 17435

17440

17550

17555 17560

17565

17570 17575

17580

17585

17590

17700

17705 17710

17720 17725

17730

17735

17805

17810

17815

17820

17825

17830 17835

JOSAM

17405 ...

LAVATORY, URINAL AND

SINK CARRIERS

17100(pg. 230).....MC-41

17115(pg. 235).....MC-53

.(pg. 230)..

.(pg. 235).

.(pg. 236).....

.(pg. 236)..

.(pg. 226)..

.(pg. 226)..

.(pg. 230)..

17800(pg. 226).....MC-31

.(pg. 226).

.(pg. 226)..

17895(pg. 226).....MC-31

17900(pg. 226).....MC-32 17905(pg. 227).....MC-33-2 17910(pg. 227).....MC-33

LAVATORY, URINAL AND **SINK CARRIERS OPTIONAL VARIATIONS**

-2(pg. 319, 320).....-TC(pg. 319, 320)..... -14 .(pg. 319, 320)..... -60(pg. 319, 320)..... -61(pg. 319, 320)..... -66(pg. 319, 320)..... -67(pg. 319, 320)...... Standard -69(pg. 319, 320).....-20 -75(pg. 319, 320).....

-77(pg. 319, 320).....--E6

-76(pg. 319, 320).

..........(pg. 231)...... MC-41D

.......(pg. 234)......MC-51 ..(pg. 234).....MC-51

.(pg. 234).....MC-51

.(pg. 235).....MC-51-LP

.(pg. 230)..... MC-40MC-40D

.(pg. 236).....MC-56

.(pg. 236).....MC-56

.(pg. 236).....MC-56-LP

.(pg. 230).....MC-40

.(pg. 230).....MC-40D .(pg. 236).....MC-56

.(pg. 236).....MC-56

.(pg. 226).....MC-32

.(pg. 226).....MC-32D .(pg. 226).....MC-31-C

.(pg. 228).....MC-38D

.(pg. 228).....MC-36

.(pg. 230).....MC-40D

..(pg. 236).....MC-61-T

.....(pg. 236)....MC-62-4-V2

.....(pg. 226).....MC-32

.(pg. 228).....MC-38D

.(pg. 228).....MC-36

.....MC-32

.....MC-61-T

......MC-40 17715(pg. 227).....MC-34

.....MC-55

..MC-56MC-56-LP

.....MC-31 .(pg. 226).....MC-31D

.....MC-31 .(pg. 226).....MC-32

.....MC-40

....MC-31

.MC-32

WAT	ER CLOSET (CARRIERS
JOSAI		MIFAB
11001	(pg. 224)	MC-21
11007	(pg. 224)	MC-21
11008	(pg. 224)	MC-21
12004	(pg. 212)	MC-10L-HS
12024	(pg. 212)	MC-10R-HS
12044	(pg. 212)	MC-10D-HS
12114A	(pg. 221)	MC-13L-HS MC-13R-HS
12134A	(pg. 221) (pg. 210)	MC-13N-113
12134Α	(pg. 219) (ng. 221)	MC-13L-HS
121944	(ng 221)	MC-13R-HS
12214A	(pg. 221)	MC-13D-HS
12234A	(pg. 221)	MC-13R-HS
12254A	(pg. 221)	MC-13L-HS
12274A	(pg. 221)	MC-13-2-HS
12294A	(pg. 221)	MC-13-R-HS
		MC-13D-HS
12674	(pg. 212)	MC-10L
	(pg. 212)	
	(pg. 212)	MC-10D MC-13L
	(pg. 220)	MC-13L
	(pg. 220) (pg. 218)	MC-13N
	(pg. 210)	MC-13I
12744	(pg. 220)	MC-13R
12754	(pg. 220)	MC-13D
12764	(pg. 220)	MC-13R
12774	(pg. 220)	MC-13L
	(pg. 220)	
12794	(pg. 220)	MC-13L
12804	(pg. 220)	MC-13R
12814 14004	(pg. 220)	MC-13D MC-15L-HS
14004	(py. 223) (pg. 223)	MC-15L-ns
	(pg. 223) (pg. 223)	MC-15N-113
14064	(ng. 222) M	IC-14-4-V4-HS
14104	(pg. 222) M	IC-14-4-V4-HS IC-14-4-V2-HS
14404	(pg. 223)	MC-15L
14424	(pg. 223)	MC-15R
14444	(pg. 223)	MC-15D
14464	(pg. 222)	MC-14-4-V4
14484	(pg. 223)	MC-15D
14504	(pg. 222)	MC-14-4-V2 MC-27
15964	(pg. 225)	IVIU-27

WATER CLOSET CARRIERS **OPTIONAL VARAIATIONS**

15984(pg. 225)...... MC-28

16123(pg. 224)..... MC-24

JOSAM			MIFAB
-1(p	g. 319,	320)	1
-2(p	g. 319,	320)	13
-4(p	g. 319,	320)	14
-6(p			
-10(p			
-21(p			
-24(p			
-30(p			
-30-5(p			
-32(p			
-35(p			
-45(p			
-46(p			
-49(p			
-50(p			
-53(p			
-54(p			
-57(p			
-58(p			

*MC-14 or MC-15 are recommended alternatives. Less pipe space, lower cost and fewer parts.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

19802(pg.	276)	POG-2
19803(pg.		
19804(pg.	276)	POG-4
19805		"X"
19806(pg.		
19812(pg.		
19813(pg.	276)	POG-3
19814(pg.		
19815		
19816(pg.	276)	POG-6
19825		
19826(pg.	276)	POG-6

PUSH ON GASKETS

MIFAB

JOSAM

JOSAM

MIFAB

DUUE DEVINE

ROOF DRAINS
JOSAM MIFAB
21000(pg. 134) R1220-E
21009-Z(pg. 136) R1260-E
21500 (pg. 125) R120
21509-Z(pg. 136) R126
21500-19(pg. 127)R1200-0
21509-Z-19(pg. 136)R1260-G
21500-IRMA(pg. 128)R1200-J 21509-IRMA-Z(pg. 136) R1260-J
21509-IRMA-Z(pg. 136) R1260-J
21500-IRMA-6 (pg. 128) R1200-JC-7
22000(pg. 134) R1220-N 22010(pg. 134) R122
22080(pg. 134) R122
22250 (ng 13/l) R1220-I
22250(pg. 134) R1220-l 23000(pg. 129) R1200-PI
23009-Z(pg. 136) R1260-PI
23010(pg. 129) R1200-PR-9
23500(pg. 129) R1200-PR15
23509-Z(pg. 136) R1260-PR15
23500-IRMA (pg. 129) R1200-PR15-J0
23509-Z-IRMA (pg. 136) R1260-PR15-
23500-IRMA-6 (pg. 129) R1200-PR15-Z
23510(pg. 59) F1360 23530(pg. 129) R1200-PR
23710(pg. 135) R1220-PR
23730(pg. 122) R1100-PR
23740(pg. 122) R1100-PR-1
24020(pg. 53) F1320-Y-Z-14
24030(pg. 54) F1340-Y-Z-14
24040(pg. 68) F1530
24050(pg. 69) F1540
24060(pg. 69) F1550
24200(pg. 128). R1200-JC-PR-2
24500(pg. 144) R1400-83-HN 24520(pg. 145) R1420-83-HN
24520(pg. 145) R1420-83-HN 24540(pg. 145) R1410-83-HM
24700(pg. 142) R1300
24710(pg. 142) R1310
24720(pg. 143) R1320
24730(pg. 143) R1330
24900(pg. 142) R1310
25000(pg. 147) R1640
25010(pg. 150)
25500(pg. 130) R1200-RS
25520(pg. 135) R1220-RS
25540(pg. 123) R1100-RS 26000(pg. 132) R1200-W-E
26010(pg. 132)R1200-W-E
26200(pg. 149)
26400"X"
26450"X"
26700(pg. 149) R1930
28500(pg. 127) K1200-F-L
28600(pg. 127) R1200-F

ROOF DRAINS OPTIONAL VARIATIONS

JUSAW	IVIIFAD
-1 Underdeck clamp	U
-2 Sump receiver	-B
3 Deck clamp assembly	R_II
With auma receiver	yD-O
With sump receiver 4Sec. membrane ring	0
·4Sec. membrane ring	G
-10 Fixed extension	V
10-20Fixed extension	V-12
Galvanized finish	
Galvanized finish 12 Extension flashing co	II _E
·15 Rough bronze	C 12
· 13 Nough biolize	0-12
clamp collar -172" high solid	_
·1/2" high solid	R
membrane clamp 19 Stainless steel mesh	
19 Stainless steel mesh	83
coroon over domo	
-20 All galvanized	-13
-21 Galvanized dome	12
OO Motal dama	1 Z
22 Metal dome	IVI
23 Rough bronze dome .	81
-24 Nikaloy top	1
-26 Aluminum dome	M-80
26 Aluminum dome 27 High dome	Standard
·29 Sediment bucket	5
29-20 Galv. sediment bucke	t5-13
-30 Vandal proof	-6
.31 Chained locking grate	-23
31 Chained locking grate 32 SS mesh screen	82
33 III63II 36I66II	- 00
over dome 33 Membrane clamp with	
33 Membrane clamp with	nU-G
ballast guard 33Stainless steel mesh .	
·33Stainless steel mesh .	83
screen over dome	
-35Flat grate	Std
36Ductile iron grate	Std
37-50Ductile iron grate	1
with NB veneer	
37-51 Ductile iron grate	1
with DD vencer	
50 Nikaloy top	_
50 Nikaloy top	1
51 Nickel bronze top	1
61 Downspout elbow	"X"
66 No hub side outlet	90
TThreaded outlet	T
TThreaded outlet YPush on outlet	P
XInside caulk outlet	χ
ZNo hub outlet	
2140 Hub Outlot	

FLOOR AND AREA DRAINS

JOSAM	MIFAB
30000(p	og. 276) A1-C*
30000-A(pg. 33) F1100-C*
30000-AJ(og. 33) F1100-C-8*
30000-C(pg. 33) F1100-C-5*
30000-E(og. 38) F1100-C-N*
	og. 36) F1100-C-ER*
30000-E2(I	og. 35) F1100-C-EF*
30000-E3(I	og. 35) F1100-C-EG*
30000-P(pg. 34) F1100-C-AS*
30000-R(pg. 39)F1100-C-RS*
30000-S(pg. 39) F1100-C-S*
30200-AD(pg. 36)F1100-C-FC*
30500(pg. 45) F1130C body
30500-A(p	g. 48) F1130C
30500-S(p	g. 48) F1130C-S
	g. 45). F1120-C* body
	g. 48) F1120-C*
31100(og. 53) F1320-C-14*

"X" Contact MIFAB

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

-F2

Visit www.mifab.com for the most recent product information.





29000(pg. 132)..... R1200-W





JOSAM - MIFAB CROSS REFERENCE

FL00	R A	ND	AREA DRAINS
JOSAM			MIFAB
31120	.(pg	53)	F1320-C-5-14*
31200	.(pg.	. 54)	F1340-14
31210	. (pa	. 54)	F1340-90
31220	.(pg	. 54)	F1340-5-14
31600	. (pg.	. 53)	F1320-C*
31720	.pg).	. 54)	F1340-C*
31800	.(pg	62)	F1440-4-5
32100	.(pg	. 53)	F1320-C-Y-14*
32120	.(pg.	. 53)	F1320-C-Y-5-14*
32200	.(pg	. 54)	F1340-C-Y-14-Q*
32220	.(pg	54)	F1340-C-Y-5-14-Q*
32300	.(pg	. 58)	F1350-C-5*
32320	.(pg	. 54)	F1340-C-Y-5-14*
32330	.pa).	. 58)	F1350-C-5*
34720	.(pg.	. 60)	F1370-C-Y-5-14*
34920	.(pg.	. 60)	F1370-C-TFB*
35130	.(pg	61)	F1430C-33-5
35230	.(pg	40)	F1100-C-SHG8-3-5*
35330	.(pg.	66)	F1480-FL-5
35430	.(pg	66)	F1480-FL-5-9
35440	.(pg	62)	F1440-14
35460	.(pg	65)	F1460-Y
35580	.(pg.	66)	F1480
35620A	.(pg	. 62)	F1440-5-6
35720A	.(pg	. 64)	F1450-5-6
36000	.(pg	. 53)	F1320-C-Y*
36100	.(pg	. 54)	F1330C-Y
36210	.(pg	. 56)	F1340-Y-Q
			F1350-5
			F1360-C-Y*
36640	.(pg	. 62)	F1440-5-9-90
36820A	.(pg	. 65)	F1470-Y-5-14
			F1760-FL
37500	.(pg	. 61)	F1420-Y-14
3///0A	.(pg	. 62)	F1440-5-33
			F1440-Y-14
3/810	.(pg	. 62)	F1440-C-Y-5-4*
3/820	.(pg	. 62)	F1440-C-Y-5-4*
38040	.(pg	. 49)	F1140C-9
38250A	.(pg	. 49)	F1140C-9 F1370-17
38420	.(pg	. 60)	F13/U-1/
38620-40	.(pg	. 1/5	5)
3003U	.(pg.	. /U)	F1560
ატყას	.(pg	. 194	l)MI-0S
39000	.(pg.	. 74)	F1650-25-1
30140	.(pg.	. / づ) . E の	F1640-C
30490	.(pg.	. OÖ)	F1350-Y-36-16
30600	.(pg.	(U0 .	F1370-18
30720	.(pg.	. /0) . 50\	F1810 F1350-Z-5
			F1350-2-5
JJJUU			λ

PLASTIC DRAINS			
JPD-5PVC JPFD-3200 JPG3x4-J5	(pg. 51) (pg. 51)	MIFAE F1230-30-5-1 F1230-30-5-1 "X' F1220-30-5-1	
JPG3x4-J6 JPG3x4-J6SQ JPFD-J5 JPFD-J5PVC . JPFD-J6	(pg. 51) (pg. 51) (pg. 33) (pg. 33) (pg. 33)	F1220-30-5-1 F1220-30-6-1 F1220-30-S6-1 F1100-C-30-5-1* F1100-C-30-5-1 F1100-C-30-6-1	
JPFS-PVC JPRD-CI JPVC-1600	(pg. 120) (pg. 164)	. F1100-C-30-S6-1 	

FLOOR AND AREA DRAINS **OPTIONAL VARIATIONS**

OF HONAL VARIATIONS
JOSAM MIFAB
-1Nickel Bronze(pg. 319, 320)1
-2Polished bronze(pg. 319, 320)2
-3Buffed polished NB(pg. 319, 320)10
-4Buffed polished bronze (pg. 319, 320) -10
-5Rough NB top""X" -6Rough bronze top"X"
-7Ductile iron grate(pg. 319, 320)4
-8SS screen dome(pg. 319, 320)83
-10Less grate(pg. 319, 320)22
-11Extra heavy duty grate (pg. 319, 320)4
-12Square top(pg. 319, 320)16
-13Dome grate(pg. 319, 320)20
-13-1 NB dome grate(pg. 319, 320)20-1
-13-2PB dome grate(pg. 319, 320)20-2
-14Hinged grate(pg. 319, 320)14
-15Chained grate(pg. 319, 320)23
-16Locking grate(pg. 319, 320)6
-17Vandal proof(pg. 319, 320)6
-19 C.I. undergrate with NB top (pg. 319, 320)3
-20Cl undergrate with(pg. 319, 320)2
satin bronze top(pg. 319, 320)
-21(pg. 319, 320)14 -22Less locking device
-24Less dome
-33 Galvanized sed. Bucket (pg. 319, 320)-5-13
-40Less flange(pg. 319, 320)33
-41Membrane clamp(pg. 319, 320)C
-42Membrane clamp(pg. 319, 320)C
-43Levelling studs "X"
-44Extension(pg. 319, 320)15
-44-92 Galvanized extension (pg. 319, 320) -15-13
-45Integral extension(pg. 319, 320)15
-493/4" TSP tapping(pg. 319, 320)3/4"
-50TSP tapping(pg. 319, 320)7
-51 1-1/2" aux. threaded inlet (pg. 319, 320) -44 -522" aux. threaded inlet .(pg. 319, 320)44T
-532" aux. tirreaded linet (pg. 319, 320) -4411
-542" aux.spigot inlet(pg. 319, 320) -44X
-60Backwater valve(pg. 319, 320)8
-61Less backwater valve"X"
-62T handle closure plug "X"
-63Spanner wrench(pg. 319, 320). H-1042
-64Bronze closure plug .(pg. 319, 320)34B
-66No hub side outlet(pg. 319, 320)90NH
-70Less bucket
-/1Solid sediment bucket .(pg. 319, 320)5
-72Solid bucket with bronze "X"
screenports -74Solid alum. bucket
-74Solid aldm. bucket with
bronze screen ports
-80 SS sediment bucket (pg. 319, 320) A1-SSB
-81Slotted cast iron bucket (pg. 319, 320)5
-82Aluminum bucket(pg. 319, 320)5
-84 SS mesh lined bucket (pg. 319, 320) -5-83
-88 Secondary strainer(pg. 319, 320)21
-89Underdeck clamp(pg. 319, 320)40
-91Rough bronze body(pg. 319, 320)27
-92All galvanized(pg. 319, 320)13
-93All cast iron
-94Bronze dome(pg. 319, 320)81 -98Control box(pg. 319, 320)MI-VB
-99Extension(pg. 319, 320)15
-TThreaded outlet(pg. 319, 320) T
-WExtension(pg. 319, 320)15
-XX
-YPush on outlet(pg. 319, 320) P
-ZNo hub outlet(pg. 319, 320) St

30000 SERIES STRAINER OPTIONAL VARIATIONS

A	JOSAM	(ng. 46)	MIFAB
6A			
7A. (pg. 46) 7-1 8A. (pg. 46) 8-1 9A. (pg. 46) 10-1 10A (pg. 46) 10-1 10A (pg. 46) 10-1 10A (pg. 46) FC 6AD (pg. 46) FC 6AD (pg. 46) FC 6AD (pg. 46) FC 6AF (pg. 46) FT 6AF (pg. 46) FT 6AF (pg. 46) FT 6AF (pg. 46) FT 6AJ (pg. 46) Std 8 6AJ (pg. 46) 5-1-8 6C (pg. 46) 5-1-5 5C (pg. 46) 5-1-5 5C (pg. 46) K5-1 5D (pg. 46) K5-1 6D (pg. 46) K5-1 6D (pg. 46) K5-1 6E (pg. 46) N7-1 7E (pg. 46) N7-1 7E (pg. 46) N9-1 E1 (pg. 46) ER7-1 9E (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E1 (pg. 46) FF-4-1 FS (pg. 46) N7-1-8 F (pg. 46) FF-4-1 FS (pg. 4			
8A	7A	(pg. 46)	7-1
10A	8AA8	(pg. 46)	8-1
AD. (pg. 46) FC 6AD (pg. 46) FC7-1 9AD (pg. 46) FC7-1 9AD (pg. 46) FC9-1 AF (pg. 46) FT6-6 6AF (pg. 46) FT6-6 6AF (pg. 46) FT6-6 6AF (pg. 46) Std -8 5AJ (pg. 46) 5-1-8 6AJ (pg. 46) 5-1-8 6AJ (pg. 46) 7-1-8 C. (pg. 46) 5-5-5 C (pg. 46) 5-1-5 D (pg. 46) K5-1 D (pg. 46) K5-1 E (pg. 46) K5-1 E (pg. 46) N7-1 E (pg. 46) N7-1 FE (pg. 46) N7-1 FE (pg. 46) N9-1 E1 (pg. 46) ER7-1 FE1 (pg. 46) ER7-1 FE1 (pg. 46) ER7-1 FE1 (pg. 46) ER7-1 FE2 (pg. 46) ER7-1 FE2 (pg. 46) ER7-1 FE3 (pg. 46) ER7-1 FE4 (pg. 46) ER7-1 FE5 (pg. 46) FE4-1 FE7 (pg. 46) FE4-1 FE7 (pg. 46) FE7-1 FE7 (pg. 46) FE7-1 FE8 (pg. 46) FE7-1 FE9 (pg. 46) FF7-1 FF8 (pg. 47) TF1-8 FE9 (pg. 46) FF7-1 FF9 (pg. 46) FF7-1 F			
6AD	10A	(pg. 46)	10-1
9AD	AD	(pg. 46)	FU
AF			
6AF	AF	(pg. 46)	FT6
AJ	6AF	(pg. 46)	FT6-1
6AJ. (pg. 46) 6-1-8 7AJ. (pg. 46) 7-1-8 C. (pg. 46) 5-5 C. (pg. 46) 5-1-5 D. (pg. 46) K5-1 D. (pg. 46) K5-1 6D. (pg. 46) K5-1 6D. (pg. 46) K5-1 6D. (pg. 46) K5-1 6E. (pg. 46) N7-1 7E. (pg. 46) N7-1 9E. (pg. 46) N7-1 9E. (pg. 46) N9-1 E1. (pg. 46) ER7-1 7E1. (pg. 46) ER7-1 7E1. (pg. 46) ER7-1 7E1. (pg. 46) ER7-1 7E2. (pg. 46) ER7-1 7E3. (pg. 46) ER7-1 8E4. (pg. 46) ER7-1 8E5. (pg. 46) ER7-1 8E6. (pg. 46) ER7-1 8E7. (pg. 46) ER7-1 8E8. (pg. 46) ER7-1 8E9. (pg. 47) S5-1			
7AJ			
C. (pg. 46)	6AJ	(pg. 46)	6-1-8
5C (pg. 46) .5-1-5 D (pg. 46) K 5D (pg. 46) K5-1 6D (pg. 46) N 6E (pg. 46) N7-1 7E (pg. 46) N7-1 9E (pg. 46) R7-1 9E (pg. 46) R8-1 6E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E2 (pg. 46) ER9-1 E2 (pg. 46) EF4-1 E3 (pg. 46) F6-1 EJ (pg. 46) N7-1-8 9EJ (pg. 46) N7-1-8 9EJ (pg. 46) N7-1-8 9EJ (pg. 46) N7-1-8 9EJ (pg. 46) N7-1-8	/AJ	(pg. 46)	/-1-8
D.			
5D (pg. 46) K5-1 6D (pg. 46) K5-1 E (pg. 46) N 6E (pg. 46) N7-1 9E (pg. 46) N9-1 E1 (pg. 46) ER 6E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E1 (pg. 46) ER9-1 E2 (pg. 46) EF4-1 E3 (pg. 46) EG-1 E3 (pg. 46) EG-1 E4 (pg. 46) EG-1 EJ (pg. 46) N-8 6EJ (pg. 46) N-8 6EJ (pg. 46) N-7-1-8 9EJ (pg. 46) N-7-1-8 F- (pg. 47) T-6-3	D	(pg. 40) (ng. 46)	0-1-5
6D. (pg. 46) K5-1 E. (pg. 46) N 6E. (pg. 46) N7-1 7E. (pg. 46) N7-1 9E. (pg. 46) N9-1 E1 (pg. 46) N9-1 E1 (pg. 46) ER 6E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E2 (pg. 46) EF4-1 E2 (pg. 46) EF4-1 E3 (pg. 46) EG-1 E3 (pg. 46) EG-1 E4 (pg. 46) N-8 6EJ (pg. 46) N-8 6EJ (pg. 46) N7-1-8 7EJ (pg. 46) N7-1-8 9EJ (pg. 46) N7-1-8 9EJ (pg. 46) N9-1-8 F (pg. 47) T6-3 F4 (pg. 46) F4-1 F6 (pg. 47) T6-3 F4 (pg. 46) F6-1 F8 (pg. 46) F6-1 F8 (pg. 46) F6-1 F8 (pg. 46) F6-1 F9 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 46) F4-1 F54 (pg. 46) F4-1 F55 (pg. 47) VD5-3 H (pg. 46) HG7-3 H (pg. 46) HG7-3 H (pg. 46) HG7-3 M (pg. 47) WD-3 M (pg. 47) S5-1 FR (pg. 46) RS-412-1 FR (pg. 46) RS-412-1 FR (pg. 46) RS-517-3 FR (pg. 47) SS-1	5D	(pg. 40) (ng. 46)	K5-1
E. (pg. 46) N7-1 6E. (pg. 46) N7-1 7E. (pg. 46) N7-1 9E. (pg. 46) N7-1 9E. (pg. 46) N9-1 9E. (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER7-1 9E1 (pg. 46) ER9-1 E2 (pg. 46) EF4-1 E3 (pg. 46) EG-1 E3 (pg. 46) EG-1 E4 (pg. 46) N-1 E5 (pg. 46) N-1 E6 (pg. 46) N7-1-8 E7 (pg. 46) N7-1-8 F (pg. 46) N7-1-8 F (pg. 46) N9-1-8 F (pg. 47) T6-3 F4 (pg. 46) F4-1 F6 (pg. 47) T6-3 F4 (pg. 46) F6-1 F8 (pg. 46) F6-1 F8 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 46) F4-1 F54 (pg. 46) F4-1 F55 (pg. 47) VD5-3 H (pg. 46) HG7-3 H (pg. 46) HG7-3 N (pg. 46) HG7-3 N (pg. 46) HG7-3 N (pg. 46) HG7-3 N (pg. 47) WD-3 N (pg. 47) S5-1 R (pg. 46) RS-48-1 R (pg. 46) RS-48-1 R (pg. 46) RS-412-1 R (pg. 46) RS-517-3 R (pg. 47) S5-1			
6E.			
9E.	6E	(pg. 46)	N7-1
E1.			
6E1 (pg. 46) ER7-1 7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER9-1 E2 (pg. 46) EF4-1 E3 (pg. 46) EG-1 E3 (pg. 46) M-8 6EJ (pg. 46) N-8 6EJ (pg. 46) N7-1-8 9EJ (pg. 46) N9-1-8 9EJ (pg. 46) N9-1-8 9EJ (pg. 46) N9-1-8 9EJ (pg. 46) N9-1-8 9EJ (pg. 47) T6-3 F (pg. 47) T6-3 F4 (pg. 46) F4-1 F6 (pg. 46) F4-1 F6 (pg. 46) F6-1 F8 (pg. 46) F4-1 F5 (pg. 46) F4-1 F5 (pg. 46) F4-1 F5 (pg. 46) F4-1 F6 (pg. 47) VD F6 (pg. 47) VD F6 <td></td> <td></td> <td></td>			
7E1 (pg. 46) ER7-1 9E1 (pg. 46) ER9-1 E2 (pg. 46) EF4-1 7E2 (pg. 46) EF4-1 E3 (pg. 46) EG-1 F3 (pg. 46) N-8 6EJ (pg. 46) N7-1-8 7EJ (pg. 46) N9-1-8 F (pg. 47) T-6-3 F (pg. 47) T-6-3 F4 (pg. 46) F4-1 F6 (pg. 46) F4-1 F6 (pg. 46) F6-1 F8 (pg. 46) F6-1 F8 (pg. 46) F6-1 F9 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 47) VD 5G (pg. 47) VD 5G (pg. 47) VD5-3 H (pg. 46) H6-3 5H (pg. 46) H6-3 5H			
9E1			
E2			
7E2 (pg. 46) EF4-1 E3 (pg. 46) EG 7E3 (pg. 46) N-8 EJ (pg. 46) N7-1-8 FJ (pg. 46) N7-1-8 9EJ (pg. 46) N9-1-8 F (pg. 47) T-6-3 F (pg. 47) T-6-3 F4 (pg. 46) F4-1 F6 (pg. 46) F6-1 F8 (pg. 46) G-1 F9 (pg. 46) G-1 F52 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 47) VD5-3 H (pg. 47) VD5-3 H (pg. 47) VD5-3 H (pg. 46) H65-3 H (pg. 46) H65-3 H (pg. 46) H67-3 H (pg. 46) H67-3 H (pg. 46) H67-3 H (pg. 46) H68-3 M	F2	(pg. 40) (na 46)	FF4
E3	7F2	(ng. 46)	FF4-1
7E3 (pg. 46) EG-1 EJ (pg. 46) N-8 6EJ (pg. 46) N7-1-8 7EJ (pg. 46) N9-1-8 9EJ (pg. 46) N9-1-8 9EJ (pg. 46) N9-1-8 F (pg. 47) T6-3 F (pg. 47) T6-3 F4 (pg. 46) F4-1 F6 (pg. 46) F6-1 F8 (pg. 46) G-1 F9 (pg. 46) F4-1 F52 (pg. 46) F4-1 F53 (pg. 46) F4-1 G (pg. 47) VD-3 H (pg. 46) H6-7-3 F4 (pg. 47) WD-3 <td< td=""><td>E3</td><td>(pg. 46)</td><td>EG</td></td<>	E3	(pg. 46)	EG
6EJ (pg. 46) N7-1-8 7EJ (pg. 46) N7-1-8 9EJ (pg. 46) N9-1-8 F (pg. 47) T6-3 6F (pg. 47) T6-3 F4 (pg. 46) F4-1 F6 (pg. 46) F6-1 F8 (pg. 46) G-1 F9 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 46) F4-1 F53 (pg. 47) VD5-3 H (pg. 47) VD5-3 H (pg. 46) HG5-3 6H (pg. 46) HG5-3 6H (pg. 46) HG7-3 8H (pg. 46) HG7-3 8H (pg. 46) HG8-3 M (pg. 47) WD-3 M (pg. 47) WD-3 M (pg. 47) WD-3 M (pg. 47) WD-3 AP (pg. 46) AS-1 4P	7E3	(pg. 46)	EG-1
7EJ (pg. 46) N7-1-8 9EJ (pg. 46) N9-1-8 F (pg. 47) T 6F (pg. 47) T6-3 F4 (pg. 46) F6-1 F6 (pg. 46) F6-1 F8 (pg. 46) G-1 F9 (pg. 46) F4-1 F52 (pg. 46) F4-1 F53 (pg. 46) F4-1 G (pg. 47) VD5-3 H (pg. 47) VD5-3 H (pg. 46) HG5-3 6H (pg. 46) HG7-3 8H (pg. 46) HG7-3 8H (pg. 46) HG7-3 M (pg. 47) WD-3 P (pg. 46) AS-1 4P (pg	EJ	(pg. 46)	N-8
9EJ. (pg. 46). N9-1-8 F. (pg. 47). T 6F. (pg. 47). T-6-3 F4. (pg. 46). F4-1 F6. (pg. 46). F6-1 F8. (pg. 46). J-1 F9. (pg. 46). G-1 F52. (pg. 46). F4-1 F53. (pg. 46). F4-1 G. (pg. 47). VD5-3 H. (pg. 46). H65-3 G. (pg. 47). VD5-3 H. (pg. 46). H65-3 GH. (pg. 46). H67-3 H. (pg. 46). H67-3 H. (pg. 46). H67-3 H. (pg. 46). H68-3 M. (pg. 47). WD-3 M. (pg. 47). WD-3 M. (pg. 47). WD-3 M. (pg. 47). WD-3 SH. (pg. 46). H68-3 M. (pg. 47). WD-3 SH. (pg. 46). H68-3 M. (pg. 47). WD-3 SH. (pg. 46). AS-1 F8. (pg. 46). AS-1 F8. (pg. 46). AS-1 F8. (pg. 46). AS-1 F8. (pg. 46). RS-48-1 F8. (pg. 46). RS-412-1 F8. (pg. 46). RS-517-3 F8. (pg. 46). RS-517-3 F8. (pg. 47). SS-1	6EJ	(pg. 46)	N7-1-8
F. (pg. 47)			
6F.			
F4. (pg. 46)			
F6 (pg. 46) F6-1 F8 (pg. 46) J-1 F9 (pg. 46) G-1 F52 (pg. 46) F4-1 F53 (pg. 46) F4-1 G (pg. 47) VD 5G (pg. 47) VD5-3 H (pg. 46) HG5-3 6H (pg. 46) HG7-3 7H (pg. 46) HG7-3 7H (pg. 46) HG8-3 M (pg. 47) WD-3 8H (pg. 46) HG8-3 M (pg. 47) WD-3 3M (pg. 47) WD-3 3M (pg. 47) WD-3 4P (pg. 46) AS-1 6P (pg. 46) AS-1 6P (pg. 46) RS-48-1 6R (pg. 46) RS-412-1 7R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 S </td <td></td> <td></td> <td></td>			
F8.	F6	(pg. 46)	F6-1
F52	F8	(pg. 46)	J-1
F53.	F9	(pg. 46)	
G. (pg. 47) VD 5G (pg. 47) VD5-3 H. (pg. 46) HG 5H (pg. 46) HG 5H (pg. 46) HG7-3 7H (pg. 46) HG7-3 7H (pg. 46) HG7-3 8H (pg. 46) HG8-3 M. (pg. 47) WD 2M (pg. 47) WD 2M (pg. 47) WD-3 3M (pg. 47) WD-3 3M (pg. 47) WD-3 6P (pg. 46) AS-1 6P (pg. 46) AS-1 6P (pg. 46) RS-412-1 7R (pg. 46) RS-412-1 7R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 5S (pg. 47) S5-1 5S (pg. 47) S5-1 6S (pg. 47) S6-1 6S (pg. 47) S6-1 6S (pg. 47) S8-1 9S (pg. 47) S8-1			
5G (pg. 47) VD5-3 H. (pg. 46) H6 5H (pg. 46) H65-3 6H (pg. 46) H67-3 8H (pg. 46) H67-3 8H (pg. 46) H68-3 M. (pg. 47) WD-3 2M (pg. 47) WD-3 3M (pg. 47) WD-3 3M (pg. 47) WD-3 4P. (pg. 46) AS-1 6P. (pg. 46) AS-1 8R (pg. 46) RS-48-1 5R (pg. 46) RS-48-1 6R (pg. 46) RS-412-1 7R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 S (pg. 47) S Standard 5S (pg. 47) S5-1 6S (pg. 47) S6-1 8S (pg. 47) S8-1 9S (pg. 47) S10-1			
H. (pg. 46)	5G	(pg. 47) (pg. 47)	VD VD5_3
5H (pg. 46) HG5-3 6H (pg. 46) HG7-3 7H (pg. 46) HG7-3 8H (pg. 46) HG8-3 M. (pg. 47) WD-3 2M. (pg. 47) WD-3 3M. (pg. 47) WD-3 3M. (pg. 46) AS-1 6P. (pg. 46) AS-1 6P. (pg. 46) RS-8 R. (pg. 46) RS-48-1 6R. (pg. 46) RS-48-1 7R. (pg. 46) RS-412-1 7R. (pg. 46) RS-517-3 8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S. (pg. 47) S5-1 6S. (pg. 47) S6-1 8S. (pg. 47) S8-1 9S. (pg. 47) S10-1			
6H (pg. 46) HG7-3 7H (pg. 46) HG7-3 8H (pg. 46) HG8-3 8M (pg. 47) WD 2M (pg. 47) WD-3 3M (pg. 47) WD-3 3M (pg. 47) WD-3 3M (pg. 47) WD-3 4P (pg. 46) AS-1 6P (pg. 46) AS-1 8R (pg. 46) RS-48-1 6R (pg. 46) RS-48-1 6R (pg. 46) RS-48-1 7R (pg. 46) RS-412-1 7R (pg. 46) RS-517-3 8R (pg. 47) SS-1 6S (pg. 47) SS-1 6S (pg. 47) SS-1 6S (pg. 47) SS-1 6S (pg. 47) S8-1 9S (pg. 47) S8-1 9S (pg. 47) S8-1			
7H (pg. 46) HG7-3 8H (pg. 46) HG8-3 M (pg. 47) WD 2M (pg. 47) WD-3 3M (pg. 47) WD-3 3M (pg. 47) WD-3 3M (pg. 47) WD-3 4P (pg. 46) AS-1 6P (pg. 46) AS-1 R (pg. 46) RS-1 R (pg. 46) RS-48-1 6R (pg. 46) RS-48-1 7R (pg. 46) RS-412-1 7R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 8S (pg. 47) SS-1 6S (pg. 47) S5-1 6S (pg. 47) S6-1 6S (pg. 47) S8-1 9S (pg. 47) S8-1 9S (pg. 47) S8-1	6H	(pg. 46)	HG7-3
8H (pg. 46) HG8-3 M. (pg. 47) WD-3 2M. (pg. 47) WD-3 3M. (pg. 47) WD-3 P. (pg. 46) AS-1 6P. (pg. 46) AS-1 R. (pg. 46) RS-48-1 6R. (pg. 46) RS-48-1 6R. (pg. 46) RS-412-1 7R. (pg. 46) RS-517-3 8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S. (pg. 47) S5-1 6S. (pg. 47) S6-1 8S. (pg. 47) S8-1 9S. (pg. 47) S10-1	7H	(pg. 46)	HG7-3
2M. (pg. 47) WD-3 3M. (pg. 47) WD-3 P. (pg. 46) AS 4P. (pg. 46) AS-1 6P. (pg. 46) RS 5R. (pg. 46) RS-48-1 6R. (pg. 46) RS-48-1 6R. (pg. 46) RS-517-3 8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S. (pg. 47) S5-1 6S. (pg. 47) S6-1 8S. (pg. 47) S8-1 9S. (pg. 47) S10-1	8H	(pg. 46)	HG8-3
3M. (pg. 47)	M	(pg. 47)	WD
P. (pg. 46) AS 4P. (pg. 46) AS-1 6P. (pg. 46) AS-1 R. (pg. 46) RS 5R. (pg. 46) RS-48-1 6R. (pg. 46) RS-412-1 7R. (pg. 46) RS-517-3 8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S. (pg. 47) S5-1 6S. (pg. 47) S6-1 8S. (pg. 47) S8-1 9S. (pg. 47) S10-1	2M	(pg. 47)	WD-3
4P. (pg. 46) AS-1 6P. (pg. 46) AS-1 R. (pg. 46) RS 5R. (pg. 46) RS-48-1 6R. (pg. 46) RS-412-1 7R. (pg. 46) RS-517-3 8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S. (pg. 47) S5-1 6S. (pg. 47) S6-1 8S. (pg. 47) S8-1 9S. (pg. 47) S10-1	3M	(pg. 47)	WD-3
6P			
R. (pg. 46) RS 5R (pg. 46) RS-48-1 6R (pg. 46) RS-412-1 7R (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S (pg. 47) S5-1 6S (pg. 47) S6-1 8S (pg. 47) S8-1 9S (pg. 47) S10-1	4P	(pg. 46)	۱-۵۶ ۱ م
5R. (pg. 46) RS-48-1 6R. (pg. 46) RS-412-1 7R. (pg. 46) RS-517-3 8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S. (pg. 47) S5-1 6S. (pg. 47) S6-1 8S. (pg. 47) S8-1 9S. (pg. 47) S10-1	B	(pg. 40) (ng. 46)	RS
6R. (pg. 46) RS-412-1 7R. (pg. 46) RS-517-3 8R (pg. 46) RS-517-3 S. (pg. 47) S Standarc 5S (pg. 47) S5-1 6S (pg. 47) S6-1 8S (pg. 47) S6-1 8S (pg. 47) S8-1 9S (pg. 47) S10-1	5B	(pg. 40) (na 46)	RS-48-1
7R. (pg. 46) RS-517-3 8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S (pg. 47) S5-1 6S (pg. 47) S6-1 8S (pg. 47) S8-1 9S (pg. 47) S10-1	6R	(pg. 46)	RS-412-1
8R. (pg. 46) RS-517-3 S. (pg. 47) S Standard 5S. (pg. 47) S5-1 6S. (pg. 47) S6-1 8S. (pg. 47) S8-1 9S. (pg. 47) S10-1	7R	(pg. 46)	RS-517-3
S	8R	(pg. 46)	RS-517-3
6S	S	(pg. 47)	S Standard
8S(pg. 47)S8-1 9S(pg. 47)S10-1	5S	(pg. 47)	S5-1
85	65	(pg. 47)	S6-1
"X"Contact MIFAB	ან	(pg. 4/)(58-1
ACOIIIaGI WIFAD	ສວ " Y "	(py. 47)	ntact MIEAP
	^		ILACL WIIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.











JOSAM - MIFAB CROSS REFERENCE

30000 SERIES STRAINER OPTIONAL VARIATIONS

JOSAM		MIFAE
SJ	(pg. 47)	S5-8
5SJ	(pg. 47)	S5-1-8
	(pg. 47)	
	(pg. 46)	
	(pg. 47)	

*Includes "-C" membrane clamp in areas with waterproof membrane.

As a recommended alternate, use F1100 in non membrane areas, delete "-C" membrane clamp

FLOOR SINKS

49000pg. 97)..... FS1520-FL-1

MIFAB

JOSAM

	IMM.	O / /	
49010	(pg.	97)	FS1520-1
49020AS	(pg.	99)	FS1720-FL-1
49030AS	(pg.	99)	FS1720-1
49040AS	(pq.	100)	FS1730-FL-1
49050AS	(pg.	100)	FS1730-1
49060AS	(pg.	101)	FS1740-FL-1
49070AS 49100	(pg.	101)	FS1740-1
49100	(pg.	66)	. F1490-FL-1-11
49110	(pg.	66)	F1490-1-11
49120	(pg.	66)	. F1490-FL-1-11
49130	(pg.	66)	F1490-1-11
49200	(pg.	102)	FS1750-FL-1
49210	(pg.	102)	FS1750-1
49220A	(pg.	102)	FS1750-FL-1
49230A	(pa.	102)	FS1750-1
49280A	(pg.	103)	FS1760-FL-1
49290A	(pg.	103)	FS1760-1
49300	(pg.	97)	FS1520-FL
49310	(pg.	97)	FS1520
49320A	(pg.	99)	FS1720-FL
49330A	(pg.	99)	FS1720
49340A	(pg.	100)	FS1730-FL
49350A	(pg.	100)	FS1730
49360A	(pg.	101)	FS1740-FL
49370A	(pg.	101)	FS1740
49400	(pg.	104)	FS1770-FL
49410	(pg.	104)	FS1770
49420	(pg.	105)	FS1790
49430	(pg.	105)	FS1790
49500	(pg.	102)	FS1750-FL
49510	(pg.	102)	FS1750
49520A	(pg.	102)	FS1750-FL
49530A	(pg.	102)	FS1750
49580A	(pg.	103)	FS1760-FL
49590A	(pg.	103)	FS1760
49600	(pg.	98)	FS1530-FL-1
49610	(pg.	98)	FS1530-1
49620	(pg.	98)	FS1530-FL-1
49630	(pg.	98)	FS1530-1
49700	(pg.	98)	FS1530-FL
49710	(pg.	98)	FS1530
49720	(pg.	98)	FS1530-FL
49730	(pg.	98)	FS1530
49850	(pg.	74)	F1650-1
49870A	(pg.	58)	F1350-Y-36

FLOOR SINK OPTIONAL VARIATIONS

JOSAM	MIFAB
2 Less grate(pg. 319, 320)	22
3 Half grate(pg. 319, 320)	150
4 3/4 grate(pg. 319, 320)	175
5 Nickel bronze grate(pg. 319, 32	20)1
7 Full grate with 2 ½"(pg. 319, 32	:0)51
center opening	
8 Depressed alum grate	
10 Secured grate(pg. 319, 320)	
15 Stainless Steel(pg. 319, 320)	3
rim & grate	
16 Grate w/ 4" dia. funnel(pg. 319, 3	,
17 Grate w/ 6" dia. funnel(pg. 319, 32	
18 Grate w/ 4" x 9" funnel (pg. 319, 3	
20 Solid NB cover	
24 Chained grate(pg. 319, 320	
30 SS sediment bucket(pg. 319, 320	•
31 Sediment bucket(pg. 319, 320	
35 SS mesh lined bucket(pg. 319, 32	
43 Internal dome strainer(pg. 319, 32	
45 Less bottom dome	"X"
strainer	,
51 All galvanized(pg. 319, 320	
52 Painted inside and out	
55 Trap seal primer(pg. 319, 32	
C Membrane clamp(pg. 319, 32	
X Inside caulk outlet	
Z No hub outlet(pg. 319, 32	u) Sta

STAINLESS STEEL DRAINAGE **PRODUCTS**

JOSAM		MIFAB
	32)	F1000-S8-3-28
		FS1920-FL
		F1000-S10-3
		FS1920-FL
		FS1940-FL
		FS1920-FLC
		FS1940-FLC
		FS1940-FLC
52130(pg	32)	F1000-S6-3-28
		F1000-C-S6-3-28
		"X"
		R1320-28
		F1000-C-6-3-28
		F1000-C-8-3-28
		F1000-C-8-3-5-28
		F1000-C-8-3-28
		F1000-C-8-3-5-28
		F1000-C-10-3-28
		F1890
		C1000-TS-3-28
	,	"X"

CLEANOUTS

JOSAM		MIFAB
56000	(pg. 156)	C1100-R
56000-12	(ng. 158)	C1100-T C1100-RC R-1
56000-14	(ng 157)	C1100-RC
56000-88	(ng. 285)	R-1
56010	(pg. 200) (pg. 156)	
50010	(pg. 150)	C1100 T
50010-12	(pg. 130)	C1100-T
50010-14	(pg. 157)	C1100-RC
56020	(pg. 158)	C1100-S
56020-12	(pg. 159).	C1100-TS
56020-14	(pg. 158)	C1100-S-RC
56020-88	(pg. 285).	S-1 C1100-S
56030	(pg. 158)	C1100-S
56030-12	(pa. 159)	C1100-TS C1100-S-RC
56030-14	(pg. 158)	C1100-S-RC
56040	(ng 160)	C1100-XR
560/0-13	(ng 150)	C1100-XII
56040-10	(pg. 155) (pg. 150)	C1100-UR C1100-T
50040-14	(pg. 136)	XR-1
50040-00	(pg. 285)	XK-1
56050	(pg. 160)	C1100-XR
56050-13	(pg. 159)	C1100-UR
56050-14	(pg. 157)	C1100-RC
56060	(pg. 160)	C1100-XR
56060-14	(pg. 157)	C1100-XR C1100-RC
56070	(pa. 160)	C1100-XR
56070-14	(ˈpa. 157)	
58180	(pg. 170)	C1450
58190	(ng 170)	
58360	(ng 163)	C1220
50000 50270A	(pg. 100)	C1100-C-R*
0007UA	(pg. 136)	01100-0-n
5846UA	(pg. 163)	
58500	(pg. 170)	61450
58510	(pg. 1/2)	C1460
58540	(pg. 167)	
58600	(pg. 167)	C1400-RD
58610	(pg. 165)	C1300-R
58620	(na 319)	-25-1
58630	(pg. 176)	FHA C1400-S C1300-U
58640	(pg. 166)	C1400-S
58660	(ng 165)	C1300-U
58665	(ng 165)	
58670	(ng 175)	C1500
50600	(pg. 173)	
50700	(pg. 100)	U 1300-IVIF
58/00	(pg. 170)	
58/10	(pg. 1/1)	
58730	(pg. 171)	C1450-S
58740	(pg. 171)	C1450-S
58750	(pg. 172)	
58760	(pg. 173)	C1460-S
58770	(pg. 173)	
58790	(ng 173)	C1460-RD
58800	(ng 164)	C1230-S
50000	(ng 164)	
50010	(pg. 104)	C1230-3
50020	(pg. 104)	C1230-S
58830	(pg. 164)	
ეგგეს	(pg. 166) (
58860	(pg. 166) (J1300-MF w/C1230
58890	(pg. 167)	C1430-RD
58900	(pg. 170)	
58910	(pg. 172)	C1460
	,, ,	

CLEANOUT OPTIONAL VARIATIONS

JOSAM	MIFAB
-1 Nickel bronze(pg. 319,	320)1
-2 Polished bronze(pg. 319, 3	
-5 Ductile iron cover(pg. 319,	
-6 Square NB top(pg. 319, 3	
-6-2 Square NB top(pg. 319,	320) S-1
-10 Scoriated cover(pg. 319, 3	
-12 Top recessed for tile(pg. 319, 3	320) T-1
-13-1 Rnd NB terrazzo cove (pg. 319,	320) UR-1
-13-2 Rnd NB terrazzo cover. (pg. 319, 3	320) UR-1
-14(pg. 319, 320	0)RC-1
-15Vandal proof(pg. 319, 320	ວ)໌6
-17Longer screw then 3 ½"(pg. 319.	320)87

"X".....Contact MIFAB Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA









JOSAM - MIFAB CROSS REFERENCE

CLEANOUT OPTIONAL VARIATIONS CON'T
JOSAM MIFAE -19Plug tap. for center scr .(pg. 319, 320). "X" -20Raised head br. plug(pg. 319, 320)34B -22Taper thread br. plug(pg. 319, 320)34B -24Spanner wrench(pg. 319, 320). H-1042 -26Gasketed cover(pg. 319, 320). Std -31All galvanized(pg. 319, 320)13 -41Membrane clamp(pg. 319, 320)C and flange
-E Extension

JOSAM MIFAB
-4All galvanized(pg. 319, 320)13 -15Stainless steel basket(pg. 319, 320)SSB
-30ARE coating, inside/out(pg. 319, 320)"X"
-31ARE coating, inside(pg. 319, 320) "X"
-32ARE coating, outside(pg. 319, 320) "X" -40Cover recessed for tile(pg. 319, 320)TL
-41Extension(pg. 319, 320)C
-61Anchor flange and(pg. 319, 320)FLC
membrane clamp
-624" inlet and outlet(pg. 319, 320) "X" -65Hub inlet, spigot outlet, 2" (pg. 319, 320)"X"
-66Hub inlet, spigot outlet, 3" (pg. 319, 320) "X"
-67Hub inlet, spigot outlet, 4" (pg. 319, 320) "X"
-683" inlet and outlet(pg. 319, 320)."X"
-80Sediment bucket(pg. 319, 320)-SB -85Enzymatic port(pg. 319, 320)."X"
, ,

INTERCEPTOR OPTIONAL VARIATIONS

BACKWATER VALVES		
JOSAM		MIFAB
67100A	(pg. 258)	BV1260
67350	(pg. 260)	BV1300
67360	(pg. 260)	BV1300
67400	(pg. 257)	BV1000
67500	(pg. 257)	BV1000
67520	(pg. 257)	BV1000
67600	(pg. 257)	BV1000
	(pg. 258)	
67720	(pg. 259)	BV1280
67800	(pg. 259)	BV1280

OPTIONAL VARIA	TIONS
JOSAM	MIFAB
-5 All galvanized(pg	. 319, 320)13
-28 12" CI extension(pg	. 319, 320) "X"
-29 24" CI extension(pg	. 319, 320) "X"

BACKWATER VALVE

HYDRANIS		
JOSAM		MIFAB
71000(pg	g. 247)	. MHY-26
71020(pg	g. 248)	. MHY-35
71050(pg	g. 247)	. MHY-10
71070(pg	g. 248)	. MHY-30
71600(pg	g. 253)	. MHY-60
71650(pg	g. 249)	. MHY-45

HYDRANT OPTIONAL VARIATIONS	
JOSAM	MIFAE
-72 Wall clamp(pg	j. 319, 320)WC
-73 Solder inlet(pg	g. 319, 320) Std
-91 1" thr. Outlet(pg	j. 319, 320)0
-95 Cylinder key lock(pg	j. 319, 320)K
-97 1/8" drain hole(pg	g. 319, 320)9
tapped in box	

WATER HAMMER ARRESTORS

JOSAM		MIFAB
	(pg. 274)	
75001	(pg. 274)	WHB-A
75002	(pg. 274)	WHB-B
75003	(pg. 274)	WHB-C
75004	(pg. 274)	WHB-D
75005	(pg. 274)	WHB-E
75006	(pg. 274)	WHB-F
75007	(pg. 275)	WHS
75000-S	(pg. 274)	MWH
75001-S	(pg. 274)	MWH-A
75002-S	(pg. 274)	MWH-B
75003-S	(pg. 274)	MWH-C
75004-S	(pg. 274)	MWH-D
75005-S	(pg. 274)	MWH-E
75006-S	(pg. 274)	MWH-F

TRENCH DRAINS		
76010 76300 76400	(pg. 82)(pg. 82)(pg. 82)(pg. 81)(pg. 81)	MIFAB 11320-FL-4 11350-FL-4 1200-4 1200-F-4
76501 76700 76701	(pg. 81) (pg. 81) (pg. 81)	T1200-4 T1200-F-4 T1200-F-4 T1200-F2-4

TRENCH DRAIN	
OPTIONAL VARIATIONS	

JOSAM	MIFAB
-1NB veneer(pg. 319, 320)	1
-2PB veneer(pg. 319, 320)	1
-7DI grate(pg. 319, 320)	4
-20Vandal proof(pg. 319, 320)	6
-30Anchor flange(pg. 319, 320)	FLC
and membrane clamp	
-40All galvanized(pg. 319, 320).	13
-65Backwater valve(pg. 319, 320).	8-
-70Sediment bucket(pg. 319, 320)	5
-XInside caulk outlet(pg. 319, 320)	
(1.5	

TRAP SEAL PRIMERS AND **SPECIALITIES**

JOSAM		MIFAE
85220	(pg. 143)	R1320
85800	(pg. 75)	F1760-FL
	(pg. 75)	
88100	(pg. 261)	MI-950
88210	(pg. 261)	MI-950-F
	(pg. 260)	
	(pg. 268)	
	(pg. 268)	
	(pg. 268)	
	(pg. 263)	
88560	(pg. 263)	MI-830
88600	(pg. 263)	MI-830
88900	(pg. 262)	MI-CAG-NH
88910	(pg. 262)	MI-CAG-T
	(pg. 262)	
	(pg. 262)	

Note: This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the Josam catalog number referred to. Due to the simplified modular design of MIFAB products, this index indicates the product which is closest in design, based on function: eg. Free Area, Loading Rating, Depth, Material etc.

"X"...... Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA









WATER CLOSET CARRIERS

0115	J R Smith	MIF	AB
01151L	0115	(pg. 214)	MC-10-EXT
0115BR			
0115DY	0115L	(pg. 214)	MC-10L-EXT-HS
0115IY	0115K	(pg. 214).	MC-10R-EXT-HS
0115RY	0115DY	(pg. 214). (pg. 214)	IVIG-10D-EX1
01755	0115E1 0115RV	(py. 214). (ng. 214)	MC-10L-EXT
0175D			
0175L			
0175DY	0175L	(pg. 221).	MC-13L-HS
0175LY			
0175RY			
0185	01/5LY	(pg. 220).	MC-13L
0185D	U1/3KY 0185	(pg. 220). (pg. 221)	
0185Y	0185D	(pg. 221) (ng. 221)	MC-13D-2-HS
0185DY			
0208DY (pg. 212) MC-10D 0208LY (pg. 212) MC-10L 0208RY (pg. 212) MC-10-27 0209 (pg. 215) MC-10-27 0209DY (pg. 215) MC-10D-27 0209RY (pg. 215) MC-10L-27 0209RY (pg. 215) MC-10L-27 0210 (pg. 212) MC-10 0210D (pg. 212) MC-10HS 0210L (pg. 212) MC-10L-HS 0210R (pg. 212) MC-10HS 0210DY (pg. 212) MC-10D 0210DY (pg. 212) MC-10L 0210LY (pg. 212) MC-10L 0210RY (pg. 212) MC-10L 0210RY (pg. 213) MC-10L-HDX 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XX (pg. 213) MC-10L-HDX 0210LY-M58/54-XX (pg. 212) MC-10HD-750 0210LY-M58/54-XX (pg. 213) MC-10R-HDX 0210LY-M58/54-XX (pg. 213) MC-10R-HDX <td>0185DY</td> <td>(pg. 220).</td> <td> MC-13D-2</td>	0185DY	(pg. 220).	MC-13D-2
0208LY (pg. 212) MC-10L 0208RY (pg. 212) MC-10R 0209 (pg. 215) MC-10-27 0209DY (pg. 215) MC-10D-27 0209LY (pg. 215) MC-10L-27 0209RY (pg. 215) MC-10R-27 0210 (pg. 212) MC-10-HS 0210L (pg. 212) MC-10-HS 0210L (pg. 212) MC-10-HS 0210R (pg. 212) MC-10-HS 0210R (pg. 212) MC-10-HS 0210LY (pg. 212) MC-10-HO 0210LY (pg. 212) MC-10-HO 0210LY (pg. 212) MC-10-HDX 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XK (pg. 213) MC-10L-HDX 0210RY-M58/54-XX (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) </td <td>0208</td> <td>(pg. 212)</td> <td> MC-10</td>	0208	(pg. 212)	MC-10
0208RY (pg. 212) MC-10R 0209 (pg. 215) MC-10-27 0209DY (pg. 215) MC-10D-27 0209RY (pg. 215) MC-10L-27 0209RY (pg. 215) MC-10R-27 0210 (pg. 212) MC-10D-HS 0210L (pg. 212) MC-10L-HS 0210R (pg. 212) MC-10L-HS 0210R (pg. 212) MC-10HS 0210R (pg. 212) MC-10HS 0210LY (pg. 212) MC-10D 0210LY (pg. 212) MC-10L 0210LY (pg. 212) MC-10L 0210LY (pg. 212) MC-10L 0210LY-M54-XX (pg. 213) MC-10L-HDX 0210LY-M54-XX (pg. 213) MC-10L-HDX 0210LY-M58/54-XX (pg. 213) MC-10L-HDX 0210RY-M58/54-XX (pg. 213) MC-10R-HDX 0210RY-M58/54-XX (pg. 213) MC-10R-HDX 0210RY-M58/54-XX (pg. 213) MC-10R-HD-750 0210RY-M58/54-XX (pg. 213)			
0209 (pg. 215) MC-10-27 0209DY (pg. 215) MC-10D-27 0209RY (pg. 215) MC-10L-27 0210 (pg. 215) MC-10R-27 0210 (pg. 212) MC-10 0210D (pg. 212) MC-10D-HS 0210L (pg. 212) MC-10L-HS 0210R (pg. 212) MC-10L-HS 0210DY (pg. 212) MC-10D 0210LY (pg. 212) MC-10L 0210LY (pg. 212) MC-10L 0210RY (pg. 212) MC-10L 0210RY (pg. 212) MC-10L 0210RY (pg. 213) MC-10L-HDX 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HD-750 0210RY-M58/54-XK (pg. 213) MC-10D-HDX 0210DY-M54-XX (pg. 216)			
0209DY (pg. 215) MC-10D-27 0209LY (pg. 215) MC-10L-27 0209RY (pg. 215) MC-10R-27 0210 (pg. 212) MC-10 0210D (pg. 212) MC-10D-HS 0210L (pg. 212) MC-10L-HS 0210R (pg. 212) MC-10R-HS 0210DY (pg. 212) MC-10D 0210LY (pg. 212) MC-10D 0210LY (pg. 212) MC-10L 0210RY (pg. 212) MC-10L 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XK (pg. 213) MC-10L-HDX 0210RY-M58/54-XK (pg. 213) MC-10L-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XX (pg. 216) MC-10R-D-T50 0210RY-M5			
0209LY (pg. 215) MC-10L-27 0209RY (pg. 215) MC-10R-27 0210 (pg. 212) MC-10D-HS 0210D (pg. 212) MC-10D-HS 0210L (pg. 212) MC-10L-HS 0210R (pg. 212) MC-10L-HS 0210DY (pg. 212) MC-10D 0210LY (pg. 212) MC-10L 0210RY (pg. 212) MC-10L 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XK (pg. 213) MC-10L-HDX 0210RY-M58/54-XK (pg. 213) MC-10L-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XK (pg. 213) MC-10D-HDX 0210RY-M58/54-XK (pg. 213) MC-10D-HDX 0210RY-M58/54-XK (pg. 213) MC-10D-HDX			
0209RY (pg. 215) MC-10R-27 0210 (pg. 212) MC-10 0210D (pg. 212) MC-10D-HS 0210L (pg. 212) MC-10L-HS 0210R (pg. 212) MC-10L-HS 0210DY (pg. 212) MC-10D 0210LY (pg. 212) MC-10L 0210RY (pg. 212) MC-10L 0210RY (pg. 213) MC-10L-HDX 0210LY-M54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XK (pg. 213) MC-10L-HDX 0210LY-M58/54-XK (pg. 213) MC-10L-HDX 0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M54-XK (pg. 213) MC-10D-HDX 0210RY-M58/54-XK (pg. 213) MC-10D-HDX 0210RY-M58/54-XK (pg. 213) MC-10D-HDX <t< td=""><td></td><td></td><td></td></t<>			
0210	0209RY	(pg. 215).	MC-10R-27
0210L	0210	(pg. 212)	MC-10
0210R			
0210DY	0210L	(pg. 212).	MC-10L-HS
0210LY			
0210RY			
0210LY-M54-XK	0210E1 0210RY	(pg. 212). (ng. 212)	MC-10R
0210LY-M54-XX			
0210LY-M58/54-XK(pg. 213)	0210LY-M54-XX	(pg. 212).	MC-10L-HD-750
0210RY-M54-XK(pg. 213)	0210LY-M58/54-XK	(pg. 213).	MC-10L-HDX
0210RY-M54-XX(pg. 212)			
0210RY-M58/54-XK (pg. 213) MC-10R-HDX 0210RY-M58/54-XX (pg. 212) MC-10R-HD-750 0210DY-M54-XK (pg. 213) MC-10D-HDX 0210DY-M54-XK (pg. 213) MC-10D-HDX 0210DY-M58/54-XK (pg. 213) MC-10D-HD-750 0210DY-M58/54-XK (pg. 213) MC-10D-HD-750 0210DY-M58/54-XX (pg. 212) MC-10D-HD-750 0219 (pg. 216) MC-10D-27-37 0219DY (pg. 216) MC-10D-27-37 0219DY (pg. 216) MC-10L-27-37 0219LY (pg. 216) MC-10L-27-37 0220 (pg. 216) MC-10L-27-37 0220 (pg. 216) MC-10D-27-37-HS 0220 (pg. 216) MC-10D-27-37-HS 0220L (pg. 216) MC-10L-27-37-HS 0220L (pg. 216) MC-10D-27-37-HS 0220R (pg. 216) MC-10R-27-37-HS 0220LY (pg. 216) MC-10R-27-37 0220LY (pg. 216) MC-10L-27-37 0220LY (pg. 216) MC-10L-27-37 0220LY (pg. 216) MC-10L-27-37 0220LY (pg. 216) MC-10L-27-37 HDX 0220LY-M54-XK (pg. 216) MC-10L-27-37-HDX 0220LY-M58/54-XK (pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XK (pg. 216) MC-10L-27-37-HDX 0220LY-M58/54-XK (pg. 216) MC-10R-27-37-HD 0220RY-M58/54-XK (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XK (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-X	0210RY-M54-XK	(pg. 213).	MC-10R-HDX
0210RY-M58/54-XX(pg. 212)	0210RY-W54-XX	(pg. 212). (pg. 213)	№-10K-ПД-/30 МС-10R-НПУ
0210DY-M54-XK(pg. 213)	0210RY-M58/54-XX	(pg. 210).	MC-10R-HD-750
0210DY-M54-XX(pg. 212)MC-10D-HD-750 0210DY-M58/54-XK(pg. 213)MC-10D-HDX 0210DY-M58/54-XX(pg. 212)MC-10D-HD-750 0219	0210DY-M54-XK	(pg. 213).	MC-10D-HDX
0210DY-M58/54-XX(pg. 212)	0210DY-M54-XX	(pg. 212).	MC-10D-HD-750
0219 (pg. 216) MC-10-27-37 0219DY (pg. 216) MC-10D-27-37 0219LY (pg. 216) MC-10L-27-37 0219RY (pg. 216) MC-10R-27-37 0220 (pg. 216) MC-10D-27-37-HS 0220L (pg. 216) MC-10L-27-37-HS 0220R (pg. 216) MC-10R-27-37-HS 0220DY (pg. 216) MC-10D-27-37 0220LY (pg. 216) MC-10L-27-37 0220LY-M54-XK (pg. 216) MC-10L-27-37-HDX 0220LY-M54-XK (pg. 216) MC-10L-27-37-HDX 0220LY-M58/54-XK (pg. 216) MC-10L-27-37-HDX 0220LY-M58/54-XX (pg. 216) MC-10L-27-37-HDX 0220RY-M54-XX (pg. 216) MC-10L-27-37-HDX 0220RY-M54-XX (pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX (pg. 216)			
0219DY	0010	(010)	110 10 07 07
0219LY			
0219RY			
0220 (pg. 216) MC-10-27-37 0220D (pg. 216) MC-10D-27-37-HS 0220L (pg. 216) MC-10L-27-37-HS 0220R (pg. 216) MC-10R-27-37-HS 0220DY (pg. 216) MC-10D-27-37 0220LY (pg. 216) MC-10L-27-37 0220LY (pg. 216) MC-10R-27-37 0220LY-M54-XK (pg. 216) MC-10L-27-37-HDX 0220LY-M54-XX (pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XK (pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XX (pg. 216) MC-10L-27-37-HD-750 0220RY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M54-XX (pg. 216)			
0220D (pg. 216) MC-10D-27-37-HS 0220L (pg. 216) MC-10L-27-37-HS 0220R (pg. 216) MC-10R-27-37-HS 0220DY (pg. 216) MC-10D-27-37 0220LY (pg. 216) MC-10L-27-37 0220LY (pg. 216) MC-10L-27-37-HDX 0220LY-M54-XK (pg. 216) MC-10L-27-37-HD-750 0220LY-M54-XX (pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XK (pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M54-XX (pg. 216) MC-10R-27-37-HD-750			
0220R (pg. 216) MC-10R-27-37-HS 0220DY (pg. 216) MC-10D-27-37 0220LY (pg. 216) MC-10L-27-37 0220RY (pg. 216) MC-10R-27-37 0220LY-M54-XK (pg. 216) MC-10L-27-37-HDX 0220LY-M54-XX (pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XK (pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XX (pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XX (pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XX (pg. 216) MC-10R-27-37-HD-750	0220D	(pg. 216)	MC-10D-27-37-HS
0220LY	0220L	(pg. 216)	MC-10L-27-37-HS
0220LY			
0220RY	0220DY	(pg. 216)	MC-10D-27-37
0220LY-M54-XK(pg. 216) MC-10L-27-37-HDX 0220LY-M54-XX(pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XK(pg. 216) MC-10L-27-37-HDX 0220LY-M58/54-XX(pg. 216) MC-10L-27-37-HD-750 0220RY-M54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M54-XX(pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HDX 0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750			
0220LY-M54-XX(pg. 216) MC-10L-27-37-HD-750 0220LY-M58/54-XK(pg. 216) MC-10L-27-37-HDX 0220LY-M58/54-XX(pg. 216) MC-10L-27-37-HD-750 0220RY-M54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M54-XX(pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750	0220I Y-M54-XK	(ng. 216)	MC-10I-27-37-HDX
0220LY-M58/54-XK(pg. 216) MC-10L-27-37-HDX 0220LY-M58/54-XX(pg. 216) MC-10L-27-37-HD-750 0220RY-M54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M54-XX(pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750			
0220LY-M58/54-XX(pg. 216) MC-10L-27-37-HD-750 0220RY-M54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M54-XX(pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HDX	0220LY-M58/54-XK	(pg. 216)	MC-10L-27-37-HDX
0220RY-M54-XX(pg. 216) MC-10R-27-37-HD-750 0220RY-M58/54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750	0220LY-M58/54-XX .	(pg. 216) I	MC-10L-27-37-HD-750
0220RY-M58/54-XK(pg. 216) MC-10R-27-37-HDX 0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750	0220RY-M54-XK	(pg. 216)	MC-10R-27-37-HDX
0220RY-M58/54-XX(pg. 216) MC-10R-27-37-HD-750 0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750			
0220DY-M54-XK(pg. 216) MC-10D-27-37-HDX 0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750			
0220DY-M54-XX(pg. 216) MC-10D-27-37-HD-750			

LKLNCL		
0220DY-M58/54-XX	(pg. 216)	MC-10D-27-37-HD-750
0230	(pg. 219)	MC-12-HS*
		MC-12D-HS*
		MC-12*
0230DY	(pg. 218)	MC-12D*
0230Y-W54-XK	(pg. 218)	MC-12-HDX
02301-1034-VV	(pg. 210) (pg. 210)	MC-12-HD-750 MC-12-HDX
02301-W30/34-AN 0230V_M58/5/LYY	(pg. 210) (ng. 218)	MC-12-HD-750
		MC-12D-HDX
		MC-12D-HD-750
0230DY-M58/54-XK	(pg. 218).	MC-12D-HDX
0230DY-M58/54-XX	(pg. 218)	MC-12D-HD-750
0240	(pg. 220).	MC-13
0240D	(pg. 221).	MC-13D-HS
0240L	(pg. 221).	MC-13L-HS
0240K	(pg. 221).	MC-13R-HS
		MC-13D MC-13L
		MC-13R
0240LY-M54-XK	(pg. 220). (pa. 220)	MC-13L-HDX
		MC-13L-HD-750
0240LY-M58/54-XK .	(pg. 220)	MC-13L-HDX
0240LY-M58/54-XX .	(pg. 220)	MC-13L-HD-750
0240RY-M54-XK	(pg. 220)	MC-13R-HDX
0240RY-M54-XX	(pg. 220).	MC-13R-HD-750
		MC-13R-HDX
0240KY-W58/54-XX	(pg. 220).	MC-13R-HD-750 MC-13D-HDX
0240D1-W34-XK	(pg. 220). (pg. 220)	MC-13D-HD-750
0240DY-M58/54-XK	(pg. 220). (ng. 220)	MC-13D-HDX
0240DY-M58/54-XX	(pg. 220).	MC-13D-HD-750
		MC-13-2-HS
0250D	(pg. 221)	MC-13D-2-HS
0250Y	(pg. 220)	MC-13-2
0250DY	(pg. 220)	MC-13D-2
0250Y-M54-XK	(pg. 220)	MC-13-2-HDX
0250Y-W54-XX	(pg. 220)	MC-13-2-HD-750 MC-13-2-HDX
02501-W50/54-XK 0250V-M58/54-XX	(ng 220) (ng 220)	MC-13-2-HD-750
0250DY-M54-XK	(ng 220)	MC-13D-2-HDX
0250DY-M54-XX	(pg. 220)	MC-13D-2-HD-750
0250DY-M58/54-XK	(pg. 220).	MC-13D-2-HDX
0250DY-M58/54-XX	(pg. 220).	MC-13D-2-HD-750
		MC-12-HS*
0260D	(pg. 219)	MC-12D-HS*
0270	(pg. 221)) MC-13-HS
0270D	(pg. 221) (pg. 221)	MC-13D-HS MC-13L-HS
0270E	(ng 221) (ng 221)	MC-13E-HS
		MC-13-HS
		MC-13D-HS
		MC-13L-HS
0280R	(pg. 221)	MC-13R-HS
0310	(pg. 212)	MC-10
		MC-10D-HS
		MC-10L-HS
		MC-10R-HS
		MC-10D
		MC-10L
		MC-10R MC-10-EXT
0315D	(pg.∠14) (pn 21//)	MC-10D-EXT-HS
		MC-10L-EXT-HS
		MC-10R-EXT-HS
		MC-10D-EXT
		MC-10L-EXT
0315RY	(pg. 214).	MC-10R-EXT
		MC-10-27-37

0320D (na 216) MC :	10D 27 27 HS
0320D .(pg. 216). MC-	100-21-31-113
0320L .(pg. 216) MC-	10L-27-37-HS
00000 (== 010) MO	100 07 07 110
0320R .(pg. 216). MC-	10K-21-31-H3
0320DY(pg. 216) N	//C-10D-27-37
0020D1(pg. 210) I	10 100 21 01
0320LY(pg. 216)	MC-10L-27-37
0220DV (pg 216) N	IC 10D 27 27
0320RY(pg. 216) N	
0330(pg. 219)	MC-12-HS*
0000(pg. 210)	
0330D(pg. 219)	MG-12D-H5^
0330Y(pg. 218)	
0330DY(pg. 218)	MC-12D*
0340(pg. 220)	IVIU-13
0340D(pg. 221)	MC-13D-HS
0040D(pg. 221)	1010-100-110
0340L(pg. 221)	MC-13L-HS
0340R(pg. 221)	
0340DY(pg. 220)	MC-13D
0340LY(pg. 220)	MC-13L
0340RY(pg. 220)	MC 12D
0340h1(pg. 220)	IVIU-13N
0350(pg. 221)	. MC-13-2-HS
0350D(pg. 221)	WIU-13D-2-HS
0350Y(pg. 220)	MC_12_2
ουσυτ(μy. ∠∠υ)	IVIO-10-2
0350DY(pg. 220)	MC-13D-2
0260 (52 010)	MC 40 HC*
0360(pg. 219)	
0360D(pg. 219)	
0000D(pg. 213)	
0370(pg. 221)	MC-13-HS
03700 (221)	MC 12D UC
0370D(pg. 221)	MIC-19D-U9
0370L(pg. 221)	MC-13I-HS
00700 (5. 004)	MO 40D HO
0370R(pg. 221)	MC-13R-HS
0375(pg. 220)	
0373(pg. 220)	١٧١٥-١٥
0375D(pg. 221)	MC-13D-HS
00751 (001)	MO 401 110
0375L(pg. 221)	IVIU-13L-HS
0375R(pg. 221)	MC-13R-HS
0375DY(pg. 220)	MC-13D
0375LY(pg. 220)	
0375RY(pg. 220)	MC-13R
11221 (na 221)	MC-13-HS
0000(pq. 221)	
0380(pg. 221)	MC 13D HC
0380D(pg. 221)	MC-13D-HS
0380D(pg. 221)	MC-13D-HS
0380D(pg. 221) 0380L(pg. 221)	MC-13L-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221)	MC-13L-HS MC-13R-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221)	MC-13L-HS MC-13R-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221)	MC-13L-HS MC-13R-HS . MC-13-2-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221)	MC-13L-HS MC-13R-HS . MC-13-2-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385Y(pg. 220)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385Y(pg. 220)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385Y(pg. 220)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385Y(pg. 220)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0385DY(pg. 220) 0410(pg. 223)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13D-2 MC-15
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13D-2 MC-15D-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13D-2 MC-15D-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13D-2 MC-15D-HS MC-15L-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410R(pg. 223)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410R(pg. 223)	MC-13L-HS MC-13R-HS . MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410R(pg. 223) 0410PY(pg. 223)	MC-13L-HS MC-13R-HS . MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15D-HS MC-15R-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410R(pg. 223) 0410DY(pg. 223) 0410DY(pg. 223)	MC-13L-HS MC-13R-HS . MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15D-HS MC-15R-HS MC-15D-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410R(pg. 223) 0410DY(pg. 223) 0410DY(pg. 223)	MC-13L-HS MC-13R-HS . MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15D MC-15R-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410R(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223)	MC-13L-HS MC-13R-HS . MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15B-HS MC-15B-HS MC-15L
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410R(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223)	MC-13L-HS MC-13R-HS . MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15D-HS MC-15R-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410R(pg. 223) 0410BY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223)	MC-13L-HS MC-13R-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15E
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385D(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0411(pg. 223) 0411D(pg. 223)	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13-2 MC-15D-HS MC-15D-HS MC-15R-HS MC-15R MC-15R MC-15R MC-15HS MC-15HS MC-15HS MC-15HS MC-15HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385D(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0411(pg. 223) 0411D(pg. 223)	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13-2 MC-15D-HS MC-15D-HS MC-15R-HS MC-15R MC-15R MC-15R MC-15HS MC-15HS MC-15HS MC-15HS MC-15HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385D(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411D(pg. 223) 0411D(pg. 223) 0411L(pg. 223)	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15R MC-15R MC-15HS MC-15HS MC-15HS MC-15HS MC-15HS MC-15HS MC-15HS MC-15D-HS C-15L-26-HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410PY(pg. 223) 0410RY(pg. 223) 0410RY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) M	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13D-2 MC-15D-HS MC-15D-HS MC-15R-HS MC-15HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410PY(pg. 223) 0410RY(pg. 223) 0410RY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) M	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13-2 MC-13D-2 MC-15D-HS MC-15D-HS MC-15R-HS MC-15HS
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410P(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15HS MC-15HS MC-15HS MC-15HS MC-15HS MC-15D-HS C-15L-BS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS C-15L-26-HS C-15R-25-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410P(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15R-HS MC-15HS MC-15HS MC-15HS MC-15HS MC-15HS MC-15D-HS C-15L-BS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS C-15L-26-HS C-15R-25-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15R-HS MC-15-HS MC-15-HS MC-15-HS MC-15-HS MC-15D-HS C-15L-26-HS C-15R-25-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411D(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223)	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15R-HS MC-15-HS MC-15-HS MC-15-HS MC-15-HS MC-15D-HS C-15L-26-HS C-15R-25-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411D(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223)	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15R-HS MC-15-HS MC-15-HS MC-15-HS MC-15-HS MC-15D-HS C-15L-26-HS C-15R-25-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03857(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411D(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15L-HS MC-15L-HS MC-15B MC-15B MC-15-HS MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03857(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411D(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15L-HS MC-15L-HS MC-15B MC-15B MC-15-HS MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411Sy(pg. 223) 0411Sy(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0413(pg. 223) 0413(pg. 223) 0413(pg. 223)	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2 MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15L-HS MC-15R-HS MC-15R MC-15D-HS C-15L-26-HS C-15L-26-HS C-15L-26-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411BY(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223)	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411BY(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223)	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411BY(pg. 223) 0411BY(pg. 223) 0411BY(pg. 223) 0411BY(pg. 223) 0411BY(pg. 223) 0413(pg. 223) 0413	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15L-26-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385P(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410PY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411BY(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223)	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15L-26-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03857(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411SY(pg. 223) 0411SY(pg. 223) 0413(pg. 223) 0413	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15L-26-HS MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0413(pg. 223) 0413	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15D-HS MC-15D-HS MC-15D MC-15HS MC-15-HS MC-15-HS MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15L
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 0385D(pg. 221) 0385Y(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410RY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0413(pg. 223) 0413	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-13D-2 MC-15D-HS MC-15L-HS MC-15L-HS MC-15D-HS MC-15D-HS MC-15D MC-15HS MC-15-HS MC-15-HS MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15L
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 220) 03855V(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411SY(pg. 223) 0411SY(pg. 223) 0411SY(pg. 223) 0411SY(pg. 223) 0411SSW(pg. 223) 0413DSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223)	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-15D-HS MC-15D-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15D MC-15D MC-15D MC-15L-26 MC-15D MC-15L-26 MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 220) 03855V(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411SV(pg. 223) 0411SV(pg. 223) 0411SV(pg. 223) 0411SV(pg. 223) 0413DSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413RSW(pg. 223) 04144(pg. 223)	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-15D-HS MC-15D-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15D MC-15D MC-15L-26 MC-15D MC-15L-26 MC-15L-26 MC-15L-26 MC-15D MC-15R MC-15R
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 220) 03855V(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411SV(pg. 223) 0411SV(pg. 223) 0411SV(pg. 223) 0411SV(pg. 223) 0413DSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413RSW(pg. 223) 04144(pg. 223)	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-15D-HS MC-15D-HS MC-15L-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15D MC-15D MC-15L-26 MC-15D MC-15L-26 MC-15L-26 MC-15L-26 MC-15D MC-15R MC-15R
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 220) 03855(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411(pg. 223) 0411(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0413DSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0414	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-15D-HS MC-15D-HS MC-15L-HS MC-15D-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15D MC-15L-26 MC-15L-26 MC-15L-26 MC-15L-26 MC-15L-26 MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 220) 03855(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411(pg. 223) 0411(pg. 223) 0411(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0411RY(pg. 223) 0413DSW(pg. 223) 0413LSW(pg. 223) 0413LSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0414	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-15D-HS MC-15D-HS MC-15L-HS MC-15D-HS MC-15D-HS MC-15D MC-15D MC-15D MC-15D MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15D MC-15L-26 MC-15L-26 MC-15L-26 MC-15L-26 MC-15L-26 MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 220) 03855(pg. 220) 03855(pg. 220) 0410(pg. 223) 0410(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410L	MC-13L-HS MC-13R-HS MC-13P-2-HS MC-13D-2-HS MC-13D-2-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15D-HS MC-15B-HS MC-15-HS MC-15-HS MC-15-HS MC-15-HS MC-15D-HS C-15R-25-HS MC-15D-HS MC-15D MC-15D-S-15D-MC-15D MC-15D-S-15D-MC-15D MC-15D-S-15D-MC-15D MC-15D MC-15R
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385(pg. 221) 0385(pg. 221) 0385(pg. 221) 0385(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223) 0413LSW(pg. 223) 0413LY(pg. 223) 0413LY(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413LY(pg. 223) 0413LY(pg. 223) 0413RSW(pg. 223) 0413BSW(pg. 223) 0415D(pg. 223) 0415D(pg. 223) 0415D(pg. 223) 0415L(pg. 223) 0415L(pg. 223)	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2-HS MC-13-2 MC-13-2 MC-15D-HS MC-15D-HS MC-15HS MC-15HS MC-15HS MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15L MC-15L MC-15L MC-15R MC-15R MC-15D MC-15D MC-15D MC-15D MC-15D MC-15B MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 0385(pg. 221) 0385(pg. 221) 0385(pg. 221) 0385(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0410LY(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411L(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0411LY(pg. 223) 0413DSW(pg. 223) 0413DSW(pg. 223) 0413LSW(pg. 223) 0413LY(pg. 223) 0413LY(pg. 223) 0413RSW(pg. 223) 0413RSW(pg. 223) 0413LY(pg. 223) 0413LY(pg. 223) 0413RSW(pg. 223) 0413BSW(pg. 223) 0415D(pg. 223) 0415D(pg. 223) 0415D(pg. 223) 0415L(pg. 223) 0415L(pg. 223)	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2-HS MC-13-2 MC-13-2 MC-15D-HS MC-15D-HS MC-15HS MC-15HS MC-15HS MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15L MC-15L MC-15L MC-15R MC-15R MC-15D MC-15D MC-15D MC-15D MC-15D MC-15B MC-15D
0380D(pg. 221) 0380L(pg. 221) 0380R(pg. 221) 0385(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 221) 03855(pg. 220) 03855(pg. 220) 0385DY(pg. 220) 0410(pg. 223) 0410D(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410L(pg. 223) 0410LY(pg. 223) 0410LY	MC-13L-HS MC-13R-HS MC-13-2-HS MC-13D-2-HS MC-13D-2-HS MC-13-2 MC-13-2 MC-15D-HS MC-15D-HS MC-15HS MC-15HS MC-15HS MC-15D-HS C-15L-26-HS C-15L-26-HS C-15R-25-HS MC-15D MC-15L MC-15L MC-15L MC-15R MC-15R MC-15D MC-15D MC-15D MC-15D MC-15D MC-15B MC-15D

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049



P296







WATER CLOSET CARRIERS CONTINUED

CONTINUED	
J R Smith	MIFAB
0415DY(pg. 223)	MC-15D
0415LY(pg. 223)	MC-15L
0415RY(pg. 223)	MC-15R
0416(pg. 223)	MC-15-HS
0416D(pg. 223) N	/IC-15D-HS
0416L(pg. 223). MC-	-15L-26-HS
0416R(pg. 223) MC-	
0416DY(pg. 223)	
0416LY(pg. 223)	
0416RY(pg. 223)	MC-15R-25
0417(pg. 223)	
0417D(pg. 223) l	
0417L(pg. 223)	MC-15L-HS
0417R(pg. 223)	MC-15R-HS
0417DY(pg. 223)	MC-15D
0417DYS(pg. 223) 0417DYT(pg. 223)	IVIC-15D
0417DY1(pg. 223)	IVIC-15D
0417LY(pg. 223)	
0417LYS(pg. 223) 0417LYT(pg. 223)	IVIC-13L
0417RY(pg. 223)	
0417RYS(pg. 223)	MC-15R
0417RYT(pg. 223)	MC-15R
0417111(pg. 223)	MC-15-HS
0419(pg. 223) 0419D(pg. 223)	MC-15D-HS
0419L(pg. 223) MC	-15L-26-HS
0419R(pg. 223) MC-	
0419DY(pg. 223)	MC-15D
0419DYS(pg. 223)	MC-15D
0419DYT(pg. 223)	MC-15D
0419LY(pg. 223)	MC-15L-26
0419LYS(pg. 223) 0419LYT(pg. 223)	MC-15L-26
0419LYT(pg. 223)	MC-15L-26
0419RY(pg. 223)	MC-15R-25
0419RYS(pg. 223)	MC-15R-25
0419RYT(pg. 223)	MC-15R-25
0429(pg. 223)	. MC-15-31
0430(pg. 223) 0430D(pg. 223)	MC-15
0430D(pg. 223)1	MC-15D-HS
0430L(pg. 223)	
0430R(pg. 223)	MC 15D
0430DY(pg. 223) 0430LY(pg. 223)	IVIC-13D
0430RY(pg. 223)	
0431(pg. 223)	
0431D(pg. 223)	MC-15D-HS
0431L(pg. 223) MC	-15I -26-HS
0431R(pg. 223) MC-	-15R-25-HS
0431DY(pg. 223)	
0431LY(pg. 223)	MC-15L-26
0431RY(pg. 223)	MC-15R-25
0437(pg. 223)	MC-15
0437L(pg. 223)	MC-15L-HS
0437R(pg. 223)	
0437DY(pg. 223)	MC-15D
0437LY(pg. 223)	IVIU-15L
0437RY(pg. 223) 0440(pg. 222) MC	
0440Y(pg. 222) NIC	
0444(pg. 225)	
0444Y(pg. 225)	
0447(pg. 222) MC	-14-4-V2-HS
0447Y(pg. 222)	
0450(pg. 222) MC	-14-4-V4-HS
0450Y(pg. 222)	MC-14-4-V4

0457	(na	222).	MC-14-4-V4-HS
			MC-14-4-V4
0480	(ba. ,	222)	MC-14-4-V2-HS
0.100 0480V	(pg.	222)	MC-14-4-V2
04001. 0484	(pg.	225)	MC-27-HS
0404 0404V	(pg.	225).	MC-27
04041. 0407	(pg.	220).	MC-14-4-V2-HS
			MC-14-4-V2-HS MC-14-4-V2
			MC-14-4-V4-HS
04901.	(pg.	222).	MC-14-4-V4
0497	(pg.	222).	MC-14-4-V4-HS
			MC-14-4-V4
			MC-25-3-2-HS
0532F	(pg.	224)	MC-25-3-2-HS
			MC-25-3-2
			MC-25-3-2
			MC-25-3-4-HS
			MC-25-3-4-HS
0533FY	(pg.	224)	MC-25-3-4
			MC-25-3-4
0542	(pg.	224).	MC-25-4-2-HS
			MC-25-4-2-HS
0542FY	(pg.	224)	MC-25-4-2
0542Y.	(pg.	224).	MC-25-4-2
0544	(pg.	224).	MC-25-4-4-HS
0544D	(pg.	224)	MC-25-4-4-HS
0544DY	(pg. :	224)	MC-25-4D-RV2
0544F(pg. 22	24) N	1C-25-4D-RV2-HS
0544FD	(pg.	224) N	MC-25-4D-RV2-HS
0544FD	Y(po	j. 224	MC-25-4D-RV2
0544FY.	(pq	. 224)	MC-25-4-4
0544Y.	(pa	a. 224) MC-25-4-4
0548D .	(pg. 2	24) [MC-25-4D-RV2-HS
0548D3	(ng. :	224)[MC-25-4D-RV2-HS
0548DP	(ba.	224) I	MC-25-4D-RV2-HS
0548F-3	(Pg	(na	. 224) MC-24
0548F-4	, 1	(pg	. 224) MC-24
05401 -	г	(pg.	. 224) MC-24
			. 224) MC-24
05401D	0 D (na	(pg 22/1)	MC-25-4D-RV2-HS
05401D	i (pg.	224)1	MC-24
0240LL	(pg	224)	MC-25-3-2-HS
0540F	(pg.	224).	MC-25-3-2-HS
0540-3.	(py.	. 224).	IVIU-23-3-2-113
0048-4.	(pg.	. ∠∠4).	MC-25-4-2-HS
000U	(Jy. 22	4) MC-15-HS
0000	ا)(ا	Jy. 22	4) MC-21-T
U02U	(Jy. 22	4) MC-22-T

* MC-14 or MC-15 are recommended alternatives. Less pipe space, lower cost and fewer parts

"X" Contact MIFAB

WATER CLOSET **OPTIONAL VARIATIONS**

J R SMIT		MIFAB
-M12	(pg. 319, 320) (pg. 319, 320)	20
-M17	(pg. 319, 320) (pg. 319, 320)	31
-M50	(pg. 319, 320) (pg. 319, 320) (pg. 319, 320)	Standard
-M54	(pg. 319, 320)	Standard
-M74		"X"
-N2	(pg. 319, 320) (pg. 319, 320)	27
-U	(pg. 319, 320)	14
-95	(pg. 319, 320) (pg. 319, 320)	13

LAVATORY, URINAL **AND SINK CARRIERS**

0609. (pg. 236). MC-62 0610. (pg. 236). MC-62 0614. (pg. 226). MC-31 0615. (pg. 226). MC-32

J R SMITH

MIFAB

υστο(pg. 2	(۵ک	IVIU	-32
0616(pg. 2	26)	MC	-31
0617(pg. 2	26)	MC	-32
0000 (pg. 2	20)	IVIC	202
0622(pg. 2	20)	IVIU	-32
0623(pg. 2	26)	MC	-31
0624(pg. 2	26)	MC	-32
0628(pg. 2	06)	IVIC	200
	20)	IVIU	-32
0629(pg. 2	36)	MC-6	31-T
0630(pg. 2	36)	MC-6	11-T
0632(pg. 224	4)	MC 25	າ ດີດ
0032(py. 22	+)	1010-20	-2-0
0633(pg. 224	4)	MC	-24
0634(pg. 226	3)	MC	-31
0635(pg. 226	3)	MC	30
0000(pg. 220		IVIO	-04
0636(pg. 226	ó)	IVIC	-31
0637(pg. 226	3)	MC	-32
0642(pg. 226	3)	MC	-32
0042(pg. 220	J)	1410	1-02
0643(pg. 226	ວ)	IVIU	ı-3 I
0644(pg. 226	3)	MC	-32
0648(pg. 226	3)	MC	-30
0040(pg. 220	<u>-/</u>	MAC OO	110
0650(pg. 225	0)	WIU-28	-H2
0650Y(pg. 225	5)	MC	-28
0651(pg. 225)	_′ MC	-28-27	-HS
0051(pg. 225)	1010	MC OC	110
0651Y(pg. 225)		1010-20	5-21
0660(pg. 225)		MC	-27
0661(pg. 225)		MC-28	3-27
0672(pg. 225)		MC 26	цĊ
0072(pg. 225)		1010-20	-110
0672Y(pg. 225)	١	MC	-26
0673(pg. 223) 0674(pg. 225)		MC	-15
0674 (ng 225)		MC-26	2H_
0074(pg. 225)		1010-20	-110
0674Y(pg. 225) 0675 to 0689(pg		IVIC	-26
0675 to 0689(pa	. 223).	MC	-15
0700(pg. 23	1)	MC-Z	11-R
0700(pg. 20	1)	NAC 44	ח ח
0700D(pg. 23	12)	IVIU-4 I	D-K
0700DE(pg. 23	(2)	MC-41	D-R
0700E(pg. 23	31)	MC-4	11-R
0700 27 (pg. 23	21)		າ D
0700-27(pg. 23	(دا	. 1010-4	2-n
0700-27-M31(pg	j. 230)	M(;-41
0700D-27-M31.(pg	231)	MC-	41D
0700-M31(pg	220)	MAC	11
07 00-1013 1(pg	j. 230).	IVIC	,-4 I
0710(pg. 22	29)	MC-47	I-IK
0710D(pg. 23	31) N	/IC-41D	-TR
0710-27(pg. 2	32)	MC-4)_TR
0710-27(pg. 26	02)	10 405	- TD
0710D-27(pg. 23	33) I	/IC-42L)-IK
0710DE(pg. 2	.29) I	MC-41[D-TF
0710E(pg. 22	29)	MC-41	-TR
0700 (nc 00)	-0 <i>)</i>	1/10	E0
0720(pg. 23	ازد	IVIU	-33
0720E(pg. 235	o)	MC-5	3-E
0722(pg. 234	4)	MC	-51
0722E(pg. 234	1	MC F1	-Eo
0122E(pg. 232	+ /	IVIU-3	-62
\ /:=!+		£	
Visit www.mifak	o.com	tor the	e m

0723	(pg. 235)	MC-51-LP
0723E	(pg. 235)	MC-51-LP-E2
0/2/	(pg. 234)	MC-51
0/2/E	(pg. 234)	MC-51-E2
0728	(pg. 234)	MC-51
0720E	(pg. 234)	MC-51-E2
07500	(pg. 230)	MC-40 MC-40D
0750D	(pg. 230) (ng. 230)	MC-40D
0752 0752D	(pg. 230)	MC-40D
0760	(ng. 230)	MC-40D MC-40
0760D	(pg. 230)	MC-40D
0762	(pg. 230)	MC-40
0762D	(pa. 230)	MC-40D
0770	(pg. 235)	MC-55
0772	(pg. 235)	MC-55
0780	(pg. 235)	MC-55
0782	(pg. 235)	MC-55
0/90	(pg. 236)	MC-56-LP
0792	(pg. 236)	MC-56-LP
0/93	(pg. 234)	IVIU-51
0800	(pg. 226) (pg. 226)	IVIU-31
0001 0801D	(pg. 226)	MC-31D
0805	(pg. 220) (ng. 226)	MC-31D
0823	(pg. 220)	MC-31-SP
0824	(pg. 226)	MC-31-SP MC-31-SP
0825	(pg. 228).	MC-38D
0826	(pg. 228).	MC-36
0827	(pg. 228).	MC-36 MC-38D
0828	(pg. 228).	MC-36
		MC-32
0831	(pg. 226).	MC-32
0844	(pg. 226).	MC-31
0870	(pg. 230).	MC-40 MC-40D
0070D	(pg. 230) (pg. 230)	MC-40D
007 1 0871D	(ng 230).	MC-40D
0876	(pg. 230)	
0913	(pg. 236)	MC-61-T
0914	(pg. 236).	MC-61-T
0915((pg. 236) M	C-62-4-V4-HS
0915-1 .(ı	pa. 236) Mi	C-62-4-V2-HS
0915Y	(pg. 236)	MC-62-4-V2
0915Y2	(pg. 236)	. MC-62-4-V2
0915Y3	(pg. 236)	. MC-62-4-V3
0915Y4	(pg. 236)	. MC-62-4-V2
091010	(pg. 236)	. IVIU-02-4-V4
0923	(pg. 236)	MC-61-T
0925 (r	(pg. 200) na 236) M	MC-61-T C-62-4-V4-HS
0925-1 (n	og. 236) M	C-62-4-V2-HS
0925Y	.(ng. 236)	. MC-62-4-V2
0925Y2	(pg. 236)	. MC-62-4-V2
0925Y3	(pg. 236) (pg. 236)	MC-62-4-V3
0925Y4	(pg. 236) (pg. 236)	. MC-62-4-V2
0925Y5	(pg. 236)	MC-62-4-V4
LAVAT	ORY, URINA	L AND SINK

LAVATORY, URINAL AND SINK CARRIEROPTIONAL VARIATIONS

JRSN		
D	(pg. 319, 320)	D
E	(pg. 319, 320)	E2
	(pg. 319, 320)	
	(pg. 319, 320)	
	(pg. 319, 320)	
KW	(pg. 319, 320)	G
	(pg. 319, 320)	
M24		"X
M30		"X
M31	(pg. 319, 320)	Std.
M40		"X
M51		"X
N		"X"
U	(pg. 319, 320))14
·Z		"X"
27	(pg. 319, 320)	Std.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









ROOF DRAINS

JR SMITH		
1001 (pg. 148) R1810 w/A2-PD 1002 (pg. 148) R1810 1010 (pg. 148) R1810 1010 (pg. 148) R1200 1010-C. (pg. 125) R1200-MU 1010-C-CID (pg. 125) R1200-MU 1010-C-CID (pg. 125) R1200-BU 1010-R-C (pg. 125) R1200-BU 1010-R-C (pg. 125) R1200-BU 1010-R-C-CID (pg. 125) R1200-BU 1010-10" (pg. 136) R1260 DX1010 (pg. 136) R1200-Z 1011 (pg. 127) R1200-G 1015 (pg. 126) R1200-EU 1015-C-CID (pg. 126) R1200-EU 1015-C-CID (pg. 126) R1200-EU 1015-R-C (pg. 126) R1200-HU 1015-R-C (pg. 126) R1200-JC 1018 (pg. 127) R1200-JC 1018 (pg. 128) R1200-JC 1018 (pg. 128) R1200-JC 1019 (pg. 127) R1200-G-Z 1020 (pg. 132) R1200-W 1074 (pg. 132) R1200-W 1074 (pg. 132) R1200-W 1074 (pg. 132) R1200-F 1084 (pg. 127) R1200-F 1084 (pg. 127) R1200-F 1084 (pg. 127) R1200-F 1085 (pg. 127) R1200-F 1084 (pg. 127) R1200-F 1085 (pg. 127) R1200-F 1085 (pg. 127) R1200-F 1084 (pg. 127) R1200-F 1085 (pg. 127) R1200-F 1089 (pg. 129) R1200-P 1089 (pg. 149) R1300 (pg. 142) R1300 R1400 (pg. 142) R1300 R1400 (pg.	J R SMITH MIFAB	
1002	1001 (ng 148) B1810w/A2-PD	
1010 (pg. 125) R1200-U 1010-C. (pg. 125) R1200-W 1010-C-CID (pg. 125) R1200-M-U 1010-CID (pg. 125) R1200-M-U 1010-R-C (pg. 125) R1200-B-U 1010-R-C (pg. 125) R1200-B-U 1010-R-C (pg. 125) R1200-B-U 1010-10" (pg. 132) R1200-C 1011 (pg. 132) R1200-E 1015 (pg. 126) R1200-E 1015 (pg. 126) R1200-EU 1015-C-CID (pg. 126) R1200-HU 1015-R-C (pg. 126) R1200-HU 1015-R-C (pg. 126) R1200-HU 1015-R-C (pg. 126) R1200-HU 1016 (pg. 127) R1200-G-C 1017 (pg. 128) R1200-JC 1018 (pg. 128) R1200-JC 1019 (pg. 128) R1200-JC 1019 (pg. 128) R1200-JC 1019 (pg. 133) R1200-JC 1019 (pg. 132) R1200-G-Z 1020 (pg. 133) R1200-W 1074 (pg. 132) R1200-W 1074 (pg. 132) R1200-F 1080 (pg. 130) R1200-F 1084 (pg. 127) R1200-F 1085 (pg. 127) R1200-F 1088 (pg. 127) R1200-F 1088 (pg. 127) R1200-F 1088 (pg. 127) R1200-F 1088 (pg. 127) R1200-F 1089 (pg. 127) R1200-P 1089 (pg. 129) R1200-PR 1080 (pg. 134) R1200-P 1080 (pg. 134) R1200-P 1080 (pg. 134) R1200-P 1080 (pg. 129) R1200-PR 1080 (pg. 142) R1300 1090 (pg. 142) R1300 1090 (pg. 142) R1300 1090 (pg. 142) R1300 1090 (pg. 144) R1400-HM 1090 (pg. 145) R1400-HM 1090 (pg. 145) R1400-HM 1090 (pg. 146) R1400-HM 1090 (pg. 147) R1400-HM	1002 (ng 1/8) R1810	
1010-CID (pg. 125)	1010 " (10F) D1000	
1015	1010(pg. 120)	
1015	1010-C(pg. 125) R1200-U	
1015	1010-C-CID (pg. 125) R1200-M-U	
1015	1010-CID(pg. 125) R1200-M	
1015	1010-R-C(pg. 125) R1200-B-U	
1015	1010-R-C-CID(ng 125) R1200-M-R-II	
1015	1010-10" (ng 136) R1260	
1015	DY1010 (pg. 132) P1200 7	
1015	1011 (pg. 102) 11200-2	
1015-R-C	1011(pg. 127) N1200-G	
1015-R-C	1015(pg. 125) K1200-E	
1015-R-C	1015-C(pg. 126) R1200-EU	
1016	1013-6-61D.(DU. 1201 N1200-191-EU	
1016	1015-R-C(pg. 126) R1200-EU	
1016	1015-R-C-CID (pg. 126).R1200-M-EU	
1017	1016(pa. 127) R1200-G-C	
1019	1017(pa. 128) R1200-JC	
1019	1018 (ng. 128) R1200-JC-7	
1020	1019 (ng 127) R1200-G-7	
1070	1020 (pg. 127)	
1074	1070 (pg. 132) P1200 W	
1083	1074 (pg. 102)	
1083	1000 (pg. 100) D1000 D	
1084	1000(pg. 130) K1200-K	
1084	1003(pg. 127) K1200-F	
DX1240(pg. 53) F1320-Y-14-Z DX1250(pg. 52) F1300-Y-14-Z 1310(pg. 134)	1084(pg. 127) R1200-F	
DX1240(pg. 53) F1320-Y-14-Z DX1250(pg. 52) F1300-Y-14-Z 1310(pg. 134)	1085 (pg. 127) R1200-F	
DX1240(pg. 53) F1320-Y-14-Z DX1250(pg. 52) F1300-Y-14-Z 1310(pg. 134)	1088(pg. 127) R1200-F-90	
DX1240(pg. 53) F1320-Y-14-Z DX1250(pg. 52) F1300-Y-14-Z 1310(pg. 134)	1089(pg. 127) R1200-F-90	
DX1250 (pg. 52). F1300-Y-14-Z 1310 (pg. 134) R1220 1320 (pg. 134) R1220-91 1330 (pg. 120) R1100-90 1409 (pg. 129) R1200-PR15-J 1410 (pg. 129) R1200-PR5-J 1410 (pg. 129) R1200-PR15-J 1416 (pg. 129) R1200-PR15-J-Z 1420 (pg. 129) R1200-PR15-J-Z 1420 (pg. 128) R1200-PR-90 1422 (pg. 128) R1200-PR 1450 (pg. 129) R1200-PR 1450 (pg. 135) R1220-PR 1460 (pg. 135) R1220-PR 1460 (pg. 122) R1100-PR-4 1470 (pg. 122) R1100-PR-4 1480 (pg. 122) R1100-PR-4 1480 (pg. 122) R1100-PR-4 1510 (pg. 142) R1300 1520 (pg. 143) R1320 1530 (pg. 142) R1300 1540 (pg. 142) R1300 1550 "X" 1560 (pg. 142) R1300 1570 (pg. 142) R1300 1570 (pg. 144) R1300 1570 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 145) R1410-HM 1670 (pg. 145) R1410-HM 1670 (pg. 145) R1410-HM 1670 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1690 (pg. 146) R1500 1730 (pg. 148) R1900 1720 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 148) R1900 1720 (pg. 148) R1940 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1786 (pg. 146) R1510	DX1240 (ng. 53) F1320-Y-14-7	
1310	DX1250 (ng 52) F1300-Y-14-7	
1330	1210 (ng 124) D1220	
1330	1220 (pg. 124) D1220 00	
1340	1020(py. 104)	
1409(pg. 129) R1200-PR15-J 1410(pg. 129) R1200-PR 1415(pg. 129) R1200-PR15-E-U 1416(pg. 129) R1200-PR15-E-U 1416(pg. 129) R1200-PR15-J-Z 1420(pg. 128) R1200-PR-90 1422(pg. 128) R1200-PR 1425(pg. 128) R1200-PR 1440(pg. 129) R1200-PR 1450(pg. 135) R1220-PR 1460(pg. 135) R1220-PR 1460(pg. 135) R1220-PR 1470(pg. 122) R1100-PR 1472(pg. 122) R1100-PR-90 1482(pg. 122) R1100-PR-4-90 1510(pg. 122) R1100-PR-4-90 1510(pg. 142) R1300 1520(pg. 143) R1320 1530(pg. 142) R1300 1540(pg. 142) R1300 1540(pg. 142) R1300 1550 "X" 1560(pg. 142) R1300T 1570(pg. 142) R1300T 1570(pg. 144) R1400-14 1620(pg. 145) R1410-14 1650(pg. 145) R1410-14 1660(pg. 145) R1410-14 1670(pg. 145) R1410-14 1680(pg. 145) R1420-14 1680(pg. 146) R1510 1786(pg. 146) R1930 1750 "X" 1760 "X" 1770(pg. 150) R1940 1785(pg. 146) R1510 1786(pg. 146) R1510	1330(pg. 120) K1100	
1416	1340(pg. 124) R1100-90	
1416	1409(pg. 129) R1200-PR15-J	
1416	1410(pg. 129) R1200-PR	
1416	1415(pg. 129) R1200-PR15-E-U	
1420 (pg. 128)	1416(pg. 59) F1360-C-Y-14*	
1420 (pg. 128)	1419 (pg. 129) B1200-PR15-J-7	
1422 (pg. 128)	1420 (ng 128) R1200-PR-90	
1425 (pg. 129) R1200-PR15-90 1440 (pg. 129) R1200-PR 1450 (pg. 135) R1220-PR 1460 (pg. 135) R1220-PR-90 1470 (pg. 122) R1100-PR-4 1480 (pg. 122) R1100-PR-4 1480 (pg. 122) R1100-PR-90 1482 (pg. 122) R1100-PR-4-90 1510 (pg. 142) R1300 1520 (pg. 143) R1320 1530 (pg. 144) R1300 1540 (pg. 142) R1310 1550 "X" 1560 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1580 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1630 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1660 (pg. 145) R1410-14 1680 (pg. 145) R1420-14 1680 (pg. 146) R1510 1730 (pg. 149) R1900 1720 (pg. 148) R1900 1720 (pg. 148) R1900 1730 (pg. 149) R1900 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1422 (ng 128) R1200-PR	
1440 (pg. 129)	1/25 (ng 120) P1200 PD15 00	
1450 (pg. 135) R1220-PR 1460 (pg. 135) R1220-PR-90 1470 (pg. 122) R1100-PR-1472 (pg. 122) R1100-PR-1480 (pg. 122) R1100-PR-90 1482 (pg. 122) R1100-PR-4-90 1510 (pg. 142) R1300 1520 (pg. 143) R1320 1530 (pg. 143) R1320 1530 (pg. 142) R1310 1540 (pg. 143) R1330 1550 "X" 1560 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1650 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1660 (pg. 145) R1410-14 1660 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1690 (pg. 145) R1420-14 1690 (pg. 145) R1420-14 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 149) R1900 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1440 (pg. 129) 11200-F1113-90	
1470(pg. 122)	1440(pg. 129) n1200-rn	
1470(pg. 122)	1400(pg. 100)	
1480	1460(pg. 135) R1220-PR-90	
1480	14/0(pg. 122) R1100-PR	
1480	14/2(pg. 122) R1100-PR-4	
1530 (pg. 142) R1310 1540 (pg. 143) R1330 1550 "X" 1560 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1580 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1630 (pg. 144) R1400-14 1660 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1660 (pg. 145) R1420-14 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1690 (pg. 145) R1420-14 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 149) R1930 1750 "X" 1760 "X" 17760 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1480(pg. 122) R1100-PR-90	
1530 (pg. 142) R1310 1540 (pg. 143) R1330 1550 "X" 1560 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1580 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1630 (pg. 144) R1400-14 1660 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1660 (pg. 145) R1420-14 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1690 (pg. 145) R1420-14 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 149) R1930 1750 "X" 1760 "X" 17760 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1482(pg. 122) R1100-PR-4-90	
1530 (pg. 142) R1310 1540 (pg. 143) R1330 1550 "X" 1560 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1580 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1630 (pg. 144) R1400-14 1660 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1660 (pg. 145) R1420-14 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1690 (pg. 145) R1420-14 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 149) R1930 1750 "X" 1760 "X" 17760 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1510 (pg. 142) R1300	
1530 (pg. 142) R1310 1540 (pg. 143) R1330 1550 "X" 1560 (pg. 142) R1300T 1570 (pg. 142) R1300T 1570 (pg. 142) R1300T 1580 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1630 (pg. 144) R1400-14 1660 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1650 (pg. 145) R1410-14 1660 (pg. 145) R1420-14 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1690 (pg. 145) R1420-14 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 149) R1930 1750 "X" 1760 "X" 17760 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1520 R1320	
1540	1530 (ng. 142) B1310	
1550 "X" 1560 (pg. 142) R1300T 1570 (pg. 142) R1310T 1580 (pg. 142) R1300T 1580 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-14 1620 (pg. 144) R1400-1M 1630 (pg. 145) R1410-1M 1650 (pg. 145) R1410-1M 1660 (pg. 145) R1410-1M 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1690 (pg. 145) R1420-14 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1540 (ng 143) R1330	
1560 (pg. 142) R1300T 1570 (pg. 142) R1310T 1580 (pg. 142) R1300T 1610 (pg. 144) R1400-14 1620 (pg. 144) R1400-HM 1630 (pg. 144) R1400-HM 1640 (pg. 145) R1410-14 1650 (pg. 145) R1410-HM 1670 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 145) R1420-HM 1710 (pg. 145) R1640 1720 (pg. 149) R1900 1720 (pg. 149) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510 1786 (pg. 146) R1510		
1570	1560 (ng 142) R1300T	
1580 (pg. 142). R1300T 1610 (pg. 144). R1400-14 1620 (pg. 144). R1400-14 1630 (pg. 144). R1400-HM 1640 (pg. 145). R1410-14 1650 (pg. 145). R1410-14 1650 (pg. 145). R1410-HM 1670 (pg. 145). R1420-14 1680 (pg. 145). R1420-HM 1710 (pg. 145). R1420-HM 1710 (pg. 145). R1420-HM 1710 (pg. 149). R1900 1720 (pg. 148). R1850 1730 (pg. 147). R1640 1740 "X" 1748 (pg. 149). R1930 1750 "X" 1760 "X" 1770 (pg. 150). R1940 1785 (pg. 146). R1510 1786 (pg. 146). R1510	1570 (ng 1/2) D1210T	
1610 (pg. 144) R1400-14 1620 (pg. 144) R1400 1630 (pg. 144) R1400-HM 1640 (pg. 145) R1410-14 1650 (pg. 145) R1410-HM 1670 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-H 1690 (pg. 145) R1420-H 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 149) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1500 (pg. 142)	
1620 (pg. 144) R1400 1630 (pg. 144) R1400-HM 1640 (pg. 145) R1410-14 1650 (pg. 145) R1410-HM 1670 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 149) R1900 1720 (pg. 149) R1640 1740 "X" 1748 (pg. 149) R1640 1740 "X" 1750 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510 1786 (pg. 146) R1510		
1630 (pg. 144). R1400-HM 1640 (pg. 145). R1410-14 1650 (pg. 145). R1410-HM 1660 (pg. 145). R1410-HM 1670 (pg. 145). R1420-14 1680 (pg. 145). R1420-14 1680 (pg. 145). R1420-HM 1710 (pg. 145). R1420-HM 1710 (pg. 149). R1900 1720 (pg. 148). R1850 1730 (pg. 147). R1640 1740. "X" 1778 (pg. 149). R1930 1750 "X" 1760 "X" 1770 (pg. 150). R1940 1785 (pg. 146). R1510 1786 (pg. 146). R1510	1610(pg. 144) K1400-14	
1640 (pg. 145) R1410-14 1650 (pg. 145) R1410 1660 (pg. 145) R1410 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510		
1650 (pg. 145) R1410 1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1630(pg. 144) R1400-HM	
1650 (pg. 145) R1410 1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1640(pg. 145) R1410-14	
1660		
1670(pg. 145)	1650 (pg. 145) R1410	
1680 (pg. 145) R1420 1690 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510		
1690 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1520	1660(pg. 145) R1410-HM	
1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	1660(pg. 145) R1410-HM 1670(pg. 145) R1420-14	
1720 (pg. 148)	1660(pg. 145) R1410-HM 1670(pg. 145) R1420-14 1680(pg. 145) R1420	
1740	1660(pg. 145) R1410-HM 1670(pg. 145) R1420-14 1680(pg. 145) R1420 1690(pg. 145) R1420-HM	
1740	1660(pg. 145)	
1748(pg. 149)	1660(pg. 145)	
1748(pg. 149)	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420 1690 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640	
1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1520	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420 1690 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X"	
1760	1660	
1770(pg. 150) R1940 1785(pg. 146) R1510 1786 (pg. 146) R1520	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1690 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X"	
1785(pg. 146) R1510	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X"	
1786(pg. 146)	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1750 "X" 1760 "X" 1770 (pg. 150) R1940	
1787(pg. 147)	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1710 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1750 "X" 1760 "X" 1770 (pg. 150) R1940	
ILIUUU	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1690 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	
(, 5	1660 (pg. 145) R1410-HM 1670 (pg. 145) R1420-14 1680 (pg. 145) R1420-HM 1690 (pg. 145) R1420-HM 1710 (pg. 149) R1900 1720 (pg. 148) R1850 1730 (pg. 147) R1640 1740 "X" 1748 (pg. 149) R1930 1750 "X" 1760 "X" 1770 (pg. 150) R1940 1785 (pg. 146) R1510 1786 (pg. 146) R1510	

ROOF DRAINS OPTIONAL VARIATIONS

J R SI	MITH	MIFAB
-AA	Aluminum body	80
	Aluminum dome	
	Sediment bucket	
	Bronze body	
BC	Bird screen	93
-DO	Bronze standpipe	03 "V"
-DZO	DIVIIZE Stallupipe	^
٠	Inside caulk outlet .	X
	Underdeck clamp .	
	Metal dome	
-CID8	8" high metal dome	eM
-CIDG	Galvanized dome	M-12
-CIDSSI	MMetal dome with	A2-SSD
	SS mesh screen	
-CIS	Cast iron standpipe	2 "X"
-CI	Underdeck clamp .	-11
-CP	CP dome/grate	_40
	Secondary clamp .	
-UZ	Dome grate	
-NNR	B dome grate	20-1
-DAR	PB dome grate	20-1
-DX	Ext. wide flange	Z
-E	Fixed extension	V
-G	All galvanized	13
-GG	SS ballast guard	G
-HP	Heel proof grate	.Standard
1	Push on outlet	Р
-I D	Less domeLe	ss dome
	Ductile iron grate	
	NB grate	
	NB grate	
-NBM	NB veneer over	1
	DI grate	
-P	PB grate	1
	PB grate	
-PBM	PB veneer over	1
	DI grate	
-R	Sump receiver	В
-RB	Rough bronze	-2RB
	Rough br. dome	
	Square top	
-SEC	Secured grate	-6
-0LU	Securing holes	U "V"
-OID	NB square top	A
-95R	PB square top	16-1
	SS mesh over	83
	dome	
	Threaded outlet	
-U	Vandal proof	6
-W	3/8" weep holes in	"X"
	collar	
-WD	Water damW2, -	W3, -W4
	2" water dam	
	Multiple weir open.	
-W/R1	1 weir opening	_F1
-\W\D2	2 weir openings	 ⊑າ
\\\D2	3 weir openings	1 ∠ ⊏2
-wno	o well uperlings	Ctandard
f	No hub outlet	Statiualu
-X″	Contac	t WIIFAB

FLOOR AND AREA DRAINS

J R Smith	MIFAB
2005(pg. 276). 2005-A(pg. 33) DX2005-A .(pg. 43)	. A1-C body* F1100-C*
DX2005-A .(pg. 43)	F1100-C-Z*
DX2005-B.(pg. 44)	F1100-C-ZS*
2005-AV(pg. 33)	F1100-C-8*
2005-B(pg. 39) 2005-BS (pg. 40) F	. F1100-6-5^ 1100-6-5D6*
DX2005-B.(pg. 44) 2005-AV.(pg. 33) 2005-B(pg. 39) 2005-BS (pg. 40) F 2005-C(pg. 42)	F1100-C-X*
ZUUJ-D(DU. JU)	.1 1 1 0 0 - 0 - 11/
2005-E(pg. 38). I 2005-F(pg. 37) F	-1100-C-N9*
2005-F.(pg. 37) F	1100-0-F16" 1100-C-FR7*
2005-F37 . (pg. 36) F 2005-F38 .(pg. 36) F	1100-C-ER9*
2005-G(pg. 38)	. F11()()-(;-K*
2005-H(pg. 41) 2005-J(pg. 41)	F1100-C-VD
2005-K(pg. 43) I	-1100-C-XS*
2005-L (pg. 39) F11 2005-M.(pg. 39) F11	00-C-RS48*
2005-M.(pg. 39) F11	00-C-RS412*
2005-P .(pg. 39) F11	00-C-RS517*
2005-W. (pg. 39) F11 2005-N. (pg. 39) F11 2005-P. (pg. 39) F11 2005-T. (pg. 39) F11 2005-T. (pg. 39) F11	00-C-RS51/* nn_C_RS517*
2005-V(pg. 34) I	-1100-C-AS*
2005-W(pg. 34)	F1100-C-AS*
2005-Y(pg. 42). F 2005-Z(pg. 42). F	1100-C-WD*
2005-2(pg. 42). F	F1100-C-WD
2005-69 (pg. 42) 2010 (pg. 276)	1-X-C body*
2010-A(pg. 33) DX2010-A .(pg. 43)	F1100X-C*
DX2010-A .(pg. 43) DX2010-B(pg. 44).F	-1100X-C-ZS*
2010-AV .(pg. 33). I	-1100X-C-8*
2010-B(pg. 39) l 2010-BS.(pg. 40). F1	-1100X-C-S* -100X-C-SD6*
2010-C(pg. 42)	.F1100X-C-X*
2010-D (pg. 38), F	1100X-C-N7*
2010-E .(pg. 38). F1 2010-F .(pg. 37) F1	100X-C-N9" 100X-C-FT6*
2010-F (pg. 37) F 2010-F38 (pg. 36). F 2010-F38 (pg. 36). F 2010-G (pg. 38) 2010-H (pg. 41) F 2010-J (pg. 41) 2010-K (pg. 43). F	1100X-C-ER7*
2010-F38(pg. 36). F 2010-G (ng. 38)	1100X-C-EK9* F1100X-C-K*
2010-H(pg. 41) F	1100X-C-VD*
2010-J(pg. 41)	F1100X-C-T*
2010-K.(pg. 43) F	1100X-0-X5^ 00X-C-RS-48*
2010-K. (pg. 39) F11 2010-M. (pg. 39) F110 2010-N. (pg. 39) F110	0X-C-RS-412*
2010-N. (pg. 39) F110	0X-G-RS-412^ 0X-C-RS-517*
2010-P. (pg. 39) F110 2010-R. (pg. 39) F110	0X-C-RS-517*
2010-T. (pg. 39) F110(2010-V. (pg. 34). F1	100X-C-AS*
2010-W.(pg. 34). F1	100X-C-AS*
2010-WF-1A(pg. 5 2010-Y.(pg. 42). F1	1).F1230-WF
2010-Z.(pg. 42), F1	100X-C-WD*
DX2010-B.(pg. 44), F	1100X-C-ZS*
2015 (pg. 276) A1-2016(pg. 49)	2,3,41-90-C* F1160
2017(pg. 50)	F1170
2020(pg. 48)	F1120-C*
2021(pg. 48) 2030(pg. 48)	F1120-C* F1120-C*
2031(pg. 48)	F1120-C*
2040(pg. 48)	F1130C
2041(pg. 48) 2110(pg. 53) F1	320-C-Y-14*
2115(pg. 53) F132	20-C-90-Y-14*
2120(pg. 53) 2125(pg. 53) F1	. F1320-C-Y*
2120(pg. 00) FI	020-0-30 - 1

2130(pg. 56) F1340-Y-Q-14
2100(pg. 00) 11040-1-Q-14
2131(pg. 54) F1340-Y-14
2101(pg. 01)
2135 .(pg. 56). F1340-Y-Q-14-90
2440 (50) 51246
2140(pg. 56) F1340-Y-Q
0141 (27 54) 5104014
2141(pg. 54) F1340-Y
2142(pg. 54) F1340-Y-5
2142(pg. 54) F1340-Y-5
0140 (ng EÓ) E1060 C V*
2143(pg. 59) F1360-C-Y*
21.45 (pg 5.4) $E12.40 \times 0.0$
2145(pg. 54) F1540-1-90
2145(pg. 54) F1340-Y-90 2147(pg. 54). F1340-Y-14-5-90 2210(pg. 53) F1320-TFB-4
2141(pg. 34).11340-1-14-3-30
2210 (ng 53) F1320_TFR_/
2210(pg. 33) 11320-110-4
2215(pg. 53) F1320-TFB-90-4
2213(pg. 33) 11320-110-30-4
2220(pg. 53) F1320-C-TFB-4*
2220(pg. 30) 1 1320-0-11 D-4
2225 . (pg. 53) F1320-C-TFB-90-4*
2220 . (pg. 00) 1 1020 0 11 b 30 4
2230(pg. 55) F1340-TFB-4
====(pg. 55)
2231(pg. 55) F1340-TFB-4
2201(pg. 50) 1101011151
2233(pg. 54) F1340-Y-14-5
2233(pg. 54) F1340-Y-14-5 2235(pg. 54) F1340-Y-5-90
2235(pg. 54) F1340-Y-5-90
0000 (== 54) 54040 \ 5 00
2238(pg. 54) F1340-Y-5-90
2240(pg. 58) F1350-TFB-4
2240(pg. 56) F1350-1FB-4
2241(pg. 58) F1350-TFB-4
2242(pg. 58) F1350-Y-5
2242(pg. 30) 1 1330-1-3
2243(pg. 58) F1350-Y-5
2240(pg. 00)1 1000 1 0
2245(pg. 58) F1350-5-90
22 to(pg. 00) 1 1000 0 00
2247(pg. 58) F1350-Y-5-90
0040 (50) 54050 / 5 00
2248(pg. 58) F1350-Y-5-90
00E0 (ng E0) F10C0 C V E*
2250(pg. 59) F1360-C-Y-5*
00E0 (ng CO) F1070 C V E*
2253(pg. 60) F1370-C-Y-5*
2255(pg. 59) F1360-C-Y-5-90*
2200(pg. 09) F1000-0-1-0-90"
2270 (ng 53) E1220 V 1/
2270(pg. 53) F1320-Y-14
2275(pg. 53) F1320-Y-14-90
2210(pg. 30) 1 1320-1-14-30
2280(pg. 37) F1100-HG8-3 2285(pg. 37) F1100-HG8-90-3
2200(pg. 07) 1 1 100 1100 0
2285(pg. 37) F1100-HG8-90-3
0040 (50) 54000 0 44#
2310(D0. 331 F1320-6-14"
2310(pg. 53) F1320-C-14*
Dx2312 (pg. 53) F1320-C-14-Z*
Dx2312 (pg. 53) .F1320-C-14-Z*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 F1340-C-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 F1340-C-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 F1340-C-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 F1340-C-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 F1340-C-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 F1340-C-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53). F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 F1340-C-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) .F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-14-90 2341(pg. 54) F1340-14-90
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-14-90 2341(pg. 54) F1340-14-90
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-14-90 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-90
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-14-90 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-90
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) .F1320-C-TFB-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) .F1320-C-TFB-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-14-90 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-14-90 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-0-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-14-90 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90* 2360 .(pg. 55) .F1340-C-TFB-14*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90* 2360 .(pg. 55) F1340-C-TFB-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90* 2360 .(pg. 55) F1340-C-TFB-14-90*
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90* 2360 .(pg. 55) F1340-C-TFB-14-90* 2370(pg. 61) F1420-Y-5
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90* 2360 .(pg. 55) F1340-C-TFB-14-90* 2370(pg. 61) F1420-Y-5
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90* 2360 .(pg. 55) F1340-C-TFB-14-90* 2370(pg. 61) F1420-Y-5 2377(pg. 62) F1440
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53) F1320-C* 2325 .(pg. 53) F1320-C-90* 2330 .(pg. 54) F1340-C-14* 2331(pg. 54) F1340-C-Q-14* 2335(pg. 54) F1340-14-90 2340(pg. 54) F1340-Q 2341(pg. 54) F1340-Q 2345(pg. 54) F1340-Q 2345(pg. 54) F1340-90 2350(pg. 53) F1320-C-TFB-14* 2355 (pg. 53) F1320-C-TFB-14-90* 2360 .(pg. 55) F1340-C-TFB-14-90* 2370(pg. 61) F1420-Y-5 2377(pg. 62) F1440
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) .F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) .F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) .F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) .F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) .F1320-C-14-90* 2320(pg. 53)
Dx2312 (pg. 53) .F1320-C-14-Z* DX2312B (pg. 53) F1320-C-14-5-Z* 2315(pg. 53) .F1320-C-14-90* 2320(pg. 53)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049

2475 (pg. 70)..... F1560-4









2478 . (pg. 62). F1440-Y-5-14-90 2484 (pg. 194)
2633(pg. 78) F1860 2640 (pg. 73) F1640-C*
2641(pg. 263)MI-860 2643"X" 2645(pg. 263) MI-830
2646(pg. 263) MI-850 2648(pg. 263) MI-860 2650(pg. 60) F1370-18 2651 "X"
2652(pg. 263) MI-800 2670(pg. 144) R1400-HM-83 2671(pg. 144) R1400-HM-83 2673(pg. 145) R1410-HM-83 2674(pg. 145) R1420-HM-83 2675(pg. 76) F1820 2680(pg. 77) F1830-P 2685(pg. 77) F1830-PL 2690(pg. 58) F1350-Y-36

FLOOR AND AREA DRAIN **OPTIONAL VARIATIONS**

J R Smith MIFAB -A06STW/ 6"SS Strainer6-3 -AB Sediment bucket5 -ARI ARC inside11 -ARIO .ARC inside and out11 -B Sediment bucket5 -BB Bronze body28 -BFV Backwater valve8 -BG Galv. Sed. Bucket5-8 -BS Bucket w/SS mesh
Screen

-DNB .Dome grate, NB
-SGSecondary strainer21 -SHSecuring holes in flan "X"
-SSB .SS sediment bucket5-3 -SWSpanner wrenchH-1042
I
-XPClosure plug34 Y No hub outletStandard -XPClosure plug34 -94Push on outlet
M . TI.

Note: This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the J R Smith number referred to. Due to the simplified modular design of MIFAB products, this index indicates the product which is closest in design, based on function: eg. Free Area, Loading Rating, Depth, Material etc.

* Includes "-C"membrane clamp in areas with waterproof Membrane. As a recommended alternate, use F1100 in non membrane

"X".....Contact MIFAB

2000 SERIES FLOOR DRAIN ADJUSTABLE STRAINER VARIATIONS

J R SMITH	-1	MIFAB
-A-05	(pg. 46)	5-1
-A-06	(pa. 46)	6-1
-A-07	(pg. 46)	7-1
-A-08	(ng. 46)	-8-1
-A-09	(ng 46)	-10-1
-A-10	(pg. 40)	-10-1
-AV-05		
-AV-03	(pg. 40)	
-AV-06	(pg. 46)	0-1-0
-AV-07	(pg. 46)	/-1-8
-AV-08	(pg. 46)	8-1-8
-B-05	(pg. 47)	85-1
-B-06	(pg. 47)	S6-1
-B-07	(pg. 47)	S8-1
-B-08	(pg. 47)	S8-1
-B-09	(pg. 47)	S10-1
-B-10	(pg. 47)	S10-1
-BS	(pg. 47)	SD6-3
-C-05	(pg. 47)	X5-1
-C-06	(pg. 47)	X6-1
-C-08	(pa. 47)	X8-1
-C-10	(pg. 47)	-X10-3
-D	(ng 46)	-N7
-DXA	(na 47)	-75-1
-DXB	(ng 47)	-7S ₋ 1
-E	(ng 46)	_NQ
-F	(pg. 40) (na 46)	-FT6-1
-F10	(pg. 40) (na 46)	-FF
-F11	(pg. 40) (ng. 46)	
-F12	(pg. 47)	-S-F/
-F13	(pg. 47) (ng. 46)	RS48-F4
-F14	(pg. 40) (pg. 46)	RS412-F4
-F15	(pg. 40) (pg. 46)	RS412-F4
-F16	(pg. 40) (pg. 46)	RS517-F4
-F17	(pg. 40) (pg. 46)	RS517-F4
-F18	(pg. 40)	RS517-F4
-F10	(pg. 40)	EG-8
-F19	(pg. 40)	EG-6
-F2U	(pg. 46)	EG-0
-F21	(pg. 46)	EG-7
-F22	(pg. 46)	EG-8
-F23	(pg. 46)	EG-10
-F24	(pg. 46)	EG-10
-F25	(pg. 46)	EG-S6
-F26	(pg. 46)	EG-S8
		EG-S8
-F28	(pg. 46)	EG-S10
-F29	(pg. 46)	EG-S10
-F30	.(pg. 46)	EG-KS48
-F31	.(pg. 46)	-EG-KS412
-F32	.(pg. 46)	-EG-RS412
-F33	.(pg. 46)	-EG-RS517
-F34	.(pg. 46)	-EG-RS517
-F35	.(pg. 46)	-EG-RS517
E27	(na 16)	ED7

-P	(pg. 46)	RS517-3
-R	(pg. 46)	RS517-3
	(pg. 46)	
-Y	Öpg. 47)	WD-3
-Z	.(pg. 47)	WD-3
-69	(pg. 47)	X6-1
	(pg. 46)	
	(p̈g. 46)	
	(pg. 46)	
	(pg. 46)	
	(1.5)	

TRAP SEAL PRIMERS AND **SPECIALTIES**

J R SMITH	MIFAB
2695(pg. 270)	MI-600-50
2696	"X"
2697	"X"
2698(pg. 271)	MI-750
2699(pg. 268)	MI-TSP-2
2699-1(pg. 268)	MI-TSP-1
3950(pg. 262)	MI-CAG-T
3951(pg. 262)	
3955(pg. 262)	MI-CAG-NH

-B-10	(pg. 17) (pg. 47)		2699-1(pg. 268) MI-TSP-1
-BS			3950(pg. 262) MI-CAG-T
-C-05			3951(pg. 262) MI-CAG-T
-C-06			3955(pg. 262) MI-CAG-NH
-C-08			TRENCH PRAINC
-C-10			TRENCH DRAINS
-D			J R SMITH MIFAB
-DXA			2710(pg. 82) T1350-FL-4
-DXA			2710-DH(pg. 82)T1350-FL-4
			2711(pg. 82) T1350-FL-4
-E			2712(pg. 82) T1350-FL2-4
-F			2713(pg. 82) T1350-FL3-4
-F10			2714(pg. 82) T1350-FL4-4
-F11	(pg. 46)	EF	2715(pg. 82) T1350-FL5-4
-F12	(pg. 47)	S-F4	2716(pg. 82) T1350-FL6-4
-F13	(pg. 46)	RS48-F4	2717(pg. 82) T1350-FL7-4
-F14			2718(pg. 82) T1350-FL8-4 2719(pg. 82) T1350-FL9-4
-F15			2720(pg. 82) T1350-FL10-4
-F16	(pg. 46)	RS517-F4	2810(pg. 82) T1320-FL-4
-F17	(pg. 46)	RS517-F4	2811(pg. 82) T1320-FL-4
-F18			2812(pg. 82) T1320-FL2-4
-F19	(pg. 46)	EG-8	2813 (pg. 82) T1320-FL3-4
-F20	(pg. 46)	EG-6	2814(pg. 82) T1320-FL4-4
-F21	(pg. 46)	EG-7	2815(pg. 82) T1320-FL5-4
-F22	(pg. 46)	EG-8	2816(pg. 82) T1320-FL6-4
-F23			2817(pg. 82) T1320-FL7-4
-F24			2818(pg. 82) T1320-FL8-4 2819(pg. 82) T1320-FL9-4
-F25			2820(pg. 82) T1320-FL10-4
-F26			2900(pg. 81)
-F27			2901(pg. 81) T1000-F-3
-F28	(pg. 46)	EG-S10	2902 (pg. 81) T1000-F2-3
-F29	(pg. 46)	EG-S10	2903(pg. 81) T1000-F3-3
-F30	(pa. 46)	EG-RS48	2904(pg. 81) T1000-F4-3
-F31	(pa. 46)	EG-RS412	2905(pg. 81) T1000-F5-3
-F32			2910(pg. 81) T1150-4 2911(pg. 81) T1150-F-4
-F33			2912(pg. 81) T1150-F2-4
-F34			2920(pg. 81) T1200-F-4
-F35			2922(pg. 81) T1200-F2-4
-F37	(ng 46)	-FR7	2923(pg. 81) T1200-F3-4
-F38			2924 (pg. 81) T1200-F4-4
-F40			2940(pg. 81)
-F41			2941(pg. 81) T1200-F-4
-G			2942(pg. 81) T1200-F2-4
-H			2950(pg. 81) T1200-F2-4 2952(pg. 81) T1200-F2-4
-J			2953(pg. 81) T1200-F3-4
-K-05			2954(pg. 81) T1200-F4-4
-K-06			2970T1200-4
-K-00			2971(pg. 81) T1200-F-4
-K-07			2972(pg. 81) T1200-F-4-C
-N-00			2980(pg. 81) T1200-F-4
-L	(pg. 40) (pg. 46)	DC/110 1	2982(pg. 81)1200-F2-4
-N	(pg. 40) (pg. 46)	110412-1 -RS/119.1	2983(pg. 81) T1200-F3-4 2984(pg. 81) T1200-F4-4
1N	(μg. τυ)	110-114-1	2007(pg. 01) 11200-F4-4

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







TRENCH DRAIN OPTIONAL VARIATIONS

J R SMITH MIFAB -ARIO ARC inside and out
CInside caulk outlet X
-CFlashing clampC -DBSCICI dome bottom strainer20
-DHDeep no hub outlet "X" -FAnchor flange
-F-CAnchor flange withFLC membrane clamp
-GAll galvanized13 -HPHeel proofStandard
-MStandard
-NBStainless steel veneer3 -PBStainless steel veneer3
-SGSlotted cast iron grateStandard -TThreaded outlet
-UVandal proof6 -VBackwater valve8
-VCIBackwater valve8
-VGBackwater valve8 YNo hub outletStandard

INDIRECT WASTE DRAINS

MIFAB
FS1920-FL
FS1920-FL
FS1920-5 to
FS1920-FL-5
F3 1920-FL-3
E04000 EI
FS1920-FL
FS1920-FL
. FS1920-FL-5-Z
FS1920-FL-1
. FS1920-FL-5-1
FS1920-FL-5-1
100-C-N9-1-11*
1100-C-N9-1-11*
1100-C-N9-1-11* 0-C-N9-1-5-11*
00-C-N9-1-5-11*
FS1750-5-1-Z
FS1760-1
FS1760-FL-1
EC1760 5 1
FS1760-5-1 FS1760-FL-5-1
F017F0 1
FS1750-1
FS1750-FL-1 FS1750-5-1
FS1/50-5-1
FS1750-FL-5-1
FS1760-1 FS1760-FL-1
FS1760-FL-1
FS1760-5-1
FS1760-FL-5-1
FS1760-FL-5-1 FS1760-5-1-Z
FS1520-FL-1
FS1520-FL-5-1
FS1720-FL-1
FS1720-FL-5-1
FS1730-FL-1
FS1730-FL-5-1
FS1740-FL-1
FS1750-FL-5-1
FS1720-FL-1
FS1720-FL-5-1
FS1720-FL-3-1
FO1/OU-FL-1
FS1730-FL-5-1
FS1740-FL-1

3200 .	(pg	. 105).	FS1790	-FL-
3201.	(pg.	105)	FS1790-FL	-1-5
3250	(ng 1)	ns)	FS1790-	FI -1
0200. 1151	.(pg. 1	00)	101730 FC1700 FI	4.5
3251.	.(pg. 1	ບວ)	FS1790-FL	-1-0
3300 .	(pg	. 98)	FS1530-	HL-1
3301.	(pg	. 98)	FS1530-FL	-5-1
3320 ('na 10	2) É	31750-FL-11-2	21_1
3321 ((pg. 10)	2) TC	750-FL-5-11-	-
3321 (μy. τυ	2) [3]	730-FL-3-11-	Z I - I
3365 .	(pg	. 36)	F1100-C-E	:K9°
3370 .	(pg	. 58)	F1350-	Y-36
3371.	(pg	. 58)	F1350-	Y-36
3380 .	(ng	74)	F16	70-5
2000 .	(pg	74)		70 5
3385 .	(pg	. 74)	F16	70-0
3400 .	(pg.	103)	FS176	50-F
3401.	(pg.	103)	FS1760-	FL-5
3402.				"X"
3410 .	(na	07)	FS152	n_FI
0410.	(pg	. 31)		0-1 5
3411 .	(pg	. 97)	FS1520-	TL-C
3412 .				. "X'
3420.	(pg	. 99)	FS172	0-FL
3421 .	(na	99)	FS1720-	FI -5
3430 .	(ng	100)	FS173	n Ei
0400.	(pg.	100)	10170	0-1 5
3431 .	(pg.	100)	FS1730- FS174	rL-C
3440 .	(pg. ¹	101)	FS174	0-FL
3441.	(pg.	101)	FS1740-	FL-5
3450 .	(na	105)	FS1790-	FI -1
3451 .	(pg.	105)	FS1790-FL	. E 1
0401.	(µy.	100)	ГО 1790-Г	-0-1
3460.	(pg	. 98)	FS153	U-FL
3461 .	(pg	. 98)	FS1530-	FL-5
3470.	(pa.	102)	FS1750-FL-1	1-21
3471	(ng 1	02) FS	31750-FL-5-1	1-21
0 17 T .	(pg. i	105	FC170	0 EI
340Z.	(þű	1. 105)	FS179	O-LL
3483 .	(pg	J. 105)	FS1790-	tL-5
3510 .	(p	ig. 35)	F1100-C-	-EF*
3510-	F11(r	a. 35)	F1100-C-	-EF*
3515	(r	ng 35)	. F1100-C-EF	.qn*
2515 I	(N E11 (r	ng. 00)	. F1100-C-EF	00*
3313-	ΓΙΙ(iy. 33)	. F1100-0-EF	-90
3520.	(p	ig. 48)	F1120-C-	-EF*
3520-1	F11(p	og. 48)	F1120-C-	-EF*
3521.	(pg. 48) F1120-C-EF-	-NH ³
3521-	F11 <i>(</i>	na 48	,) F1120-C-EF-	·NH
2520	/r	pg. 10	E1120 C	EE*
ააას .	(þ	ıy. 40)	F1120-C-	-EF
3530-	F11(p	ig. 48)	F1120-C-	-EF^
3531 .	(p	ig. 48)	. F1120-C-EF-	-NH
3531-	F11(p	g. 48)	. F1120-C-EF	-NH ³
3540	(r	na 48)	F1130	C-FI
3540 I	(r E11 (r	ng 19)	E1120	U E1
0540-	(k	.y. 40)	F1130 F1130	0-LI
3541.	(þ	ig. 48)	F1130	G-EI
3541-	F11(p	ig. 48)	F1130	C-EI
2501.	۰۰۰۰۰۰(۲	ig. 40)		
. 06CC	·····(h	iy. 40)		
3591 .	(þ	ig. 46)		G
3610.	(p	g. 53)	F1320-C-	-F4*
3615	(pa:	54)	F1340-C-	-F4*
3620	(bu	53)	. F1320-C-90	-F/1*
0020 2625	(pg.	541	E1240 C 00	L/+
JUZJ	(þg.	54)	. F1340-C-90	-r4^
პხ50	(pg.	53)	F1320-0	G'-ن
3655	(pg.	54)	F1340-(C-G*
3660	(pa	53)	F1320-C-9	0-G
3665	(bu	54)	F1340-C-9	በ_ር: -
0000. 9710	(pg.	ບ⊣ <i>ງ</i>	1 1340-0-9 -1320-C-Y-14	J U E//⊁
o/ 10 .	(µg. :	υ ວ) Ι	1320-6-1-14	-r4^

* If no membrane clamp is required, delete suffix "-C" for cost savings

"X".....Contact MIFAB

INDIRECT WASTE DRAINS CON'T

J R SMITH	MIFAB
3715 (pg. 56). F1340-C-	-Y-Q-14-F4*
3720 .(pg. 53) F1320-C-Y	
3725 .(pg. 54) F1340-C-Y	′-14-90-F4*
3750 .(pg. 53) F1320-C	
3755 .(pg. 56) F1340-C	-Y-Q-14-G*
3760 .(pg. 53). F1320-C-	Y-14-90-G*
3765 .(pg. 54). F1340-C-	Y-14-90-G*
3811(pg. 75)	
3812(pg. 75)	F1790
3813(pg. 75)	F1790-1
3814(pg. 75)	F1790-49
3821(pg. 261)	MI-940
3822(pg. 261)	MI-940
3823(pg. 261)	MI-940-28
3824(pg. 261)	MI-940-49
3950(pg. 262)	MI-CAG-T
3951(pg. 262)	MI-CAG-T
3955(pg. 262)	MI-CAG-NH
3960(pg. 123)	. R1100-RS
3970(pg. 135)	. R1220-RS
3980(pg. 130)	. R1200-RS
SQ-2-1717(pg. 62).	F1440-5
SQ-4-1753-D(pg. 33).	F1100

INDIRECT WASTE DRAIN OPTIONAL VARIATIONS

J R SMITH	MIFAI
-B/MSS mesh lined bucket	
CInside caulk outlet	X
-CMembrane clamp	(
-CILacquered cast iron	5
-DBS.SS dome bottom strain	
-FBS .Secondary strainer	
-GAll galvanized	
-LPush on outlet	
-LGLess grate	
-LSH.Less seepage holes	
-PTSP connection	
TThreaded outlet	
-UVandal proof	
YNo hub outlet	
-10Less NB rim and grate -11Less grate with NB/SS	
-12Half grate	
-13Three quarter grate	
-14Grate w/2-1/2" center	
-14Grate w/4" funnel	
-22Grate w/6" funnel	
-25Grate w/4" x 9" funnel.	
-26Grate w/6" x 3" x 1" fu	
-316 .316 Stainless Steel	

CLEANOUTS

J R SMITH	MIFAE
4000(pg. 150	3) C1100-F
4020(pg. 150	
4020-F(pg. 150	3) C1100-F
4020-FC(pg. 15	
4020S(pg. 15	
4021S(pg. 15	6) C1100-F
4022(pg. 15	
4023S(pg. 15	
4024S(pg. 15	6) C1100-F
4025(pg. 15	6) C1100-F
4025C(pg. 15	
4026C(pg. 15	6) C1100X-F
4028C(pg. 15	6) C1100X-F

4029C(pg. 156)	C1100V D
4031(pg. 156)	C1100A-N
4031-F(pg. 156)	01100F-N
4031-FC (ng 156) C	UTTUUF-N 1100P_C_R*
4031-10(pg. 130)0	C1100P-R
4031-FC(pg. 156) C 4031L(pg. 156) 4032L(pg. 156)	C1100P-R
4033(pg. 156)	C1100P-R
4033L(pg. 156)	C1100P-R
4034L(pg. 156)	C1100P-R
4040 to 4054L(pg. 158)	
4100 to 4114L(pg. 160)). C1100-XR
4120 to 4134L(pg. 156 4140 to 4154L(pg. 158) C1100-R
4140 to 4154L(pg. 158) C1100-T
4160 to 41/4L(pg. 159) C1100-IS
4180 to 4194L(pg. 159). C1100-UR
4200 to 4214L(pg. 160)). C1100-US
4220 to 4234L(pg. 160). C1100-XR
4236 to 4248L(pg. 160). C1100-XK
4250 to 4264L (pg. 166) 61300-WF
4200 to 42041 (ng. 164	w/ C1230
4280 to 4294L(pg. 164 4313(pg. 156)	1) 61230 21100 C D*
4318(pg. 160) (71100-0-N 71100 C VD
4333(pg. 156)	C1100-C-R
4338(pg. 160) (C1100-C-XR
DX4343(pg. 156)	C1100-R-7
	C1450
4401(pg. 171)	C1450-RD
	C1450-RD
4420(pg. 170)	C1450
4421(pg. 171)	C1450-RD
4422(pg. 171)	C1450-RD
4430(pg. 171)	C1450-S
4431(pg. 171)	C1450-S
4432(pg. 170)	C1450-R
4433(pg. 170)	C1450-R
4434(pg. 167)	C1430-S
	C1450-S
	C1450-R
	C1450-R C1450-R
	C1450-N
4440(pg. 171)	C1430-S
4441(pg. 167)	C1430-S
	C1450
4452(pg. 171)	C1450-RD
4470(pg. 167)	C1430
4471(pg. 167)	C1430-RD
4472(pg. 167)	C1430-RD C1430-RD
4510(pg. 172)	C1460
4511(pg. 173)	
4512(pg. 172)	C1460
	C1460-RD
4531(pg. 172)	
4532(pg. 173)	C1460-RD
	C1400-S C1460-RD
4553(pg. 173)	C1460-ND
4555(pg. 173)	C1460-S
	C1460-S
4558(pg. 173)	C1460-S
4710(pg. 167)	C1400-RD
4715(pg. 167)	C1400-RD
4720(pg. 167)	C1400-RD
4725(pg. 166)	C1400-R
4730(pg. 166)	C1400-S
4735(pg. 166)	C1400-S
4740(pg. 176)	MI-VB
4745(pg. 176)	IVII-VB-SIVI
4760 to 4762(pg. 1	76) MDW
4765 to 4767(pg. 17	ואטואונס
4810(pg. 165) 4890(pg. 164)	0 1300-N C1930
DX4890(pg. 164)	C1230-W/F
4910(pg. 104)	FHA
4910(pg. 176) 4915(pg. 176)	FHA
4930(pg. 165)	C1300-S
4940(pg. 176)	FHA

Visit www.mifab.com for the most recent product information.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA











CLEANOUT OPTIONAL VARIATIONS

J R SMITH	MIFAB
CInside caulk outlet	X
-DXExtend. wide flange	Z
-FAnchor flange	
-F-C .Anchor flange	
w/membrane clamp .	C
-GAll galvanized	13
-IPIron plug	34B
LPush on outlet	P
-LSS6" long center screw	87
-MDuctile iron	4
-RTRecessed for tile	T-
-SECSecured cover	6
-SNBSq.top, Nickel bronze	1
-SPBSqu.op, Polished bror	nze1
-SWSpanner wrench	
TThreaded outlet	T
-UVandal proof	6
-XCarpet clamping type.	RFC
-YCarpet marker	RC
YNo hub outlet	.Standard
	_

WATER HAMMER **ARRESTORS**

J R SMITH	MIFAE
5000(pg. 274)	WHB
5005(pg. 274)	WHB-A
5010(pg. 274)	WHB-E
5020(pg. 274)	
5030(pg. 274)	WHB-D
5040(pg. 274)	WHB-E
5050(pg. 274)	WHB-F
5200(pg. 274)	MWH
5205(pg. 274)	
5210(pg. 274)	MWH-B
5220(pg. 274)	MWH-C
5230(pg. 274)	MWH-D
5240(pg. 274)	
5250(pg. 274)	MWH-F

HYDRANTS

J R SMITH	MIFAB
5509-QT(pg. 24	
5509-QT-SAP. (pg. 250	
5519(pg. 247) MHY-26-52
5560-QT(pg. 249) MHY-45
5609-QT(pg. 247) MHY-16
5609-QT-SAP(pg. 2	250)MHY-50
5619(pg. 247)	
5810(pg. 253)	MHY-60-3/4"
5810-F .(pg. 253).MH	Y-60-FLM-3/4"
5812(pg. 253) N	1HY-61- 1-1/4"
5813(pg. 253) ľ	MHY-61-1-1/2"
5814(pg. 253)	MHY-61-2"
5909(pg. 254)	
5910(pg. 254)	
5911(pg. 254)	MHY-65-1"
5912(pg. 254) I	
5913(pg. 254) ľ	
5914(pg. 254)	
5950 (pg. 253)MH	
5951(pg. 253) N	
"X"Con	tact MIFAB

HYDRANT OPTIONAL VARIATIONS

J R SMITH	MIFAE
-1" Hose conn(pg. 319, 32	20)C
-Cl(pg. 319, 320)	50
-CL(pg. 319, 320)	ŀ
-CP(pg. 319, 320)	49
-E(pg. 319, 320)	Standard
-E1(pg. 319, 320)	Standard
-HC1(pg. 319, 320)	
-IC1(pg. 319, 320)	Standard
-MF1	"X'
-NB(pg. 319, 320)	1
-PB(pg. 319, 320)	
-RB(pg. 319, 320)	1
-SE(pg. 319, 320)	
-SE1(pg. 319, 320)	Standard
-SS(pg. 319, 320)	Standard
-SS1	"X'
-W(pg. 319, 320)	
-WC(pg. 319, 320)	WC
-WH(pg. 319, 320)	12

BACKWATER VALVES AND TRAPS

J R SMITH	MIFAE
7000(pg. 258)	BV1210
7012(pg. 257)	BV1000
7022(pg. 257)	BV1000
7070(pg. 259)	BV1280
7080(pg. 258)	BV1260
7097(pg. 259)	BV1290
7140	"X"
7150(pg. 260)	BV1300
7220(pg. 261)	
7221(pg. 261)	
7222(pg. 261)	MI-950
7230(pg. 175)	
7231(pg. 175)	C1600
7232(pg. 175)	C1600

INTERCEPTORS

MIFAB
MI-G
MI-G-0
MI-G-1
MI-G-2
MI-G-3
MI-G-4
MI-G-5
MI-G-6
MI-G-7
MI-G-SDH
. MI-G-SDH
MI-G-L
/II-G-L-SDH
ИI-G-L-SDH
. MI-G-L-20
. MI-G-L-35
. MI-G-L-50
MI-G-C
-G w/MI-CS
. MI-G-SDH
w/MI-CS
XL-MI-G

INTERCEPTORS CON'T

J R SMITH	MIFAE
8400E(pg. 188)	XL-MI-G-0
8510(pg. 192)	MI-0
8510E(pg. 192)	MI-0-C
8560(pg. 192)	MI-0
8560E(pg. 192)	MI-0-C
8599(pg. 193)	
8710(pg. 194)	. MI-SOLID-S
8714(pg. 194)	MI-SOLID-M
8715(pg. 194)	. MI-SOLID-L
8730(pg. 194)	MI-SOLID-LB
8750(pg. 194)	MI-HAIF
8760(pg. 194)	MI-HAIF
8790	"X"
8795	"X"
8811(pg. 196)	MI-SD
8817(pg. 196)	MI-SAND
8905(pg. 199)	MI-RICE
8910(pg. 198)	MI-LINT
8925(pg. 194)	MI-0S
8930(pg. 70)	F1570
8970	"X"

INTERCEPTOR OPTIONAL **VARIATIONS**

J R SMITH	MIFAB
-AC(pg. 319, 320)	AL
-ACC(pg. 319, 320)	AL
-ARC(pg. 319, 320)	Standard
-ARI(pg. 319, 320)	
-ARIO(pg. 319, 320)	
-ARO(pg. 319, 320)	Standard
-B(pg. 319, 320)	SB
-E(pg. 319, 320)	C
-F(pg. 319, 320)	
-F-C(pg. 319, 320)	
-HC(pg. 319, 320)	
-QC(pg. 319, 320)	
-SS(pg. 319, 320)	
-TC(pg. 319, 320)	
-U(pg. 319, 320)	
-Y(pg. 319, 320)	
DI grate(pg. 319, 320)	
No Hub(pg. 319, 320)	

SPECIALTIES

J R SMITH		MIFAB
9005.	(pg. 262)	MI-GRILL
	(pg. 262)	
9020.	(pg. 262)	MI-GRILL
9110.	(pg. 260)	TS1002
9120.	(pg. 260)	TS1003
9130.		"X"
9134.		"X"
9140.		"X"
9200.	(pg. 271)	MI-750
9205.	(pg. 73).	F1640
9690.	(pg. 106).	FS1920-FL
9692.	(pg. 106).	FS1920-FL
9693	(pg. 106).	FS1930-FL
9694.	(pg. 106).	FS1940-FL
9696.	(pg. 106).	FS1920-FL-5
9698.	(pg. 106).	FS1930-FL-5
9699.	(pg. 106).	FS1940-FL-5
9700.	(pg. 33) F1	000-C-6-3-28*
9703.	(pg. 46) F-3
9704	(pg. 46)G-3
9705.	(pg. 32)F	1000-8-3-28-7
9710.	(pg. 32)	F1000-8-3-28

9715 9718 9720 9725 9730 9733 9734 9745 9745 9755 9759 9760 9770	(pg. 33) (pg. 158) (pg. 158) (pg. 103) (pg. 103) (pg. 103) (pg. 158) (pg. 78) (pg. 48) (pg. 48) (pg. 257) (pg. 263) (pg. 158) (pg. 158)	F1000-8-3-28 . F1000-8-3-28-90 . F1000-8-3-28 C1100-T7-3-28 F1000-8-3-28 F1760-3-28 F1360-28-3 F1880 F1880 RS48-3-28-NH F1130C-28-3 BV1000-28 MI-850-28 C1100-T6-3-28 C1100-T6-3-28
9755	(pg. 257)	BV1000-28
9760	(pg. 158).	C1100-T6-3-28
9775 9776 9780 9785 9790	(pg. 167). (pg. 167). (pg. 125). (pg. 142). (pg. 258).	C1100-10-0-28 C1430-RD-28 R1200-M-28 R1300-28 BV1210-28 BV1000-28
	5	

Note: This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the J R Smith number referred to. Due to the simplified modular design of MIFAB products, this index indicates the product which is closest in design, based on function: eg. Free Area, Loading Rating, Depth, Material etc.

* Includes "-C" membrane clamp in areas with waterproof membrane. As a recommended alternate, use F1100 in non membrane areas, delete "-C" membrane clamp. * MC-14 or MC-15 are recommended alternatives. Less pipe space, lower cost and fewer parts

WADE - MIFAB CROSS REFERENCE

WATER HAMMER ARRESTORS

WADE	MIFAB
5(pg. 274)	WHB-A
10(pg. 274)	WHB-B
20(pg. 274)	
50(pg. 274)	
75(pg. 274)	
100(pg. 274)	
5-P(pg. 274)	MWH-A
10-P(pg. 274)	
20-P(pg. 274).	
50-P(pg. 274).	MWH-D
75-P(pg. 274)	MWH-E
100-P(pg. 274)	

Design and dimensions are subject to modification. Prices do not include applicable taxes.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Visit www.mifab.com for the most recent product information.





MIFAB

WATER CLOSET CARRIERS

WADE

WADE MIFAB
310 (pg. 212) MC-10
310CD(pg. 212) MC-10D-HS
310CL(pg. 212) MC-10L-HS
310CR (pg. 212) MC-10R-HS
310CD-36 (pg. 216) MC-10D-27-37-HS
310CL-36. (pg. 216) MC-10L-27-37-HS
310CR-36 (pg. 216) MC-10R-27-37-HS
210ND (pg. 210) MC-10R-27-37-113
310ND(pg. 212) MC-10D
310NL(pg. 212) MC-10L
310NR(pg. 212) MC-10R
310-36(pg. 216) MC-10-27-37
310ND-36.(pg. 216). MC-10D-27-37
310NL-36 .(pg. 216) MC-10L-27-37
310NR-36 (pg. 216). MC-10R-27-37
310-H(pg. 214) MC-10-EXT
210ND U (pg. 214) MC 10D EVT
310ND-H(pg. 214) MC-10D-EXT
310NL-H(pg. 214) MC-10L-EXT
310NR-H(pg. 214) MC-10R-EXT
310-UA(pg. 215) MC-10-27
310ND-UA(pg. 215) MC-10D-27
310NL-UA(pg. 215) MC-10L-27
310NR-UA(pg. 215) MC-10R-27
330(pg. 218)MC-12*
330CD(pg. 219)MC-12D-HS*
00001 (pg. 219)IVIG-12D-113
330CL(pg. 219) MC-12-26-HS*
330CR(pg. 219) MC-12-25-HS*
330ND(pg. 218) MC-12D*
330NL(pg. 218) MC-12-26*
330NR(pg. 218) MC-12-25*
340(pg. 220) MC-13
340CD(pg. 221) MC-13D-HS
340CL(pg. 221) MC-13L-HS
0400D (pg. 221) NO 10D HC
340CR(pg. 221) MC-13R-HS
340ND(pg. 220) MC-13D
340NL(pg. 220) MC-13L
340NR(pg. 220) MC-13R
340A(pg. 220) MC-13-2
340ACD(pg. 221) MC-13D-2-HS
340ACD5(pg. 221) MC-13D-2-HS
340ACD6 .(pg. 221) MC-13D-2-HS
340ACL(pg. 221) MC-13-2-HS
340AGL(pg. 221) ING-13-2-13
340ACL5(pg. 221) MC-13-2-HS
340ACL6(pg. 221) MC-13-2-HS
340ACR(pg. 221) MC-13-2-HS
340AND(pg. 220) MC-13D-2
340AND5(pg. 220) MC-13D-2
340AND6(pg. 220) MC-13D-2
340ANL(pg. 220) MC-13-2
340ANL5(pg. 220) MC-13-2
340ANL6(pg. 220) MC-13-2
040AND (000) MO 10 0
340ANR(pg. 220) MC-13-2
350(pg. 222) MC-14
350C4(pg. 222) MC-14-4-V4-HS
350C4,AB(pg. 222). MC-14-4-V4-HS
350N2(pg. 222) MC-14-4-V2
350N2,AB(pg. 222) MC-14-4-V2
350N4(pg. 222) MC-14-4-V4
350N4,AB(pg. 222) MC-14-4-V4
360
360CD(pg. 223) MC-15D-HS
360CD,AB(pg. 223) MC-15D-HS
360CL(pg. 223) MC-15L-HS
360CL,AB(pg. 223) MC-15L-HS
360CR(pg. 223) MC-15R-HS
360CR,AB(pg. 223) MC-15R-HS
371(pg. 223) MC-15
(23)

371D(pg.	223) MC-15D
371D,X8.5(pg.	223) MC-15D-23
371D,X8.5,Z45 (pg	j. 223) MC-15D-31
371D,Z45(pg	. 223). MC-15D-25
371L(pg.	223) MC-15L
371L,X8.5(pg.	223) MC-15L-23
371L,X8.5,Z45 (pg	. 223) MC-15L-26
380P3(pg	. 224) MC-24
380P4(pg	. 224) MC-24
410(pg.	224) MC-21T

WATER CLOSET CARRIER **OPTIONAL VARIATIONS**

WADE	MIFAE
Am1(pg. 319, 320)	20
Am21(pg. 319, 320).	01
B(pg. 319, 320)	Standard
C(pg. 319, 320)	HS
D(pg. 319, 320)	D
M3(pg. 319, 320).	14
M4(pg. 319, 320).	10
M14(pg. 319, 320).	11
M26 (pg. 319, 320).	CI
N(pg. 319, 320)	Standard
P(pg. 319, 320).	0
R(pg. 319, 320)	R
V4(pg. 319, 320)	V4

LAVATORY, URINAL, SINK CARRIERS

WADE 400(pg. 226)	MIFAB MC-31
400-AM11(pg. 226)	MC-32
400D(pg. 226)	. MC-31D
400D-AM11(pg. 226)	. MC-32D
420(pg. 226)	MC-31
420-AM11(pg. 226)	
420D(pg. 226)	. MC-31D
420D-AM11(pg. 226)	. MC-32D
430(pg. 226)	
440(pg. 227)	MC-33
440-AM11(pg. 227)	
461(pg. 228)	
462(pg. 228)	
471(pg. 228)	
472(pg. 228)	
510(pg. 230) 510D(pg. 230)	
520(pg. 230)	
520D(pg. 231)	
571 Concealed(pg. 235).	
571 Exposed(pg. 235).	
572 Concealed(pg. 234).	MC-51
572 Exposed(pg. 236).	MC-56
573(pg. 234)	MC-51
610(pg. 230)	MC-40
610D(pg. 230)	MC-40D
620(pg. 227)	
623(pg. 228)	
640(pg. 236)	
640-NV2(pg. 236) MC	
640-NV4(pg. 236) MC	
640-NL(pg. 236)	
640-NR(pg. 236)	
"X"Contact	

LAVATORY, URINAL, SINK CARRIER **OPTIONAL VARAIATIONS**

WADE	MIFAB
AM11 (pg. 319, 320	0) Standard
AM27(pg. 319, 320)F
AM28(pg. 319, 320	Ď)G
M3(pg. 319, 320))14
M19(pg. 319, 320))l
M23(pg. 319, 320))E2
M24(pg. 319, 320)) Standard
M25(pg. 319, 320)) Specify
M36(pg. 319, 320)) Standard

FLOOR AND AREA DRAINS

MIFAB

WADE

900-C	a. 33) F1	1100
1000STD. SS(p	g. 32) F1000)-C*
1070STD(pg.	32) F1000-C	-90*
1100STD (pg. 3	32)F1000-3-	28*
1100STD(pg. 3	33) F1100)-Č*
1100AX(pg. 4	2) F1100-0)-X*
1100D(pg. 3	37) F1100-C-	HG*
1100-DT(pg. 4 1100-DTS(pg. 4	13)F1100-(C-Z*
1100-DTS(pg. 4	14) F1100-C	ZS,
1100ER(pg. 3	6) F1100-C-	·ER'
1100F(pg. 3	7) F1100-C-F	T6*
1100FC (ng 3	6) F1100-C-	.FC:*
1100G(pg. 3	39) F1100-(:-S*
1100H(pa. 3	9) F1100-C-	RS*
1100H(pg. 3 1100K(pg. 4 1100N(pg. 4 1100F(pg. 4 1100TG(pg. 3 1100TS(pg. 2	8) F1100-()-K*
1100N(pg. 4	0) F1100-C-S	HG*
1100P(pg. 4	1) F1100-0)-T*
1100TG(pg. 4)	2) F1100-(C-X*
1100TS(pg. 3	8) F1100-0	C-N*
1100VD(pg. 4	l1) F1100-C	.VD [,]
1100-WD(pg. 4 1100 body (pg. 2 1120NH(pg.	2) F1100-C-\	ND*
1100 body (pg. 2	276) A1-C* b	odv
1120NH(pg.	48) F1120)-C*
1 1 2 U G U N H(DO. 48) FII	JUL
1160(pg. 44)	F1100-C-	90*
1160(pg. 44) 1200(pg. 56)	F1340-C-Y-1	1-Q*
1200(pg. 56) 1200PG(pg. 56) 1200PG(pg. 1200TD(pg. 54) 1210(pg. 54) 1210PG(pg. 54) 1210PG(pg. 54)) F1340-Y	'-Q-Z
1200PG(pg.	69)F1	1540
1200TD(pg.	55). F1340-C-T	FB*
1210(pg. 54) F1340-	Y-14
1210E(pg. 54) F1340-Y-	14-Z
1210PG(pg.	69) F1	1540
1210TD(pg. 5	5) F1340-C-T	FB*
1220(pg. 58	3) F135()-C*
1220(pg. 58 1230 .(pg. 56). F1	340-C-Y-14-Q-	90*
1240(pg. 54).	F1340-C-	14*
1300(pg. 53)	F1320-C-Y-	14*
1240(pg. 54). 1300(pg. 53). 1300-BG(pg. 53). 1300TD(pg. 53). 1310E(pg. 53).	78) F1	840
1300TD(pg. 5	3) F1320-C-T	FB*
1300SS(pg. 3	2) F1000-8-3	3-28
1310(pg. 53).	F1320-C-Y-	14*
1310-PG(pg. 53) 1310TD(pg. 53) 1320(pg. 54) 1320-MC(pg. 53)	68) F1	530
1310TD(pg. 53)) F1320-C-T	FB*
1320(pg. 54)	F13	300
1320-MC(pg. 53	3) F1320-C-8-	44*
1330-SS(pg. 53	3) F1320-C-3-	28*
1330-SS(pg. 53 1340(pg. 53	3) F1320-C-	14*
1340TD(pg. 53).	F1320-C-TFB	14*
1350(pg. 53)	F1320-C-14	90*
7(1-3. 00).		

* Includes "-C" membrane clamp in areas with waterproof membrane. As a recommended alternate, use F1100 in non membrane areas, delete "-C" membrane clamp.

FLOOR AND AREA DRAINS

WADE MIFAB
1350TD(pg. 53) F1320-C-TFB-90*
1370(pg. 49) F1140C
1400(pg. 59) F1360-C-Y-14*
1400-PG(pg. 69) F1550
1410(pg. 59) F1360-C-Y-14*
1410-PG(pg. 69) F1550
1420 (pg. 60) F1370-Y-14
1450 (pg. 59) F1360-Y-90
1640 (pg. 52) F1240-4
1740-T (pg. 70) F1560
1760 (pg. 75) F1760-FL-3
1790(pg. 143) R1320-1
1980(pg. 58) F1350-Y-36
2000(pg. 72) F1600-C*
2300(pg. 62) F1440-C-Y-Q-14*
2310(pg. 62) F1440-C-Y-14*
2340(pg. 62) F1440-C-Y-14*
2350(pg. 61) F1420-C-Y-14*
2370(pg. 66) F1480-FL
2390 (pg. 66) F1490-FL

FLOOR DRAIN 1100 SERIES ADJUSTABLE STRAINER VARIATIONS

	VARIATIONS	
WADE		MIFAB
STD5	(pg. 46)	5-1
STD6	(pg. 46)	6-1
	(pg. 46)	
	(pg. 46)	
	(pg. 46)	
AX	(pg. 47)	X
	(pg. 47)	
	(pg. 46)	
	(pg. 46)	
	(pg. 47)	
	(pg. 47)	
ER	(pg. 46)	ER
	(pg. 46)	
	(pg. 46)	
ER9	(pg. 46)	ER9-1
F	(pg. 46)	FT6-1
FC	(pg. 46)	FC
FF4	(pg. 46)	EF4-1
G	(pg. 47)	S
G5	(pg. 47)	S5-1
G6	(pg. 47)	S6-1
G8	(pg. 47)	S8-1
H	(pg. 46)	RS
	(pg. 46)	
H12	(pg. 46)	RS412-1
	(pg. 46)	
	(pg. 46)	
	(pg. 47)	
N6	(pg. 47)	SHG6-3
	(pg. 47)	
	(pg. 47)	
TG	(pg. 47)	S8-3
	(pg. 46)	
	(pg. 46)	
	(pg. 46)	
TS7-39	(pg. 46)	N7-4-13
VD	(pg. 47)	VD
	(pg. 47)	
WD	(pg. 47)	WD
	(pg. 47)	
WW2X7	(pg. 46)	EF4-1

Design and dimensions are subject to modification. Prices do not include applicable taxes.

"X".....Contact MIFAB Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA









FLOOR AND AREA DRAIN **OPTIONAL VARIATIONS**

OI HONAL VAINAHONG
WADE MIFAB
-1Nickel bronze (pg. 319, 320)1
-2Polished bronze (pg. 319, 320) -2
-4Square top(pg. 319, 320)16
-5Vandal proof(pg. 319, 320)6
-6Trp. Seal pri. Tpg (pg. 319, 320) -7
-7Dome grate(pg. 319, 320)20
-8Secondary strainer (pg. 319, 320) -21
-9Sec. dome strainer (pg. 319, 320) -20
-11Heel proof grate (pg. 319, 320) Std
-12Ductile iron(pg. 319, 320)4
-13Tractor grate .(pg. 319, 320). Std
-13Tractor grate .(pg. 319, 320). Std -14Hinged top(pg. 319, 320)9
-18Solid cover .(pg. 319, 320) -25-1
-19Chained grate (pg. 319, 320)23
-23Extension(pg. 319, 320)15
-25Solid cover .(pg. 319, 320) -25-1
-26Membrane clamp (pg. 319, 320)-C
-27Sediment bucket (pg. 319, 320) -5
-30Backwater valve (pg. 319, 320) -8
-31Backwater valve (pg. 319, 320) -8 -33Closure plug .(pg. 319, 320)34
-33Closure plug .(pg. 319, 320)34
-37Aux. tapping .(pg. 319, 320)44
-39All galvanized (pg. 319, 320) -13
-40Galv. Top only (pg. 319, 320) -12
-41All galvanized (pg. 319, 320)13
-52Sump receiver (pg. 319, 320) -41 -53Underdeck clamp (pg. 319, 320) -40
-61Acid rnt epy stng .(pg. 319, 320) -11
-94Extension(pg. 319, 320)15
-106SS. Mesh bucket (pg. 319, 320) -35
-179Vandal proof(pg. 319, 320)6
-DIDuctile iron(pg. 319, 320)4
-EExt. wide flange (pg. 319, 320) -Z
-EF4 4"round funnel(pg. 319, 320)F4
-EF6 6"round funnel(pg. 319, 320)F6 -EG6 6" x 3"funnel(pg. 319, 320)J-1
-EG6 6" x 3"funnel(pg. 319, 320)J-1
-EG8 4" x 9"funnel(pg. 319, 320)G
-ICInside caulk outlet (pg. 319, 320) X -IPSThreaded outlet .(pg. 319, 320) T
-IPSThreaded outlet .(pg. 319, 320) T
MC2" Aux. Inlet(pg. 319, 320)44
-NHNo hub outlet (pg. 319, 320). Std
-TYPush on outlet .(pg. 319, 320). P

TRAP SEAL PRIMERS AND **SPECIALTIES**

WADE	MIFAB
2400(pg. 268)	MI-TSP
2400S(pg. 268).	MI-TSP-1
2400T(pg. 268).	MI-TSP-2
2400MF(pg. 268).	MI-DU

TRENCH DRAINS

	MIFAE
(pg. 81)	T1200-F-4
(pg. 81)	T1200-4
(pg. 81)	T1200-F-4
(pg. 81)	T1100-F2-4
(pg. 81)	T1100-4
(pg. 81)	. T1100-F2-4
(pg. 82)	. T1350-FL-4
.(pg. 82)	. T1320-FL-4
	(pg. 81) (pg. 81) (pg. 81) (pg. 81) (pg. 81)

TRENCH DRAIN OPTIONAL **VARIATIONS**

WADE MIFAB
-1Nickel bronze (pg. 319, 320) -1
-2Polished bronze (pg. 319, 320) -2
-5Vandal proof .(pg. 319, 320)6
-12Ductile iron(pg. 319, 320)4
-26Memb. Clamp (pg. 319, 320) -c
-27Sediment bucket (pg. 319, 320) -5
-31Backwater valve (pg. 319, 320) -8
-39All galvanized (pg. 319, 320) -13
-40Galv. Top only .(pg. 319, 320) -12
-179Vandal proof .(pg. 319, 320)6

ROOF DRAINS

WADE	MIFAB
3000 (pg. 125)	R1200
3009(pg. 136)	R1261
3000AE(pg. 126) 3009AE(pg. 136)	R1200-EU
3009AE(pg. 136)	R1261-EU
3000DF(pg. 125)	R1200-V
3000DP(pg. 127)	R1200-G
3000FCS(pg. 127)	K1200-F
3000PA(pg. 129)	K1200-PK
3000SD(pg. 132)	R1200-W
3009SD(pg. 136)	K1261-W
3012(pg. 136)	K1262
3030(pg. 133)	K1200-90
3100(pg. 129)	. K1200-PK
3130SO .(pg. 129) R1	200-PK-90
3200(pg. 120)	K1100
3200-P(pg. 122)	
3210(pg. 124)	
3220(pg. 134)	
3220A(pg. 134)	
3220PA(pg. 76)	
3220RS(pg. 135)	
3230(pg. 145)	
3240(pg. 144)	K 1400
3240B(pg. 144)	
3240BD(pg. 144)	
3270(pg. 142)	K I 300
3270A(pg. 142) 3290(pg. 143)	KIJIU
3290(pg. 143)	n 1020
3290A(pg. 143)	KIJJU
3880P(pg. 262)	
3900(pg. 149)	
3900NH(pg. 149)	
3940(pg. 150)	K 1940
3210-P(pg. 122)R	1100-PK-90
3220-0P(pg. 129)	K1200-PK

ROOF DRAIN OPTIONAL VARIATIONS

WADE	MIFAB
-AEAdjustable Extension	
-BGBallast guard	
-D2" high water dam	
-DFExtension flange	
-DFSBallast guard	
-DPBallast guard	G
-FCSFlow control weir	F
ICInside caulk outlet	X
IPSThreaded outlet	T
NHNo hub outlet	Standard
-SDStandpipe assembly	
TYPush on outlet	
-3Rough bronze dome	
-5Vandal proof	
-39All galvanized	
-42Cast iron dome	
-46Aluminum dome	
-47High dome	
-49SS mesh screen over	
dome	
-50SS Msh scrn ov.dome	
-52Sump receiver	
-53Underdeck clamp	
-54Membrane clamp	C
-55Flashing collar adap	"X"

BACKWATER VALVES

WADE		MIFAB
4200(pg.	257)	BV1000

INTERCEPTORS

WADE	MIFAB
5100(pg. 187)	MI-G
5100XT(pg. 187)	MI-G-C
5100JCX(pg. 190)	MI-G-SDH
5100FH(pg. 191)	MI-CS
5100FHT(p̈̀g. 191)́	
5100LR(pg. 187)	
5200(pg. 188)	XL-MI-G
5400(pg. 192)	MI-0
5500(pg. 193)	
5600(pg. 198)	
5730(pg. 194)	
5740(pg. 194)	
5740L(pg. 194)	
5750(pg. 194)	
5800(pg. 196)	
5900(pg. 196)	MI-SAND

CLEANOUTS

MIFAB

WADE

WADE		MIFAB
6000	(pg. 156)	C1100-R
6000CF	(pg. 157)	. C1100-RFC
6000CM	(pg. 157)	C1100-RC
6000D	(pg. 157) (pg. 157) (pg. 156)	. C1100-R-Z
6000S	(pg. 158)	C1100-S
6000T	(pg. 158)	C1100-T
6000TS	(pg. 159)	C1100-TS
6000U	(pg. 159)	C1100-UR
6000US	(pg. 160)	C1100-US
6000X	(pg. 160)	C1100-XR
6000XS	(pg. 161)	C1100-XS
6000Z	(pg. 160)	C1100-XR
7000	(ng. 156)	C1100-R
70007	(na 1EC)	α
8000	(pg. 156)	C1100-R
8100	(pg. 156)	C1100-R
8130AF	(pg. 136) (pg. 156) (pg. 163) pg. 156) pg. 160) C11	C1220
8190(pg. 156)	C1100-C-R*
8240(pg. 160) C11	00-C-XR-4*
83UUU	(pg. 165)	6 I 300-K
8300S	(pg. 165)	C1300-S
8300SH	(pg. 165)	C1300-S
8300SS	(pg. 165)	C1300-S
8300MF	(pg. 166)	C1300-MF
8450R	(pg. 171)	C1450-RD
8460R	(pg. 173)	C1460-RD
8470R	(pg. 167)	C1430-RD
8480C	(pg. 166) (pg. 167)	C1400-R
8480R	(pg. 167)	C1400-RD
8480S	(pg. 166)	C1400-S
8480X		"X"
8550	(pg. 170)	C1450
8550-R	(pg. 170)	C1450
8560	(pg. 172)	C1460
8590	(pg. 167)	C1430

Note: This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the Wade catalog number referred to. Due to the simplified modular design of MIFAB products, this index indicates the product which is closest in design, based on function: eg. Free Area, Load Rating, Depth, Material etc.

CLEANOUT OPTIONAL VARIATIONS

WADE MIFAB
BRaised Br. Plug (pg. 167) C1430
ECountersunk br. plug (pg. 167) C1430
-CFCarpet flange (pg. 319, 320) -RFC
-CMCarpet marker (pg. 319, 320) -RC
-DExtended wide flange . (pg. 319, 320) -Z
ICInside caulk outlet . (pg. 319, 320). X
NHNo hub outlet (pg. 319, 320) Std
SSquare top(pg. 319, 320)S
-TRound tile top (pg. 319, 320) -T
-TSSquare tile top .(pg. 319, 320) -TS
TYPush on outlet (pg. 319, 320) P
-URound terrazzo top .(pg. 319, 320) -UR
-USSquare terrazo top (pg. 319, 320) -US
-XHeavy duty round top (pg. 319, 320) -XR
-XSHeavy duty sq. top (pg. 319, 320) -XS
-39All galvanized . (pg. 319, 320) -13
-72Carpet marker cover (pg. 319, 320) -RC
-75Bronze tapered plug .(pg. 319, 320) -34B
-118Bronze gasket plug (pg. 319, 320) -34
-179.Vandal proof .(pg. 319, 320)6

HYDRANTS		
WADE	MIFAB	
8600(pg. 247)	MHY-10	
8600,175(pg. 247)	MHY-20	
8600MT(pg. 248)	MHY-35	
8600HC(pg. 249)	MHY-45	
8602(pg. 253)	MHY-60	
8610(pg. 254)	.MHY-65/66	

FLOOR SINKS

WADE	MIFAB
9010(pg. 38)	. F1100-C-N9-1-11*
9010-24 .(pg. 38).F1100-C-N9-1-11*
	03) FS1760-FL-1
9040-24(pg. 1	03) FS1760-FL-1
9100(pg. 10	6) FS1920-FL
	7) FS1520-FL-1
	0) FS1730-FL-1-9
9160(pg. 7	5) F1760-FL
9170(pg. 7	5) F1780-FL-1
9210(pg. 98	8) FS1530-1
9210-24(pg. 9	8) FS1530-FL-1
	(4) F1650
9300-B(pg. 7	4) F1650-6

FLOOR SINK OPTIONAL **VARIATIONS**

WADE	MIFA
-1Nickel bronze	
-5Vandal proof	
-6Trap seal primer tap	
-9Sec. Dome strainer	
-15Half grate	
-163/4 grate	
-18SS solid cover	
-26Anchor flange and	FLC
membrane clamp	
-27Sediment bucket	
-64Acid rstant epxy ctng	
-155.Extra heavy grate	
-179.Vandal proof	
EF44" Dia. NB funnel	
EF66" Dia. NB funnel	
EG6 .6"x3"x1" NB funnel	
EG8 .4" x 9" NB funnel	
NHNo hub outlet	
TYPush on outlet	l

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA





WATTS

WATTS - MIFAB CROSS REFERENCE

BACKWATER VALVES

WATTS	
BV-200 (pg. 2	57) BV1000
BV-230-R-1(pg. 2	57) BV1200-R-1
BV-230-R-50.(pg. 25	57)BV1200-R-4
BV-240(pg. 2	59) BV1280
BV-600(pg. 25	
BV-600-1(pg. 2	58) BV1210-1
BV-800(pg. 20	
BV-1000(pg. 2	58)BV1250

BACKWATER VALVES OPTIONAL VARIATIONS

WATTS			MIFAE
-FG(pg1(pg.	319,	320)FG
-1(pg.	319,	320)1
-6(pg.	319,	320))6

WATER CLOSET CARRIERS

WATI	S	MIFAB
CA-100	(pg. 212)	MC-10
CA-101	(pg. 212)	MC-10
CA-101	-D(pg. 212)	MC-10D
CA-101	-DL (pg. 216) MC	-10D-27-37
CA-101	-L(pg. 212)	MC-10L
CA-101	-L-AUX(pg. 215)	.MC-10L-27
CA-101	-LL .(pg. 216) MC	:-10L-27-37
CA-101	-R(pg. 212) -R-AUX(pg. 215).	MC-10R
CA-101	-R-AUX(pg. 215).	MC-10R-27
CA-101	-RL.(pg. 216) MC	-10R-27-37
CA-120	(pg. 218)	MC-12*
CA-121	(pg. 218)	MC-12*
CA-121	-D(pg. 218)	MC-12D*
CA-130	(pg. 220)	MC-13
CA-131	(pg. 220)	MC-13
CA-131	-D(pg. 220)	MC-13D
CA-131	-D-2(pg. 220)	MC-13D-2
CA-131	-D2(pg. 220)	MC-13D-2
CA-131	-L(pg. 220)	MC-13L
CA-131	-R(pg. 220)	MC-13R
CA-131	-2(pg. 220)	MC-13-2
CA-140	(pg. 222)	MC-14
CA-141	(pg. 222) -DL(pg. 220)	MC-14
CA-141	-DL(pg. 220)	MC-13D
CA-141	-3(pg. 222) N	/IC-14-3-V2
CA-141	-3-V2-L (pg. 222)	MC-14-3-V2
CA-141	-4-D(pg. 220)	MC-13D
CA-141	-4-DL(pg. 220)	MC-13D
CA-141	-4-V2 .(pg. 222).N	/IC-14-4-V2
CA-141	-4-V2-L (pg. 222)	MC-14-4-V2
CA-141	-4-V4(pg. 222).N	/IC-14-4-V4
CA-141	-4-V4-L (pg. 222)	VC-14-4-V4
CA-150	(pg. 223) (pg. 223)	MC-15
CA-151	(pg. 223)	IVIC-15
CA-151	-D(pg. 223) -DL(pg. 223)	MC-15D
CA-151	-DL(pg. 223)	IVIC-15D
CA-151	-L(pg. 223) -LL(pg. 223).	IVIU-15L
CA-151	-LL(pg. 223).	IVIU-15L
CA-151	-R(pg. 223).	IVIU-15K
CA-101	-RL(pg. 223)	MC-15R
CA-200	(pg. 224).	MC-21
CA-201	(pg. 224).	MC-21N
CA 201	-T(pg. 224).	IVIU-ZII
CA-201		
CA-202	(pg. 224).	MC-22N
CA 202	-T(pg. 224).	MC-22T
CA 501	T(pg. 224).	MC-22T
CA 501	3(pg. 224) 3-V2-L(pg. 224)	MC-25-3-2
CA-521	υ-ν∠-L(pg. 224)	MC 25 4 2
	4(pg. 224) 4-V2-L(pg. 224)	NO-20-4-2
CV 201	4-V4-L(pg. 224)	MC-25-4-2
0A-021	4-v4-L(pg. 224)	1110-25-4-4

WATTS		MIFAB
ISCA-101	(pg. 212)	MC-10
ISCA-101-D	(pg. 212)	MC-10D
ISCA-101-L	(pg. 212)	MC-10L
ISCA-101-R		
ISCA-101-AUX		

ISCA-101-L-AUX (pg	
ISCA-101-R-AUX (pg	
ISCA-121(pg. 2	
ISCA-121-D(pg.	
ISCA-131-L(pg. 1	
ISCA-131-R(pg. 2	
ISCA-131-2(pg. 1 ISCA-131-D(pg. 2	
ISCA-141(pg. 2	
ISCA-151(pg. 2	
ISCA-550(pg. 2	
ISCA-560(pg. /	

CLEANOUTS

WATTS	MIFAB
CO-200-SX-4(pg.	158)C1100-S-4
CO-270(pg.	164)C1238

WATER CLOSET CARRIERS OPTIONAL VARIATIONS

0	
WATTS	MIFAE
CA-1(r	og. 319, 320)0 ⁻
CA-100-FXT'	pg. 319, 320)10 319, 320) MC-10-PFP0
CA-FACEPLATE (pg	. 319. 320) MC-10-PFP0
CAP-NUTS (ng	319, 320) CAP-NUTS
-M1 (ng '	319, 320) Standard
-M2 (ng '	319, 320)
-M2W/ (pg. (210 220) 10
-IVIZ VV(pg. \	319, 320)
-IVI3(pg.	319, 320)
-M4(pg.	319, 320)CI-12
-M5(pg.	319, 320)CI-12
-M10(pg.	319, 320)
-M11(pa.	319, 320)1
-M12(pg.	319, 320) Std
-M14 (ng	319, 320)16
-M15 (ng	319, 320)15
M16 (pg.	319, 320)14
-W17 (pg.	210 220
-IVI I /(pg.	319, 320)11
-W18(pg.	319, 320)12
-IVI19(pg.	319, 320)21
-M20(pg.	319, 320)20
-M21(pg.	319, 320)23
-M22(pg.	319, 320)24
-M23(pg.	319, 320)25
-M24 (ng	319, 320)26
-M30 (pg	319, 320)30
-MΔ (pg.	319, 320)28
-ivi/\(\tau_\) (pg.	319, 320) Sto
-vvo(pg.	318, 320j 3ll

LAVATORY, URINAL, SINK **CARRIERS**

WATTS	MIFAE
CA-300(pg. 226)	MC-31
CA-311(pg. 226)	MC-31
CA-321(pg. 226)	
CA-321-1(pg. 226)	MC-32
CA-321-3(pg. 227)	MC-33-2
CA-323-N(pg. 236)	MC-61-N
CA-323-T(pg. 236)	
CA-323-2N(pg. 236)	MC-61-N
CA-323-2T(pg. 236)	MC-61-1
CA-361(pg. 228)	
CA-362(pg. 228)	MC-38E
CA-400(pg. 230)	MC-40
CA-401(pg. 230)	MC-40

* MC-14 or MC-15 are recommended alternatives. Less pipe space, lower cost and fewer parts "X" Contact MIFAB

LAVATORY, URINAL, SINK AND **CARRIERS CON'T**

MIFAB

WAIIS		IVIIFAD
CA-401-M-60	(pg. 230)	MC-40-G
CA-401-D	(pa. 230)	MC-40D
CA-402	(1-3)	"X"
CA-402-D		"V"
CA-402-D		A
CA-411(p	og. 230)	MC-41
CA-411-D(pg. 231).	MC-41D
CA-411-D-WC	(na. 233)) MC-42Г
CA-411-D(CA-411-D-WC CA-411-M-54	(ba. 530)	MC-41-F2
CA 411 M CO	(pg. 200)	. NO-41-L2
CA-411-M-60	(pg. 230) 1410-41-6
CA-411-WC	(pg. 232)) MC-42
CA-420(pg	1. 226)	MC-31
CA-421(pg	. 226)	MC-31
CA-421-D(pg	226)	MC 31D
OA-421-D(pg	. 220)	1010-010
CA-421-2(pg	J. 226)	1016-32
CA-421-2D(pg	. 226)	MC-32D
CA-421-5(pg	. 226)	MC-31-C
CA-421-6(pg	226)	MC-32-C
CA-421-HFH.(pg	. 226)	MC 31 UDU
CA-421-FFF.(pg	J. 220) I	NIC-3 I-UUU
CA-431-1(pg	J. 227)	IVIU-33
CA-451(pg	. 235)	MC-55
CA-452(pg	. 236)	MC-56
CA-460(pg	234)	MC-51
CA 461 (pg	. 20 1)	IVIO-51
CA-461(pg	. 235)	١٧١٠-53
CA-462(pg	. 234)	MC-51
CA-465(pg	. 235)	MC-51-LP
CA-466(pg	. 235)	MC-51-LP
CA-480(p	na 228)	MC-36
CA 401 (r	ng. 220)	NIO-30
CA-481(r	Jy. 220)	1810-30
CA-481-2(og. 228).	MC-36-2
CA-482(r	og. 228)	MC-38D
CA-482-2(na. 228).	MC-37
CA-501(ng 230)	MC-40
CA EO1 MEO (ng. 200)	NO 40
CA-501-M60(Jy. 230).	1010-40-6
CA-501-M61(pg. 230).	MC-40-F
CA-501-D(pg. 230).	MC-40D
CA-501-1(pg. 227)	MC-34
CA-501-2	ng 226)	MC-32
CA-501-3(ng 227)	MC 22 C
OA 501-3(py. 221)	1410-33-2
CA-531(pg. 228).	IVIG-35
CA-531-1	pg. 228)	MC-35
CA-550(pg	1. 236)	MC-61-T
CA-550-N(p	n 236)	MC-61-N
CA-550-3 (p	g. 200)	MC 62 2 \/
OA-550-5 (p	y. 230).	NAC CO 0 V
CA-550-3-V2-L.(pg. 236)	IVIU-62-3-V2
CA-550-4-V2(p	g. 236)	MC-62-4-V2
CA-550-4-V2-L(r	oa. 236).	MC-62-4-V2
CA-550-4-V4(p	a. 236).	MC-62-4-V4
CA-550-4-V4-L.(na 236)	MC-62-4-W
TCA /111 /~~	720\ 720\	MU 02-4-V
TCA-411(pg)	. 229)	IVIU-41-1K
TCA-411-D-WC.	.(pg. 232	?). MC-42-TI
WCA-411(pg. 230).	MC-4
`	/	

CA-300 TO CA-700 OPTIONAL **VARIATIONS**

WATTS	MIFAB
-M51(pg. 319, 320)	A
-M52(pg. 319, 320)	A
-M53(pg. 319, 320)	14
-M54(pg. 319, 320)	E2
-M55(pg. 319, 320)	E4
-M56(pg. 319, 320)	E6
-M57(pg. 319, 320)	"X"
-M58(pg. 319, 320)	"X"
-M59(pg. 319, 320)	В
-M60(pg. 319, 320)	G
-M61(pg. 319, 320)	G
-M62(pg. 319, 320)	20
-WC(pg. 319, 320)	. Standard

CLEANOUTS

CLLANGOIS
WATTS MIFAB
CO-100-C-R(pg. 156). C1100-C-R*
CO-100-C-R-1 (pg. 156) C1100-C-R-1*
CO-100-C-R-3 (pg. 156) C1100-C-R-3*
CO-100-C-RC (pg. 157) C1100-C-RC*
CO-100-C-RC-1(pg. 157) C1100-C-RC-1*
CO-100-C-RX (pg. 160) C1100-C-XR*
CO-100-C-RX-1(pg. 160) C1100-C-XR-1*
CO-100-C-RX-4(pg. 160) C1100-C-XR-4*
CO-100-C-S(pg. 158). C1100-C-S*
CO-100-C-S-1 (pg. 158) C1100-C-S-1*
CO-100-C-S-3 (pg. 158) C1100-C-S-3*
CO-100-C-T(pg. 158) C1100-C-T*
CO-100-C-T-1 (pg. 158) C1100-C-T-1*
CO-100-C-TS (pg. 159) C1100-C-TS*
CO-100-C-TS-1(pg. 159) C1100-C-TS-1*
CO 100 C II (ng 150) C1100 C IID*
CO-100-C-U .(pg. 159) C1100-C-UR*
CO-100-C-U-1(pg. 159) C1100-C-UR-1*
CO-100-C-US(pg. 160) C1100-C-US*
CO-100-C-US-1(pg. 160) C1100-C-US-1*
CO-200(pg. 164)C1230
CO-200-1(pg. 164) C1230-1
CO-200-4(pg. 164) C1230-4
CO-200-50(pg. 164) C1230-4
CO-200-60(pg. 164) C1230-30
CO-200-61(pg. 164) C1230-31
CO-200-63(pg. 164) C1230-WF
CO-200-63-1 .(pg. 164). C1230-WF-1
CO-200-R(pg. 156) C1100-R
CO-200-R-1(pg. 156) C1100-R-1
CO-200-R-3(pg. 156) C1100-R-3
CO-200-RC(pg. 157) C1100-RC
CO-200-RC-1 .(pg. 157) C1100-RC-1
CO-200-RFC7(pg. 157).C1100-RFC7-3
CO-200-RX(pg. 160) C1100-XR
CO-200-RX-1 .(pg. 160). C1100-XR-1
CO-200-RX-3 .(pg. 160). C1100-XR-3
CO-200-RX-4 .(pg. 160). C1100-XR-4
CO-200-S(pg. 158) C1100-S
CO-200-S-1(pg. 158) C1100-S-1
CO-200-S-1(pg. 158) C1100-S-1 CO-200-SX(pg. 158) C1100-S-3
CO-200-T(pg. 158) C1100-T
CO-200-T-1(pg. 158) C1100-T-1
CO-200-TS(pg. 159) C1100-TS
CO-200-TS-1 .(pg. 159) C1100-TS-1
CO-200-U(pg. 159) C1100-UR
CO-200-U-1 .(pg. 159) C1100-UR-1
CO-200-US(pg. 160) C1100-US
CO-200-US-1 (pg. 160). C1100-US-1 CO-260(pg. 163)C1228
CO-260-1(pg. 163) C1228-1
CO-270(pg. 164) C1238
CO-300-MF(pg. 166) C1300-MF
CO-300-MF-1 .(pg. 166) C1300-MF-3
CO-300-MF-4 (pg. 166) C1300-MF-4
CO-300-MF-4 .(pg. 166) C1300-MF-4 CO-300-R(pg. 165) C1300-R
CO-300-R6(pg. 165)C1300-R6-1
CO-300-R6-1 .(pg. 165)C1300-R6-1 CO-300-R8(pg. 165) C1300-R9
CO-300-R8-1 .(pg. 165)C1300-R9-1
CO-300-R9(pg. 165) C1300-R9
CO-300-R9-1 .(pg. 165)C1300-R9-1
CO-300-S(pg. 165) C1300-S
CO-300-S6(pg. 165) C1300-S7
CO-300-S6-1 .(pg. 165). C1300-S7-1

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

CO-300-S6-1 .(pg. 165). C1300-S7-1





CO-300-S7-1 (pg. 165). C1300-S7-1

CO-300-S8 ...(pg. 165).... C1300-S9

WATTS - MIFAB CROSS REFERENCE

CO-300-S8-1 .(pg. 165) C1300-S9-1 CO-300-S9-1 .(pg. 165) C1300-S9-1 CO-300-S9-50(pg. 165) C1300-S9-4 CO-300-S12 ..(pg. 165). C1300-S12 CO-300-S12-1 (pg. 165) C1300-S12-1 CO-300-S12-50 (pg. 165) C1300-S12-4 CO-300-U(pg. 165).... C1300-UR CO-300-U-1 .(pg. 165). C1300-UR-1 CO-300-US ...(pg. 165).... C1300-US CO-300-US-1 (pg. 165) C1300-US-1 CO-380(pg. 170)...... C1450 CO-380-RD....(pg. 171)....C1450-RD CO-390-E(pg. 164)...... C1230 CO-390-E-1 ...(pg. 164)..... C1230-1 CO-410(see CLPB).. C234-TS-1 CO-440(pg. 168)...... C1440 CO-440-A(pg. 168)....... C1440 CO-440-RD...(pg. 169).... C1440-RD CO-450(pg. 170)...... C1450 CO-450-RD ...(pg. 171)... C1450-RD CO-450-RD-60 (pg. 171) C1450-RD-30 CO-450-RD-61 (pg. 171) C1450-RD-31 CO-450-S(pg. 171)..... C1450-S CO-450-S-1 ..(pg. 171)... C1450-S-1 CO-450-S-3 ..(pg. 171)... C1450-S-1 CO-450-S-60-1 (pg. 171) C1450-S-30-1 CO-450-S-60-3 (pg. 171) C1450-S-30-1 CO-450-S-61-1 (pg. 171) C1450-S-31-1 CO-450-S-61-3 (pg. 171) C1450-S-31-1 CO-450-60(pg. 170).... C1450-30 CO-450-61(pg. 170).... C1450-31 CO-460(pg. 172)...... C1460 CO-460-RD ...(pg. 173)... C1460-RD CO-460-S(pg. 173)..... C1460-S CO-460-S-1 ... (pg. 173).. C1460-S-1 CO-460-S7-1 .(pg. 173) C1460-S7-1 CO-480(pg. 166)...... C1400 CO-480-R(pg. 166)..... C1400-R CO-480-RD ... (pg. 167)... C1400-RD CO-480-RD4.5 (pg. 167) C1400-RD4 CO-480-RD6 .(pg. 167). C1400-RD6 CO-480-RD6.5 (pg. 167) C1400-RD6 CO-480-RD8 .(pg. 167). C1400-RD8 CO-480-RD9 (pg. 167) C1400-RD10 CO-480-RD11 (pg. 167) C1400-RD10 CO-480-R6-1 (pg. 166) C1400-R6-1 CO-480-R8-1 (pg. 166) C1400-R9-1 CO-480-R9-1 (pg. 166) C1400-R9-1 CO-480-S(pg. 166)..... C1400-S CO-480-S7-1 .(pg. 166).C1400-S7-1 CO-480-S9-1 .(pg. 166) C1400-S9-1 CO-480-S12-1 (pg. 166) C1400-S12-1 CO-590(pg. 167)...... C1430 CO-590-R(pg. 167)... C1430-RD CO-590-RD ...(pg. 167)... C1430-RD CO-1100-C-R .(pg. 156).C1000-C-R-3* CO-1100-C-R-3 (pg. 156) C1000-C-R-3* CO-1100-C-S(pg. 158) C1000-C-S-3* CO-1100-C-S-3 (pg. 158) C1000-C-S-3* CO-1200-C-R ..(pg. 156). C1000-R-3 CO-1200-C-R-3 (pg. 156) C1000-R-3 CO-1200-S ...(pg. 158).... C1000-S-3 CO-1200-SX .(pg. 158).... C1000-S-3 CO-1200-R ..(pg. 156).... C1000-R-3

CLEANOUT OPTIONAL VARIATIONS FLOOR AND AREA DRAINS CON'T

WATTS	MIFAB
-1Nickel Bronze	e (pg. 319, 320) -1
-2Polished Bronz	ze (pg. 319, 320) -2
-3Stainless Stee	el (pg. 319, 320) -3
-4Ductile Iron .	(pg. 319, 320)4
-6Vandal proof	(pg. 319, 320) -6
-9Hinged cover	(pg. 319, 320) -9
-13All galvanized	(pg. 319, 320) -13
-28304 Stainless St	
-29316 Stainless St	
-34Secondary closur -34BBrass threaded p	
-34GABS expansion p	
-60PVC body .(p	g. 319, 320)30
-61ABS body .(p	g. 319, 320)31
-85Special word on	
-87Longer screw	(pg. 319, 320)87
-100Client logo (p	g. 319, 320)95
-113M3M epoxy .(p	
PPush on connec	
TFemale threaded	
XInside caulk conn -ZElastomeric flan	
ZLiastomono nan	go(pg. 010, 020) Z

FL00R **AND AREA DRAINS**

WATTS	MIFAB
FD-100(pg. 33)	. F1100-C*
FD-100-A(DQ. 33)	F1100-6^
FD-100-AS (ng 34) F11	INN-C-AS*
FD-100-A5(pg. 33) F11	00-C-5-1*
FD-100-A6(pg. 33) F11	00 0 0 1 00_C_6_1*
ED 100 A7 (pg. 33) F11	00-0-0-1 00 C 7 1*
FD-100-A7(pg. 33) F11	00-0-7-1
FD-100-A8(pg. 33) F11	00-6-8-1
FD-100-A10 (pg. 33) F110	0-C-10-1*
FD-100-B(pg. 42) F11	00-C-X-1*
FD-100-B5(pg. 42) F110	0-C-X5-1
FD-100-B5-50 (pg. 33) F11	00-C-5-4*
FD-100-B6(pg. 42). F110	0-C-X6-1*
FD-100-B8(pg. 42). F110	0-C-X8-1*
FD-100-B10 (pg. 33) F110	/o o /to i በ_Ր_1በ_3*
FD-100-C StD (pg. 42) F11	0-0-10-3 00 C V 1*
FD-100-C 3tD (pg. 42) F11	00-0-A-1
FD-100-C-A(pg. 33)	F1100-C"
FD-100-C-AS(pg. 34) F11	00-C-AS^
FD-100-C-A5-1 (pg. 33) F11	00-C-5-1*
FD-100-C-A6-1 (pg. 33) F11	00-C-6-1*
FD-100-C-A7-1 (pg. 33) F11	00-C-7-1*
FD-100-C-A8-1 (pg. 33) F11	00-C-8-1*
FD-100-C-DD (pg. 34). F11	100-C-DD*
FD-100-C-DD-1 . (pg. 34). F11	00-C-DD-1*
FD-100-C-DD-50 (pg. 34) F110	0-C-DD-50*
FD-100-C-EF(pg. 35). F1	100-C-EF*
FD-100-C-EF-1 (pg. 35) F110	00-C-EF-1*
FD-100-C-EF-50 (pg. 35)10	0-C-EF-50*
FD-100-C-EG .(pg. 35). F1	100-C-EG*
FD-100-C-EG-1 (pg. 35). F11	00-C-FG-1*
FD-100-C-EG-50 (pg. 35) F110)0-C-EG-50*
FD-100-C-ER .(pg. 36). F1	100-C-FR*
FD-100-C-FR5-1 (na. 36) F110)0-C-FR7-1*
FD-100-C-ER7-1 (pg. 36) F11()0-C-ER7-1*
FD-100-C-ER9-1 (pg. 36) F110	00-C-ER9-1*
FD-100-C-ER9-1 (pg. 36) F110 FD-100-C-FC .(pg. 36). F1	100-C-FC*
FD-100-C-FC7-1.(pg. 36) F110	0-C-FC7-1*
FD-100-C-FC9-1.(pg. 36) F110	0-C-FC9-1*
FD-100-C-FT6(pg. 37), F1	100-C-FT6*
FD-100-C-FT6 (pg. 37). F1 FD-100-C-FT6-1 (pg. 37) F110	00-C-FT6-1*
FD-100-C-K(pg. 38) F	1100-C-K*
FD-100-C-K(pg. 38) F FD-100-C-K-1 (pg. 38) F11	00-C-K-1*
FD-100-C-L .(pg. 43) F110	0-C-XS-1*
FD-100-C-L5-1(pg. 43) F110	0 0 X0 1 0_C_YS5_1*
FD-100-0-L0-1(pg. 40) F110	0-0-X00-1 N_C_XS6_1*
FD-100-C-L6-1(pg. 43) F110 FD-100-C-L8-1(pg. 43) F110	0-0-X00-1 N_C_XS8_1*
FD-100-C-M(pg. 39) F	1100_C C*
ED 100 C ME 1 (pg. 39) F	00 0 05 1*
FD-100-C-M5-1 (pg. 39) F11	00-0-33-1"
FD-100-C-M3-1 (pg. 39) F11 FD-100-C-M8-1 (pg. 39) F11 FD-100-C-M8-1 (pg. 39) F11	00-0-30-1"
FD-100-6-100-1 (pg. 39) F11	00-0-56-1°
FD-100-C-RS .(pg. 39) F11	υυ-υ-K5^

WATTS	MIFAB
FD-100-C-RS-48-1(pg. 39). F11	00-C-RS48-13
FD-100-C-RS-412-1(pg. 39) F11	00 C DC410 1
FD-100-G-N3-412-1(pg. 39) F11	JU-U-N3412-1
FD-100-C-RS-517-1 (pg. 39) F11	00-C-RS517-3
ED 100 C VD (pg /11) E1:	100 C VD*
FD-100-C-VD. (pg. 41). F1	100-0-VD
FD-100-C-VS . (pg. 40).F110	10_C_SD6*
1D-100-0-45 . (pg. 40).1111	0-0-00
FD-100-C-W(pg. 42) F1	100-C-W*
TD 100 0 W(pg. 12)	100 0 11
FD-100-C-WD (pg. 42) F11	00-C-WD*
ED 100 C WD 1 (ng 40) E110	U C W/D 2*
FD-100-C-WD-1 (pg. 42) F110	JU-U-VVD-3"
FD-100-C-5-1 . (pg. 42) F110	ነበ-C-X5-1*
FD 100 0 0 1 . (pg. 12) 1110	0 0 10 1
FD-100-C-5-3 .(pg. 42) F110	IU-U-X5-1*
FD-100-C-5-4 (pg. 33) F11	00 C E 1*
FD-100-C-6-1 (pg. 42) F110	\n_C_\X6_1*
1D-100-0-0-1 (pg. 42)1110	70-0-X0-1
FD-100-C-6-3 (pg. 42) F110)0-C-X6-1*
ED 400 0 0 4 (40) E44	000000
FD-100-C-8-1 (pg. 42) F110	JU-U-X8-1^
FD-100-DD(pg. 34) F11	טט-ט-טט
FD-100-DD-1 .(pg. 34) F110	0-C-DD-1*
FD 100 DD 10(pg. 0.1) 11.10	0 0 00 .
FD-100-DD-50 (pg. 34) F1100	J-C-DD-50*
FD-100-EF(pg. 35) F11	100 C EE*
1D-100-L1(pg. 55)11	100-0-L1
FD-100-EF-1 (pg. 35) F110	0-C-FF-1*
FD-100-EF-50 (pg. 35) F110	J-U-EF-5U*
FD-100-EG(pg. 35) F11	00-C-FG*
15 100 Ed(pg. 00) 111	OU O LU
FD-100-EG-1 .(pg. 35). F110	0-C-EG-1*
ED 100 EC 50 (22 35) E1100	C EC E0*
FD-100-EG-50 (pg. 35) F1100	-U-EU-3U"
FD-100-ER(pg. 36) F11	00-C-FR*
TD 100 En(pg. 00)111	00 0 211
FD-100-ER5 (pg. 36). F110	IU-U-ER/*
FD 100 FD7 (ng 06) F110	0 C FD7*
FD-100-ER7 .(pg. 36) F110	10-G-EN/
FD-100-FC(pg. 36) F1	100-C-FC*
1D 100 10(pg. 00)11	100 0 10
FD-100-FT6 .(pg. 37). F110)0-C-FT6*
FD 400 K (pg. 00) F4	100 0 1/4
FD-100-K(pg. 38) F1	100-6-K"
FD-100-L(pg. 43) F1100	_C_Y\\C_1*
1D-100-L(pg. 40)11100	J-U-/\U-1
FD-100-L5 .(pg. 43) F1100	-C-XS5-1*
FD 400 LC (== 40) F4400	0.000.1+
FD-100-L6 (pg. 43) F1100-	·U-XSb-T^
FD-100-L8 (pg. 43) F1100-	C-XS8-1*
FD-100-M(pg. 39) F1	100-C-S*
FD-100-M5 .(pg. 39) F1100) C CE 1*
1 D-100-1013 .(pg. 38) 1 1 100	J-U-33-1
FD-100-M6 .(pg. 39) F1100)-C-S6-1*
FD 100 MO (== 00) F110	0 00 1+
FD-100-M8 .(pg. 39) F1100	J-U-58-T^
FD-100-RS(pg. 39)F11	
FD-100-RS48(pg. 39) F1100-	C-RS48-1*
FD-100-RS412 (pg. 39) F1100-	
TD-100-10412 (pg. 03) 11100-	0-110-112-1
FD-100-RS517(pg. 39) F1100-0	;-RS517-3*
FD-100-VS(pg. 40) F11	00_C_SD6
1D-100-vo(pg. 40)111	00-0-000
FD-100-VD(pg. 41) F11	00-C-VD*
ED 100 WD (ng 40) E1100	C WD 2*
FD-100-WD (pg. 42) F1100	1-0-WD-3
FD-160-C(pg. 44) F11	NN-C-9N*
TD 100 0(pg. 11)111	00 0 00
FD-160-C-A5-1 .(pg. 44). F1100	J-G-5-1-90^
FD-160-C-A6-1 .(pg. 44). F1100)-C-6-1-90*
FD-160-C-A7-1 .(pg. 44). F1100	
FD-160-C-A8-1 .(pg. 44). F1100	
FD-174(pg. 50)	F1170
75 17 1(pg. 00)	=
FD-200(pg. 42)	F1100-X-1
ED 200 A (ng 22)	E1100 1
FD-200-A(pg. 33)	1 1 100-1
FD-200-AS(pg. 34) F1	100-AS-1
FD-200-A5(pg. 33)	F1100-5-1
FD-200-A6(pg. 33)	E1100 6 1
1 D-200-A0(pg. 00)	1 1 1 0 0 - 0 - 1
FD-200-A7(pg. 33)	F1100-7-1
ED 000 40 (== 00)	T1100 0 1
FD-200-A8(pg. 33)	F1100-8-1
FD-200-A10(pg. 33) F	1100_10_1
TD 200 ATO(pg. 00)T	1100 10 1
FD-200-A5-1(pg. 33) F	-1100-5-1
ED 200 A6 1 (ng 33)	1100 6 1
FD-200-A6-1(pg. 33) I	1100-0-1
FD-200-A7-1(pg. 33) F	1100-7-1
ED 000 40 4 (2. 00)	1100 0 1
FD-200-A8-1(pg. 33) F	- 1-8-0u i -
FD-200-B (ng 42)	F1100-Y-1
FD-200-B(pg. 42)	F1100-X-1
	F1100-X-1
FD-200-B5(pg. 42)F	F1100-X-1 1100-X5-1
FD-200-B5(pg. 42)F FD-200-B5-4(pg. 33) F	F1100-X-1 1100-X5-1 -1100-5-4
FD-200-B5(pg. 42)F FD-200-B5-4(pg. 33) F	F1100-X-1 1100-X5-1 -1100-5-4
FD-200-B5(pg. 42)F FD-200-B5-4(pg. 33) F FD-200-B5-50 (pg. 33) F	F1100-X-1 1100-X5-1 F1100-5-4 F1100-5-4
FD-200-B5(pg. 42)F FD-200-B5-4(pg. 33) F	F1100-X-1 1100-X5-1 F1100-5-4 F1100-5-4

FD-200-B8(pg. 42)... F1100-X8-1

FD-200-DD(pg. 34)...... F1100-DD FD-200-DD-1 ..(pg. 34).. F1100-DD-1 FD-200-DD-50 (pg. 34) F1100-DD-50 FD-200-EF(pg. 35)......F1100-EF FD-200-EF-1 ..(pg. 35).... F1100-EF-1 FD-200-EF-50 .(pg. 35). F1100-EF-50 FD-200-EG(pg. 35).... F1100-EG FD-200-EG-1 ... (pg. 35).. F1100-EG-1 FD-200-EG-50 .(pg. 35) F1100-EG-50 FD-200-ER(pg. 36)..... F1100-ER FD-200-ER5 ...(pg. 36). F1100-ER7-1 FD-200-ER5-1 (pg. 36). F1100-ER7-1 FD-200-ER7 ...(pg. 36). F1100-ER7-1 FD-200-ER7-1 (pg. 36). F1100-ER7-1 FD-200-ER9-1 (pg. 36). F1100-ER9-1 FD-200-FC(pg. 36)..... F1100-FC FD-200-FC7-1.(pg. 36). F1100-FC7-1 FD-200-FC9-1.(pg. 36). F1100-FC9-1 FD-200-FT6(pg. 37).... F1100-FT6 FD-200-FT6-1 .(pg. 37). F1100-FT6-1 FD-200-K(pg. 38)...... F1100-K FD-200-K-1.....(pg. 38)..... F1100-K-1 FD-200-L(pg. 43)..... F1100-XS-1 FD-200-L5 ...(pg. 43).... F1100-XS5-1 FD-200-L6 ...(pg. 43).... F1100-XS6-1 FD-200-L8 ...(pg. 43).... F1100-XS8-1 FD-200-L5-1 .(pg. 43).. F1100-XS5-1 FD-200-L6-1 .(pg. 43).. F1100-XS6-1 FD-200-L8-1 .(pg. 43).. F1100-XS8-1 FD-200-M......(pg. 39)...... F1100-S FD-200-M5 ...(pg. 39).... F1100-S5-1 FD-200-M6 ...(pg. 39).... F1100-S6-1 FD-200-M8 ...(pg. 39).... F1100-S8-1 FD-200-M5-1 (pg. 39).... F1100-S5-1 FD-200-M6-1 (pg. 39).... F1100-S6-1 FD-200-M8-1 (pg. 39).... F1100-S8-1 FD-200-RS(pg. 39)...... F1100-RS FD-200-RS48 (pg. 39) F1100-RS48-1 FD-200-RS-48-1 (pg. 39) F1100-RS48-1 FD-200-RS412.(pg. 39) F1100-RS412-1 FD-200-RS-412-1. (pg. 39). F1100-RS412-1 FD-200-RS517 .(pg. 39). F1100-RS517-3 FD-200-RS-517-1 (pg. 39).F1100-RS517-3 FD-200-VD(pg. 41)..... F1100-VD FD-200-VS(pg. 40).... F1100-SD6 FD-200-W(pg. 42).... F1100-W-3 FD-200-W-1 ... (pg. 42).... F1100-W-3 FD-200-WD(pg. 42).. F1100-WD-3 FD-200-WD-1..(pg. 42). F1100-WD-3 FD-200-5-1(pg. 42)... F1100-X5-1 FD-200-5-3(pg. 33)..... F1100-5-3 FD-200-5-4(pg. 33)..... F1100-5-4 FD-200-6-1(pg. 42)... F1100-X6-1 FD-200-6-3(pg. 33)..... F1100-6-3 FD-200-8-1(pg. 42)... F1100-X8-1 FD-220-C(pg. 48)..... F1120-C* FD-220-C-A5-1 (pg. 48) F1120-C-5-1* FD-220-C-A6-1(pg. 48) F1120-C-6-1* FD-220-C-A7-1(pg. 48) F1120-C-7-1* FD-220-C-A8-1(pg. 48) F1120-C-8-1* FD-230-A(pg. 48)..... F1130C FD-230-A5(pg. 48)... F1130C-5-1 FD-230-A6(pg. 48)... F1130C-6-1 FD-230-C-A5 ..(pg. 48)... F1130C-5-1 FD-230-C-A6 ..(pg. 48).. F1130C-6-1 FD-230-C-A(pg. 48)...... F1130C FD-230-C-A5-1 (pg. 48). F1130C-5-1 FD-230-C-A6-1 (pg. 48). F1130C-6-1 FD-230-C-A7-1 (pg. 48) F1130C-7-1 FD-240.....(pg. 49)..... F1160 "X".....Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes.

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Visit www.mifab.com for the most recent product information

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049





CO-1200-RX (pg. 156).... C1000-R-3

"X".....Contact MIFAB





FLOOR DRAIN ADJUSTABLE STRAINERS

• • • • • • • • • • • • • • • • • • • •	
WATTS	MIFAB
STANDARD 5-1	(pg. 46) X5-1
STANDARD 5-4	(pg. 46) 5-4
STANDARD 6-1	(pg. 46) X6-1
STANDARD 8-1	(pg. 46) X8-1
A5-1	(pg. 46) 5-1
A6-1	(pg. 46) 6-1
A7-1	(pg. 46) 7-1
A8-1	(pg. 46) 8-1
AS 4X5X4-1	.(pg. 46) AS-1
	(pg. 46) DD-1
	(pg. 46) DD-50
EF4-1	(pg. 46) EF4-1
EF4-50	(pg. 46) EF4-50
	(pg. 46) EF6-1
EF6-50	(pg. 46) EF6-50
	(pg. 46) EG-1
EG-50	(pg. 46) EG-50
	(pg. 46) ER5-1
	(pg. 46) ER7-1
EK9-1	(pg. 46) ER9-1
FU/-1	(pg. 46) FC7-1
	(pg. 46) FC9-1
F10-1	(pg. 46) FT6-1
	(pg. 46) K5-1
	(pg. 46) XS5-1
	(pg. 46) XS6-1
LO-1	(pg. 46) XS8-1 (pg. 46) S5-1
M6 1	(pg. 46) S6-1
MR_1	(pg. 46) S8-1
RS/18_1	(pg. 46) RS48-1
RS/112_1	(pg. 46) RS412-1
RS517-1	(pg. 46) RS517-3
W-1	(pg. 47) W-3
WD-1	(pg. 47) WD-3
	(pg. 17) WD 0

HEAVY DUTY FLOOR AND AREA DRAINS

WATTS	MIFAB
FD-300(pg. 52)	F1300-C*
FD-300-1(pg. 52) F1	300-C-1*
FD-300-4(pg. 52) F1	300-C-4*
FD-310(pg. 52)	F1300-C*
FD-310-1(pg. 52) F1	300-C-1*
FD-310-4(pg. 52) F1	300-C-4*
FD-320(pg. 53)	F1320-C*
FD-320-1(pg. 53) F1	320-C-1*
FD-320-4(pg. 53) F1	320-C-4*
FD-320-25(pg. 53) F13	20-C-25*
FD-320-25-1(pg. 53) F1320	D-C-25-1*
FD-320-Y(pg. 53). F132	0-C-Y-14*
FD-320-Y-1 (pg. 53) F1320-	
FD-320-Y-4 (pg. 53) F1320-	C-Y-14-4*
FD-320-SET(pg. 53) F	1320-TFB
FD-320-Y-SET(pg. 53) F	
FD-330(pg. 61)	F1420-C*
FD-330-Y(pg. 61) F1	420-C-Y*
FD-330-Y-1(pg. 61) F14	20-C-Y-1*
FD-330-1(pg. 61) F1	420-C-1*
FD-330-4(pg. 61) F1	
FD-340(pg. 54)	F1340
FD-340-Y(pg. 54)	. F1340-Y
FD-340-Y-1(pg. 54) F	-1340-Y-1
FD-340-Y-4(pg. 54) F	
FD-340-1(pg. 54)	. F1340-1
FD-340-4(pg. 54)	. F1340-4

FD-340-67		
FD-340-07	(na CO) F1E4	Λ
ED 340 CET	(pg. 69) F154	U
	(ng 55) F1340-TFP	1
ED 040 V CET	(FI) F1040 TFD	
FD-340-Y-5E1.	(pg. 55) F1340-TFB (pg. 55) F1340-TFB	
FD-350 ((pg. 58) F135	Λ
TD 000	(pg. 50)1105	
FD-350-Y-36((pg. 58) F1350-Y-36-4	4
ED 250 1	(ng 50) E1250 ·	1
LD-930-1	.(pg. 58) F1350-	ı
FD-350-4	.(pg. 58) F1350-4	4
FD 000 1	(pg. 00)	
FD-360	(pg. 59) F136	U
ED 260 1	(pg. 59) F1360-	1
LD-200-1	(pg. 59) F1500-	!
FD-360-4	(pg. 59) F1360-4	4
FD 000 V	(pg. 00)	•
FD-360-Y	.(pg. 59) F1360	
FD-370	(pg. 60) F137	Λ
TD-070	(pg. 00) 1 101	U
FD-370-1	(pg. 60) F1370- (pg. 60) F1370-	1
ED 070 4	(pg. 60) F1070	,
FD-370-4	(pg. 60) F1370-4	4
ED-380	(pg. 51) F1230-W	=
TD-000	(pg. 51) 1 1250-vvi	
FD-390	(pg. 52) F1300-14	1
ED 200 E	(ng E1) F100(`
FD-390-E	(pg. 51) F1230	J
FD-390-F-1	(pg. 51) F1230-	1
TD 000 E 1	(pg. 01) 11200	:
FD-390-E-4	(pg. 51) F1230-	4
ED 200 E 62	(ng E1) E1000 W	Е
LD-980-E-09 .	(pg. 51) F1230-W	Г
FD-390-F-63-1	1.(pg. 51). F1230-WF-1	1
TD 000 L 00	(.(pg. 01). 1 1200 W	
FD-390-1	(pg. 52) F1300-14-	7
ED 200 4	(pg. 52) F1300-14-	1
ru-390-4	(pg. 52) F1300-14-	4
FD-410	.(pg. 70) F157	N
FD 440 A	(pg. 70)	,
FD-410-A	(pg. 70) F1570-A-4	7
FD_//10 D	(pg. 70) F1570-B-4	1
ι υ-4 I U-D	(pg. / u) F13/U-B-4	t
FD-410-C	(pg. 70) F1570-C-4	4
FD 440 D	(pg. 10)	
FD-410-D	(pg. 70)F1570-D-4	4
ED /110 E	.(pg. 70) F1570-E-	1
1 D-4 10-L	.(pg. 10) 1 1310-L-	+
FD-430	(pg. 70) F156	n
FD 400 1	(+ = 70) F1FCO :	ĭ
FD-430-1	.(pg. 70) F1560- .(pg. 70) F1560-	ı
ED 130 1	(ng 70) E1560	1
TD-430-4	.(pg. 70) 1 1300-	†
FD-440	.(pg. 194) MI-0	S
FD 440 40	(== 104) MI OC :	-
FD-440-12	.(pg. 194) MI-0S-	ı
FD-440-60	.(pg. 194) MI-0S-2	2
1 D-440-00	.(pg. 134) Wii-03-	_
FD-440-100	.(pg. 194) MI-0S-3	3
ED 440 200	.(pg. 194) MI-0S-4	4
ΓD-440-200	.(pg. 194) ivii-05-4	+
FD-450	(pg. 65) F146	N
FD 450 AF	(pg. 00)	Š
FD-450-AF	(pg. 65) F1460)
ED 450 AE 1	(pg. 65) F1460- (pg. 65) F1460-	1
1 D-430-A1-1 .	(pg. 03) 1 1400-	!
FD-450-AF-4	(pg. 65) F1460-4	4
FD 4F0 F	(pg. 00)	·
FD-450-F	(pg. 65) F1460 (pg. 65) F1460-Y-	J
ED 450 E 1	(ng 65) E1/60 V	1
10-430-1-1	(pg. 03) 1 1400-1-	
FD-450-F-4		
	(Da. 65) F146U-Y-4	1
ED 450 1 4	(pg. 65) F1460-Y-4	1
FD-450-1	(pg. 65) F1460- [.]	1 1
FD-450-1	(pg. 65) F1460- [.]	1 1
FD-450-1 FD-460	(pg. 65) F1460- (pg. 62) F144	1 1 0
FD-450-1 FD-460 FD-460-AF	(pg. 65) F1460- (pg. 62) F144 (ng. 62) F144(1 1 0
FD-450-1 FD-460 FD-460-AF	(pg. 65) F1460- (pg. 62) F144 (ng. 62) F144(1 1 0
FD-450-1 FD-460 FD-460-AF FD-460-AF-1	(pg. 65) F1460- (pg. 62) F144 (pg. 62) F1440- (pg. 62) F1440-	1 1 0 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1	(pg. 65) F1460- (pg. 62) F144 (pg. 62) F1440- (pg. 62) F1440-	1 1 0 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-AF-4	(pg. 65) F1460- (pg. 62) F144 (pg. 62) F1440- (pg. 62) F1440- (pg. 62) F1440-	1 0 1 1 4
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-AF-4 FD-460-F	(pg. 65) F1460- (pg. 62) F144 (pg. 62) F1440- (pg. 62) F1440- (pg. 62) F1440-Y-14	1 1 0 1 4 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-AF-4 FD-460-F	(pg. 65) F1460- (pg. 62) F144 (pg. 62) F1440- (pg. 62) F1440- (pg. 62) F1440-Y-14	1 1 0 1 4 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F FD-460-F-1	(pg. 65)	1 1 0 1 4 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F FD-460-F-1	(pg. 65)	1 1 0 1 4 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F FD-460-F-1	(pg. 65)	1 1 0 1 4 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F. FD-460-F.1 FD-460-F-4 FD-460-F-9-46	(pg. 65)	1 1 0 1 4 1 1 4 0
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F. FD-460-F.1 FD-460-F-4 FD-460-F-9-46	(pg. 65)	1 1 0 1 4 1 1 4 0
FD-450-1 FD-460 FD-460-AF-1 FD-460-AF-4 FD-460-F-1 FD-460-F-4 FD-460-F-9-46	(pg. 65)	1 1 0 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF-1 FD-460-AF-4 FD-460-F-1 FD-460-F-4 FD-460-F-9-46 FD-460-1 FD-470-F-1	(pg. 65)	1 1 0 1 1 1 1 1 1 Q
FD-450-1 FD-460 FD-460-AF-1 FD-460-AF-4 FD-460-F-1 FD-460-F-4 FD-460-F-9-46 FD-460-1 FD-470-F-1	(pg. 65)	1 1 0 1 1 1 1 1 1 Q
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-2-460-F-4 FD-460-F-9-460-1 FD-460-1 FD-470-F-1 FD-480-AF-1	(pg. 65)	1 1 0 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-2-460-F-4 FD-460-F-9-460-1 FD-460-1 FD-470-F-1 FD-480-AF-1	(pg. 65)	1 1 0 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-9-46 FD-460-1 FD-470-F-1 FD-480-AF-1	(pg. 65)	1 1 1 0 1 1 1 1 1 1 1 1 4
FD-450-1 FD-460 FD-460-AF FD-460-AF-4 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-480-AF-4 FD-490	(pg. 65)	4 1 0 1 4 1 1 1 1 0 1 4 0 1 0 1 0 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-4 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-480-AF-4 FD-490	(pg. 65)	4 1 0 1 4 1 1 1 1 0 1 4 0 1 0 1 0 1
FD-450-1 FD-460 FD-460-AF FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-T-1 FD-460-T-1 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490	(pg. 65)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-T-1 FD-460-T-1 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490	(pg. 65)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F FD-460-F-1 FD-460-F-2 FD-460-T FD-460-T FD-470-F-1 FD-480-AF-1 FD-480-AF-4 FD-490 FD-490 FD-490-F-4	(pg. 65)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-3 FD-460-T-1 FD-480-AF-1 FD-480-AF-1 FD-490 FD-490-AFE FD-490-F-4	(pg. 65)	4 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-3 FD-460-T-1 FD-480-AF-1 FD-480-AF-1 FD-490 FD-490-AFE FD-490-F-4	(pg. 65)	4 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-3 FD-460-F-1 FD-460-F-3 FD-460-1 FD-470-F-1 FD-480-AF-1 FD-490-ATE FD-490-F-4-AT FD-490-F-80	(pg. 65)	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-3 FD-460-F-1 FD-460-F-3 FD-460-1 FD-470-F-1 FD-480-AF-1 FD-490-ATE FD-490-F-4-AT FD-490-F-80	(pg. 65)	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-3 FD-460-F-1 FD-460-F-3 FD-460-1 FD-470-F-1 FD-480-AF-1 FD-490-ATE FD-490-F-4-AT FD-490-F-80	(pg. 65)	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 - AF FD-460-AF FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-3 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-480-AF-1 FD-490 - AFE FD-490-F-4 FD-490-F-4 FD-490-F-80 FD-470-AF-1 FD-470-AF-1	(pg. 65)	4 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 - AF FD-460-AF FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-3 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-480-AF-1 FD-490 - AFE FD-490-F-4 FD-490-F-4 FD-490-F-80 FD-470-AF-1 FD-470-AF-1	(pg. 65)	4 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-480-AF-1 FD-490 FD-490-F-4 FD-490-F-4-AFD-490-F-4-AFD-490-F-4-AFD-490-F-80 FD-470-AF-1 FD-470-F-1 FD-470-F-1 FD-470-F-1 FD-470-F-1	(pg. 65)	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF-4 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-2 FD-460-F-3 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490 FD-490-F-80 FD-490-F-80 FD-470-AF-1 FD-470-AF-1 FD-470-AF-1 FD-470-AF-1 FD-470-AF-1 FD-470-F-1 FD-480-AF FD-470-F-1 FD-480-AF FD-480-AF	(pg. 65)	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF-4 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-2 FD-460-F-3 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490 FD-490-F-80 FD-490-F-80 FD-470-AF-1 FD-470-AF-1 FD-470-AF-1 FD-470-AF-1 FD-470-AF-1 FD-470-F-1 FD-480-AF FD-470-F-1 FD-480-AF FD-480-AF	(pg. 65)	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F FD-460-F FD-460-F FD-460-F FD-460-T FD-470-F FD-480-AF-1 FD-480-AF-4 FD-490 FD-490 FD-490-F.4 FD-490-F.4 FD-470-AF-1 FD-470-AF-1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-490-F.4-II FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1	(pg. 65)	410)1411401Q140E4E034Q)E
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F FD-460-F FD-460-F FD-460-F FD-460-T FD-470-F FD-480-AF-1 FD-480-AF-4 FD-490 FD-490 FD-490-F.4 FD-490-F.4 FD-470-AF-1 FD-470-AF-1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-490-F.4-II FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1 FD-490-F.1	(pg. 65)	410)1411401Q140E4E034Q)E
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F FD-460-F FD-460-F FD-460-F FD-460-T FD-470-F FD-480-AF-1 FD-480-AF-4 FD-490 FD-490-F.4 FD-490-F.4 FD-490-F.4 FD-490-F.4 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-470-F.1 FD-480-AF.1 FD-490-F.4-1 FD-490-F.4-1 FD-490-F.4-1 FD-490-F.4-1	(pg. 65)	110011411401Q140E4E034Q1E6
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-490-AF-1 FD-490-F-80 FD-470-AF-1 FD-490-F-80 FD-470-F-1 FD-480-AF-1 FD-490-F-80 FD-470-F-1	(pg. 65)	4 1 0 0 1 4 4 1 1 4 0 1 Q 1 4 0 E 4 E 0 3 4 Q 1 E 6 E
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-490-AF-1 FD-490-F-80 FD-470-AF-1 FD-490-F-80 FD-470-F-1 FD-480-AF-1 FD-490-F-80 FD-470-F-1	(pg. 65)	4 1 0 0 1 4 4 1 1 4 0 1 Q 1 4 0 E 4 E 0 3 4 Q 1 E 6 E
FD-450-1 FD-460 - FD-460-AF	(pg. 65)	4 1 0 0 1 4 4 1 1 4 0 1 Q 1 4 4 0 E 4 E 0 3 4 Q 1 E 6 E E
FD-450-1 FD-460 FD-460-AF FD-460-AF-4 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-480-AF-1 FD-490-F-4-AI FD-490-F-80-A	(pg. 65)	4 1 0) 1 4 4 1 4 0 1 Q 1 4 0 E 4 E 0 3 4 Q) E 6 E E E
FD-450-1 FD-460 FD-460-AF FD-460-AF-4 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-480-AF-1 FD-480-AF-1 FD-490-F-4-AI FD-490-F-80-A	(pg. 65)	4 1 0) 1 4 4 1 4 0 1 Q 1 4 0 E 4 E 0 3 4 Q) E 6 E E E
FD-450-1 FD-460 FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-2 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-480-AF-1 FD-480-AF-3 FD-490-F-3	(pg. 65)	4 1 0) 1 4 4 1 4 0 1 Q 1 4 0 E 4 E 0 3 4 Q) E 6 E E 6 0
FD-450-1 FD-460 FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-1 FD-490-F-1 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-80-F FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-500 (PD-500	(pg. 65)	410)1441401Q140E4E034Q)E6EEE0)
FD-450-1 FD-460 FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-1 FD-490-F-1 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-80-F FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-500 (PD-500	(pg. 65)	410)1441401Q140E4E034Q)E6EEE0)
FD-450-1 FD-460 FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-1 FD-490-F-1 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-80-F FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-500 (PD-500	(pg. 65)	410)1441401Q140E4E034Q)E6EEE0)
FD-450-1 FD-460 FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-460-F-3 FD-480-AF-1 FD-480-AF-1 FD-480-AF-4 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-1 FD-490-F-1 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-3 FD-490-F-80-F FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-490-F-80-AF FD-500 (PD-500	(pg. 65)	410)1441401Q140E4E034Q)E6EEE0)
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-470-F-1 FD-490 FD-490-F-4 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-500 FD-500 FD-520-1 FD-520-1	(pg. 65)	1100114111401Q1140E14E0334Q1E6EEE0034
FD-450-1 FD-460 FD-460-AF FD-460-AF-1 FD-460-F-1 FD-460-F-1 FD-460-F-2 FD-460-F-1 FD-460-F-1 FD-460-F-1 FD-470-F-1 FD-490 FD-490-F-4 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-490-F-80 FD-500 FD-500 FD-520-1 FD-520-1	(pg. 65)	1100114111401Q1140E14E0334Q1E6EEE0034

FLOOR AND AREA DRAINS CON'T

WATTS	MIFAB
FD-530-1(pg. 71)	F1590-3
FD-530-4(pg. 71) FD-540(pg. 71)	F1590-4
гD-540(pg. /1)	1580
FD-540-3(pg. /1)	F158U-3
FD-540-3(pg. 71) FD-540-50(pg. 71) FD-600(pg. 72) FD-600	F158U-4
FD-600(pg. /2) F	1600-U-X-1^
FD-600-5-1 .(pg. 72) F1	000-U-X5-I^
FD-600-5-4 .(pg. 72) F FD-600-6-1 .(pg. 72) F1	1000-6-5-4"
FD-000-0-1 .(pg. 72) F1	600-6-X0-1"
FD-600-8-1 .(pg. 72) F1 FD-600-A5-1 .(pg. 72) F	1600 C 5 1*
FD-600-A5-1 .(pg. 72) F FD-600-A6-1 .(pg. 72) F	1600-0-5-1 1600 C 6 1*
ED 600 A7 1 (pg. 72) E	1600-0-0-1 1600 C 7 1*
FD-600-A7-1 .(pg. 72) F FD-600-A8-1 .(pg. 72) F FD-620(pg. 72)	1600-0-7-1
FD-620 (ng 72)	F1620_C*
FD-620-1(pg. 72)	F1620-C-1*
FD-620-4 (ng 72)	F1620-C-4*
FD-620-4(pg. 72) FD-750(pg. 75)	F1760-FI
FD-750-1(pg. 75)	F1760-FI-3
FD-760(pg. 75)	F1760-FL
FD-760-1 (pg. 75)	F1760-FL-1
FD-760-4(pg. 75)	F1760-FL-1
FD-810(pg. 54) F	1340-C-Y-5*
FD-750-4(pg. 75) FD-760(pg. 75) FD-760-1(pg. 75) FD-810(pg. 54) FD-820(pg. 74).	F1650
FD-820-G-1(pg. 74) FD-820-G-1-10 .(pg. 74)	F1650-G-1
FD-820-G-1-10 .(pg. 74)) F1650-6-1
FD-820-1(pg. /4).	F1650-1
FD-820-1-10(pg. 74)	F1650-6-1
FD-830(pg. 78) FD-860(pg. 76)	F1860
FD-860(pg. 76).	F1810-50
FD-860-PA(pg. 76).	F1810-50
FD-860-PA-81(pg. 76).	F1810-81
FD-870(pg. 76) FD-870(pg. 76)	
FD-870(pg. 70)	F102U-01
FD-870-PL(pg. 77)	F 103U-PL
FD-870-PL-1(pg. 77) FD-870-P-1(pg. 77)	F103U-PL-3U
FD-870-TG(pg. 78)	. F1030-F-30
FD-870-TG-1(pg. 78)1 1040) F18/10-1
FD-870-TG-3 (ng 78)11040-1) F1840-3
FD-870-TG-3(pg. 78 FD-870-TG-4(pg. 78	F1840-4
FD-880 (ng 72)	F1620
FD-880(pg. 72) FD-900(pg. 69) FD-910(pg. 69)	F1540
FD-910 (pg. 69)	F1550
FD-920(pg. 68) FD-940(pg. 54)	F1530
FD-940(pg. 54)	F1330C-5
FD-940-1(pg. 54) FD-940-3(pg. 54)	F1330C-5-1
FD-940-3(pg. 54)	F1330C-5-3
FD-940-4(pg. 54)	F1330C-5-4
FD-1030-F(pg. 49)	F1140C
FD-1030-F-1(pg. 49).	F1140C-1
FD-1030-F-4(pg. 49).	F1140C-4
FD-1100-A(pg. 32)	F1000-C-3*
FD-1100-B5 .(pg. 32). F	1000-C-5-3*
FD-1100-B6 .(pg. 32). F	1000-C-6-3*
FD-1100-C(pg. 32)	F1000-C-3*
FD-1100-C-L (pg. 32) F1	000-C-S5-3*
FD-1100-C-L-5-3. (pg. 32) I	-1000-C-S5-3*
FD-1100-6-L-6-3.(pg. 32) F FD-1100-6-5-3 (pg. 32) I	1000-6-86-3" E1000_C_5_3*
FD-1100-0-3-3. (pg. 32) I	F1000-0-5-5 F1000-C-6-3*
FD-1100-L (ng 32) F1	000-C-S5-3*
FD-1100-L5 (pg. 32) F1	000-C-S5-3*
FD-1030-F-1(pg. 49). FD-1030-F-4(pg. 49). FD-1100-A(pg. 32) FD-1100-B5 .(pg. 32). FD-1100-B6 .(pg. 32). FD-1100-C-L (pg. 32). FD-1100-C-L-5-3 .(pg. 32) FD-1100-C-L-6-3 .(pg. 32) FD-1100-C-6-3 .(pg. 32) FD-1100-C-6-3 .(pg. 32) FD-1100-L5 .(pg. 32) FD-1100-L5 .(pg. 32) FD-1100-L5 .(pg. 32) FTD-1100-L5 .(pg. 32) F1FD-1100-L6 .(pg. 32) F1FD-1100-L6 .(pg. 32) F1FD-1100-M(pg. 32) F1FD-1100-M(pg. 32) F1	000-C-S6-3*
FD-1100-M(pg. 32).	F1000-S
FD-920(pg. 68)	F1530
FD-1160	"X"
FD-1160(pg. 32).	F1000-3
FD-1200-B(pg. 32).	F1000-5-3
FD-1200-B(pg. 32). FD-1200-6-3(pg. 32)	F1000-6-3
FD-1200-L/M(pg. 32).	. F1000-S5-3
FD-1200-L-5-3 (pg. 32).	F1000-S5-3
FD-1200-L-6-3 (pg. 32). FD-1390(pg. 66).	F1000-S6-3
ru-1390(pg. 66).	F1490

FLOOR AREA AND SPECIAL PURPOSE DRAIN OPTIONAL VARIATIONS

VANIATIONS	
WATTS MIFA	
-1Nickel bronze	
-2Polished bronze	
-3Stainless steel	
-4Ductile iron	
-5Sediment bucket	-5
-6Vandal proof	6
6"6" No hub outlet	
-7Trap seal primer tapping8 Backwater valve	-/
-9Hinged grate	-ö
-10Secured Top STANDAR	ם.
-11Acid rst.epoxy coating1	1
-12Galvanized top only1	
-13All Galvanized1	3
-141	4
-15Extension1	
-16Square top1	6
-18Dome grate2	20
-20Secondary dome strainer -2	
-21Secondary flat strainer2	
-22Less grate2	2
-24Secured solid cover2 -25Hinged solid NB cover25-	.4
-26Hinged locking grate	
-28All Stainless Steel (304)2	28
-29All Stainless Steel (316)2	29
-315lange3	3
-32Anchor Flange & clamp3	32
-343	
-35SS mesh screen bucket3	
-36Garbage can assembly3	6
-38Solids retaining baffle3	38
-39Full flow grate3 -40Deck clamp4	
-41Sump receiver4	
-42Perforated standpipe4	
-43Standpipe over 8"4	
-441-1/2" or 2" aux inlets4	4
-48Chrome plated grate4	8
-49Chr.Pl. str. Asbly4	9
-50Cast iron	
-60PVC Body w/socket outlet-3	30
-61ABS Body w/socket outlet-3	31
-63Wood deck floor flangeW -81Bronze top8	
-113M3M epoxy finish3) I N/I
-BSump receiver	.R
-CMembrane Clamp	C
-DDeck Clamp[
-F44" funnel	4
-F44" Nickel bronze funnel -F4-	
-F4-504" Cast iron funnelF4-5	0
-F6-16" nickel bronze funnelF6-	
-F6-506" cast iron funnelF6-5	
-G4" X 9" funnel(
-G-14" X 9" NB funnelG-	
-G-504" X 9" cast iron funnelG-5 -H-15X17 Oval NB funnel "X	/"
-H-15X17 Oval NB tunnel X	,,,
-J-16" x 3" NB funnelJ-	1
PPush on outlet	
-SOSide outlet99	0
TThreaded outlet	Τ
XInside caulk outlet	X
-ZExtended wide flange	Z

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

306

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









SANITARY FLOOR, AREA AND	
INDIRECT WASTE DRAINS	

WATTS	MIFAB
FS-710(pg. 97)	
FS-710-1(pg. 97)	
FS-710-3(pg. 97)	
FS-720(pg. 102)	
FS-720-1(pg. 102)	
FS-720-3(pg. 102)	
FS-730(pg. 99)	
FS-730-1(pg. 99)	
FS-730-3(pg. 99)	
FS-740(pg. 100)	FS1730
FS-740-1(pg. 100)	
FS-740-3(pg. 100)	
FS-750(pg. 101)	FS1740
FS-750-1(pg. 101)	. FS1740-1
FS-750-3(pg. 101)	FS1740-3
FS-760(pg. 103)	
FS-760-1(pg. 103)	. FS1760-1
FS-760-3(pg. 103)	
FS-770(pg. 98)	
FS-780(pg. 106)	
FS-790(pg. 106)	FS1930-FI
FS-800(pg. 58)	
FS-850(pg. 104)	
FS-890(pg. 74)	
FS-900(pg. 105)	131790

SANITARY FLOOR, AREA AND INDIRECT WASTE DRAIN OPTIONAL VARIATIONS

WATTS MIFAB
-FAnchor flangeFL
-FCAnchor fl & clampFLC
-F4-14" Dia. NB FunnelF4-1
-F6-16" Dia. NB FunnelF6-1
-G-14" x 9" oval NB funnelG-1
PPush on outletP
STDNo hub outlet Standard
XInside caulk outletX
-33 rim and grate3
-55
-6Vandal proof6
-7Trap seal primer tapping7
-21Secondary flat strainer21
-22Less grate22
-1282-1/2" center opening51
-150Half grate150
-1753/4 grate175

WALL AND GROUND HYDRANT
WATTS MIFAE
HY-300(pg. 249) MHY-45
HY-300-3/4(pg. 249) MHY-4
HY-300-1(pg. 249) MHY-4
HY-300-2(pg. 249) MHY-49
HY-330(pg. 248) MHY-35
HY-330-3/4(pg. 248) MHY-3
HY-330-1(pg. 248) MHY-3
HY-420(pg. 247) MHY-10
HY-430(pg. 248) MHY-30
HY-500(pg. 253) MHY-60
HY-500 - 3/4", 1" .(pg. 253). MHY-60
HY-500 - 1 1/4", 1 ½", 2". (pg. 253) MHY-6
HY-600(pg. 254) MHY-65
HY-600 - 3/4", 1"(pg. 254). MHY-65
HY-600 - 1 1/4", 1 1/2", 2". (pg. 254) MHY-6
HY-700(pg. 249) MHY-45
HY-700-2(pg. 249) MHY-4
HY-725(pg. 247) MHY-20
"X"Contact MIFAE

HYDRANT OPTIONAL VARIATIONS

WATTS	MIFAE
(A-1) Hose storage boxHS	SB
for 3/4 & 1"	
-KCylinder key lock	K
-VBVacuum breaker, 3/4".S	Standard
-1Union elbow inle	"X"
-1"1" hose connection	C
-31Anchor flange 3/4" & 1	"FL
-32 Anchor flange & clamp	-FLC
for 1 1/4", 1 1/2", 2".	
-88Wall clamp	WC

INTERCERTORS

INTERCEPTORS			
WATTS MIFAB			
GE			
GE-125(pg. 201) MI-E-G-5 GE-135(pg. 201) MI-E-G-6 GE-135-L(pg. 201) MI-E-G-L-35 GE-150(pg. 201) MI-E-G-7			
GE-150-L(pg. 201) MI-E-G-L-50 GE-175(pg. 201) XL-MI-E-G-0 GE-210(pg. 201) XL-MI-E-G-1			
GE-215(pg. 201) XL-MI-E-G-3 GI-K(pg. 188) XL-MI-G GI-75-K(pg. 188) XL-MI-G-0			
GI-100(pg. 187) MI-G GI-100-A(pg. 190) MI-G-SDH GI-100-AH(pg. 190) MI-G-SDH			
W/MI-CSD GI-100-K(pg. 188) XL-MI-G GI-100-L(pg. 187) MI-G-L GI-100-LA(pg. 190) MI-G-L-SDH			
GI-104(pg. 187) MI-G-0 GI-107(pg. 187) MI-G-1 GI-107-A(pg. 190) MI-G-SDH-1			
GI-107-AH(pg. 190) MI-G-SDH-1 W/MI-CSD-7 GI-110(pg. 187) MI-G-2			
GI-110-A(pg. 190) MI-G-SDH-2 GI-110-AH(pg. 190) MI-G-SDH-2 W/MI-CSD-10			
GI-115(pg. 187) MI-G-3 GI-115-A(pg. 190) MI-G-SDH-3 GI-115-AH(pg. 190) MI-G-SDH-3 W/MI-CSD-15			
GI-120(pg. 187) MI-G-4 GI-120-A(pg. 190) MI-G-SDH-4 GI-120-AH MI-G-SDH-4 W/MI-CSD-20			
GI-120-L(pg. 187) MI-G-L-20 GI-120-LA(pg. 190) MI-G-L-SDH-20 GI-125(pg. 187) MI-G-5 GI-125-A(pg. 190) MI-G-SDH-5 GI-125-AH .(pg. 190) MI-G-SDH-5 W/MI-CSD-25			
GI-135(pg. 187) MI-G-6 GI-135-A(pg. 190) MI-G-SDH-6 GI-135-AH(pg. 190) MI-G-SDH-6 W/MI-CSD-35			
GI-135-L(pg. 187) MI-G-L-35 GI-135-LA(pg. 190) MI-G-L-SDH-35 GI-150 (pg. 187) MI-G-7 GI-150-A(pg. 190) MI-G-SDH-7			

INTERCEPTORS CON'T

INTERCEPTORS CON'T			
WATTS		MIFAB	
	(pg. 190).	MI-G-SDH-7	
		W/MI-CSD-50	
GI-150-K	(pg. 188)	XL-MI-G-3	
GI-150-L	(pg. 187)	MI-G-L-50	
		I-G-L-SDH-50	
GI-175	.(pg. 188)	XL-MI-G-0	
		. MI-G-SDH-8	
GI-175-AH		MI-G-SDH-8	
CI 200 K		W/MI-CSD-75	
GI-200-K	(py. 100) (ng. 188)	XL-MI-G-4 XL-MI-G-1	
GI-215	(881 na)	XL-MI-G-3	
GI-220		XL-MI-G-4	
GI-225		XL-MI-G-5	
GI-230		XL-MI-G-6	
GI-235	(pg. 188)	XL-MI-G-7	
GI-240	(pg. 188)	XL-MI-G-8	
GI-250	(pg. 188)	XL-MI-G-9	
GI-250-K	(pg. 188).	XL-MI-G-5	
GI-260		XL-MI-G-10	
GI-300-K		XL-MI-G-6	
GI-400-K	(pg. 188).	XL-MI-G-8	
GI-500-K GX Series	(µy. 100). (ng. 199)	XL-MI-G-9 XL-MI-G	
LI-800	(pg. 100). (na 108)	MI-LINT	
LI-803	(pg. 130). (ng. 198)	MI-LINT-1	
LI-807	(pg. 100). (pa. 198).	MI-LINT-3	
LI-810	(pg. 198).	MI-LINT-4	
LI-820	(pg. 198).	MI-LINT-6	
LI-830	(pg. 198).	MI-LINT-7	
		MI-LINT-8	
LI-850	(pg. 198).	MI-LINT-9	
		MI-E-0	
OE-310	(µy. 202). (ng. 202)	MI-E-0-A MI-E-0-B	
0F-320	(pg. 202). (pg. 202).	MI-E-O-C	
0E-325	(pg. 202)	MI-E-0-1	
0E-335	(pg. 202)	MI-E-0-2	
OE-350	(pg. 202)	MI-E-0-3	
0E-375	(pg. 202)	MI-E-0-4	
OE-400	(pg. 202).	MI-E-0	
0E-410	(pg. 202)	MI-E-0-5	
0E-415 0E-500	(pg. 202)	MI-E-0-7 MI-E-0*	
0E-500	(py. 202) (pg. 202)	MI-E-0-B*	
0E-520	(pg. 202) (na. 202)	MI-E-O-C*	
0E-525	(pg. 202) (pa. 202)	MI-E-0-1 *	
0E-535	(pg. 202)	MI-E-0-2 *	
0E-550	(pg. 202)	MI-E-0-3 *	
0E-575	(pg. 202)	MI-E-0-4 *	
		MI-E-0 *	
OE-610	(pg. 202)	MI-E-0-5 *	
OE-615	(pg. 202)	MI-E-0-7 * MI-F-0-8 *	
0E-620	(pg. 202)	IVII-E-U-8 ^ MI-F-0-9 *	
0E-625 0E-630	(pg. 202) (pg. 202)	WII L O O	
0E-635	(pg. 202) (pg. 202)	MI-F-0-11 *	
0E-640	(pg. 202) (pg. 202)	. MI-E-0-12 *	
OE-650	(pg. 202)	. MI-E-0-14 *	
0E-660	(pg. 202)	. MI-E-0-15 *	
*	WITH EXTE	RNAL	
01	HOLDING TA	ANK	

OI......MI-O OI-K (pg. 192)..... MI-O OI-10(pg. 192)...... MI-0-A OI-15 (pg. 192)..... MI-0-B

OI......MI-O

Ol	MI-0 MI-0-A MI-0-B
OI-25(pg. 192) OI-35(pg. 192)	
OI-50(pg. 192)	
OI-75-K(pg. 192)	MI-0-4
Ol-100-K(pg. 192)	
Ol-150-K(pg. 192)	
Ol-200-K(pg. 192)	
Ol-250-K(pg. 192)	
Ol-300(pg. 192)	IVII-U

o	
OI-200-K(pg. 192)	MI-0-8
Ol-250-K(pg. 192)	MI-0-9
OI-300(pg. 192)	MI-0
OI-300-K(pg. 192)	MI-0-10
Ol-310(pg. 192)	MI-O-A
OI-315(pg. 192)	MI-0-B
OI-320(pg. 192)	MI-O-C
OI-325(pg. 192)	
OI-335(pg. 192)	MI-0-2
OI-350 (pg. 192)	
OI-375(pg. 192)	MI-0-4
OI-400(pg. 192)	MI-0
Ol-400-K(pg. 192)	MI-0-12
OI-410(pg. 192)	MI-0-5
OI-415(pg. 192)	MI-0-7
OI-420(pg. 192)	
OI-425(pg. 192)	MI-0-9
OI-430(pg. 192)	MI-0-10
OI-435(pg. 192)	
OI-440(pg. 192)	MI-0-12
OI-450(pg. 192)	MI-0-14
OI-460(pg. 192)	MI-0-15
OI-500(pg. 193)	MI-0-HU
OI-500-K(pg. 192)	MI-0-14
OI-515(pg. 193)	. MI-O-HU-B
OI-520(pg. 193)	. MI-O-HU-C
OI-525(pg. 193)	. MI-0-HU-1
Ol-535(pg. 193)	. MI-0-HU-2
OI-550(pg. 193)	. MI-0-HU-3
Ol-575(pg. 193)	. MI-0-HU-4
Ol-600(pg. 193)	MI-0-HU
Ol-610(pg. 193)	. MI-0-HU-5
OI-615 (ng. 193)	. MI-0-HU-7

.(pg. 193)..... MI-0-HU-8

(pg. 193)..... MI-O-HU-9 (pg. 193).... MI-O-HU-10 (pg. 193).... MI-O-HU-11 (pg. 193).... MI-O-HU-12

.(pg. 193)..... MI-SAND .(pg. 194)...... MI-SOLID

.(pg. 194)...... MI-SOLID-L .(pg. 194)..... MI-SOLID-S .(pg. 194)..... MI-SOLID-L .(pg. 194)..... MI-HAIR

.(pg. 194).... MI-SOLID-LB

INTERCEPTORS OPTIONAL VARIATIONS

WATTS MIFAB
-BSediment bucketSB
-DIDual InletsDI
-EExtension "C" as requiredC
-HDCHeavy duty cover
-FAnchor flange
-FCAnchor flange & clampFLM
-MEFC.NH conn. flow control Std.
-0Conn. other than standardF
-SSStainless SteelSS
-TThreaded connectionT
-TEFCThreaded connectionFLCT
external flow control
-THDThreaded connectionT
-XCover for recessed install Std
ota

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

01-620

01-625 OI-630 OI-635 . OI-640 .

SA SI-740

SI-740-L ... SI-742. SI-742-L.... SI-750...... SI-762......

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







ROOF DRAINS

WATTS	MIFAB
RD-100 (pg. 125)	D1200
пD-100 (ру. 125)	N 1200
RD-100-A(pg. 127)	K1200-F
RD-100-A1(pg. 127) RD-100-A2(pg. 127)	R1200-F1
BD-100-A2 (ng 127)	R1200-F2
DD 100 P (pg. 127)	D1200 12
RD-100-B(pg. 125) RD-100-BE(pg. 125)	N1200-D
RD-100-BE(pg. 125)	K1200-E
RD-100-BED .(pg. 126)	. R1200-EU
RD-100-BVD (pg. 126) F	R1200-BUV
PD 100 C (pg. 125)	P1200 C
RD-100-C(pg. 125)	111200-0
RD-100-CH(pg. 128)	R1200-HC
RD-100-CJ(pg. 128)	R1200-JC
RD-100-CP(pg. 129)	R1200-PR
RD-100-CP-1 (pg. 129). F	1200-PR-1
DD 100 OF 1 (pg. 120). I	11200 TTL T
RD-100-CP-3 (pg. 129). F RD-100-CP-4 (pg. 129). F	11200-PR-3
RD-100-CP-4 (pg. 129). F	R1200-PR-4
RD-100-CP-15" (pg. 129). R1	200-C-PR15
RD-100-CP-15"-1(pg. 129). R	1200-PR15-1
RD-100-CP-15"-3(pg. 129). R RD-100-CP-15"-4(pg. 129). R	1200-PR15-3
RD-100-CP-15"-4(pg. 129), R	1200-PR15-4
RD-100-D(pg. 125)	R1200-II
DD 100 EL (pg. 126) D1	200 DIIV D
RD-100-EL (pg. 126) R1	200-DUV-D
RD-100-F(pg. 125). R12	UU-JD-STR
RD-100-GSS(pg. 127)	R1200-G
RD-100-K(pg. 125)	. R1200-M
RD-100-0(pg. 137)	R1270
DD 100 D (pg. 107)	D1000 D
RD-100-R(pg. 130)	K1200-K
RD-100-SO(pg. 133) RD-100-W(pg. 132)	. R1200-90
RD-100-W(pg. 132)	. R1200-W
RD-100-Z(pg. 132) RD-110-BD	R1200-7
DD 110 DD	111200 2 "V"
DD-110-DD	A
RD-200(pg. 120)	K1100
RD-200-A1(pg. 121)	R1100-F1
RD-200-A1(pg. 121) RD-200-A2(pg. 121)	R1100-F2
RD-200-B (ng 120)	R1100-R
RD-200-B(pg. 120) RD-200-BE(pg. 120)	ITT 100 D
RD-200-BE(pg. 120)	KIIUU-E
RD-200-BED .(pg. 120)	. R1100-EU
RD-200-C(pg. 120)	R1100-C
RD-200-CJ(pg. 122)	R1100IC
RD-200-CP(pg. 122)	D1100 DD
DD 000 OD 1 (~~ 100) F	111100-F11
RD-200-CP-1 (pg. 122). F	11100-PK-1
RD-200-CP-3 (pg. 122). FRD-200-CP-4 (pg. 122). F	R1100-PR-3
RD-200-CP-4 (pg. 122), F	R1100-PR-4
RD-200-D(pg. 120)	R1100-II
DD 200 CCC (5~ 101)	D1100 C
RD-200-GSS (pg. 121)	h i i i i i i i i
RD-200-K(pg. 120)	. R1100-M
RD-200-R(pg. 120) RD-200-SO(pg. 124)	R1100-R
RD-200-SO(pg. 124)	R1100-90
RD-200-W (pg 120)	R1100-W
RD-200-W(pg. 120) RD-220(pg. 134)	. II I I I I I I I I I I I I I I I I I
RD-220(pg. 134)	K1220
RD-220-A(pg. 134)	R1220-F1
RD-220-A1(pg. 134)	R1220-F2
RD-220-A2(pg. 134)	
RD-220-B(pg. 134)	N I Z Z U-D
RD-220-BE(pg. 134)	
RD-220-BED .(pg. 134)	R1220-EU
RD-220-BVD (pg. 134) F	
RD-220-C(pg. 134)	R1990 C
	R1220-C
RD-220-CH(pg. 134)	R1220-HC
	R1220-HC
RD-220-CJ(pg. 135)	R1220-HC R1220-JC
RD-220-CJ(pg. 135) RD-220-CP-1 (pg. 135). F	R1220-HC R1220-JC R1220-PR-1
RD-220-CJ(pg. 135) RD-220-CP-1 (pg. 135). F RD-220-CP-3 (pg. 135). F	R1220-HC R1220-JC R1220-PR-1 R1220-PR-3
RD-220-CJ(pg. 135) RD-220-CP-1 (pg. 135). F RD-220-CP-3 (pg. 135). F RD-220-CP-4 (pg. 135). F	R1220-HC R1220-JC R1220-PR-1 R1220-PR-3 R1220-PR-4
RD-220-CJ(pg. 135) RD-220-CP-1 (pg. 135). F RD-220-CP-3 (pg. 135). F RD-220-CP-4 (pg. 135). F RD-220-CP-15"-1 (pg. 129) F	R1220-HC R1220-JC R1220-PR-1 R1220-PR-3 R1220-PR-4 R1200-PR15-1
RD-220-CJ (pg. 135) RD-220-CP-1 (pg. 135). F RD-220-CP-3 (pg. 135). F RD-220-CP-4 (pg. 135). F RD-220-CP-15"-1 (pg. 129) F	R1220-HC R1220-JC R1220-PR-1 R1220-PR-3 R1220-PR-4 R1200-PR15-1
RD-220-CJ(pg. 135) RD-220-CP-1 (pg. 135). F RD-220-CP-3 (pg. 135). F RD-220-CP-4 (pg. 135). F RD-220-CP-15"-1 (pg. 129) F RD-220-CP-15"-3 (pg. 129) F RD-220-CP-15"-4 (pg. 129) F	R1220-HC R1220-JC R1220-PR-1 R1220-PR-3 R1220-PR-4 R1200-PR15-1 R1200-PR15-3 R1200-PR15-4
RD-220-CJ(pg. 135) RD-220-CP-1 (pg. 135). F RD-220-CP-3 (pg. 135). F RD-220-CP-4 (pg. 135). F RD-220-CP-15"-1 (pg. 129) F RD-220-CP-15"-3 (pg. 129) F RD-220-CP-15"-4 (pg. 129) F	R1220-HC R1220-JC R1220-PR-1 R1220-PR-3 R1220-PR-4 R1200-PR15-1 R1200-PR15-3 R1200-PR15-4
RD-220-CJ (pg. 135) RD-220-CP-1 (pg. 135). F RD-220-CP-3 (pg. 135). F RD-220-CP-4 (pg. 135). F RD-220-CP-15"-1 (pg. 129) F	R1220-HC R1220-JC R1220-PR-1 R1220-PR-3 R1220-PR-4 R1200-PR15-1 R1200-PR15-3 R1200-PR15-4

RD-220-CP-15"-1 (pg. 129) R1200-PR15-1 RD-220-CP-15"-3 (pg. 129) R1200-PR15-3
RD-220-CP-15"-4 (pg. 129) R1200-PR15-4 RD-220-D (pg. 134) R1220-H
RD-220-D (pg. 134) R1220-U RD-220-GSS .(pg. 134) R1220-G
KD-220-K(pg. 134) K1220-W
RD-220-R(pg. 135) R1220-R
RD-220-S(pg. 134) R1220-90 RD-220-V(pg. 134) R1220-V
RD-220-W(pg. 134) R1220-W
RD-220-W(pg. 134) R1220-W RD-220-Z(pg. 134) R1220-Z
RD-230(pg. 145) R1420
RD-230-81(pg. 145) R1420-2RB RD-230-A(pg. 145) R1420-2RB
RD-230-14(pg. 145) R1420-14-1
RD-230-H-81 (pg. 145). R1420-HM-2RB
RD-240 (pg. 144) R1400
RD-240-81 .(pg. 144) R1400-2RB RD-240-1(pg. 144) R1400-1
RD-240-1(pg. 144)R1400-14-1
RD-250(pg. 124) R1150
RD-260(pg. 124) R1150-SPEC
RD-260-B(pg. 124) R1150-SPEC RD-270(pg. 142) R1300
RD-270 1 (pg. 142) R1300
RD-270-1(pg. 142) R1300-1 RD-270-50(pg. 142) R1300-50
RD-270-A(pg. 142) R1310-50
RD-270-A-1 .(pg. 142) R1310-1
RD-270-A-50 (pg. 142) R1310-50
RD-270-T(pg. 142) R1300T RD-280(pg. 120) R1100
RD-280-SO(pg. 124) R1100-90
RD-290(pg. 143) R1320
RD-290-1(pg. 143) R1320-1
RD-290-50(pg. 143) R1320-50
RD-290-A(pg. 143) R1330-50 RD-290-A-1(pg. 143) R1330-1
RD-290-A-50 (pg. 143) R1330-50
RD-300(pg. 136) R1260
RD-300-CH(pg. 128) R1200-HC RD-300-CH-K(pg. 128).R1200-M-HC
RD-300-CP15(pg. 129). R1200-PR15
RD-300-F (pg. 125) R1200-JD-STR
RD-300-GSS(pg. 127) R1200-G
RD-300-GSS-K(pg. 127)R1200-M-G
RD-300-K(pg. 125) R1200-M RD-300-R(pg. 136) R1260-R
RD-300-W(pg. 136) R1260-W
RD-400(pg. 130) R1200-RS
RD-410(pg. 123) R1100-RS
RD-500(pg. 136)
RD-640(pg. 147) R1640 RD-641(pg. 147) R1640-8
RD-642(pg. 147) R1640-13
RD-643(pg. 147) R1640-17 RD-644(pg. 147) R1640-22
RD-644(pg. 147) R1640-22
RD-680-VC(pg. 149) R1930 RD-900(pg. 149) R1900
RD-940(pg. 150) R1940
RD-940-1(pg. 150)R1940-NH-1
RD-940-T-1(pg. 150) R1940-1
RD-950(pg. 152)
RD-980 (pg. 146) R1520
"X"Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover. Toll Free 1-800-465-2736, Fax 773-341-3049



P308 Monday, January 02, 2012 10:19:31 PM







WATTS	MIFAB
-1	Nickel Bronze(pg. 319,320)1
-2	Polished Bronze .(pg. 319,320)2
-3	Stainless Steel(pg. 319,320)3
-4	Ductile Iron(pg. 319,320)4
-5	Sediment Bucket (pg. 319,320)5
-6	Vandal Proof(pg. 319,320)6
-8	Backwater valve (pg. 319,320)8
-9	Hinged Grate(pg. 319,320)9
-11	Acid Resistant Epoxy (pg. 319,320) -11
-12	Galvanized Top.(pg. 319,320)12
-13	All Galvanized(pg. 319,320)13
-14	Flat Grate(pg. 319,320)14
-15	Extension(pg. 319,320)E
-60	PVC Body(pg. 319,320)30
	ABS Body(pg. 319,320)31
	Aluminum Dome (pg. 319,320) -80
0.1	Propag Domo (pg 210 220) 01

ROOF DRAIN OPTIONAL VARIATIONS

00	
-81	Bronze Dome(pg. 319,320)81
	SS Mesh Screen `.(pg. 319,320) -83
	over cast dome
	SS Mesh Screen(pg. 319,320) -83
	over cast dome

	Ovor odot domo
-113M	3M Epoxy(pg. 319,320)3M
-A	Weir(pg. 319,320)F
-A1	Single Slot Weir (pg. 319,320) -F1
	Two Slot Weir(pg. 319,320) -F2
	Sump Receiver (pg. 319,320)B
	Secondary Clamp .(pg. 319,320)C
	Underdeck Clamp .(pg. 319,320)U
-E	Adjustable Extension (pg. 319,320)E
-GSS	SS Ballast Guard (pg. 319,320) -G
-K	Ductile Iron Dome . (pg. 319,320)M
-K-13	Galvanized dome. (pg. 319,320)M-13
	Aluminum dome .(pg. 319,320) -M-80
-L	Vandal Proof Dome .(pg. 319,320)6
P	Push On Outlet(pg. 319,320) P
-R	2" High Water Dam (pg. 319,320)R
STD	No Hub outlet (pg. 319,320) Standard
Ť	Threaded Outlet(pg. 319,320). T
	Fixed Gasketed Ext. (pg. 319,320) -V
-W	Adj. Internal Water Dam . (pg. 319,320) -W
	Water Proofing Flange. (pg. 319,320) -W-1
X	Inside Caulk Outlet (pg. 319,320) X
	Elastomeric flange (pg. 319,320)-Z
	3- (1-3)

TRAP SEAL PRIMERS AND MISC **SPECIALTIES**

WATTS		MIFAB
A-200	(pg. 268)	MI-TSP-2
A200S	(pg. 268) MI-TSP-1
A200T	(pg. 268) MI-TSP-2
MS-810	(pg. 268)	MI-TSP-1
MS-930	(pg. 270)	MI-600-50
MS-8000	(pg. 262)	MI-GRILL
		3) SD-7000

TRENCH DRAINS

WATTS		MIFAE
DEAD LEVEL	(pg. 85)	T140
TD-900	(pg. 81)	T1150-4
TD-900-4	(pg. 81)	T1150-4
TD-900-4-1	(pg. 81)	T1150-4-3
TD-900-4-3	(pg. 81)	T1150-4-3
TD-900-28		
TD-900-B	(pg. 81)	T1150-F-4
TD-900-B-4	(ˈpg. 81)	T1150-F-4
TD-900-B-4-1	(pg. 81)	T1150-F-4-0
TD-900-B-4-3	(pa. 81)	T1150-F-4-0
TD-900-B-28		
TD-900-C	(pa. 81)	T1200-F2-4
TD-900-C2-4		
TD-900-C2-4-1	(pa. 81)	T1200-F2-4-
TD-900-C2-4-3	(pg. 81)	T1200-F2-4-3
TD-900-C2-28		
TD-910	(pg. 81)	T1200-4
TD-910-B		
TD-920		
TD-940	(pg. 82)	T1320-FL-4
800	(pg. 82)	T1350-FL

TRENCH DRAIN OPTIONAL **VARIATIONS**

WATTS	MIFAB
-1	Nickel bronze (pg. 319,320)1
-3	Stainless steel(pg. 319,320)3
	Ductile iron(pg. 319,320)4
	Sediment bucket .(pg. 319,320)5
	Vandal proof(pg. 319,320)6
-8	Backwater valve per outlet (pg. 319,320)-8
-12	Galvanized grate only (pg. 319,320) -12
-13	All galvanized(pg. 319,320)13
-20	Secondary dome strainer (pg. 319,320)-20
-21	Secondary flat strainer (pg. 319,320) -21
-28	All 304 S.S. Body.(pg. 319,320) -28
-32	Anchor fl. & mem clamp (pg. 319,320) -FLC
-38	Solids retainer baffle (pg. 319,320) -38
-11	3M epoxy finish .(pg. 319,320)3M
-F	Anchor flange(pg. 319,320)FL
P	Push on outlet(pg. 319,320) P
	No hub side outlet (pg. 319,320) -90
	Threaded outlet(pg. 319,320) T
	Inside caulk outlet(pg. 319,320). X

WATER HAMMER ARRESTORS

WATTS		MIFAB
SG-050	(pg. 274)	MWH-A
SG-075	(pg. 274)	MWH-B
SG-100	(pg. 274)	MWH-C
SG-125	(pg. 274)	MWH-D
SG-150	(pg. 274)	MWH-E
SG-200	(pg. 274)	MWH-F
SG-A	(pg. 274)	WHB-100
SG-B	(pg. 274)	WHB-200
SG-C	(pg. 274)	WHB-300
SG-D	(pg. 274)	WHB-400
	(pg. 274)	

MODULAR PARTS COMPARISON GUIDE B2 CAST IRON BODIES

WATTS	MIFAB
B2-2	2" No hub CI(pg. 276) A2-2NH-7
B2-3	3" No hub Cl(pg. 276) A2-3NH-7
B2-4	4" No hub CI(pg. 276) A2-4NH-7
B2-6	6" No hub Cl(pg. 276) A2-6NH-7
B2-8	8" No hub Cl(pg. 276) A2-8NH-7
B2-2P	2" Push on CI(pg. 276) A2-2P-7
B2-3P	3" Push on Cl(pg. 276) A2-3P-7
B2-4P	4" Push on CI(pg. 276) A2-4P-7
B2-2X	2" Inside caulk(pg. 276) A2-2X-7
B2-3X	3" Inside caulk(pg. 276) A2-3X-7
B2-4X	4" Inside caulk(pg. 276) A2-4X-7

B2 PVC AND ABS BODIES

WATTS						MI	FAB
B2-2-60	2"	PVC	socket.	(pg.	276)	A2-2-	-30-7
B2-3-60	3"	PVC	socket.	(pg.	276)	A2-3-	-30-7
B2-4-60	4"	PVC	socket.	(pg.	276)	A2-4-	-30-7
B2-2-61							
B2-3-61	3"	ABS	socket.	(pg.	276)	A2-3-	-31-7
B2-4-61	4"	ABS	socket.	(pg.	276)	A2-4-	-31-7

B3 CAST IRON BODIES

WATTS	MIFAB
B3-2	2" No hub Cl (pg. 276) A1-2NH-7
B3-3	3" No hub Cl(pg. 276) A1-3NH-7
B3-4	4" No hub Cl(pg. 276) A1-4NH-7
B3-6	6" No hub Cl(pg. 276) A1-6NH-7
B3T-2NH	2" No hub Cl(pg. 276) A1-2NH-7
B3T-3NH	3" No hub Cl(pg. 276) A1-3NH-7
B3T-4NH	4" No hub Cl(pg. 276) A1-4NH-7
B3T-2P	2" Push on Cl(pg. 276) A1-2P-7
B3T-3P	3" Push on Cl(pg. 276) A1-3P-7
B3T-4P	4" Push on Cl(pg. 276) A1-4P-7
B3-2P	2" Push on Cl(pg. 276) A1-2P-7
B3-3P	3" Push on Cl(pg. 276) A1-3P-7
B3-4P	4" Push on Cl(pg. 276) A1-4P-7
B3-2X	2" Inside caulk(pg. 276) A1-2X-7
B3-3X	3" Inside caulk(pg. 276) A1-3X-7
B3-4X	4" Inside caulk(pg. 276) A1-4X-7
B3-2T	2" Threaded(pg. 276) A1-2T-7
B3-3T	3" Threaded(pg. 276) A1-3T-7
B3-4T	4" Threaded(pg. 276) A1-4T-7

B3 PVC AND ABS BODIES

WATTS		MIFAB
B3-2-602"	PVC socket (pg. 276) A1-2-30-7
	PVC socket (pg. 276	
B3-4-604"	PVC socket .(pg. 27	6) A1-4-30-7
B3-2-612"	ABS socket .(pg. 27	6) A1-2-31-7
B3-3-613"	ABS socket .(pg. 27	6) A1-3-31-7
B3-4-614"	ABS socket .(pg. 27	6) A1-4-31-7

B4 CAST IRON BODIES

WATTS	S MIFAB
B4-2	2" No hub Cl(pg. 276). A1-2NH-7
B4-34-2.	2" No hub CI(pg. 276). A1-2NH-7
B4-3	3" No hub Cl(pg. 276). A1-3NH-7
B4-34-3.	3" No hub Cl(pg. 276). A1-3NH-7
B4-4	4" No hub Cl(pg. 276). A1-4NH-7
B4-34-4.	4" No hub CI(pg. 276). A1-4NH-7
B4-2P	2" Push on Cl(pg. 276) A1-2P-7
B4-34-2P	2" Push on Cl(pg. 276) A1-2P-7
B4-3P	3" Push on Cl(pg. 276) A1-3P-7
B4-34-3P	3" Push on Cl(pg. 276) A1-3P-7
B4-4P	4" Push on Cl(pg. 276) A1-4P-7
B4-34-4P.	4" Push on Cl(pg. 276) A1-4P-7

B4 PVC AND ABS BODIES

WALIS	MIFAE
B4-3-60(pg. 276	6) 3" PVC socket . A1-3-30-7
B4-4-60(pg. 276	6) 4"' PVC socket A1-4-30-7
B4-3-61(pg. 276	6) 3" PVC socket . A1-3-31-7
	6) 4"' PVC socket A1-4-31-7

MEMBRANE CLAMP FOR FLOOR DRAINS

WATTS		MIFAB
B3-C1	.Low rough-in(pg.	277)A1-C1
	membrane clamp	

ROUND STRAINERS FOR FLOOR DRAINS

WATTS		MIFAE
A5-1	5" Dia. NB	(pg. 46) 5-1
A6-1	6" Dia. NB	(pg. 46) 6-1
A7-1	7" Dia. NB	(pg. 46) 7-1
A8-1	8" Dia. NB	(pg. 46) 8-1
5-1	5" Dia. HD NB	(pg. 47) X5-1
6-1	6" Dia. HD NB	(pg. 47) X6-1
8-1	8" Dia. HD NB	(pg. 47) X8-1
5-4	5" Dia. DI	(pg. 46) 5-4
5-3	5" Dia. HD SS	(pg. 46) 5-3
6-3	6" Dia. HD SS	(pg. 46) 6-3

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA







SQUARE STRAINERS FOR FLOOR DRAINS

WATTS				MIFAB
L5-1	5" x 5'	'HD	NB (pg. 47)	XS5-1
L6-1	6" x 6'	'HD	NB(pg. 47)	XS6-1
L8-1	8" x 8'	'HD	NB(pg. 47)	XS8-1
L5-3	5" x 5'	'HD	SS(pg. 47)	S5-3
L6-3	6" x 6'	'HD	SS(pg. 47)	S6-3
M5-1	5" x 5'	' NB	(pg. 47)	S5-1
M6-1	6" x 6'	' NB	(pg. 47)	S6-1
M8-1	8" x 8'	' NB	(pg. 47)	S8-1

AREA DRAIN TOP ASSEMBLIES

WATTS M	IFAB
FD-300-17" Dia. NB(pg. 46)	. N7-1
FD-300-47"Dia. DI(pg. 281) F1300	Ͻ-TA-4
FD-320-1 9" Dia. NB(pg. 46)	. N9-1
FD-320-508" Sq. DI(pg. 281) F1320	ე-TA-4
FD-320-Y8" Sq. DI(pg. 281) F1320)-TA-4
FD-330-18" Sq. NB(pg. 281) F1420)-TA-1
FD-330-508" Sq. Dl(pg. 281) F1420	ე-TA-4
FD-340-112" Dia. NB(pg. 281) F1340)-TA-1
FD-340-5012"Dia. Dl(pg. 281) F1340)-TA-4
FD-340-Y-112" Dia. NB(pg. 281) F1340	-TA-1
FD-340-Y-5012" Dia. Dl(pg. 281) F1340)-TA-4
FD-360-416" Dia. Dl(pg. 281) F1360)-TA-4
FD-450-AF-116" Sq. NB(pg. 281) F1460)-TA-1
FD-450-AF-416" Sq. DI(pg. 281) F146	0-TA-4
FD-460-AF-112" Sq. NB(pg. 281) F1440)-TA-1
FD-460-AF-412" Sq. DI(pg. 281) F144	0-TA-4
FD-460-F-112" Sq. NB(pg. 281) F1440)-TA-1
FD-460-F-412" Sq. DI(pg. 281) F1440	-TA-4

REPLACEMENT FLOOR AND AREA DRAIN **GRATES AND CLEANOUT COVERS**

WATTS		MIFAB
A5PG-1(pg	g. 280)	5PG-1
A6PG-1(pg	g. 280)	6PG-1
5PG-1(pg	g. 280)	5PG-3
FD-300-PG-1(p	g. 280)	N7-PG-1
FD-300-PG-4(pg	J. 281)	F1300-PG-4
FD-320-PG-1(p		
FD-320-PG-4(pg	j. 281)	F1320-PG-4
FD-340-PG-1(pg	J. 281)	F1340-PG-1
FD-340-PG-4(pg	j. 281)	F1340-PG-4
FD-450-AF-PG-4(pg	g. 281)	F1460-PG-4
FD-450-AF-PG50-1(pg	g. 281)	F1460-PG-1
FD-460-AF-PG-4(pg	g. 281)	F1440-PG-4
FD-460-AF-PG-1(pg	g. 281)	F1440-PG-1
R5G-1(p	g. 285)	5PC-1
RXPG-1(p	g. 285)	X5PC-1
RXPG-4(pg	j. 285)	5PC-4

ADJUSTABLE EXTENSION FOR FLOOR DRAINS

WATTS	MIFAB
B3-XYsmall	CI extension(pg. 46) DD-50
DD-1small	NB extension .(pg. 46) DD-1
DD-XY-50small	CI extension(pg. 46) DD-50

SEDIMENT BUCKET FOR FLOOR DRAINS

WATTS		MIFAB
B1B	Plastic sed. bucket .(pg.	281). A1-PB
B2B	Large CI sed. Buck(pg.	281) A2-MB
B3B	Small CI sed. Buck. (pg.	281) A1-MB

FUNNELS FOR FLOOR DRAINS

WATTS	MIFAB
EF-1	4" round NB funnel (pg. 46). EF4-1
EF-50	4" round CI funnel(pg. 46) EF4-50
EF6-1	6" round NB funnel .(pg. 46). EF6-1
EF6-50	6" round CI funnel(pg. 46) EF6-50
EG-1	4" x 9" NB funnel(pg. 46) EG-1
EG-50	4" x 9" CI funnel(pg. 46). EG-50
F4-1	4" round NB funnel only .(pg. 46) F4-1
F4-50	4" round CI funnel only (pg. 46) F4-50
	4" x 9" oval NB funnel only (pg. 46) G-1
G-50	4" x 9" oval CI funnel only (pg. 46) G-50

HARDWARE PACKS

WATTS	MIFAB
FC-1	3 cap screws(pg. 278) HS-1
	with integral washers
FC-2	3 bolts, washers(pg. 278) HS-2
	and nuts for roof drains
FC-3	3 bolts, washers(pg. 278) HS-3
A	and nuts for deck clamp
FC-4	3 bolts, washers and (pg. 278) HS-3
	nuts for extensions

PRE-ASSEMBLED ECONOMY **FLOOR DRAINS**

WATTS		MIFAB
FD-390-E-1	(pg. 51)	F1230-1
FD-390-E-4	(pg. 51)	F1230-4
FD-390-E-63-1.	(pg. 51)	F1230-WF-1
FD-390-E-63-4.	(pg. 51)	F1230-WF-4

CLEANOUT TOP ASSEMBLIES

WATTS	MIFAB
R-1	5" Dia. NB CO top(pg. 285) R-1
R-3	5" Dia. SS CO top(pg. 285) R-3
RX-3	5" Dia. SS CO top(pg. 285) R-3
RC-1	5" Dia. NB CO top car/mar (pg. 285) RC-1
RX-1	5" Dia. NB Co top(pg. 285) R-3
RX-4	5" Dia. D.I. CO top (pg. 285) R-4
S-1	5" x 5" NB CO top(pg. 285) S-1
S-3	5" x 5" SS CO top(pg. 285) S-3
T-1	5" Dia. NB CO top for tile (pg. 285) T-1
TS-1	5" x 5" NB CO top for tile (pg. 285) TS-1
U-1	5" Dia. NB CO top for terr.(pg. 285) U-1
US-1	5" x 5" NB CO top for terr (pg. 285) US-1

ROOF DRAIN DOMES

WATTS	MIFAB
B2 DMR1200 poly(pg. 284)	A2-PD
B2 KDM-L-4R1200 low DI.(pg. 284).A	A2-MDL-80
B2 KDM-4R1200 DI dome(pg. 28	4). A2-MD
B2 KDM-80R1200 alum.(pg. 284) . A	A2-MDL-80
B3 DMR1100 poly(pg. 284)	A1-PD
B3 KDM-80R1100 alum(pg. 284).	A1-MD

ROOF DRAIN CLAMP RINGS FOR RD-100

WATTS	MIFAB
B2-FLGR1200 membrane clamp	(pg. 277) A2-C3
and underdeck clamp	
B2-FLG-W-80R1200 Al Dome .(pg. 1	277) A2-C3-W
w/ABS standpipe (pg. 28	4) w/A2-MDL-80
B2-FLG-D2" high water dam.(pg	. 277).A2-WD
B2-SR1200 sump receive(r	og. 284).A2-BP

ROOF DRAIN FIXED EXTENSIONS

WATTS		MIFAB
B2-V22	fixed extension - R1200	(pg. 279) A2-V2
B2-V33	fixed extension - R1200	(pg. 279) A2-V3
B2-V44	" fixed extension - R1200	(pg. 279) A2-V4

ROOF DRAIN CLAMP RINGS FOR RD-200

WATTS	MIFAB	
B3-FLG	R1100 membrane clamp (pg. 277) A1-C3	
	and underdeck clamp	
B3-FLG-W-80	R1100 al. Dome (pg. 277) A1-C3 w/ A1-ME)
	w/ABS standpipe and A1-W	
B3-S	R1100 sump receiver (pg. 284) A1-BP	

ROOF DRAIN ACCUTROL WEIRS

WATTS			MIFAB
B2-A1	R1200	1 weir Accutro	l (pg. 284) A2-F1
B2-A2	R1200	2 weir Accutro	l (pg. 284) A2-F2
B3-A1	R1100	1 weir Accutro	I (pg. 284) A1-F1
B3-A2	R1100	2 weir Accutro	I (pg. 284) A1-F2
B3-A3	R1100	3 weir Accutro	l (pg. 284) A1-F3

ROOF DRAIN BALLAST GUARDS

WATTS	MIFAB
B2-GSS	R1200 S.S. ballast guard (pg. 284) A2-BG
B2-H	R1200 SS ballast guard .(pg. 284) A2-BG
B3-GSS	R1100 SS ballast guard .(pg. 284) A1-BG
20 000	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



P310





ZURN

ZURN
ZURN MIFAB
Z100(pg. 125)
Z100-AC(pg. 125) R1200-U
Z100-AR(pg. 125) R1200-11
Z100-AW(pg. 132) R1200-W Z100-BS(pg. 125). R1200-M-83
Z100-BS(pg. 125). R1200-M-83
Z100-C(pg. 125) R1200-U Z100-DE(pg. 125). R1200-B-EU
Z100-DE(pg. 125). R1200-B-EU
Z100-DP(pg. 125) R1200-B Z100-DR(pg. 126) R1200-EU
Z100-DR(pg. 126) R1200-EU
Z100-DX(pg. 132) R1200-Z Z100-E(pg. 125) R1200-V
Z100-E(pg. 125) R1200-V
Z100-EA(pg. 125) R1200-E
Z100-EA-C(pg. 126) R1200-EU
Z100-EB(pg. 125) R1200-E
Z100-EC(pg. 125) R1200-UV
Z100-FG(pg. 129) R1200-PR
Z100-G(pg. 125) R1200-M-13
Z100-GD(pg. 125) R1200-M-12
Z100-HD(pg. 125) R1200-M-80
Z100-RD(pg. 125) R1200-W-80
Z100-SC(pg. 125) R1200-C
7100 CE (ng 100) D1000 UC
Z100-SE(pg. 128) R1200-HC
Z100-SS(pg. 125) R1200-M-83 Z100-SSM(pg. 125) R1200-M-83
Z100-55W(pg. 125) K1200-W-65
Z100-ST(pg. 125) R1200-M-SP
Z100-TC(pg. 125) R1200-TC
Z100-VP(pg. 125) R1200-6
Z100-W(pg. 132)
Z100-W2(pg. 132) R1200-W2
Z100-W3(pg. 132) R1200-W3
Z100-W4(pg. 132) R1200-W4
Z100-XJ .(pg. 125) R1200 w/R1900
Z100-84(pg. 127) R1200-G
Z100-84(pg. 127)
Z100-89(pg. 130)
Z100-90(pg. 133) R1200-90
ZA100(pg. 125) R1200-M-80
ZC100(pg. 125) R1200-M
ZRB100(pg. 125) R1200-81
Z101(pg. 136) R1260
Z101-AR(pg. 136) R1260-11
Z101-DP .(pg. 136)
Z101-E(pg. 136) R1260-E
Z101-G(pg. 136) R1260-M-13
7101 D (pg. 136) D1060 D
Z101-R(pg. 136)
Z101-W2(pg. 136) R1260-W2
Z101-W3(pg. 136) R1260-W3
Z101-W4(pg. 136) R1260-W4 Z101-89(pg. 136) R1260-R
Z101-89(pg. 136) K1260-R
Z103(pg. 131) R1200-S0
Z103-45(pg. 131) R1200-S0-45
Z104(pg. 136)
Z104-AC(pg. 136) R1250-U
Z104-AR(pg. 136) R1250-11
Z104-AW(pg. 136) R1250-W
Z104-BS(pg. 136) R1250-M-83 Z104-C(pg. 136) R1250-U
Z104-C(pg. 136) R1250-U
Z104-DX(pg. 136) R1250-Z
Z104-E(pg. 136) R1250-V
Z104-EA(pg. 136) R1250-E
Z104-EA-C(pg. 136) R1250-EU
Z104-EB(pg. 136) R1250-E
Z104-ES(pg. 136) R1250-C-V
Z104-FG(pg. 136) R1250-PR
Z104-G(pg. 136) R1250-M-13
Z104-GD(pg. 136) R1250-M-12
Z104-HD(pg. 136) R1250-M-80
Z104-R(pg. 136) R1250-B
7101-SC (ng 136) D1360 C
Z104-SC(pg. 136) R1250-C

ZUKN - WIIFAB CKOS	
ZURN	Z104-VP(pg. 136)
ZURN MIFAB	Z104-W3(pg. 136) R1250-W3
Z100(pg. 125) R1200	Z104-W4(pg. 136) R1250-W4
Z100-AC(pg. 125) R1200-U	Z104-XJ .(pg. 136) R1250 w/R1900
Z100-AR(pg. 125) R1200-11	Z104-84(pg. 136)R1250-G Z104-85(pg. 136)R1250-JC
Z100-AW(pg. 132) R1200-W Z100-BS(pg. 125). R1200-M-83	Z104-89(pg. 136) R1250-R
Z100-C(pg. 125) R1200-U	ZA104(pg. 136) R1250-M-80
Z100-DE(pg. 125). R1200-B-EU	ZC104(pg. 136) R1250-M ZRB104(pg. 136) R1250-81
Z100-DP(pg. 125) R1200-B	Z105(pg. 127) R1200-F
Z100-DR(pg. 126) R1200-EU Z100-DX(pg. 132) R1200-Z	Z105-C(pg. 127) R1200-F-U
Z100-E(pg. 125) R1200-V	Z105-DE(pg. 127) R1200-F-B-EU
Z100-EA(pg. 125) R1200-E	Z105-DP(pg. 127) R1200-F-B Z105-DR(pg. 127) R1200-F-EU
Z100-EA-C(pg. 126) R1200-EU Z100-EB(pg. 125) R1200-E	Z105-DX(pg. 127) R1200-F-Z
Z100-EC(pg. 125) R1200-UV	Z105-E(pg. 127) R1200-F-V
Z100-FG(pg. 129) R1200-PR	Z105-EA(pg. 127) R1200-F-E
Z100-G(pg. 125) R1200-M-13	Z105-EA-C(pg. 127) R1200-F-EU Z105-EA-R-C.(pg. 127) R1200-F-EU
Z100-GD(pg. 125) R1200-M-12 Z100-HD(pg. 125) R1200-M-80	Z105-EC(pg. 127) R1200-F-UV
Z100-R(pg. 125) R1200-B	Z105-ERC(pg. 126) R1200-BUV-F
Z100-SC(pg. 125) R1200-C	Z105-G(pg. 127) R1200-F-M-13 Z105-R(pg. 127) R1200-F-B
Z100-SE(pg. 128) R1200-HC Z100-SS(pg. 125) R1200-M-83	Z105-SC(pg. 127) R1200-F-C
Z100-SSM(pg. 125) R1200-M-83	Z105-TC(pg. 127) R1200-F-TC
Z100-ST(pg. 125) R1200-M-SP	Z105-VP(pg. 127) R1200-F-6
Z100-TC(pg. 125) R1200-TC Z100-VP(pg. 125) R1200-6	Z105-XJ.(pg. 127). R1200-F w/R1900 Z105-1(pg. 127) R1200-F
Z100-W(pg. 123) R1200-W	Z105-90(pg. 127) R1200-F-90
Z100-W2(pg. 132) R1200-W2	ZA105(pg. 127) R1200-F-M-80
Z100-W3(pg. 132) R1200-W3	ZC105(pg. 127) R1200-F-M ZRB105(pg. 127) R1200-F-81
Z100-W4(pg. 132) R1200-W4 Z100-XJ .(pg. 125) R1200 w/R1900	Z107(pg. 132) R1200-Z
Z100-84(pg. 127) R1200-G	Z107-AC(pg. 132) R1200-Z-U
Z100-85(pg. 128)	Z107-AR(pg. 132) R1200-Z-11 Z107-AW(pg. 132) R1200-Z-W
Z100-89(pg. 130)	Z107-BS(pg. 132)R1200-Z-W
ZA100(pg. 125) R1200-M-80	Z107-C(pg. 132) R1200-Z-U
ZC100(pg. 125) R1200-M	Z107-E(pg. 132) R1200-Z-V Z107-EA(pg. 132) R1200-Z-E
ZRB100(pg. 125) R1200-81 Z101(pg. 136) R1260	Z107-FG(pg. 132) R1200-Z-P
Z101-AR(pg. 136) R1260-11	Z107-G(pg. 132)R1200-Z-M-13
Z101-DP .(pg. 136) R1260-B	Z107-GD(pg. 132)R1200-Z-M-12
Z101-E(pg. 136) R1260-E Z101-G(pg. 136) R1260-M-13	Z107-HD(pg. 132)R1200-Z-M-80 Z107-SS(pg. 132)R1200-Z-M-83
Z101-R(pg. 136) R1260-B	Z107-VP(pg. 132) R1200-Z-6
Z101-W2(pg. 136) R1260-W2	Z107-W2(pg. 132) R1200-Z-W2
Z101-W3(pg. 136) R1260-W3 Z101-W4(pg. 136) R1260-W4	Z107-W3(pg. 132) R1200-Z-W3 Z107-W4(pg. 132) R1200-Z-W4
Z101-89(pg. 136) R1260-R	Z107-XJ (pg. 132). R1200-Z w/R1900
Z103(pg. 131) R1200-S0	Z107-84(pg. 132) R1200-Z-G
Z103-45(pg. 131) R1200-S0-45	Z107-85(pg. 132 R1200-Z-JC Z107-89(pg. 132) R1200-Z-R
Z104(pg. 136) R1250 Z104-AC(pg. 136) R1250-U	ZA107(pg. 132)R1200-Z-H
Z104-AR(pg. 136) R1250-11	ZC107(pg. 132) R1200-Z-M
Z104-AW(pg. 136) R1250-W	ZRB107(pg. 132) R1200-Z-81
Z104-BS(pg. 136) R1250-M-83 Z104-C(pg. 136) R1250-U	Z108(pg. 130) R1200-RS Z108-AR(pg. 130) R1200-RS-11
Z104-DX(pg. 136)	Z108-C(pg. 130) R1200-RS-U
Z104-E(pg. 136) R1250-V	Z108-DE(pg. 136). R1250-RS-B-EU
Z104-EA(pg. 136) R1250-E Z104-EA-C(pg. 136) R1250-EU	Z108-DP(pg. 130) R1200-RS-B Z108-DR(pg. 130) R1200-RS-EU
Z104-EB(pg. 136) R1250-E	Z108-E(pg. 130) R1200-RS-V
Z104-ES(pg. 136) R1250-C-V	Z108-EA(pg. 130) R1200-RS-E
Z104-FG(pg. 136) R1250-PR	Z108-EB(pg. 130) R1200-RS-E
Z104-G(pg. 136) R1250-M-13 Z104-GD(pg. 136) R1250-M-12	Z108-DX(pg. 130) R1200-RS-Z Z108-E(pg. 130) R1200-RS-V
Z104-HD(pg. 136) R1250-M-80	Z108-EA(pg. 130) R1200-RS-E
Z104-R(pg. 136) R1250-B	Z108-FG(pg. 130) R1200-RS-P
Z104-SC(pg. 136) R1250-C Z104-SS(pg. 136) R1250-M-83	Z108-G(pg. 130) R1200-RS-M-13 Z108-HD(pg. 130) R1200-RS
	1.5

7105 D (ng 100) D1100 M D
Z125-R(pg. 120) R1100-M-B
Z125-SC(pg. 120) R1100-M-C
Z125-SC(pg. 120) R1100-M-C Z125-SS(pg. 120) R1100-M-83
Z125-SSM(pg. 120) R1100-M-83
Z125-SSM(pg. 120) R1100-M-83 Z125-TC(pg. 120) R1100-M-B
Z125-VP(pg. 120) R1100-M-6
Z125-VF(pg. 120) 111100-W-0
Z125-XJ (pg. 120) R1100-M w/R1900
Z125-84(pg. 121) R1100-M-G
Z125-85(pg. 122) R1100-M-JC
Z125-89(pg. 120) R1100-M-R
7105 00 (pg. 124) D1100 M 00
Z125-90(pg. 124) R1100-M-90 ZA125(pg. 120) R1100-M-80
ZA125(pg. 120) R1100-M-80
ZRB125(pg. 120) R1100-81
Z127(pg. 123) R1100-RS
Z127-AR(pg. 123) R1100-RS-11
7107 0 (~~ 100) D1100 D0 U
Z127-C(pg. 123) R1100-RS-U
Z127-DP(pg. 123) R1100-RS-B
Z127-E(pg. 123) R1100-RS-E
Z127-E(pg. 123) R1100-RS-E Z127-EB(pg. 123) R1100-RS-E
Z127-G(pg. 123) R1100-RS-M-13
7107 IID (~ 100) D1100 D2
Z127-HD(pg. 123) R1100-RS
Z127-R(pg. 123) R1100-RS-B
Z127-TC(pg. 123) R1100-RS-TC
Z127-90(pg. 123) R1100-RS-90
Z130(pg. 140) R1200-SR
7100 DD (v. 140) D1000 OD 511
Z130-DR(pg. 140) R1200-SR-EU
Z130-EB(pg. 140) R1200-SR-E
Z130-84(pg. 140) R1200-SR-G
Z131(pg. 140) R1200-SR-R
7101 DD (pg. 140) D1000 CD D FIL
Z131-DR(pg. 140). R1200-SR-R-EU
Z131-EB(pg. 140) R1200-SR-E
Z131-VP(pg. 140) R1200-SR-6
Z135-6(pg. 78)F1840
Z135-6-A(pg. 78) F1840-M-W-1
710F C C (no. 70) F1040 40
Z135-6-C(pg. 78) F1840-40
Z135-6-G(pg. 78) F1840-13
Z135-6-G(pg. 78) F1840-13
Z135-6-G(pg. 78) F1840-13 Z135-6-R(pg. 78) F1840-41
Z135-6-G(pg. 78) F1840-13 Z135-6-R(pg. 78) F1840-41 Z135-6-T(pg. 78) F1840-16
Z135-6-G(pg. 78) F1840-13 Z135-6-R(pg. 78) F1840-41 Z135-6-T(pg. 78) F1840-16 Z135-6-Y(pg. 78) F1840-5
Z135-6-G(pg. 78) F1840-13 Z135-6-R(pg. 78) F1840-41 Z135-6-T(pg. 78) F1840-16 Z135-6-Y(pg. 78) F1840-5 ZN135(pg. 78) F1840-1
Z135-6-G(pg. 78)
Z135-6-G(pg. 78)
Z135-6-G(pg. 78)
Z135-6-G(pg. 78)
Z135-6-G(pg. 78) F1840-13 Z135-6-R(pg. 78) F1840-41 Z135-6-T(pg. 78) F1840-16 Z135-6-Y(pg. 78) F1840-5 ZN135(pg. 78) F1840-1 Z150(pg. 129) R1200-PR Z150-A(pg. 129). R1200-PR-4-W-1 Z150-AR(pg. 129) R1200-PR-4-U
Z135-6-G(pg. 78)
Z135-6-G(pg. 78)
Z135-6-G(pg. 78)
Z135-6-G(pg. 78)
Z135-6-G(pg. 78) F1840-13 Z135-6-R(pg. 78) F1840-41 Z135-6-T(pg. 78) F1840-16 Z135-6-Y(pg. 78) F1840-5 ZN135(pg. 78) F1840-1 Z150(pg. 129) R1200-PR Z150-A(pg. 129). R1200-PR-4-W1 Z150-AR(pg. 129). R1200-PR-4-11 Z150-C(pg. 129) R1200-PR-4-1 Z150-DB .(pg. 136) R1250-PR-4 Z150-DG(pg. 129). R1200-PR-4-B-EU Z150-DG(pg. 129) R1200-PR-4
Z135-6-G(pg. 78)
Z135-6-G(pg. 78) F1840-13 Z135-6-R(pg. 78) F1840-41 Z135-6-T(pg. 78) F1840-16 Z135-6-Y(pg. 78) F1840-5 ZN135(pg. 78) F1840-1 Z150(pg. 129) R1200-PR Z150-A(pg. 129) R1200-PR-4-U Z150-AR(pg. 129) R1200-PR-4-1 Z150-DB .(pg. 129) R1200-PR-4-U Z150-DE.(pg. 129) R1200-PR-4-U Z150-DG(pg. 129) R1200-PR-4 Z150-DP(pg. 129) R1200-PR-4-EU Z150-DR(pg. 129) R1200-PR-4-EU Z150-DR(pg. 129) R1200-PR-4-EU
Z135-6-G(pg. 78)

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.













Z154-AR ...(pg. 135).. R1220-PR-4-11 Z154-C(pg. 135).. R1220-PR-4-U Z154-DG...(pg. 135)..... R1220-PR-4 Z154-DP ...(pg. 135).. R1220-PR-4-B Z154-DT ..(pg. 135)....... R1220-PR Z154-G (pg. 135). R1220-PR-4-M-13 Z154-R(pg. 135)... R1220-PR-4-B Z154-S(pg. 135). R1220-PR-4-21 Z154-SC .(pg. 135)... R1220-PR-4-C Z154-TS ..(pg. 135)... R1220-PR-4-6 Z154-VP ..(pg. 135)... R1220-PR-4-6 Z154-XJ(pg. 135)R1220-PR-4 w/R1900 Z154-Y....(pg. 135)... R1220-PR-4-5 Z154-85...(pg. 135). R1220-PR-4-JC Z154-90...(pg. 135). R1220-PR-4-90 ZB154(pg. 135)..... R1220-PR-1 ZN154(pg. 135)..... R1220-PR-1 Z158(pg. 122)...... R1100-PR Z158-AR .(pg. 122). R1100-PR-4-11 Z158-C ...(pg. 122)... R1100-PR-4-U Z158-R(pg. 122)... R1100-PR-4-B Z158-SC .(pg. 122)... R1100-PR-4-C Z158-TS ..(pg. 122)... R1100-PR-4-6 Z158-VP ..(pg. 122)... R1100-PR-4-6 Z158-XJ(pg. 122)R1100-PR-4 w/R1900 Z158-Y.....(pg. 122)... R1100-PR-4-5 Z158-85...(pg. 123)...... R1100-PJ-4 Z158-90...(pg. 122). R1100-PR-4-90 ZB158(pg. 122)...... R1100-PR-1 ZN158(pg. 122)...... R1100-PR-1 Z160(pg. 142)...... R1300 Z161 (pg. 142)..... R1300 Z163 (pg. 137)...... R1270 Z163-AR(pg. 137)...... R1270-11 Z163-AW....(pg. 137).....R1270-W Z163-BS(pg. 137).....R1270-M-83 Z163-DR ...(pg. 137).... R1270-M-EU Z163-E(pg. 137)..... R1270-V Z163-EA....(pg. 137)...... R1270-E Z163-G(pg. 137).....R1270-M-13 Z163-GD ...(pg. 137).....R1270-M-12 Z163-SC ...(pg. 137)..... R1270-C Z163-SS ...(pg. 137).....R1270-M-83 Z163-VP(pg. 137)...... R1270-6 Z163-W3 ...(pg. 137)......R1270-W3 Z163-W4 ...(pg. 137)......R1270-W4 Z163-XJ...(pg. 137). R1270 w/R1900 Z163-84.....(pg. 137)...... R1270-G Z163-85.....(pg. 137)...... R1270-JC Z164-BS ...(pg. 137)... R1270-A5-83 Z164-E(pg. 137)..... R1270-A5-V Z164-ES(pg. 137). R1270-A5-C-V Z164-G(pg. 137)... R1270-A5-13 Z164-SC(pg. 137).... R1270-A5-C Z164-SS(pg. 137).. R1270-A5-83 Z164-VP(pg. 137).... R1270-A5-6 Z164-XJ (pg. 137)R1270-A5 w/R1900 Z164-84....(pg. 137)..... R1270-A5-G Z164-85....(pg. 137).... R1270-A5-JC Z165(pg. 124)...... R1150 Z165-AR(pg. 124)...... R1150-11 Z165-BS(pg. 124)..... R1150-M-83 Z165-E(pg. 124)..... R1150-V Z165-G(pg. 124)..... R1150-M-13 Z165-SC ...(pg. 124)...... R1150-C Z165-SS ...(pg. 124)..... R1150-M-83 Z165-VP ...(pg. 124)..... R1150-6

7165 V I	. (pg. 124)R1	150 w/D1000
Z100-NJ	. (pg. 124)n1	130 W/N 1900
Z165-84	(pg. 124)	R1150-G
7166	(pg. 149) (pg. 144)	R1930
7100	(pg. 110)	D1 400
2180	(pg. 144)	R 1400
Z180-FS	(pg. 144)	R1400-14
7180 C	(pg. 144)	D1/100 13
2100-0	(þg. 144)	111400-13
Z180-HD .	(pg. 144)	R1400-HM
7180-VP	(pg. 144)	R1400-6
7100 41	(pg. 111)	D4 400
Z18U-4	(pg. 144) (pg. 144)	K1400
Z180-8	(pg. 144)	R1400
7D100	(pg. 144)	D1/100 2
ZD 100	(pg. 144)	N1400-Z
ZN180	(pg. 144)	R1400-1
7DR190	(pg. 144)	D1/100 2DB
ZIND 100	(pg. 144)	. 111400-2110
Z181	(pg. 144) (pg. 144)	R1400
7R181	(na 144)	R1400-2
70101	(pg. 111)	D1 400 1
ZN181	(pg. 144)	K1400-1
7181-BS	(pg. 144) (pg. 38)F1	R1400-83
7101 0	(pg. 11.)	100 0 1/ 10*
2101-0	(pg. 38)F1	100-6-K-40"
Z181-FS	(pg.144) (pg. 144)	R1400-14
7101 0	(pg 1/1)	D1400 12
2101-0	(pg. 144)	n1400-13
Z181-HD .	(pg. 144)	R1400-HM
7181_R (pg. 38). F1100	_C_K_//O_//1*
2101-11(pg. 50). 1 1 100	-0-10-40-41
Z181-VP	(pg. 144)	R1400-6
7181-8	(ng 144)	R1400
7100	(pg. 144) (pg. 145)	
Z182	(pg. 145)	K1420
7B182	(pg. 145) (pg. 145)	R1420-2
701100	(pg. 1.15)	D1400 1
ZIV I 02	(pg. 145)	K 1420-1
ZRB182	(pg. 145)	. R1420-2RB
7100 EC	(pg. 145)	D1400 14
Z10Z-F3	(pg. 145)	n1420-14
Z182-G	(pg. 145) (pg. 145)	R1420-13
7192 HD	(ng 1/15)	D1/20 HM
Z10Z-11D	(pg. 145)	111420-11101
Z182-VP	.(pg. 145)	R1420-6
7182-45	(ng 145)	R1410
7105	(pg. 145) (pg. 145)	D1 100
Z185	(pg. 145)	R 1420
ZB185	(pg. 145)	R1420-2
	(1.5	D4 400 4
/N11 Q L		
ZN185	(pg. 145)	K1420-1
ZN185	(pg. 145) (pg. 145)	R1420-1
ZN185 Z185 Z185-FS	(pg. 145) (pg. 145) (ng. 145)	R1420-1 R1420 R1420-14
Z185	(pg. 145) (pg. 145)	R1420 R1420-14
Z185	(pg. 145) (pg. 145)	R1420 R1420-14
Z185	(pg. 145) (pg. 145)	R1420 R1420-14
Z185	(pg. 145) (pg. 145)	R1420 R1420-14
Z185 Z185-FS Z185-G Z185-HD . Z185-VP	(pg. 145) (pg. 145) (pg. 145) (pg. 145)	R1420 R1420-14 R1420-13 R1420-HM R1420-6
Z185 Z185-FS Z185-G Z185-HD . Z185-VP	(pg. 145) (pg. 145) (pg. 145) (pg. 145)	R1420 R1420-14 R1420-13 R1420-HM R1420-6
Z185 Z185-FS Z185-G Z185-HD . Z185-VP	(pg. 145) (pg. 145) (pg. 145) (pg. 145)	R1420 R1420-14 R1420-13 R1420-HM R1420-6
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142)	R1420 R1420-14 R1420-13 R1420-HM R1420-6 R1410
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187 Z187-BS	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187 Z187-BS	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187 Z187-BS	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187 Z187-FG Z187-FG	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142) (pg. 143) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187 Z187-FG Z187-FG Z187-TS	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187 Z187-FG Z187-FG Z187-TS	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187-FS Z187-FS Z187-FS Z187-FS Z187-TS Z187-V	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142) (pg. 143) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142)	R1420R1420-14R1420-14R1420-HMR1420-HMR1410-0R1300R1300-83R1300-13R1300-6BV1210
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187-BS Z187-BS Z187-FS Z187-TS Z187-V Z187-V	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142) (pg. 143) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 258) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187-BS Z187-BS Z187-FS Z187-TS Z187-V Z187-V	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142) (pg. 143) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 258) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z185-45 Z187-FS Z187-FG Z187-FG Z187-V Z187-V Z187-V Z187-V	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142) (pg. 143) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z187-BS Z187-BS Z187-FG Z187-FS Z187-TS Z187-VP Z187-VP Z187-VP Z187-WP	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-G Z185-HD . Z185-VP Z187-BS Z187-BS Z187-FG Z187-FS Z187-TS Z187-VP Z187-VP Z187-VP Z187-WP	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-FD Z185-HD . Z185-VP Z187-BS Z187-FG Z187-FG Z187-FS Z187-VP Z187-VP Z187-VP Z187-VP Z187-VP ZRB187	(pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 145) (pg. 142) (pg. 142)	
Z185 Z185-FS Z185-FD Z185-HD . Z185-VP Z187-BS Z187-BS Z187-FG Z187-FS Z187-VP Z187-VP Z187-VP Z187-VP Z187-WP Z187-WP Z187-WP Z187-WP Z189	(pg. 145) (pg. 142)	
Z185 Z185-FS Z185-FD Z185-HD . Z185-VP Z187-BS Z187-BS Z187-FG Z187-FS Z187-VP Z187-VP Z187-VP Z187-VP Z187-WP Z187-WP Z187-WP Z187-WP Z189	(pg. 145) (pg. 142)	
Z185 Z185-FS Z185-FS Z185-HD . Z185-VP Z187-SS Z187-BS Z187-FG Z187-FS Z187-V Z187-VP Z187-VP Z187-WP Z189-WP Z189 Z189-BS	(pg. 145) (pg. 142) (pg. 143) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD . Z185-VP Z187-BS Z187-BS Z187-FG Z187-FS Z187-VP Z187-VP Z187-VP Z187-VP Z189 Z189-BS Z189-BS	(pg. 145) (pg. 142) (pg. 143) (pg. 143) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD . Z185-VP Z187-BS Z187-BS Z187-FG Z187-FS Z187-VP Z187-VP Z187-VP Z187-VP Z189 Z189-BS Z189-BS	(pg. 145) (pg. 142) (pg. 143) (pg. 143) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD . Z185-VP Z187-S Z187-FG Z187-FG Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z189-G Z189-G Z189-G Z189-G	(pg. 145) (pg. 142) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD Z185-45 Z187 Z187-FG Z187-FG Z187-FG Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z189-BS Z189-BS Z189-G Z189-G Z189-G Z189-G Z189-G Z189-G	(pg. 145) (pg. 142) (pg. 143) (pg. 144)	
Z185 Z185-FS Z185-FS Z185-HD . Z185-VP Z187-S Z187-FG Z187-FG Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z189-G Z189-G Z189-G Z189-G	(pg. 145) (pg. 142) (pg. 143) (pg. 144)	
Z185	(pg. 145) (pg. 142) (pg. 143) (pg. 143) (pg. 143) (pg. 143) (pg. 143) (pg. 144) (pg. 144) (pg. 144) (pg. 144) (pg. 144) (pg. 144) (pg. 143) (pg. 144) (pg. 143) (pg. 143) (pg. 143) (pg. 143) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z187-S Z187-FG Z187-FG Z187-FG Z187-V Z187-V Z187-V Z187-V Z187-V Z189-W Z189-BS Z189-G Z189-G Z189-OB Z189-VP Z189-VP	(pg. 145) (pg. 142) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z187-BS Z187-BS Z187-FS Z187-FS Z187-V Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-BS Z189-BS Z189-OB Z189-TS Z189-TS Z189-PS Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP	(pg. 145) (pg. 142) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z187-BS Z187-BS Z187-FS Z187-FS Z187-V Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-BS Z189-BS Z189-OB Z189-TS Z189-TS Z189-PS Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP Z189-SP	(pg. 145) (pg. 142) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z185-45 Z187-BS Z187-FG Z187-FG Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-G Z189-G Z189-OB Z189-OB Z189-OB Z189-90 ZB189 ZN189-90 ZB189	(pg. 145) (pg. 142) (pg. 143)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z185-45 Z187-BS Z187-BS Z187-FS Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z189-SS Z189-BS Z189-BS Z189-BS Z189-VP	(pg. 145) (pg. 142) (pg. 143) (pg. 144) (pg. 144) (pg. 144) (pg. 144) (pg. 144)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z185-45 Z187-BS Z187-FG Z187-FG Z187-FG Z187-VP Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-BS Z189-BS Z189-VP Z189-VP ZN189-WP	(pg. 145) (pg. 142) (pg. 143) (pg. 144)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z185-45 Z187-BS Z187-FG Z187-FG Z187-FG Z187-VP Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-BS Z189-BS Z189-VP Z189-VP ZN189-WP	(pg. 145) (pg. 142) (pg. 143) (pg. 144)	
Z185 Z185-FS Z185-FS Z185-HD Z185-VP Z185-45 Z187-BS Z187-FG Z187-FG Z187-VP Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-BS Z189-BS Z189-VP Z189-VP Z189-VP Z189-VP Z189-VP Z189-VP Z189-VP Z191-CA	(pg. 145) (pg. 142) (pg. 143) (pg. 144) (pg. 144) (pg. 144) (pg. 144) (pg. 146) (pg. 146)	
Z185 Z185-FS Z185-FS Z185-BD Z185-VP Z187-BS Z187-FG Z187-FG Z187-FG Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z189-W Z189-G Z189-G Z189-G Z189-G Z189-G Z189-W Z189-W Z189-W Z189-W Z189-W Z189-W Z189-W Z190 Z191 Z191-G Z191-G	(pg. 145) (pg. 142) (pg. 143) (pg. 144) (pg. 144) (pg. 146) (pg. 146) (pg. 146) (pg. 146) (pg. 146)	
Z185 Z185-FS Z185-FS Z185-BD Z185-VP Z187-BS Z187-FG Z187-FG Z187-FG Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z187-V Z189-W Z189-G Z189-G Z189-G Z189-G Z189-G Z189-W Z189-W Z189-W Z189-W Z189-W Z189-W Z189-W Z190 Z191 Z191-G Z191-G	(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 142)(pg. 143)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 147)	
Z185	(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 142)(pg. 143)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 146)(pg. 147)	
Z185	(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 142)(pg. 143)(pg. 146)(pg. 146)(pg. 147)(pg. 147)(pg. 147)(pg. 147)(pg. 147)	
Z185	(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 142)(pg. 143)(pg. 146)(pg. 146)(pg. 147)(pg. 147)(pg. 147)(pg. 147)(pg. 147)(pg. 146)(pg. 147)(pg. 146)	
Z185	(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 142)(pg. 143)(pg. 146)(pg. 146)(pg. 147)(pg. 147)(pg. 147)(pg. 147)(pg. 147)(pg. 146)(pg. 147)(pg. 146)	
Z185 Z185-FS Z185-FS Z185-FS Z185-HD Z185-VP Z185-45 Z187-FG Z187-FG Z187-FG Z187-V Z187-VP Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-BS Z189-BS Z189-G Z191-G Z191-CA Z191-RD Z191-RD Z192-G Z192-G	(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 142)(pg. 143)(pg. 146)(pg. 146)(pg. 147)(pg. 146)(pg. 146)	
Z185 Z185-FS Z185-FS Z185-FS Z185-HD Z185-VP Z185-45 Z187-FG Z187-FG Z187-FG Z187-V Z187-VP Z187-VP Z187-VP Z187-VP Z189-BS Z189-BS Z189-BS Z189-BS Z189-G Z191-G Z191-CA Z191-RD Z191-RD Z192-G Z192-G	(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 145)(pg. 142)(pg. 143)(pg. 146)(pg. 146)(pg. 147)(pg. 147)(pg. 147)(pg. 147)(pg. 147)(pg. 146)(pg. 147)(pg. 146)	

ROOF DRAIN OPTIONAL VARIATIONS

ZURN PREFIX	MIFAB SUFFIX
ZPoly dome	Std.
ZAAluminum dome	M-80
ZABPB	2
ZANBNB	1
ZARBBronze body/grate	:2RB
ZBPB dome/grate	2
ZCCast iron dome	M
ZNNB dome/grate	1
ZRBBronze dome/grate	e81
ZURN SUFFIXES	MIFAB

Erromonio domo, grato o	
ZURN SUFFIXES MIFAE	3
-ACDeck clampl	
-ARAcid res. epoxy coating11	
-AWAdjustable water damW	
-BSSS mesh scr. over dome-83	
-CUnderdeck clampL	J
-DBDeep sump body R1250)
-DEDeck ExtensionB-EL	
-DGDuctile iron grate4	
-DPRoof deck plateB	
-DR Top Set drain riserEU	
-DSDeep sump body R1250	
-DXExtended wide flange2	
-EFixed extension	-
-EAAdjustable extensionI	
-EBExtensionE	
-FFlat grate14	
-FGFlush grateR1320/R1330)
-FSFlat strainer14	
-G	13
-GDGalvanized metal domeM-1	12
-HDAluminum dome strainer-M-	
-ICInside caulk connection	
-IP Threaded connection T	
-NHNo hub connection Std	
-NLPush on connection	Ρ
-RSump receiverE	3
-RDRound inlet and outlet R1530	J
-S2	
-SCSecondary clamp()
-SDStandpipeV	V
-SSSS mesh covered dome83	
-SSMSS mesh covered dome83	
-TSquare top16	i
-TCPush on gasket w/ test capT	C
-TSVandal proof	
-VPVandal proof	
-W22" Internal water damW2	2

W33" Internal water dam	W3
W44" Internal water dam\	₩4
XJExpansion jointR19	00
YSediment bucket	-5
10Parabolic weir	F
84Ballast guard	-G
85Ballast grd with sec.clamp	-JC
892" external water dam	-R
90Threaded side outlet body.	-90

FLOOR AND AREA DRAINS

MIFAB

ZURN

Z210	(pg.	276)	A1 body
Z211	(pg.	276)	A1 body
Z211-0	a)	g. 276)	. A1-13 body
Z211-F	(pg	. 276)	A1 body
Z211-2	210(pg.	. 276)	A1 body
ZN211	-B(p	g. 33)	F1100-1
ZN211	-B-G(p	a. 33)	F1100-1 . F1100-1-13
ZN211	-B-P(n	a. 33)	F1100-1-7
ZN211	-B-VP	(pa. 33)	F1100-1-6
ZN211	-B-X(i	oa. 33)	F1100-1-8
ZN211	Y-B-	ı. 33)	F1100-1-5
ZN-21	1-B-210 .	(pa. 33	3) F1100-1
7N211	-R-210-W	/D (na 43	3) F1100-1-7
ZN211	-BE(p	a. 35)	F1100-EF-1
ZN211	-BE-G .(p	a. 35). F1	100-EF-1-13
ZN211	-BE-P(i	oa. 35) I	-1100-EF-1-7
ZN211	-BE-VP	pa. 35). I	-1100-EF-1-6
ZN211	-BE-X(r	og. 35) F	1100-EF-1-8
ZN211	-BE-Y(r	oa. 35) F	1100-EF-1-5
ZN211	-BE-210	(pa. 35)	F1100-EF-1
ZN211	-BF(p	q. 35)	F1100-EG-1
ZN211	-BF-G̈(p	a. 35). F1	F1100-EG-1 100-EG-1-13
ZN211	-BF-P̈(pg. 35)	F1100-EG-1-7
ZN211	ı). BF-VP	og. 35)	F1100-EG-1-6
ZN211	-BF-X(r	oa. 35)	F1100-EG-1-8
ZN211	-BF-Y(̈́r	oa. 35) I	F1100-EG-1-5
ZN211	-BF-210 .	(pg. 35)	F1100-EG-1
ZN211	-F(p	ıg. 35)	F1100-EG-1
ZN211	-F-G(pg	g. 35) F1	100-EG-1-13
ZN211	-F-P(p	a. 35)	F1100-EG-1-7
ZN211	-F-VP(r	og. 35)	F1100-EG-1-6
ZN211	-F-X(p	og. 35) l	F1100-EG-1-8
ZN211	-F-210	(pa. 35)	F1100-EG-1
ZN211	-Y(pg	. 39)	F1100-S-1
ZN211	-Y-G(p	g. 39) F	1100-S-1-13
ZN211	-Y-P	(pg. 39)	F1100-S-1-7
ZN211	-Y-VP(p	og. 39)	F1100-S-1-6
ZN211	-Y-X(p	g. 39)	F1100-S-1-8
ZN211	-Y-Y(ı	og. 39)	F1100-S-1-5
ZN211	-Y-210	(pg. 39)	F1100-S-1
ZX211-	-A(p	g. 33)	F1100-4
ZX211-	-A5(pa. 33)	F1100-5-4
ZX211-	-A-G((pg. 33)	. F1100-4-13 F1100-4-7
ZX211-	-A-P	(pg. 33)	F1100-4-7

"X" Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



CROSS REFERENCE



ZURN - MIFAB CROSS REFERENCE

FLOOR AND AREA DRAINS CO	I'T

ZURN ZX211-A-VP(pg. 33)	FLUUR AND AREA DRAINS CUN I
ZX211-A-X(pg. 33) F1100-4-8 ZX211-A-Y(pg. 33) F1100-4-5 ZX211-A-Z10(pg. 33) F1100-S8-4 ZX211-Y-G(pg. 39) F1100-S8-4 ZX211-Y-B(pg. 39). F1100-S8-4-13 ZX211-Y-P(pg. 39). F1100-S8-4-6 ZX211-Y-W(pg. 39). F1100-S8-4-6 ZX211-Y-Y(pg. 39). F1100-S8-4-6 ZX211-Y-Y(pg. 39). F1100-S8-4-5 ZX211-Y-210(pg. 39) F1100-X-1-1 ZXN211-A(pg. 42) F1100-X-1 ZXN211-A(pg. 42) F1100-X-1 ZXN211-A-G. (pg. 42) F1100-X-1-3 ZXN211-A-P(pg. 42) F1100-X-1-7 ZXN211-A-P(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 43) F1100-X56-1 ZXN211-H-Q. (pg. 43) F1100-X56-1-13 ZXN211-H-Y.(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-8 ZXN211-H-Y(pg. 43) F1100-XS6-1-8 ZXN211-Y-Q. (pg. 43) F1100-XS8-1 ZXN211-Y-Q. (pg. 43) F1100-XS8-1-7 ZXN211-Y-Q. (pg. 43) F1100-XS8-1-8 ZXN211-Y-Q. (pg. 52) F1240-8 ZXN211-Y-Q. (pg. 52) F1240-6 Z221-Y. (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315	ZURN MIFAB
ZX211-A-X(pg. 33) F1100-4-8 ZX211-A-Y(pg. 33) F1100-4-5 ZX211-A-Z10(pg. 33) F1100-S8-4 ZX211-Y-G(pg. 39) F1100-S8-4 ZX211-Y-B(pg. 39). F1100-S8-4-13 ZX211-Y-P(pg. 39). F1100-S8-4-6 ZX211-Y-W(pg. 39). F1100-S8-4-6 ZX211-Y-Y(pg. 39). F1100-S8-4-6 ZX211-Y-Y(pg. 39). F1100-S8-4-5 ZX211-Y-210(pg. 39) F1100-X-1-1 ZXN211-A(pg. 42) F1100-X-1 ZXN211-A(pg. 42) F1100-X-1 ZXN211-A-G. (pg. 42) F1100-X-1-3 ZXN211-A-P(pg. 42) F1100-X-1-7 ZXN211-A-P(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 43) F1100-X56-1 ZXN211-H-Q. (pg. 43) F1100-X56-1-13 ZXN211-H-Y.(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-8 ZXN211-H-Y(pg. 43) F1100-XS6-1-8 ZXN211-Y-Q. (pg. 43) F1100-XS8-1 ZXN211-Y-Q. (pg. 43) F1100-XS8-1-7 ZXN211-Y-Q. (pg. 43) F1100-XS8-1-8 ZXN211-Y-Q. (pg. 52) F1240-8 ZXN211-Y-Q. (pg. 52) F1240-6 Z221-Y. (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN300-PG (pg. 74) F1650-G-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-VP (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315	ZX211-A-VP(pg. 33) F1100-4-6
ZX211-A-Y(pg. 33) F1100-4-5 ZX211-A-210(pg. 33) F1100-4 ZX211-Y(pg. 39) F1100-S8-4 ZX211-Y-G(pg. 39). F1100-S8-4-7 ZX211-Y-P(pg. 39). F1100-S8-4-7 ZX211-Y-P(pg. 39) F1100-S8-4-6 ZX211-Y-X(pg. 39) F1100-S8-4-8 ZX211-Y-Y(pg. 39) F1100-S8-4-8 ZX211-Y-Y(pg. 39) F1100-S8-4-8 ZX211-Y-210(pg. 39) F1100-S8-4-8 ZX211-Y-210(pg. 39) F1100-S8-4-8 ZX211-A-210(pg. 39) F1100-X-1-1 ZXX211-A(pg. 42) F1100-X-1 ZXX211-A(pg. 42) F1100-X-1 ZXX211-A-G .(pg. 42) F1100-X-1-3 ZXX211-A-P(pg. 42) F1100-X-1-6 ZXX211-A-V(pg. 42) F1100-X-1-6 ZXX211-A-Y(pg. 42) F1100-X-1-8 ZXX211-A-Y(pg. 42) F1100-X-1-5 ZXX211-A-Z10 .(pg. 42) F1100-X-1-5 ZXX211-H(pg. 43) F1100-XS6-1 ZXX211-H-C.(pg. 43) F1100-XS6-1-13 ZXX211-H-P. (pg. 43) F1100-XS6-1-6 ZXX211-H-V(pg. 43) F1100-XS6-1-6 ZXX211-H-Y(pg. 43) F1100-XS6-1-5 ZXX211-Y-W.(pg. 43) F1100-XS6-1-5 ZXX211-Y-W.(pg. 43) F1100-XS6-1 ZXX211-Y-W.(pg. 43) F1100-XS8-1 ZXX211-Y-Q. (pg. 43) F1100-XS8-1 ZXX211-Y-P. (pg. 52) F1240-7 ZZ21-Q. (pg. 52) F1240-7 ZZ21-V. (pg. 52) F1240-6 ZZ21-X. (pg. 52) F1240-6 ZZ21-X. (pg. 52) F1240-7 ZX310-PG. (pg. 74) F1650-G-1-6 ZX300-PG. (pg. 74) F1650-G-1-6 ZX310-W. (pg. 74) F1650-G-1-6 ZX310-W. (pg. 74) F1650-1-6 ZX310-W. (pg. 74) F1650-1-6 ZX310-W. (pg. 74) F1650-1-6 ZX310-W. (pg. 74) F1650-1-6 ZX310-W. (pg. 53) F1320-25-1 ZX315	ZX211-A-X(pg. 33) F1100-4-8
ZX211-A-210(pg. 33) F1100-4 ZX211-Y(pg. 39). F1100-S8-4 ZX211-Y-G(pg. 39). F1100-S8-4-13 ZX211-Y-P(pg. 39). F1100-S8-4-6 ZX211-Y-W(pg. 39). F1100-S8-4-6 ZX211-Y-X(pg. 39). F1100-S8-4-8 ZX211-Y-Y(pg. 39). F1100-S8-4-8 ZX211-Y-Y(pg. 39). F1100-S8-4-8 ZX211-Y-Z(pg. 39). F1100-S8-4-8 ZX211-Y-Z(pg. 39). F1100-S8-4 ZX211-A(pg. 42) F1100-X-1 ZXN211-A(pg. 42) F1100-X-1 ZXN211-A-G(pg. 42) F1100-X-1 ZXN211-A-G(pg. 42) F1100-X-1-3 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-Y(pg. 42) F1100-X-1-6 ZXN211-A-Y(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Z10(pg. 42) F1100-X-1-5 ZXN211-H-G(pg. 43) F1100-XS6-1 ZXN211-H-P(pg. 43) F1100-XS6-1-7 ZXN211-H-V(pg. 43) F1100-XS6-1-7 ZXN211-H-V(pg. 43) F1100-XS6-1-6 ZXN211-H-Y(pg. 43) F1100-XS6-1-8 ZXN211-H-Y(pg. 43) F1100-XS6-1-5 ZXN211-Y-W(pg. 43) F1100-XS6-1 ZXN211-Y-W(pg. 43) F1100-XS8-1 ZXN211-Y-W(pg. 52) F1240-1	ZX211-A-Y(pg. 33) F1100-4-5
ZX211-Y-G(pg. 39). F1100-S8-4-13 ZX211-Y-P(pg. 39). F1100-S8-4-7 ZX211-Y-V. (pg. 39). F1100-S8-4-6 ZX211-Y-Y(pg. 39). F1100-S8-4-8 ZX211-Y-Y(pg. 39). F1100-S8-4-5 ZX211-Y-210(pg. 39). F1100-S8-4-5 ZX211-A-210(pg. 39). F1100-S8-4 ZX211-A(pg. 42). F1100-X-1 ZXN211-A(pg. 42). F1100-X-1 ZXN211-A-G .(pg. 42). F1100-X-1-13 ZXN211-A-P(pg. 42). F1100-X-1-13 ZXN211-A-P(pg. 42). F1100-X-1-6 ZXN211-A-Y(pg. 42). F1100-X-1-6 ZXN211-A-Y(pg. 42). F1100-X-1-5 ZXN211-A-Y(pg. 42). F1100-X-1-5 ZXN211-A-Y(pg. 42). F1100-X-1-5 ZXN211-A-210 .(pg. 42). F1100-X-1-5 ZXN211-H-G. (pg. 43). F1100-XS6-1 ZXN211-H-G. (pg. 43). F1100-XS6-1-7 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS8-1 ZXN211-Y-Q. (pg. 52) F1240-2 Z21-Q. (pg. 52) F1240-3 ZXN211-Y-Q. (pg. 52) F1240-6 Z21-X. (pg. 52) F1240-6 Z21-X. (pg. 52) F1240-6 Z21-X. (pg. 52) F1240-6 Z21-X. (pg. 52) F1240-6 ZN300-WB. (pg. 74) F1650-G-1 ZN300-PQ. (pg. 74) F1650-G-1 ZN310-PQ. (pg. 74) F1650-1-6 ZN310-PQ. (pg. 74) F1650-1-6 ZN310-PQ. (pg. 74) F1650-1-6 Z	ZX211-A-210(pg. 33) F1100-4
ZX211-Y-P(pg. 39). F1100-S8-4-7 ZX211-Y-VP .(pg. 39) F1100-S8-4-6 ZX211-Y-X(pg. 39) F1100-S8-4-8 ZX211-Y-210(pg. 39) F1100-S8-4-5 ZX211-Y-210(pg. 39) F1100-S8-4 ZX211-A(pg. 42) F1100-X-1 ZXN211-A(pg. 42) F1100-X-1 ZXN211-A-G .(pg. 42) F1100-X-1-13 ZXN211-A-P(pg. 42) F1100-X-1-13 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 43) F1100-XS6-1 ZXN211-H-G. (pg. 43) F1100-XS6-1-7 ZXN211-H-P. (pg. 43) F1100-XS6-1-7 ZXN211-H-Y(pg. 43) F1100-XS6-1-6 ZXN211-H-Y(pg. 43) F1100-XS6-1-8 ZXN211-H-Y(pg. 43) F1100-XS6-1-8 ZXN211-H-Y(pg. 43) F1100-XS8-1 ZXN211-Y-Q. (pg. 52) F1240-2 Z21-Q. (pg. 52) F1240-3 ZXN211-Y-Q. (pg. 52) F1240-5 ZXN211-Y-Q. (pg. 52) F1240-5 ZXN211-Y-Q. (pg. 52) F1240-5 ZXN211-Y-Q. (pg. 52) F1240-5 ZXN211-Y-Q. (pg. 52) F1240-6 Z221-X. (pg. 52) F1240-6 Z221-Y. (pg. 52) F1240-6 Z21-Y. (pg. 52) F1240-6 Z21-Y. (pg. 52) F1240-6 Z21-Y. (pg. 52) F1240-6 Z21-Y. (pg. 52) F1240-6 ZN300-WB. (pg. 74) F1650-G-1 ZN300-PQ. (pg. 74) F1650-G-1 ZN300-PQ. (pg. 74) F1650-G-1-6 ZN310-WB. (pg. 74) F1650-1-6 ZN310-WB. (pg. 74) F1650-1-6 ZN310-WB. (pg. 74) F16	ZX211-Y(pg. 39) F1100-S8-4
ZX211-Y-VP .(pg. 39) F1100-S8-4-6 ZX211-Y-X(pg. 39) F1100-S8-4-8 ZX211-Y-Y(pg. 39) F1100-S8-4-5 ZX211-Y-210(pg. 39) F1100-S8-4 ZX211-Y-210(pg. 39) F1100-S8-4 ZXN211-A (pg. 42) F1100-X-1 ZXN211-A5 (pg. 42) F1100-X-1 ZXN211-A6 (pg. 42) F1100-X-1-13 ZXN211-A-G .(pg. 42) F1100-X-1-13 ZXN211-A-P (pg. 42) F1100-X-1-6 ZXN211-A-Y (pg. 42) F1100-X-1-6 ZXN211-A-Y (pg. 42) F1100-X-1-8 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-210 .(pg. 42) F1100-X-1-5 ZXN211-H-G .(pg. 43) F1100-XS6-1 ZXN211-H-P .(pg. 43) F1100-XS6-1-7 ZXN211-H-VR (pg. 43) F1100-XS6-1-7 ZXN211-H-Y(pg. 43) F1100-XS6-1-6 ZXN211-H-Y(pg. 43) F1100-XS6-1-5 ZXN211-H-Z10(pg. 43) F1100-XS6-1-5 ZXN211-Y (pg. 43) F1100-XS6-1 ZXN211-Y-G .(pg. 43) F1100-XS8-1 ZXN211-Y-G .(pg. 43) F1100-XS8-1 ZXN211-Y-Q .(pg. 43) F1100-XS8-1 ZXN211-Y-Q (pg. 43) F1100-XS8-1 ZXN211-Y-Q (pg. 43) F1100-XS8-1 ZXN211-Y-D (pg. 52) F1240-2 Z21-VP (pg. 52) F1240-3 Z21-P (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1 ZN300-D (pg. 74) F1650-G-1 ZN300-VP (pg. 52) F1240-5 ZN300-WB (pg. 74) F1650-G-1 ZN300-VP (pg. 74) F1650-G-1 ZN300-VP (pg. 74) F1650-G-1 ZN300-VP (pg. 74) F1650-G-1 ZN310-VP (pg. 74) F1650-G-1 ZN310-VP (pg. 74) F1650-G-1 ZN310-VP (pg. 74) F1650-G-1 ZN310-WB (pg. 74) F1650-1 ZN310-WB (pg. 74) F1650-	ZX211-Y-G(pg. 39). F1100-S8-4-13
ZX211-Y-X(pg. 39) F1100-S8-4-8 ZX211-Y-Y(pg. 39) F1100-S8-4-5 ZX211-Y-210(pg. 39) F1100-S8-4 ZX1211-A (pg. 42) F1100-X-1 ZXN211-A (pg. 42) F1100-X5-1 ZXN211-A-G .(pg. 42) F1100-X-1-3 ZXN211-A-G .(pg. 42) F1100-X-1-3 ZXN211-A-P (pg. 42) F1100-X-1-7 ZXN211-A-P (pg. 42) F1100-X-1-7 ZXN211-A-Y (pg. 42) F1100-X-1-8 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-210 .(pg. 42) F1100-X-1-5 ZXN211-H-G .(pg. 43) F1100-X56-1 ZXN211-H-P .(pg. 43) F1100-X56-1-13 ZXN211-H-P .(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-5 ZXN211-H-Y(pg. 43) F1100-X56-1-5 ZXN211-H-Y(pg. 43) F1100-X56-1-1 ZXN211-Y (pg. 43) F1100-X58-1 ZXN211-Y-Q .(pg. 43) F1100-X58-1 ZXN211-Y-Q (pg. 43) F1100-X58-1 ZXN211-Y-Q (pg. 43) F1100-X58-1 ZXN211-Y-Q (pg. 43) F1100-X58-1 ZXN211-Y-Q (pg. 43) F1100-X58-1-7 ZXN211-Y-V (pg. 43) F1100-X58-1-8 ZXN211-Y-V (pg. 43) F1100-X58-1-8 ZXN211-Y-Q (pg. 43) F1100-X58-1-7 ZXN211-Y-V (pg. 43) F1100-X58-1-8 ZXN211-Y-V (pg. 52) F1240-8 ZX121-Y-V (pg. 52) F1240-8 Z221-W (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-1 Z221-W (pg. 52) F1240-1 Z221-W (pg. 52) F1240-1 Z221-W (pg. 52) F1240-1 Z221-Y (pg. 52) F1240-1 Z221-Y (pg. 52) F1240-1 ZN300-WB (pg. 74) F1650-G-1 ZN300-WB (pg. 74) F1650-G-1 ZN300-WB (pg. 74) F1650-G-1 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-1-6 ZN310-WB (pg. 53) F1320-25-1 ZN315-Q (pg. 53) F1320-25-1 ZN315-Q (pg.	ZX211-Y-P(pg. 39). F1100-S8-4-7
ZX211-Y-Y (pg. 39) F1100-S8-4-5 ZX211-Y-210 (pg. 39) F1100-S8-4 ZXN211-A (pg. 42) F1100-X-1 ZXN211-A5 (pg. 42) F1100-X-1 ZXN211-A6 (pg. 42) F1100-X-1-1 ZXN211-A-G . (pg. 42) F1100-X-1-13 ZXN211-A-P (pg. 42) F1100-X-1-6 ZXN211-A-P (pg. 42) F1100-X-1-6 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-210 . (pg. 42) F1100-X-1-5 ZXN211-A-210 . (pg. 42) F1100-X-1-5 ZXN211-H-G (pg. 43) F1100-X56-1 ZXN211-H-G (pg. 43) F1100-X56-1-13 ZXN211-H-P (pg. 43) F1100-X56-1-6 ZXN211-H-V(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-5 ZXN211-Y-Q (pg. 43) F1100-X56-1-5 ZXN211-Y-Q (pg. 43) F1100-X58-1 ZXN211-Y-Q (pg. 43) F1100-X58-1-7 ZXN211-Y-Q (pg. 52) F1240-2 Z21 (pg. 52) F1240-2 Z21 (pg. 52) F1240-3 Z221-Y (pg. 52) F1240-6 Z221-Y (pg. 52) F1240-7 Z221-Y (pg. 52) F1240-7 Z221-Y (pg. 52) F1240-7 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-7 Z221-Y (pg. 52) F1240-6 Z21-X (pg. 52) F1240-6 Z21-X (pg. 52) F1240-7 Z21-Y (pg. 52) F1240-7 Z21-Y (pg. 52) F1240-7 Z21-Y (pg. 52) F1240-6 Z21-X (pg. 52) F1240-6 Z21-X (pg. 52) F1240-7 Z21-Y (pg. 52) F1240-6 Z21-Y.	ZX211-Y-VP .(pg. 39) F1100-S8-4-6
ZX211-Y-210(pg. 39) F1100-S8-4 ZXN211-A(pg. 42) F1100-X-1 ZXN211-A5(pg. 42) F1100-X-1 ZXN211-A6(pg. 42) F1100-X-1-3 ZXN211-A-G .(pg. 42) F1100-X-1-3 ZXN211-A-P(pg. 42) F1100-X-1-7 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-Y(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-8 ZXN211-A-210 .(pg. 42) F1100-X-1-8 ZXN211-A-210 .(pg. 43) F1100-X-5-1 ZXN211-H(pg. 43) F1100-X56-1 ZXN211-H-G.(pg. 43) F1100-X56-1-7 ZXN211-H-P.(pg. 43) F1100-X56-1-7 ZXN211-H-Y(pg. 43) F1100-X56-1-8 ZXN211-H-Y(pg. 43) F1100-X56-1-8 ZXN211-H-Y(pg. 43) F1100-X56-1-8 ZXN211-Y-(pg. 43) F1100-X58-1 ZXN211-Y-(pg. 43) F1100-X58-1-7 ZXN211-Y-V(pg. 52) F1240-7 Z221-W(pg. 52) F1240-7 Z221-W(pg. 52) F1240-6 Z221-X (pg. 52) F1240-6 Z231-X (pg. 52) F1240-6 Z231-X (pg. 52) F1240-6 Z231-X (pg. 52) F1240-6 Z310 (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN310-WB (pg. 74) F1650-1-6 ZN310-WB (pg. 74) F1650-1-6 ZN310-WB (pg. 74) F1650-1-6 ZN310-WB (pg. 74) F1650-1-6 ZN310	ZX211-Y-X(pg. 39) F1100-S8-4-8
ZXN211-A(pg. 42) F1100-X-1 ZXN211-A5(pg. 42) F1100-X5-1 ZXN211-A6(pg. 42) F1100-X-1-13 ZXN211-A-P(pg. 42) F1100-X-1-7 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-210(pg. 42) F1100-X-1-5 ZXN211-H(pg. 43) F1100-X56-1 ZXN211-H(pg. 43) F1100-X56-1-13 ZXN211-H(pg. 43) F1100-X56-1-7 ZXN211-H(pg. 43) F1100-X56-1-6 ZXN211-H(pg. 43) F1100-X56-1-6 ZXN211-H(pg. 43) F1100-X56-1-5 ZXN211-H(pg. 43) F1100-X56-1-5 ZXN211-Y(pg. 43) F1100-X58-1 ZXN211-Y(pg. 43) F1100-X58-1-7 ZXN211-Y(pg. 52)	ZX211-Y-Y(pg. 39) F1100-58-4-5
ZXN211-A5(pg. 42) F1100-X5-1 ZXN211-A6(pg. 42) F1100-X6-1 ZXN211-A-P(pg. 42) F1100-X-1-13 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-VP(pg. 42) F1100-X-1-6 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-210(pg. 42) F1100-X-5-1 ZXN211-H(pg. 43) F1100-X56-1 ZXN211-H(pg. 43) F1100-X56-1-3 ZXN211-H-P(pg. 43) F1100-X56-1-7 ZXN211-H-V(pg. 43) F1100-X56-1-6 ZXN211-H-Y(pg. 43) F1100-X56-1-5 ZXN211-H-Y(pg. 43) F1100-X56-1-5 ZXN211-Y(pg. 43) F1100-X56-1 ZXN211-Y(pg. 43) F1100-X58-1 ZXN211-Y(pg. 43) F1100-X58-1 ZXN211-Y(pg. 43) F1100-X58-1 ZXN211-Y(pg. 43) F1100-X58-1 ZXN211-Y(pg. 43) F1100-X58-1-7 ZXN211-Y-P(pg. 43) F1100-X58-1-7 ZXN211-Y-V(pg. 52)	ZXZ11-Y-Z1U(pg. 39) F11UU-58-4
ZXN211-A6(pg. 42) F1100-X6-1 ZXN211-A-G .(pg. 42) F1100-X-1-13 ZXN211-A-P(pg. 42) F1100-X-1-6 ZXN211-A-Y(pg. 42) F1100-X-1-8 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-Y(pg. 42) F1100-X-1-5 ZXN211-A-210 .(pg. 42) F1100-X-5 ZXN211-H-Q .(pg. 43) F1100-XS6-1 ZXN211-H-P .(pg. 43) F1100-XS6-1-13 ZXN211-H-P .(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-Y-Qpg. 43). F1100-XS6-1-5 ZXN211-Y-Qpg. 43). F1100-XS8-1 ZXN211-Y-Qpg. 43). F1100-XS8-1-7 ZXN211-	ZXNZ11-A(μg. 42) F1100-X-1
ZXN211-A-G. (pg. 42). F1100-X-1-13 ZXN211-A-P. (pg. 42) F1100-X-1-7 ZXN211-A-VP. (pg. 42) F1100-X-1-6 ZXN211-A-Y (pg. 42) F1100-X-1-8 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-210. (pg. 42) F1100-X-1-5 ZXN211-H-Q. (pg. 43) F1100-XS6-1 ZXN211-H-G. (pg. 43) F1100-XS6-1-13 ZXN211-H-P. (pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-Y-G. (pg. 43) F1100-XS8-1 ZXN211-Y-G. (pg. 43) F1100-XS8-1 ZXN211-Y-G. (pg. 43) F1100-XS8-1 ZXN211-Y-G. (pg. 43) F1100-XS8-1 ZXN211-Y-Y (pg. 43) F1100-XS8-1-7 ZXN211-Y-Y (pg. 43) F1100-XS8-1-6 ZXN211-Y-Y (pg. 43) F1100-XS8-1-6 ZXN211-Y-Y (pg. 43) F1100-XS8-1-6 ZXN211-Y-Y (pg. 43) F1100-XS8-1-7 ZXN211-Y-Y (pg. 52) F1240-X Z221-Q (pg. 52) F1240-X Z221-Q (pg. 52) F1240-X Z221-V (pg. 52) F1240-X Z221-V (pg. 52) F1240-X Z221-Y (pg. 52) F1240-X Z221-Y (pg. 52) F1240-X Z221-Y (pg. 52) F1240-X Z21-Y (pg. 52) F1240-X Z21	
ZXN211-A-P(pg. 42) F1100-X-1-7 ZXN211-A-VP .(pg. 42) F1100-X-1-8 ZXN211-A-X(pg. 42) F1100-X-1-5 ZXN211-A-210 .(pg. 42) F1100-X-1-5 ZXN211-H-210 .(pg. 42) F1100-X56-1 ZXN211-H-G. (pg. 43) F1100-XS6-1 ZXN211-H-G. (pg. 43) F1100-XS6-1-7 ZXN211-H-P .(pg. 43). F1100-XS6-1-7 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-8 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-Y-C. (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1 ZXN211-Y-Y. (pg. 43). F1100-XS8-1 ZXN211-Y-Q. (pg. 43). F1100-XS8-1-7 ZXN211-Y-V. (pg. 52)	7XN211-A0(μg. 42)11100-λ0-1
ZXN211-A-VP .(pg. 42) F1100-X-1-6 ZXN211-A-X (pg. 42) F1100-X-1-8 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-210 .(pg. 42) F1100-X-1 ZXN211-H (pg. 43) F1100-XS6-1 ZXN211-H-G. (pg. 43) F1100-XS6-1 ZXN211-H-P .(pg. 43) F1100-XS6-1-7 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-8 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-210(pg. 43). F1100-XS6-1-5 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1-7 ZXN211-Y-P. (pg. 43). F1100-XS8-1-7 ZXN211-Y-V. (pg. 43). F1100-XS8-1-7 ZXN211-Y-V. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-210 (pg. 43). F1100-XS8-1-8 ZXN211-Y-210 (pg. 52) F1240-13 Z221-P (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-6 Z221-X (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1 ZN300-M. (pg. 74) F1650-G-1 ZN300-M. (pg. 74) F1650-G-1 ZN300-NE (pg. 74) F1650-G-1 ZN300-NE (pg. 74) F1650-G-1-6 ZN300-NB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-1-7 ZN310-MG (pg. 74) F1650-1-7 ZN310-MG (pg. 74) F1650-1-7 ZN310-MG (pg. 74) F1650-1-7 ZN310-MG (pg. 74) F1650-1-7 ZN310-WB (pg. 74) F1650-1-7 ZN310-WB (pg. 74) F1650-1-7 ZN310-WB (pg. 74) F1650-1-7 ZN310-WB (pg. 74) F1650-1-8 ZN310-WB (pg. 74) F1650-1-1 ZN311-G (pg. 74) F1650-1-1	7XN211-Δ-P (ng 42) F1100-X-1-13
ZXN211-A-X (pg. 42) F1100-X-1-8 ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-210 (pg. 42) F1100-X-1-5 ZXN211-H (pg. 43) F1100-XS6-1 ZXN211-H-G. (pg. 43) F1100-XS6-1-13 ZXN211-H-P . (pg. 43) F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-210 (pg. 43). F1100-XS6-1-5 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1-7 ZXN211-Y-V-P (pg. 43). F1100-XS8-1-7 ZXN211-Y-V-P (pg. 43). F1100-XS8-1-7 ZXN211-Y-Y-Q. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y-Q. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y-Q. (pg. 43). F1100-XS8-1-8 ZXN211-Y-210 (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1 ZN300-M (pg. 74) F1650-G-1 ZN300-M (pg. 74) F1650-G-1-6 ZN300-NE (pg. 74) F1650-G-1-6 ZN300-NE (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-1-6 ZN310-M (pg. 74) F1650-1-7 ZN310-M (pg. 74) F1650-1-6 ZN310-M (pg. 74) F1650-1-7 ZN310-M (pg. 74) F1650-1-10 ZN310-M (pg. 74)	7XN211-Δ-VP (ng 42) F1100-X-1-6
ZXN211-A-Y (pg. 42) F1100-X-1-5 ZXN211-A-210 . (pg. 42) F1100-X-1 ZXN211-H (pg. 43) F1100-XS6-1 ZXN211-H-G (pg. 43). F1100-XS6-1-7 ZXN211-H-P . (pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-8 ZXN211-H-Y(pg. 43). F1100-XS6-1-8 ZXN211-H-210(pg. 43). F1100-XS6-1 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y-G . (pg. 43). F1100-XS8-1 ZXN211-Y-Q . (pg. 43). F1100-XS8-1 ZXN211-Y-Q . (pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-6 ZXN211-Y-V(pg. 43). F1100-XS8-1-8 ZXN211-Y-V(pg. 43). F1100-XS8-1-8 ZXN211-Y-210 (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1 Z221 (pg. 52) F1240- Z221-G (pg. 52) F1240-13 Z221-P (pg. 52) F1240-13 Z221-P (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1 ZN300-C (pg. 74) F1650-G-1 ZN300-DX (pg. 74) F1650-G-1 ZN300-FG (pg. 74) F1650-G-1 ZN300-FG (pg. 74) F1650-G-1-A ZN300-FG (pg. 74) F1650-G-1-A ZN300-FG (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-1-6 ZN310-WB (pg. 74) F1650-1-1 ZN310-C (pg. 74) F1650-1-2 ZN310-FG (pg. 74) F1650-1-2 ZN310-FG (pg. 74) F1650-1-1 ZN310-WB (pg. 74) F1650-1-2 ZN310-FG (pg. 74) F1650-1-1 ZN310-WB (pg. 74) F1650-1-1	7XN211-A-X(pg. 42) F1100-X-1-8
ZXN211-A-210 .(pg. 42) F1100-X-1 ZXN211-H(pg. 43) F1100-XS6-1 ZXN211-H-G (pg. 43) .F1100-XS6-1-13 ZXN211-H-P. (pg. 43) .F1100-XS6-1-6 ZXN211-H-Y(pg. 43) .F1100-XS6-1-6 ZXN211-H-Y(pg. 43) .F1100-XS6-1-8 ZXN211-H-Y(pg. 43) .F1100-XS6-1-8 ZXN211-H-210(pg. 43) .F1100-XS6-1 ZXN211-Y(pg. 43) .F1100-XS8-1 ZXN211-Y-G (pg. 43) .F1100-XS8-1 ZXN211-Y-G (pg. 43) .F1100-XS8-1 ZXN211-Y-P(pg. 43) .F1100-XS8-1-7 ZXN211-Y-V(pg. 43) .F1100-XS8-1-7 ZXN211-Y-V(pg. 43) .F1100-XS8-1-7 ZXN211-Y-V(pg. 43) .F1100-XS8-1-8 ZXN211-Y-V(pg. 43) .F1100-XS8-1-8 ZXN211-Y-V(pg. 43) .F1100-XS8-1-8 ZXN211-Y-V(pg. 43) .F1100-XS8-1-7 ZXN211-Y-V(pg. 43) .F1100-XS8-1-7 ZXN211-Y-V(pg. 43) .F1100-XS8-1-7 ZXN211-Y-V(pg. 52)	ZXN211-A-Y(pg. 42) F1100-X-1-5
ZXN211-H (pg. 43) F1100-XS6-1 ZXN211-H-G. (pg. 43). F1100-XS6-1-13 ZXN211-H-P. (pg. 43). F1100-XS6-1-6 ZXN211-H-V(pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-8 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-210 (pg. 43). F1100-XS6-1 ZXN211-Y. (pg. 43). F1100-XS8-1 ZXN211-Y. (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1-7 ZXN211-Y-P(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-5 ZXN211-Y-V(pg. 43). F1100-XS8-1-5 ZXN211-Y-V(pg. 43). F1100-XS8-1-5 ZXN211-Y-V(pg. 43). F1100-XS8-1-5 ZXN211-Y-V(pg. 52)	ZXN211-A-210 .(pg. 42) F1100-X-1
ZXN211-H-G. (pg. 43). F1100-XS6-1-13 ZXN211-H-P. (pg. 43). F1100-XS6-1-6 ZXN211-H-Y(pg. 43). F1100-XS6-1-8 ZXN211-H-Y(pg. 43). F1100-XS6-1-8 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-210(pg. 43). F1100-XS6-1 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y-Q. (pg. 43). F1100-XS8-1 ZXN211-Y-Q. (pg. 43). F1100-XS8-1-7 ZXN211-Y-P(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-6 ZXN211-Y-V(pg. 43). F1100-XS8-1-5 ZXN211-Y-V(pg. 43). F1100-XS8-1-5 ZXN211-Y-Y (pg. 43). F1100-XS8-1-5 ZXN211-Y-Y (pg. 43). F1100-XS8-1-5 ZXN211-Y-Y (pg. 52)	
ZXN211-H-P. (pg. 43). F1100-XS6-1-7 ZXN211-H-V(pg. 43). F1100-XS6-1-8 ZXN211-H-X(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-Y(pg. 43). F1100-XS6-1 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1-7 ZXN211-Y-P(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-6 ZXN211-Y-V(pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 52). F1240-13 Z221-G. (pg. 52). F1240-13 Z221-P. (pg. 52). F1240-7 Z221-VP. (pg. 52). F1240-6 Z221-X. (pg. 52). F1240-5 Z300. (pg. 74). F1650-G-1 ZN300- (pg. 74). F1650-G-1 ZN300- (pg. 74). F1650-G-1 ZN300- (pg. 74). F1650-G-1 ZN300- (pg. 74). F1650-G-1-A ZN300- (pg. 74). F1650-G-1-A ZN300- (pg. 74). F1650-G-1-A ZN300- (pg. 74). F1650-G-1-6 ZN300- (pg. 74). F1650-1-7 ZN310- (pg. 74). F	ZXN211-H-G.(pg. 43).F1100-XS6-1-13
ZXN211-H-VP(pg. 43). F1100-XS6-1-6 ZXN211-H-X(pg. 43). F1100-XS6-1-8 ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-210(pg. 43). F1100-XS6-1 ZXN211-Y(pg. 43). F1100-XS8-1 ZXN211-Y8(pg. 43). F1100-XS8-1 ZXN211-Y-G.(pg. 43). F1100-XS8-1 ZXN211-Y-P(pg. 43). F1100-XS8-1-7 ZXN211-Y-P(pg. 43). F1100-XS8-1-7 ZXN211-Y-V(pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 52)	ZXN211-H-P .(pg. 43). F1100-XS6-1-7
ZXN211-H-Y(pg. 43). F1100-XS6-1-5 ZXN211-H-210(pg. 43). F1100-XS6-1 ZXN211-Y (pg. 43) F1100-XS8-1 ZXN211-Y-8 (pg. 43) F1100-XS8-1 ZXN211-Y-G. (pg. 43) F1100-XS8-1-3 ZXN211-Y-P(pg. 43). F1100-XS8-1-6 ZXN211-Y-V (pg. 43). F1100-XS8-1-6 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 52) F1240 Z221-G (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-6 Z221-Y (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300-C (pg. 74) F1650-G-1 ZN300-DX (pg. 74) F1650-G-1-A ZN300-BG (pg. 74) F1650-G-1-A ZN300-BG (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-1-6 ZN310-C (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1-6 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1	ZXN211-H-VP.(pg. 43). F1100-XS6-1-6
ZXN211-H-210(pg. 43) F1100-XS6-1 ZXN211-Y (pg. 43) F1100-XS8-1 ZXN211-Y8 (pg. 43) F1100-XS8-1 ZXN211-Y-G. (pg. 43) F1100-XS8-1-7 ZXN211-Y-P(pg. 43) F1100-XS8-1-7 ZXN211-Y-VP (pg. 43) F1100-XS8-1-6 ZXN211-Y-Y (pg. 43) F1100-XS8-1-8 ZXN211-Y-Y (pg. 43) F1100-XS8-1-8 ZXN211-Y-Y (pg. 43) F1100-XS8-1-8 ZXN211-Y-Y (pg. 43) F1100-XS8-1 Z221 (pg. 52) F1240 Z221-G (pg. 52) F1240-13 Z221-P (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-6 Z221-X (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-5 Z300 (pg. 74)	ZXN211-H-X(pg. 43). F1100-XS6-1-8
ZXN211-Y (pg. 43) F1100-XS8-1 ZXN211-Y8 (pg. 43) F1100-XS8-1 ZXN211-Y-G. (pg. 43). F1100-XS8-1-3 ZXN211-Y-P. (pg. 43). F1100-XS8-1-7 ZXN211-Y-VP. (pg. 43). F1100-XS8-1-6 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1 Z221-Y. (pg. 52) F1240 Z221-G (pg. 52) F1240-13 Z221-P (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-6 Z221-X (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300-W. (pg. 74) F1650-G-1-Z ZN300-FG (pg. 74) F1650-G-1-Z ZN300-FG (pg. 74) F1650-G-1-6 ZN300-NE	ZXN211-H-Y(pg. 43). F1100-XS6-1-5
ZXN211-Y8(pg. 43) F1100-XS8-1 ZXN211-Y-G.(pg. 43). F1100-XS8-1-13 ZXN211-Y-P.(pg. 43). F1100-XS8-1-7 ZXN211-Y-V. (pg. 43). F1100-XS8-1-6 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1 Z221 (pg. 52) F1240 Z221-G (pg. 52) F1240-13 Z221-P (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-5 Z300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300-C (pg. 74) F1650-G-1 ZN300-DX (pg. 74) F1650-G-1-Z ZN300-FG (pg. 74) F1650-G-1-A ZN300-FG (pg. 74) F1650-G-1-6 ZN300-NE	
ZXN211-Y-G.(pg. 43) F1100-XS8-1-13 ZXN211-Y-P(pg. 43). F1100-XS8-1-6 ZXN211-Y-V(pg. 43). F1100-XS8-1-6 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1 Z221- (pg. 52)	ZXN211-Y(pg. 43) F1100-XS8-1
ZXN211-Y-P(pg. 43). F1100-XS8-1-7 ZXN211-Y-VP (pg. 43). F1100-XS8-1-6 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1 ZZ21	
ZXN211-Y-VP (pg. 43). F1100-XS8-1-6 ZXN211-Y-X. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1 Z221	ZXN211-Y-G.(pg. 43) F1100-XS8-1-13
ZXN211-Y-X. (pg. 43). F1100-XS8-1-8 ZXN211-Y-Y. (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1 Z221 (pg. 52) F1240 Z221-G (pg. 52) F1240-7 Z221-VP (pg. 52) F1240-6 Z221-X. (pg. 52) F1240-6 Z221-X. (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z2300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300-C (pg. 74) F1650-G-1 ZN300-DX (pg. 74) F1650-G-1-Z ZN300-FG (pg. 74) F1650-G-1-A ZN300-IG (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) SEE F1670 Z310 (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-A ZN310-FG (pg. 74) F1650-1-B ZN310-FG (pg. 74) F1650-1-C ZN310-FG (pg. 74) F1650-1-C ZN310-FG (pg. 74) F1650-1-C ZN310-WB (pg. 74) See F1670 ZN310-WB (pg. 74) F1650-1-C ZN310-WB (pg. 74) See F1670 ZN310-WB (pg. 74) F1650-1-C ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1	ZXNZ11-Y-P.(pg. 43). F1100-X56-1-7
ZXN211-Y-Y . (pg. 43). F1100-XS8-1-5 ZXN211-Y-210 (pg. 43). F1100-XS8-1 Z221 (pg. 52) F1240 Z221-G (pg. 52) F1240-13 Z221-P (pg. 52) F1240-6 Z221-VP (pg. 52) F1240-6 Z221-X (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F1240-8 Z221-Y (pg. 52) F12650-G-1 Z300 (pg. 74) F1650-G-1 ZN300 (pg. 74) F1650-G-1 ZN300-C (pg. 74) F1650-G-1 ZN300-DX (pg. 74) F1650-G-1-Z ZN300-FG (pg. 74) F1650-G-1-A ZN300-IG (pg. 74) F1650-G-1-6 ZN300-NB "X" ZN300-VP (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-A ZN310-FG (pg. 74) F1650-1-A ZN310-FG (pg. 74) F1650-1-6 ZN310-WB (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1	7YN211-Y-Y (pg. 43), F1100-X30-1-0
ZXN211-Y-210 (pg. 43). F1100-XS8-1 Z221	7XN211-V-V (ng. 43) F1100-XS8-1-5
Z221	
Z221-G(pg. 52)	7221(pg. 52) F1240
Z221-P(pg. 52)	Z221-G(pg. 52) F1240-13
Z221-VP(pg. 52)	Z221-P(pg. 52) F1240-7
Z221-X	Z221-VP(pg. 52) F1240-6
Z221-Y(pg. 52)	Z221-X(pg. 52) F1240-8
ZB300(pg. 74) F1650-G-1 ZN300(pg. 74) F1650-G-1 ZN300-C(pg. 74) F1650-G-1 ZN300-DX(pg. 74) F1650-G-1 ZN300-FG(pg. 74) F1650-G-1-Z ZN300-FG(pg. 74) F1650-G-1-6 ZN300-NE	Z221-Y(pg. 52) F1240-5
ZN300-C (pg. 74) F1650-G-1 ZN300-DX (pg. 74) F1650-G-1-Z ZN300-FG (pg. 74) F1650-G-1-A ZN300-IG (pg. 74) F1650-G-1-6 ZN300-NE "X" ZN300-ST "X" ZN300-VP (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-I ZN310 (pg. 74) F1650-I ZN310 (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1 ZN310-DX (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-A ZN310-IG (pg. 74) F1650-1-6 ZN310-YP (pg. 74) F1650-1-6 ZN310-WB (pg. 74) See F1670 ZN310-WB (pg. 74) See F1670 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1	Z300(pg. 74) F1650-G
ZN300-C (pg. 74) F1650-G-1 ZN300-DX (pg. 74) F1650-G-1-Z ZN300-FG (pg. 74) F1650-G-1-A ZN300-IG (pg. 74) F1650-G-1-6 ZN300-NE "X" ZN300-ST "X" ZN300-VP (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-G-1-6 ZN300-WB (pg. 74) F1650-I ZN310 (pg. 74) F1650-I ZN310 (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1 ZN310-DX (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-A ZN310-IG (pg. 74) F1650-1-6 ZN310-YP (pg. 74) F1650-1-6 ZN310-WB (pg. 74) See F1670 ZN310-WB (pg. 74) See F1670 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1 ZN315 (pg. 53) F1320-25-1	ZB300(pg. 74) F1650-G-1
ZN300-FG(pg. 74) F1650-G-1-A ZN300-IG(pg. 74) F1650-G-1-6 ZN300-NE	ZN300(pg. 74) F1650-G-1
ZN300-FG(pg. 74) F1650-G-1-A ZN300-IG(pg. 74) F1650-G-1-6 ZN300-NE	ZN300-C(pg. 74) F1650-G-1
ZN300-IG(pg. 74) F1650-G-1-6 ZN300-NE	ZN300-DX(pg. 74) F1650-G-1-Z
ZN300-NE	ZN300-FG(pg. 74) F1650-G-1-A
ZN300-ST	ZN300-IG(pg. 74) F1050-G-1-0
ZN300-WB(pg. 74) SEE F1670 Z310 (pg. 74) F1650 ZB310 (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1 ZN310-DX (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-A ZN310-IG (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-WB (pg. 74) see F1670 Z315 (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1	
ZN300-WB(pg. 74) SEE F1670 Z310 (pg. 74) F1650 ZB310 (pg. 74) F1650-1 ZN310 (pg. 74) F1650-1 ZN310-C (pg. 74) F1650-1 ZN310-DX (pg. 74) F1650-1-Z ZN310-FG (pg. 74) F1650-1-A ZN310-IG (pg. 74) F1650-1-6 ZN310-VP (pg. 74) F1650-1-6 ZN310-WB (pg. 74) see F1670 Z315 (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1 ZN315-G (pg. 53) F1320-25-1	7N300-VP (ng 74) F1650-G-1-6
Z310(pg. 74)F1650 ZB310(pg. 74)F1650-1 ZN310(pg. 74)F1650-1 ZN310-C(pg. 74)F1650-1 ZN310-DX(pg. 74)F1650-1-Z ZN310-FG(pg. 74)F1650-1-A ZN310-IG(pg. 74)F1650-1-6 ZN310-VP(pg. 74)	7N300-WR (ng 74) SEE F1670
ZB310(pg. 74)	7310 (ng 74) F1650
ZN310(pg. 74)	ZB310(pg. 74) F1650-1
ZN310-C(pg. 74)	
ZN310-DX(pg. 74)	ZN310-C(pg. 74) F1650-1
ZN310-FG(pg. 74)	ZN310-DX(pg. 74) F1650-1-Z
ZN310-IG(pg. 74) F1650-1-6 ZN310-ST	ZN310-FG(pg. 74) F1650-1-A
ZN310-ST	ZN310-IG(pg. 74) F1650-1-6
ZN310-VP(pg. 74) F1650-1-6 ZN310-WB(pg. 74) see F1670 Z315(pg. 53) F1320-25-1 ZB315(pg. 53) F1320-25-1 ZN315(pg. 53) F1320-25-1 ZN315-G(pg. 53) F1320-25-1-13	ZN310-ST""X"
ZN310-WB(pg. 74) see F1670 Z315(pg. 53) F1320-25-1 ZB315(pg. 53) F1320-25-1 ZN315(pg. 53) F1320-25-1 ZN315-G(pg. 53) F1320-25-1-13	ZN310-VP(pg. 74) F1650-1-6
Z315(pg. 53) F1320-25-1 ZB315(pg. 53) F1320-25-1 ZN315(pg. 53) F1320-25-1 ZN315-G(pg. 53) F1320-25-1-13	ZN310-WB(pg. 74) see F1670
ZN315(pg. 53) F1320-25-1 ZN315-G(pg. 53) F1320-25-1-13	Z315(pg. 53) F1320-25-1
ZN315-G(pg. 53) F1320-25-1-13	ZB315(pg. 53) F1320-25-1
ZN315-G(pg. 53) F1320-25-1-13 ZN315-HL .(pg. 53) F1320-25-1-6	ZN315(pg. 53) F1320-25-1
ZN315-HL .(pg. 53) F1320-25-1-6	ZN315-G(pg. 53) F1320-25-1-13
	zıvз гэ-нь .(pg. 53) +1320-25-1-6

S	REF	ERENCE	
71	21E D	(pg. 53) F1320-2	E 1 7
ZIV	1313-P	(pg. 53) F1320-2	:0-1- <i>1</i>
ZIV	1313-16.	(pg. 53) F1320-25)-I-IU
ZIV	۱۵۱۵-۷	(pg. 53) F1320-2	9-1-8
Z3	19	(pg. 74) F	1660
		(pg. 74) F10	
ΖN	319	(pg. 74) F1	660-1
ΖN	319-DX	(pg. 74) F166	0-1-Z
7N	319-G	(pg. 74) F1660	-1-13
7N	319-P	(pg. 74) F166	n-1-7
7N	1310 V	.(pg. 74) F166	0 1 7 0 1 0
7N	1210 VD	.(pg. 74) F166	0-1-0 0 1 6
ZIV	1010 WD	.(pg. 74)	1670
ZIV	319-WB	.(pg. 74) see F	10/0
ZΝ	319-Y	.(pg. 74) F166	0-1-5
Z3	20(pg.	74) F1650-ER9-HG5	-3-11
ZB	320 .(pg	. 74).F1650-ER9-HG	5-3-11
ΖN	320.(pg.	74).F1650-ER9-HG5	-3-11
ΖN	320-DC.	(pg. 74). F1650-ER9-	HG5-3
ZN	320-G (pg	. 74) F1650-ER9-HG5-3	-11-13
ZN	320-V (pg	. 74) F1650-ER9-HG5-	3-8-11
ZN	320-VP (p	g. 74) F1650-ER9-HG5-	3-6-11
ΖN	320-WB	(pg. 74) see F	1670
Z3	25	(pg. 75) F	1790
Z3	25-DB	(pg. 75) F179	90-21
73	25-G	(pg. 75) F179	20-13
73	25_S	(pg. 75) F17	00 10 00_21
72	20-0 26	(pg. 75)117	30-21 3700
70	20	(pg. 75) F (pg. 75) F178	1700
Z3	26-AK	(pg. 75) F178	30-11
		(pg. 75) F178	
Z3	26-G	(pg. 75) F178	30-13
Z3	26-S	(pg. 75) F17	80-21
Z3	28	(pg. 46)	F4
Z3	28-4	(pg. 46)	F4-50
Z3	28-6	(pg. 46)	F6-50
7R	328-4	(pg. 46)	F4-1
7R	328-6	(pg. 46)	F6-1
7N	320-0 320 /	(pg. 46)	. 10-1 E/I 1
ZIV	120 -4	(pg. 46)	EG 1
70	020-0	(pg. 40)	10-1 50 11
70	20-An	(pg. 46) F4-	50-11
Z3	28-U	(pg. 46) F4-	00-11
Z3	29	(pg. 46)	b
Z3	29-7	(pg. 46)	. J-50
Z3	29-9	(pg. 46)	G-50
ZB	329-7	(pg. 46)	J-1
ZB	329-9	(pg. 46)	G-1
ZN	329-7	(pg. 46)(pg. 46)	J-1
ZN	329-9	(pg. 46)	G-1
Z3	29-AR	(pg. 46) G-5	50-11
		(pg. 46) G-5	
Z3	48	(pg. 76) F	1820
7B	348	(pg. 76) F18	20-81
73	48-G	(pg. 76) F182	20-13
73	48-TC	(ng 76) F18	20-TC
72	40-10	(pg. 76) F183 (pg. 77) F1830-	DI EN
20	49	(µy. //) r 1030-1	PL-30
ZB	349	(pg. 77) F18	3U-PL
ZΝ	349	(pg. 77) F18	30-PL
ZΝ	349-C	.(pg. 77) F1830-PL	-3-40
ΖN	349-G	.(pg. 77) F1830-PL	3-13
ΖN	349-SD	.(pg. 77) F1830-PL	-3-79
ΖN	349-SS	.(pg. 77) F1830-PL	-3-83
73	50	.(pg. 77) F18	330-P
7R	350	.(pg. 77) F183	n-P-3
7N	250	(pg. 77) F183	U D 3
711	350 C	(pg. 77) E1000 F	0-1-0
ZIV	33U-U	.(pg. 77) F1830-F	-J-4U
ΔN	ანს-G	(pg. 77) F1830-P	-ა-13
ZΝ	350-P	(pg. 77) F1830-	Y-3-7
ZN	350-PL .	.(pg. 77) F183	U-P-3
ΖN	350-PS	(pg. 77) F1830-F	2-3-43
ΖN	350-SD	(pg. 77) F1830-F	-3-79
ZΝ	350-SS	(pg. 77) F1830-P	-3-83
Z3	52	(pg. 76) F	1810
Z3	52-G	(pg. 76) F181	10-13
"Х	,,	Contact N	IIFAB

7050 VD (** 70) 51012.0
Z352-VP (pg. 76) F1810-6 Z352-45(pg. 76) F1810-45
Z352-45(pg. 76) F1810-45
Z352-90(pg. 76) F1810-90
ZRB352(pg. 76) F1810-81
Z355 (pg. 49) F1160
ZB355(pg. 49) F1160-1
ZN355(pg. 49) F1160-1
ZN355-CP(pg. 49) F1160-49
7N255 C (pg. 49) F1100-49
ZN355-G(pg. 49) F1160-1-13
Z356(pg. 50) F1170
ZB356(pg. 50) F1170-C-5-1*
ZN356(pg. 50) F1170-C-5-1*
ZN356-BP(pg. 50)F1170-C-5-1-34B*
ZN356-G .(pg. 50).F1170-C-5-1-13*
ZN356-J(pg. 50) F1170-C-5-1*
ZN356-J2 .(pg. 50) F1170-C-5-1*
ZN356-J3 .(pg. 50) F1170-C-5-1*
ZN356-VP.(pg. 50) F1170-C-5-1-6*
7400 M (pg. 30) 1 1 1 7 0 - 0 - 3 - 1 - 0
Z400-M(pg. 46) 5-1-TFB
Z400-N(pg. 46)N
Z400-7N(pg. 46)N7
Z400-9N(pg. 46)N9
Z400-SR(pg. 140)SR Z400-SR(CLPB)MI-STAND
Z400-SR(CLPB)MI-STAND
Z400-U(pg. 46) DD-50
Z400-18(pg. 47)SPR
ZB400-B(pg. 46) 5-1
ZB400-5B(pg. 46) 5-2
7D400 6D (pg. 46) 6.1
ZB400-6B(pg. 46)
ZB400-7B(pg. 46)
ZB400-8B(pg. 46) 8-1
ZB400-10B(pg. 46) 10-1
ZB400-BL(pg. 47) Z5-1
ZB400-C(pg. 46) HG-3
ZB400-D(pg. 47) VD-3
7B400-F (pg. 46) FF-1
ZB400-E(pg. 46) EF-1
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-I .(pg. 46). ER-1 (specify dia.)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-I .(pg. 46). ER-1 (specify dia.) ZB400-J.(pg. 46). RS-1 (specify size)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-J .(pg. 46). ER-1 (specify dia.) ZB400-J .(pg. 46). RS-1 (specify size) ZB400-K(pg. 46) AS-1
ZB400-E(pg. 46)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-J. (pg. 46). ER-1 (specify dia.) ZB400-J. (pg. 46). RS-1 (specify size) ZB400-K(pg. 46) AS-1 ZB400-M(pg. 46)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-J. (pg. 46). ER-1 (specify dia.) ZB400-J. (pg. 46). RS-1 (specify size) ZB400-K(pg. 46) AS-1 ZB400-M(pg. 46)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-J.(pg. 46). ER-1 (specify dia.) ZB400-J.(pg. 46). RS-1 (specify size) ZB400-K(pg. 46) AS-1 ZB400-M(pg. 46) 5-2-TFB ZB400-N(pg. 46).N-1 (specify dia.) ZB400-O(pg. 46) FT6-1 ZB400-P(pg. 47)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-J.(pg. 46). ER-1 (specify dia.) ZB400-J.(pg. 46). RS-1 (specify size) ZB400-K(pg. 46) AS-1 ZB400-M(pg. 46) 5-2-TFB ZB400-N(pg. 46).N-1 (specify dia.) ZB400-O(pg. 46) FT6-1 ZB400-P(pg. 47)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-J.(pg. 46). ER-1 (specify dia.) ZB400-J.(pg. 46). RS-1 (specify size) ZB400-K(pg. 46) AS-1 ZB400-M(pg. 46) 5-2-TFB ZB400-N(pg. 46).N-1 (specify dia.) ZB400-O(pg. 46) 5-1 ZB400-P(pg. 47) WD-3 ZB400-S (pg. 47).S5-1 (specify size)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46). FC-1 (specify dia.) ZB400-J.(pg. 46). ER-1 (specify dia.) ZB400-J.(pg. 46). RS-1 (specify size) ZB400-K(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46)
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46) K-1 ZB400-I (pg. 46) K-1 ZB400-J. (pg. 46) I (specify dia.) ZB400-J. (pg. 46) AS-1 (specify size) ZB400-K(pg. 46) 5-2-TFB ZB400-M(pg. 46) 5-2-TFB ZB400-N(pg. 46) FT6-1 ZB400-P(pg. 47) WD-3 ZB400-S (pg. 47) WD-3 ZB400-S (pg. 47) S5-2 ZB400-6S(pg. 47) S5-2 ZB400-6S(pg. 47) S8-1 ZB400-SS(pg. 47) S8-1 ZB400-SS(pg. 47) S8-1 ZB400-SS(pg. 47) S10-1 ZB400-SC(pg. 47) S10-1 ZB400-SC(pg. 47) S10-1 ZB400-SC(pg. 47) S10-1 ZB400-SL(pg. 47) S10-3 ZB400-SL(pg. 47) S10-1 ZB400-SL(pg. 47) S10-3 ZB400-SL(pg. 47) Z5-1
ZB400-E(pg. 46) EF-1 ZB400-G(pg. 46) K-1 ZB400-H (pg. 46) K-1 ZB400-H (pg. 46) (specify dia.) ZB400-J. (pg. 46) AS-1 (specify size) ZB400-K (pg. 46) AS-1 ZB400-M (pg. 46) 5-2-TFB ZB400-N (pg. 46) FT6-1 ZB400-P (pg. 46) FT6-1 ZB400-P (pg. 47) WD-3 ZB400-S (pg. 47) WD-3 ZB400-SS (pg. 47) S5-2 ZB400-6S (pg. 47) S6-1 ZB400-P (pg. 47) S8-1 ZB400-SS (pg. 47) S8-1 ZB400-SS (pg. 47) S8-1 ZB400-SS (pg. 47) S10-1 ZB400-SC (pg. 47) S10-1 ZB400-SC (pg. 47) S10-1 ZB400-SL (pg. 47) S10-1 ZB400-SL (pg. 47) ZS-1 ZB400-SL (pg. 47) ZS-1 ZB400-SL (pg. 47) ZS-1 ZB400-T (pg. 47) ZS-1 ZB400-T (pg. 47) ZS-1 ZB400-T (pg. 47) ZS-1
ZB400-E
ZB400-E(pg. 46)
ZB400-E

ZN400-K (pg. 46) AS-1
ZN400-N (pg. 40)
7N 400 N4 (- 40) E 4 TED
/N/400-W (ng 46) 5-1-1-B
ZN400-M(pg. 46) 5-1-TFB
ZN400-N(pg. 46). N-1 (specify dia.)
ZN 400 0 (40) FT0 4
ZN400-0(pg. 46) FT6-1
ZN400-P(pg. 47) WD-3
ZN400-R(pg. 46) FC-1
211400-11(pg. 40) 1 0-1
ZN400-S (CAN)(pg. 46) DD-1
ZN400-S (USA)(pg. 47).S5-1 (spec.size
ZN 400 FO (507.1) (pg. 11.7) (pp. 616.12)
ZN400-5S(pg. 47) S5-1
7N400 CC (na 47) CC 1
ZN400-6S(pg. 47) S6-1
ZN400-7S(pg. 47) S8-1
211400-73(pg. 47) 30-1
ZN400-8S(pg. 47) S8-1
211400 00(pg. 47)00 1
ZN400-9S(pg. 47) S10-1
211 100 00(pg. 17 /
ZN400-10S(pg. 47) S10-1
7N 400 00 (47) 0D0 0
ZN400-SC(pg. 47)SD6-3
7N/400 CII (no. 47) CIIC 0 (anacific cina
ZN400-SH (pg. 47) SHG-3 (specify size
ZN400-SL(pg. 47)ZS-1 ZN400-T(pg. 47) T-3 (specify size)
Z11400-3L(pg. 41)
7N/100-T (ng //7) T-3 (enacify ciza)
211400-1(pg. 41) 1-0 (specify size)
ZN400-U(pg. 46) DD-1
214 100 0(pg. 10)
ZN400-Y (pg. 47). S5-1 (specify size)
70.400 P (40) F 0: (0 !!)
ZS400-B(pg. 46) 5-3* (Spec. dia.)
70400 FD (40) F 0
ZS400-5B(pg. 46) 5-3
ZS400-6B(pg. 46) 6-3
ZS400-7B(pg. 46)
20400 7 D(pg. 40) 7 0
ZS400-8B(pg. 46) 8-3
=0.100 02(pg. 10)
ZS400-10B(pg. 46) 10-3
70.400.0 (47) 05.0 (0
ZS400-S.(pg. 47) S5-3 (Spec. size)
ZX400-A(pg. 46) 5-4
ZX400-Y(pg. 47) S8-4
ΔΛ400-1(pg. 47) 30-4
ZXN400-A (pg. 47). X-1 (specify size)
ZXN400-H(pg. 47) XS6-1
7.01400.14
ZXN400-Y(pg. 47) XS8-1
7414 (40) 550
Z414 (pg. 46) F-50
7/1// 1 (ng /G) C EO
Z414-1(pg. 46) G-50
Z414-4(pg. 46) F4-50
7414-6 (ng 46) F6-50
Z414-6(pg. 46) F6-50
Z414-6(pg. 46) F6-50 ZN414(pg. 46) F-1
ZN414(pg. 46) F-1
ZN414(pg. 46) F-1
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1 ZN414-4(pg. 46) F4-1
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1 ZN414-4(pg. 46) F4-1
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1 ZN414-4(pg. 46) F4-1 ZN414-6(pg. 46) F6-1
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1 ZN414-4(pg. 46) F4-1 ZN414-6(pg. 46) F6-1
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1 ZN414-4(pg. 46) F4-1 ZN414-6(pg. 46) F6-1 Z415 body(pg. 276) A1 body w/A1-C2
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1 ZN414-4(pg. 46) F4-1 ZN414-6(pg. 46) F6-1 Z415 body(pg. 276) A1 body w/A1-C2
ZN414(pg. 46) F-1 ZN414-1(pg. 46) G-1 ZN414-4(pg. 46) F4-1 ZN414-6(pg. 46) F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33) F1100-C*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z*
ZN414(pg. 46)
ZN414(pg. 46)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-C(pg. 37)F1000-C-HG* Z415-D
ZN414(pg. 46)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)G-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415
ZN414(pg. 46)F-1 ZN414-1(pg. 46)G-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415
ZN414(pg. 46)
ZN414(pg. 46)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-HG* Z415-D(pg. 37)F1100-C-HG* Z415-E(pg. 35)F1100-C-FF* Z415-G(pg. 38)F1100-C-FC* Z415-J(pg. 36)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-HG* Z415-D(pg. 37)F1100-C-HG* Z415-E(pg. 35)F1100-C-FF* Z415-G(pg. 38)F1100-C-FC* Z415-J(pg. 36)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-HG* Z415-C(pg. 37)F1000-C-HG* Z415-E(pg. 35)F1100-C-FF* Z415-G(pg. 38)F1100-C-K* Z415-H(pg. 36)F1100-C-RS* Z415-J(pg. 39)F1100-C-AS* Z415-M(pg. 34)F1100-C-AS* Z415-M(pg. 33)F1100-C-S-3-TFB* Z415-N(pg. 38)F1100-C-N*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-HG* Z415-C(pg. 37)F1000-C-HG* Z415-E(pg. 35)F1100-C-FF* Z415-G(pg. 38)F1100-C-K* Z415-H(pg. 36)F1100-C-RS* Z415-J(pg. 39)F1100-C-AS* Z415-M(pg. 34)F1100-C-AS* Z415-M(pg. 33)F1100-C-S-3-TFB* Z415-N(pg. 38)F1100-C-N*
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-HG* Z415-C(pg. 37)F1000-C-HG* Z415-E(pg. 35)F1100-C-FF* Z415-BZ(pg. 38)F1100-C-K* Z415-BZ(pg. 36)F1100-C-RS* Z415-BZ(pg. 39)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-HG* Z415-C(pg. 37)F1100-C-HG* Z415-E(pg. 35)F1100-C-FF* Z415-H(pg. 36)F1100-C-K* Z415-H(pg. 39)F1100-C-RS* Z415-M
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-HG* Z415-C(pg. 37)F1100-C-HG* Z415-E(pg. 35)F1100-C-FF* Z415-H(pg. 36)F1100-C-K* Z415-H(pg. 39)F1100-C-RS* Z415-M
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 37)F1000-C-HG* Z415-D(pg. 37)F1100-C-FF* Z415-B(pg. 38)F1100-C-FF* Z415-B(pg. 36)F1100-C-RS* Z415-H(pg. 39)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 37)F1000-C-HG* Z415-D(pg. 37)F1100-C-FF* Z415-B(pg. 38)F1100-C-FF* Z415-B(pg. 36)F1100-C-RS* Z415-H(pg. 39)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) Af) body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z* Z415-BL(pg. 37)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) Af) body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z* Z415-BL(pg. 33)F1100-C-Z* Z415-BL(pg. 37)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C* Z415-BZ(pg. 33)F1100-C* Z415-BZ(pg. 33)F1100-C-W* Z415-C(pg. 37)F1000-C-HG* Z415-D(pg. 41)F1000-C-VD* Z415-E(pg. 35)F1100-C-EF* Z415-G(pg. 38)F1100-C-K* Z415-H(pg. 36)F1100-C-R* Z415-J(pg. 39)F1100-C-SX* Z415-M.(pg. 33)F1100-C-N* Z415-M.(pg. 38)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-B(pg. 33)F1100-C* Z415-BZ(pg. 33)F1100-C* Z415-BZ(pg. 33)F1100-C-W* Z415-C(pg. 37)F1000-C-HG* Z415-D(pg. 41)F1000-C-VD* Z415-E(pg. 35)F1100-C-EF* Z415-G(pg. 38)F1100-C-K* Z415-H(pg. 36)F1100-C-R* Z415-J(pg. 39)F1100-C-SX* Z415-M.(pg. 33)F1100-C-N* Z415-M.(pg. 38)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415(pg. 33)F1100-C* Z415-BL(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 33)F1100-C-Z* Z415-BZ(pg. 37)F1000-C-HG* Z415-D(pg. 37)
ZN414(pg. 46)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)G-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415
ZN414(pg. 46)
ZN414(pg. 46)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F6-1 Z415 body(pg. 276) A1 body w/A1-C2 Z415
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F4-1 ZN415 body(pg. 276) A1 body w/A1-C2 Z415
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F4-1 ZN415 body(pg. 276) A1 body w/A1-C2 Z415
ZN414(pg. 46)
ZN414(pg. 46)
ZN414(pg. 46)F-1 ZN414-1(pg. 46)F4-1 ZN414-4(pg. 46)F4-1 ZN414-6(pg. 46)F4-1 ZN415 body(pg. 276) A1 body w/A1-C2 Z415

Design and dimensions are subject to modification. Prices do not include applicable taxes.

"X" Contact MIFAB

Visit www.mifab.com for the most recent product information.

Toll Free 1-800-465-2736, Fax 773-341-3049

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









<u> ≰MIFA</u>B

ZURN - MIFAB CROSS REFERENCE

ZN415-I ..(pg. 36)...... F1100-C-ER-1* ZN415-J .(pg. 39).... F1100-C-RS-1* ZN415-K (pg. 34)..... F1100-C-AS-1* ZN415-M (pg. 33) F1100-C-5-3-TFB* ZN415-N .(pg. 38)..... F1100-C-N-1* ZN415-0 (pg. 37)... F1100-C-FT6-1* ZN415-P .(pg. 42)....F1100-C-WD-3* ZN415-S .(pg. 39)..... F1100-C-S-1* ZN415-SC (pg. 40). F1100-C-SD6-3* ZN415-SH.(pg. 40) F1000-C-SHG-3* ZN415-SL .(pg. 44)... F1100-C-ZS-1* ZN415-T ... (pg. 41)..... F1000-C-T-3* ZN415-M (pg. 33) F1100-C-5-1-TFB* ZN415-W (pg. 43)... F1000-C-XS-1* ZX415-A ..(pg. 33).... F1100-C-5-4* ZS415-B ...(pg. 32)...... F1000-C* ZS415-S(pg. 39)...... F1000-C-S* ZX415-Y8 .(pg. 43). F1100-C-XS8-4* ZXN415-A .(pg. 43) F1100-C-XSG-1* ZXN415-H ..(pg. 43) F1100-C-XS6-1* Z420.......(pg. 51)...... F1210C Z450 (pg. 48)..... F1120-C* Z450-B(pg. 48)..... F1120-C* ZB450-B ...(pg. 48)...... F1120-C-1* ZN450-B ..(pg. 48)...... F1120-C-1* Z453(pg. 48)..... F1120-C* Z453-B(pg. 48)..... F1120-C* ZB453-B(pg. 48)...... F1120-C-1* ZN453-B(pg. 48)...... F1120-C-1* Z455(pg. 48)..... F1130C Z455-B(pg. 48)..... F1130C ZB455-B(pg. 48)..... F1130C-1 ZN455-B(pg. 48).....F1130C-1 Z456(pg. 48)..... F1130C Z456-B(pg. 48)..... F1130C ZB456-B(pg. 48)..... F1130C-1 ZN456-B(pg. 48).....F1130C-1 Z503(pg. 59)..... F1360-Y ZB503(pg. 59)..... F1360-Y-1 ZN503(pg. 59)..... F1360-Y-1 Z504(pg. 56)..... F1340-Y-Q-14-4 ZN504 ...(pg. 56)..... F1340-Y-Q-14-1 Z504-T ..(pg. 63)..... F1440-Y-Q-14-4 Z505(pg. 54)...... F1340-Y-14-4 ZN505 ..(pg. 62)...... F1440-Y-14-4 Z505-T ..(pg. 54)...... F1340-Y-14-1 Z506(pg. 56). F1340-Y-Q-14-90-4 Z507(pg. 52)...... F1300-C-Y-4* ZB507 ...(pg. 52)...... F1300-C-Y-1* ZN507 ...(pg. 52)...... F1300-C-Y-1* Z508(pg. 53)...... F1320-C-Y-4* ZB508 ...(pg. 53)...... F1320-C-Y-1* ZN508 ...(pg. 53)...... F1320-C-Y-1* Z509......(pg. 56).... F1340-C-Y-Q-4* Z509-T ...(pg. 63)....... F1440-Y-Q-4 ZB509(pg. 56).... F1340-C-Y-Q-1* ZN509 ...(pg. 56).... F1340-C-Y-Q-1* Z511(pg. 54).....F1330C-4 ZB511 ...(pg. 54)..... F1330C-1 ZN511 ...(pg. 54)..... F1330C-1 Z512(pg. 54)..... F1340-Y-4 ZN512 ...(pg. 54)..... F1340-Y-1 Z512-T(pg. 62)...... F1440-Y-14-4 Z513(pg. 61)...... F1430C-5-4 ZB513(pg. 61)...... F1430C-5-1 ZN513(pg. 61)...... F1430C-5-1 Z516(pg. 54).... F1340-C-14-4* Z517(pg. 54)...... F1330C-33-4 ZB517(pg. 54)...... F1330C-33-1 ZN517(pg. 54)...... F1330C-33-1 Z520(pg. 53)..... F1320-C-4* Z520-T ...(pg. 61)..... F1420-C-4* Z521(pg. 54)..... F1340-4

Z521-T(pg. 62)	F1///0_
70504(pg. 02)	1 1 7 7 0
ZB521(pg. 54)	F1340-1
ZB521-T(pg. 62)	F1440-1
7NF04 (F4)	F1040 1
ZN521(pg. 54)	F134U-1
ZN521-T(pg. 62)	F1440-1
7505 (na 50) 51000	0 11 1*
Z525(pg. 53) F1320	J-U-14-4
ZN525(pg. 53) F1320	-C-14-1*
7505 T (ng 61) 5140	00 C V 4*
Z525-T(pg. 61) F142	20-6-1-4
Z526(pg. 54) F1	340-14-4
ZN526(pg. 54) F1	2/0 1/1
ZNJZ0(pg. 54)1 1	340-14-1
Z526-T(pg. 62) F144	10-Y-14-4
Z529(pg. 53) F1	320-25-1
2020(pg. 00)	020-20-1
ZB529(pg. 53) F1	320-25-1
ZN529(pg. 53) F1 Z530(pg. 53) F1320-Y	320-25-1
ZN323(pg. 33)	020-20-1
Z530(pg. 53) F1320-Y	-14-2-4-5
ZB530(pg. 53) F1320-Y	-14-7-1-5
ZNEGO (** 50) 54000 V	11210
ZN530(pg. 53) F1320-Y	-14-Z-1-5
Z531(pg. 53) F132	0-C-7-4*
7DE01 (pg. 50) F100	00 0 2 1*
ZB531(pg. 53) F132	20-6-2-1
ZN531(pg. 53) F132	0-C-Z-1*
Z532(pg. 54) F1340	11571
2002(pg. 04)11040	-14-3-2-4
ZB532(pg. 54) F1340	-14-5-Z-1
ZN532(pg. 54) F1340-	14-5-7-1
7500 (by 00)	- 1 U L-1
Z533(pg. 68)	r1530
ZB533(pg. 68)	F1530-1
7NF00 (== C0)	F1F00 1
ZN533(pg. 68)	F1530-1
Z534 (CAN)(pg. 54)	F1340-4
ZN534 (CAN) .(pg. 54)	E1240 1
ZIVJJ4 (UAIV) .(pg. J4)	. 1 1340-1
ZB534 (CAN) .(pg. 54)	. F1340-1
Z534 (ÚSA)(pg. 69)	F15/10_/
2554 (O5A)(pg. 05)	11340-4
ZB534 (USA) .(pg. 69)	F1540-1
ZN534 (USA)(pg. 69)	F1540-1
7505 ((pg. 00)	7777
Z535(pg. 68) I	-1510-80
Z536 (CAN)(pg. 53) F1320	-C-14-4*
ZN536 (CAN).(pg. 53)F1320	C 1/1 1*
Z11000 (UAI1).(pg. 00)1 1020	-U-1 4 -1
Z536 (USA)(pg. 69)	F1550
Z536 (USA)(pg. 69)	F1550
ZB536 (USA)(pg. 69)	F1550 F1550-1
ZB536 (USA)(pg. 69) ZN536 (USA)(pg. 69) Z537(pg. 69) I ZB537(pg. 69) F1 ZN537(pg. 69) F1	F1550 F1550-1 F1550-1 F1550-16 550-16-1
ZB536 (USA)(pg. 69) ZN536 (USA)(pg. 69) Z537(pg. 69) I ZB537(pg. 69) F1 ZN537(pg. 69) F1 Z538 (CAN)(pg. 53) F1	F1550 F1550-1 F1550-16 F1550-16 550-16-1 550-16-1
ZB536 (USA)(pg. 69) ZN536 (USA)(pg. 69) Z537(pg. 69) I ZB537(pg. 69) F1 ZN537(pg. 69) F1 Z538 (CAN)(pg. 53) F1; ZN538 (CAN) .(pg. 53) F1;	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 320-C-4* 320-C-1*
ZB536 (USA)(pg. 69) ZN536 (USA)(pg. 69) Z537(pg. 69) I ZB537(pg. 69) F1 ZN537(pg. 69) F1 Z538 (CAN)(pg. 53) F1; ZN538 (CAN) .(pg. 53) F1;	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 320-C-4* 320-C-1*
ZB536 (USA)(pg. 69) ZN536 (USA)(pg. 69) Z537(pg. 69) I ZB537(pg. 69) F1 ZN537(pg. 69) F1 ZN538 (CAN)(pg. 53) F1 ZN538 (CAN) .(pg. 53) F1 ZS538 (USA).(pg. 58) F1350-	F1550 F1550-1 F1550-16 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4*
ZB536 (USA)(pg. 69) ZN536 (USA)(pg. 69) Z537(pg. 69) I ZB537(pg. 69) F1 ZN537(pg. 69) F1 Z538 (CAN) .(pg. 53) F1 ZN538 (CAN) .(pg. 53) F1 Z538 (USA) .(pg. 58) F1350-	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4*
ZB536 (USA)(pg. 69) ZN536 (USA)(pg. 69) Z537(pg. 69) I ZB537(pg. 69) F1 ZN537(pg. 69) F1 Z538 (CAN) .(pg. 53) F1 ZN538 (CAN) .(pg. 53) F1 Z538 (USA) .(pg. 58) F1350-	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4* C-TFB-1*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4* -C-TFB-1* 0-C-4-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4* -C-TFB-1* 0-C-4-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 F1550-16-1 F1550-16-1 F150-16-1 F150-18-1* F150-18-1* F150-18-1* F150-18-1* F150-18-1* F150-18-1* F150-18-1* F150-18-18-18-18-18-18-18-18-18-18-18-18-18-
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-1* C-TFB-1* 0-C-4-5* 0-C-1-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-1 F1550-16 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-TFB-4* C-TFB-1* O-C-4-5* O-C-1-5* C-TFB-4*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-1 F1550-16 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-TFB-4* C-TFB-1* O-C-4-5* O-C-1-5* C-TFB-4*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-1 F1550-16 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-TFB-4* C-TFB-1* C-C-TB-1 C-C-TB-1 C-C-TB-1 C-TFB-4* C-TFB-4* C-TFB-4* C-TFB-4*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-1 F1550-16 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-1+ C-TFB-1* O-C-4-5* O-C-1-5* O-C-1-5* C-TFB-1* C-TFB-1*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-1 F1550-16 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-1+ C-TFB-1* O-C-4-5* O-C-1-5* O-C-1-5* C-TFB-1* C-TFB-1*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-1 F1550-16 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-1+ C-TFB-1* O-C-4-5* O-C-1-5* C-TFB-4* C-TFB-1* C-TFB-1 C-TFB-1 C-TFB-1
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 .F1550-16-1 .F1550-16-1 .F150-16-1 .F150-16-1 .F150-16-1 .F150-16-1 .F150-16-1 .F150-16-1 .F150-16-1 .F150-16-1 .F150-16-1 .F150-1 .F150-1 .F150-1 .F150-1 .F150-1 .F150-1 .F150-1
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 .F1550-1 .
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 .F1550-1 .
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 -1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* .C-TFB-1*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4* C-TFB-1* 0-C-4-5* 0-C-1-5* C-TFB-4* C-TFB-1* -(-158-1* -(-14-1-5* -(-14-1-5* -(-14-1-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-4* C-TFB-1* 0-C-4-5* 0-C-1-5* C-TFB-4* C-TFB-1* -(-158-1* -(-14-1-5* -(-14-1-5* -(-14-1-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-1* 0-C-4-5* 0-C-1-5* C-TFB-1* C-TFB-1* -C-TFB-1* -14-1-5* -14-1-5* -14-1-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-1* 0-C-4-5* 0-C-1-5* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-14-1-5* C-14-1-5* C-14-1-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-1* 0-C-4-5* 0-C-1-5* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-14-1-5* C-14-1-5* C-14-1-5*
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-1* 0-C-4-5* 0-C-1-5* 0-C-1-5* C-TFB-1* C-TFB-1* C-TFB-1* C-14-5-4* C-14-1-5* C-14-5-1* C-14-5-1*
ZB536 (USA)(pg. 69)	F1550-1 F1550-1 F1550-16 F1550-16-1 F1550-16-1 F1550-16-1 F1550-16-1 F150-16-1 F150-16-1 F150-16-1 F150-16-1 F150-18-1 F150-1 F150-18-1 F150-
ZB536 (USA)(pg. 69)	F1550-1 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-1* 0-C-4-5* 0-C-1-5* 0-C-1-5* C-TFB-1* -14-5-4* -14-5-4* -14-5-4* -14-5-1* -14-5-1* -1360-Y-5
ZB536 (USA)(pg. 69)	F1550-1 F1550-1 F1550-16 F1550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* C-TFB-1* 0-C-4-5* 0-C-1-5* 0-C-1-5* C-TFB-1* -14-5-4* -14-5-4* -14-5-4* -14-5-1* -14-5-1* -1360-Y-5
ZB536 (USA)(pg. 69)	F1550-1 F1550-1 F1550-16 F1550-16-1 F1550-16-1 F1550-16-1 F150-16-1 F150-16-1 F150-16-1 F150-16-1 F150-16-1 F150-16-1 F150-18-1 F15
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-TFB-1* C-TFB-1* C-TF
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-TFB-1* C-TFB-1* C-TF
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-TFB-1* C-TFB-1* C-TF
ZB536 (USA)(pg. 69)	F1550 F1550-1 F1550-16 F1550-16-1 F1550-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F50-16-1 F0-C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-TFB-1* C-14-5-1 C-14-5-1 C-14-5-1 T1360-Y-5 C-Y-14-4 TX
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* .C-TFB-1* .C-TFB-1* .C-TFB-1* .C-TFB-1* .C-TFB-4* .C-TFB-1* .'-14-5-4* .'-14-5-4* .'-14-5-1* .'-14-1-5* .'-14-1-1*
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* .C-TFB-1* .C-TFB-1* .C-TFB-1* .C-TFB-1* .C-TFB-4* .C-TFB-1* .'-14-5-4* .'-14-5-4* .'-14-5-1* .'-14-1-5* .'-14-1-1*
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 550-16-1 550-16-1 550-16-1 320-C-4* 320-C-1* .C-TFB-1* .C-TFB-1* .C-TFB-1* .C-TFB-1* .C-TFB-1* .'-14-5-4* .'-14-5-4* .'-14-5-1* .'-14-5-1* .'-14-5-1* .'-14-5-1* .'-14-5-1* .'-14-5-1* .'-14-5-1* .'-14-5-1* .'-14-1-1 .'-14-1-1 .'-14-1-1 .'-14-1-1 .'-14-1-1 .'-14-1-1 .'-14-1-1 .'-14-1-1
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 550-16-1 550-16-1 550-16-1 320-C-4* 320-C-4* 320-C-15* 0-C-1-5* 0-C-1-5* 0-C-1-5* 0-C-1-5* (-14-5-4* '-14-5-4* '-14-5-1* '-14-5-1* '-14-5-1* '-14-1-5* '-14-5-1* '-14-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-1-1 '-14-1-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1
ZB536 (USA)(pg. 69)	F1550-1 .F1550-1 .F1550-16 .F1550-16-1 550-16-1 550-16-1 550-16-1 320-C-4* 320-C-4* 320-C-15* 0-C-1-5* 0-C-1-5* 0-C-1-5* 0-C-1-5* (-14-5-4* '-14-5-4* '-14-5-1* '-14-5-1* '-14-5-1* '-14-1-5* '-14-5-1* '-14-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-5* '-14-1-1-1-1 '-14-1-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1 '-14-1-1-1

2533(pg. 53)F1320-1 Z554(pg. 53) F1320-C-TFB-4*	4
7554 (ng 53) F1320-C-TFB-4*	
ZB554(pg. 53) F1320-C-TFB-1*	
ZN554(pg. 53) F1320-C-TFB-1*	r
Z555(pg. 53) F1320-C-Y-14-4*	
ZN555(pg. 53) F1320-C-Y-14-1*	ŀ
Z556 (CAN)(pg. 53) F1320-4	1
Z556 (USA) (pg. 53) F1320-C-Y-14-4	1
7N556 (CAN) (ng 53) F1320-1	Т
ZN556 (CAN)(pg. 53) F1320-1 ZN556 (USA)(pg. 53) F1320-C-Y-14*	r
Z560"X"	,
Z566(pg. 78) F1860)
Z566-GT(pg. 78) F1860-16-4	l
7B566 (ng 78) F1860-1	
ZB566(pg. 78) F1860-1 ZB566-GT(pg. 78) F1860-16-1	i
ZN566(pg. 78) F1860-1	1
ZN566-GT(pg. 78) F1860-16-1	1
7568 (ng 78) F1870)
Z568(pg. 78) F1870 Z568-GT(pg. 78) F1870-16-4	ļ
ZB568(pg. 78) F1870-1	1
ZB568-GT(pg. 78) F1870-16-1	i
ZN568(pg. 78) F1870-1	1
ZN568-GT(pg. 78) F1870-161	•
Z572(pg. 75) F1720)
ZB572(pg. 75) F1720-1	ĺ
ZN572(pg. 75) F1720-1	
Z573(pg. 46) RS48-NH-1	
Z574(pg. 46) RS412-NH	
ZB574(pg. 46) RS412-NH-1	
ZN574(pg. 46) RS412-NH-1	ı
Z575(pg. 75) F1760-FL-4	ļ
ZB575(pg. 75) F1760-FL-1	
ZN575(pg. 75) F1760-FL-1	ı
Z576(pg. 75) F1760-FL-4	ļ
ZB576(pg. 75) F1760-FL-3	3
ZN576(pg. 75)F1760-FL-3	3
Z585(pg. 61) F1430-C-Y-4-5*	
ZB585(pg. 62) F1440-Y-14-4	1
ZN585(pg. 62) F1440-Y-14-4	
Z586(pg. 75) F1760-FI	L
ZN586(pg. 75) F1760-FL-3	3
Z587(pg. 62) F1440-Y-4	ŀ
Z609(pg. 61) F1420-C-Y-14-4*	•
ZB609(pg. 61) F1420-C-Y-14-1*	
ZN609(pg. 61) F1420-C-Y-14-1*	t
Z610(pg. 62) F1440-C-Y-5-4*	•
ZB610(pg. 62) F1440-C-Y-5-1*	r
ZN610(pg. 62) F1440-C-Y-5-1*	ŧ
Z610-H(pg. 62) F1440-Y-4	
ZN610-H(pg. 62) F1440-Y-1	
Z610-H-ADJ(pg. 62) F1440-C*	
ZN610-H-ADJ .(pg. 62) F1440-C-1 [*]	k
Z611(pg. 61) F1430C-Y-4	1
ZB611(pg. 61) F1430C-Y-1	1
ZN611(pg. 61) F1430C-Y-1	
Z624(pg. 72) F1620-C-4	ļ
ZB624(pg. 72) F1620-C-1	
ZN624(pg. 72) F1620-C-1	
Z625(pg. 72) F1600-C*	k
ZB625(pg. 72) F1600-C*	
ZN625(pg. 72) F1600-C*	
ZAL625-HY(pg. 68) F1510-80	
Z626(pg. 161)C1200-C-R*	
ZB626(pg. 161) C1200-C-R-1	*
ZN626(pg. 161) C1200-C-R-13	t
Z627(pg. 72) F1620-0)
ZB627(pg. 72) F1620-C-1*	•
ZN627(pg. 72) F1620-C-1* Z629(pg. 258) BV1210	t
Z629(pg. 258) BV1210)
ZB629(pg. 258) BV1210-1	
(. 5)	

ZN629(pg. 258)
Z675(pg. 62)
ZB676(pg. 62) F1440-1 ZN676(pg. 62) F1440-1
Z679(pg. 73) F1640
ZB679(pg. 73) F1640-1 ZN679(pg. 73) F1640-1
Z690(pg. 60) F1370-18
Z730(pg. 49) F1140C
ZB730(pg. 49) F1140C-9-1 ZN730(pg. 49) F1140C-9-1
Z742(pg. 49) F1140C
Z753(pg. 50) F1170-C-N9*
Z761(pg. 175) C1600-M

FLOOR AND AREA DRAIN **OPTIONAL VARIATIONS**

PREFIXES	SUFFIXES
ZCI with cast iron to	op Std
ZANBNB body w/ NB to	p"X"
ZARBPB body w/ NB to	р"Х"
ZBCl body w/ PB top	1
ZNCI body w/ NB top)1
ZNCI body w/ SS top	3
-AAux. vent connect	ion "X"
-AAAcid resistant epo	xy11
-ARAcid resistant epo	xy11
-BBackwater valve	
-BPVandal proof	6
-BSSS scr. over dome	83
-BTBell trap bucket	"X"
-CMembrane clamp	C
-CICast iron grate	
-CPChrome plated top	49
-DDome grate	20
-DB Bottom dome stra	
-DCLess Dura-Coated	
-DFDeflector grate	
-DGDuctile iron grate	
-DPDecorative polishe	
-DSDuctile iron solid of	
-DXExtended wide flar	
-E1" Top extension	
-EF3/16" Exterior fran	
-ES12" Extension sec	
-FExtension frame	
-FCExt. frame and c	
-FGFree set grate	"X"
-FYFree standing buck	ket "X"
"X"Cont	act MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

Toll Free 1-800-465-2736, Fax 773-341-3049



P314

Monday, January 02, 2012 10:20:18 PM





FLOOR AND AREA DRAIN **OPTIONAL VARIATIONS CON'T**

ZURN	MIFAB
-FSFloating slab.	"X"
-GAll galvanized -GGGalvanized gra	13 ite -12
-GTTop grate	16
-H(Z-504) Hinge	d grate9
-HDHeavy duty slo	otted grateStd
-HLHinged locking -HPHeel-proof grat	grate "X"
-HTSquare, hinged	t 5tu
-IGIntegral grate.	21
-JAux. inlet	J
-JAux. inlet -J11 Aux. inlet 1- -J22 Aux. inlets1- -J33 Aux. inlets1-	1/2" or 2"J1
-J22 Aux. inlets1-	1/2" or 2" J2
-J44 Aux. inlets1-	·1/2 01 2J3 ·1/2" or 2"14
-J54 Aux. inlets1-	1/2" or 2"J5
-KAnchor flange	FL
-KCAnch. fl. with r	nemb ClFLC
-LLocking devic	еb "v"
-LGLess grate -LVLess backwate -LYLess bucket	er valve "X"
-LYLess bucket	"X"
-MSide outlet ada	aptor "X"
Non-conducti -OF6" x 3" x1" fur	/e top nel - l
-PTrap primer tap	ning7
-PDPromenade de	ck drain "X"
-PH3/8" Dia. Open	Std
-PSPerforated star	ndpipe42
-RSump receiver -Rd66" Dia. 304 SS	41 Iton -6-3
-Rd77" Dia. 304 SS	top7-3
-Rd77" Dia. 304 SS -Rd88" Dia. 304 SS	top8-3
-Rd1010" Dia. 304 S	S top10-3
-SSecondary stra -SBShallow drain	ainer21 hody "Y"
-SG Solid cover	-25-
-SCSecondary cla -SBShallow body -SDLonger standp	amp collar (Z627)-C
-SBShallow body	"X"
-SGSolid gasktd c	ipe X over _25_1_G
-SHFour securing	holes "X"
-SNBSolid nickel br	onze grate"X"
-SQ66" Sq. 304 SS	top \$6-3
-SQ88" Sq. 304 SS -SSSS mesh screen	TOP 58-3
-SSMSSmesh scr. ove	er dome"X"
-STSolid top	24
-SWSpanner wrenc	
-TSquare top -TGTractor grate .	16
-TSTop sec. with	sl. screws6
-UExtension adap	oter15
-VBackwater val	/e8
-VPVandal proof	6
-WWater closure -WBWater control I	
-WSWide slotted g	rate "X"
-XSqueeze in bw	valve8
-XJExpansion join	t R1900
-YSediment buck	.t5 hucket "Y"
-YA4" Diameter fu	nnelF4
-90Side outlet bo	dy90
* Includes "-C" me	mhrane clamn
in areas with v	vaterproof
membrane. As a r	ecommended
alternate, use F membrane areas	1700 in non delete "-C"
membrane	

TRENCH DRAINS

ZURN MIFAE
Z780 (pg. 81) T1000
Z780 (pg. 81) T1000 Z782 (pg. 81) T1100-4
Z782-F or -L(pg. 81) T1100-F-4
Z784(pg. 81) T1200-4-3
ZAB784(pg. 81) T1200-4-3
ZANB784(pg. 81) T1200-4-3
ZARB784(pg. 81) T1200-4-3
Z784-F or -L(pg. 81) T1200-F-4-3
ZAB784-F or -L (pg. 81). T1200-F-4-3
ZANB784-F or -L . (pg. 81).T1200-F-4-3
Z792(pg. 81) T1200-F-4
ZAB792(pg. 81) T1200-F-4-3
ZANB792(pg. 81) T1200-F-4-3
ZARB792(pg. 81) T1200-F-4-3
Z792-F or -L(pg. 81) T1200-F-4
ZAB792-F or -L (pg. 81). T1200-F-4-3
ZANB792-F or -LT(pg. 81) 1200-F-4-3
Z793(pg. 81) T1200-4
Z793-F or -L(pg. 81) T1200-F-4
Z794(pg. 81) T1200-4
ZAB794(pg. 81) T1200-4-3
ZANB794(pg. 81) T1200-4-3
ZARB794(pg. 81) T1200-4-3
Z794-F or -L(pg. 81) T1200-F-4
ZAB794-F or -L .(pg. 81). T1200-F-4-5
ZANB794-F or -L .(pg. 81). T1200-F-4-3
Z796(pg. 81)T1200-F2
ZF799-75(pg. 70) F1570A-4
ZF799-75-AF(pg. 70) F1570-4 ZF799-76(pg. 70) F1570A-4-SIT
ZF799-76-AF .(pg. 70). F1570A-4-SIT

TRENCH DRAIN OPTIONAL **VARIATIONS**

⁻¹ ZURN ^C PREFIXES	MIFAB SUFFIXES
ZCI grate w/s ZABPB grate and ZANBPol.NB grate ZARBBronze grate	frame4-3 & SS Fr4-3
ZUDN	MIEAD

ZURN	MIFAL
SUFFIXES	SUFFIXES
-DGDI slotted grate	Sto
-GGalvanized grate	1;
-HPHeel proof grate .	Sto
-LCCI long. slotted g	r
-LDDI long.slotted gr	·
-TSTop sec. w/slot. S	Screws6
-VPVandal proof top .	6
TDADE AND DE	UNIEDO

TRAPS AND PRIMERS

ZURN	MIFAB
Z1000(pg. 261)	MI-950
Z1005(pg. 175)	C1600
Z1012(pg. 175)	C1600
Z1019(pg. 261)	MI-950-F
ZAB1019(pg. 261)	MI-950-F-1
ZANB1019(pg. 261).	MI-950-F-1
Z1020(pg. 269).	MI-100
Z1021(pg. 271)	MI-750
Z1022(pg. 268)	MI-TSP
Z1022.5SF(pg. 268)	MI-TSP-1
Z1022.5IP(pg. 268)	MI-TSP-2
Z1022.5SFU(pg. 268)	MI-TSP-3
Z1022.5IPU(pg. 268)	MI-TSP-3

Z1023(pg. 270)...... MI-600-50 Z1024(pg. 262)...... MI-CAG

Z1024-1(pg. 262)N	ЛІ-CAG-10T
Z1024-2(pg. 262)N	/II-CAG-10T
Z1024-3(pg. 262) N	/II-CAG-10T
Z1024-4(pg. 262) N	/II-CAG-15T
Z1024-5(pg. 262) N	/II-CAG-15T
Z1025(pg. 262)	MI-CAG
Z1025-2(pg. 262). M	I-CAG-20NH
Z1025-3(pg. 262). M	I-CAG-30NF
Z1030(pg. 263)	MI-830
Z1032	"X"
Z1033(pg. 263)	MI-800
Z1034(pg. 263)	MI-800
Z1035(pg. 140)	SR
Z1035-Q(pg. 140)	SF
Z1036	
Z1040(pg. 263)	MI-850
Z1042(pg. 263)	MI-860
Z1043(pg. 263)	

TRAP AND PRIMERS OPTIONAL **VARIATIONS**

ZURN	MIFAE
-ARAcid resistant epoxy.	11
-CMembrane clamp	0
-CPChrome plated	49
-DSDome strainer	20
-DU22 outlet unit	MI-DL
-DU33 outlet unit	MI-DL
-DU44 outlet unit	MI-DL
-FCAdjustable floor CO .	Std
-FLFlushing connection	G
-F66" funnel	F6
-GGalvanized	1
-LCLess cleanout & plug	д "X'
-PTrap primer connection	on7
-VBackwater valve	8-
-33/4" female conn	"X"
-33/4" T.P. Conn	
-77" long adapter	"X'

BACKWATER VALVES

ZURN	MIFAB
Z1088(pg. 260)	BV1300
Z1090(pg. 257)	BV1000
Z1091(pg. 259)	BV1280
Z1095(pg. 257)	BV1000
Z1095-15(pg. 257)	BV1000
Z1099(pg. 258)	BV1260

BACKWATER VALVES OPTIONAL VARIATIONS

ZURN	MIFAB
-BCBolted cover	Std
-BVBronze flapper valve	Std
-GGalvanized cast iron	13
-WHWheel handle	WH
-XNickel bronze	1
-1212" extension	12
-2412" extension	24
"X"Contact	t MIFAB

GREASE INTERCEPTORS

	10110
ZURN	MIFAB
Z1160(pg. CLPB) Z1160-100(pg. CLPB)	MCL-G
Z1160-100(pg. CLPB)	MCL-G-0
Z1160-200(pg. CLPB)	MCL-G-1
Z1160-300(pg. CLPB)	MCL-G-2
Z1160-400(pg. CLPB)	MCL-G-3
Z1160-500(pg. CLPB)	MCI-G-4
Z1160-600(pg. CLPB)	MCL-G-5
Z1160-700(pg. CLPB)	MCI-G-6
Z1160-800(pg. CLPB)	MCL-G-7
71165 (ng 187) MI-G	w/ MI-SOLID
Z1165(pg. 187) MI-G v Z1170(pg. 187)	MI_G
Z1170-100(pg. 187)	MI-G-0
Z1170-200(pg. 187)	MI-G-1
	MI C 2
Z1170-300(pg. 187)	MI-G-2
Z1170-400(pg. 187)	MI-G-3 MI-G-4
71170-500(pg. 107)	IVII-G-4
Z1170-600(pg. 187)	MI-G-5
Z1170-700(pg. 187)	MI-G-6
Z1170-UN(pg. 187)	IVII-G-HLA
Z1170-900(pg. 188)	. XL-MI-G-0
ZS1170(pg. 187)	MI-G-SS
ZS1170-100(pg. 187)	MI-G-0-SS
ZS1170-200(pg. 187)	MI-G-1-SS
ZS1170-300(pg. 187)	MI-G-2-SS
ZS1170-400(pg. 187)	MI-G-3-SS
ZS1170-500(pg. 187)	MI-G-4-SS
ZS1170-600(pg. 187)	MI-G-5-SS
ZS1170-700(pg. 187)	MI-G-6-SS
ZS1170-800(pg. 187)	MI-G-6-SS MI-G-7-SS
ZS11/0-900 (pg. 188). XL	-MI-G-0-SS
Z1171(pg. 187)	MI-G-L
Z1171-500(pg. 187)	. MI-G-L-20
Z1171-700(pg. 187)	. MI-G-L-35
Z1171-800(pg. 187)	. MI-G-L-50
Z1171-800(pg. 187) Z1171-TD(pg. 190) I Z1171-TD-500 (pg. 190) MI	VII-G-L-SDH
Z1171-TD-500 (pg. 190) MI	-G-L-SDH-20
Z11/1-ID-/00 (pg. 190) MI:	-G-L-SDH-35
Z1171-TD-800 (pg. 190) MI	-G-L-SDH-50
Z1172(pg. 188)	XL-MI-G
Z1172-900(pg. 188)	. XL-MI-G-0
Z1172-1000(pg. 188)	. XL-MI-G-1
Z1172-1100(pg. 188)	. XL-MI-G-2
	. XL-MI-G-3
Z1172-1300(pg. 188)	. XL-MI-G-4
Z1172-1400(pg. 188)	. XL-MI-G-5
Z1172-1500(pg. 188)	. XL-MI-G-6
Z1172-1600(pg. 188)	. XL-MI-G-7
Z1172-1700(pg. 188)	. XL-MI-G-8
Z1172-1700(pg. 188) Z1172-1800(pg. 188)	. XL-MI-G-8
Z1172-UN(pg. 188)XI Z1173(pg. 189)	L-MI-G-HLA
Z1173(pg. 189)	MI-G-SD
Z1173-200(pg. 189)	MI-G-SD-1
Z1173-300(pg. 189)	MI-G-SD-2
Z1173-400(pg. 189)	MI-G-SD-3
	MI-G-SD-4
	MI-G-SD-5
	MI-G-SD-6
Z1173-800(pg. 189)	MI-G-SD-7
	MI-G-SD-8
Z1173-TD(pg. 190)	. MI-G-SDH
	/II-G-SDH-1
Z1173-TD-300.(pg. 190) N	/II-G-SDH-2
	/II-G-SDH-3
	/II-G-SDH-4
	/II-G-SDH-5
71173 TD 700 (pg. 190) N	
Z1173-TD-700.(pg. 190) N	/II-G-SDH-6
Z1173-TD-800.(pg. 190) N	M-G-SDH-7
Z1173-TD-900.(pg. 190) N	MI C BDI
Z1174(pg. 187)	. IVII-U-BDU
Z1174-100(pg. 187) N	11-G-O-RDO
Z1174-200(pg. 187) N	MI-G-1-BDU MI-G-2-BDU
Z1174-300(pg. 187) I	vii-G-2-BDU
	VII-G-3-BDU
	MI-G-4-BDU
Z1174-600(pg. 187) N	MI-G-5-BDU
Z1174-700(pg. 187) N	VII-G-6-BDU
Z1174-800(pg. 187) I	MI-G-7-BDU

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA







GREASE INTERCEPTOR OPTIONAL VARIATIONS

ZURN MIFAB
-ALAluminum coverAL
-CC8" Cleanout coverStandard
-DIDI
-EARE coated extensionC
-EPEnzyme port in coverStd
-HDHeavy duty coverHD
-KFL
-KCAnchor fl. with cl. Collar -FLM
-LAngle type flow control "X"
-RRecessing receiver
MI-CS/MI-CSD
-REReces. receiver encl. type
MI-CS-EN/MI-CSD-EN
-TCover recessed for tileTL
-75Sediment bucketSB

OOLID INTERGERACIO

SOLID INTERCEPTORS		
ZURN MIFAB		
Z1175(pg. 194) MI-HAIR		
Z1175(pg. 194) MI-HAIR ZAB1175(pg. 194) MI-HAIR-2 Z1176(pg. 194) MI-HAIR-2 ZAB1176(pg. 194) MI-HAIR-2 Z1180(pg. 194) MI-SOLID-S ZA1180(pg. 194) MI-SOLID-S-CP ZSS1180(pg. 194) MI-SOLID-S-SS Z1181(pg. 194) MI-SOLID-L Z1182(pg. 195) MI-SOLID-SA ZS1182(pg. 195) MI-SOLID-SA Z1183(pg. 195) MI-SOLID-TA-0		
ZAB1176(pg. 194) MI-HAIR-2		
Z1180(pg. 194) MI-SOLID-S		
ZA1180(pg. 194) MI-SOLID-S-CP		
255118U(pg. 194). MI-SULID-5-55 71181 (pg. 194). MI-SOLID-1		
Z1182(pg. 195) MI-SOLID-SA		
ZS1182(pg. 195) MI-SOLID-SA		
Z1183(pg. 195) MI-SOLID-TA		
Z1183-100.(pg. 195). MI-SOLID-TA-0 Z1183-200.(pg. 195). MI-SOLID-TA-1		
Z1183-300.(pg. 195). MI-SOLID-TA-2		
Z1183-400.(pg. 195). MI-SOLID-TA-3		
Z1183-500.(pg. 195). MI-SOLID-TA-4 Z1183-600.(pg. 195). MI-SOLID-TA-5		
Z1183-600.(pg. 195). MI-SOLID-TA-5 Z1183-700.(pg. 195). MI-SOLID-TA-6		
Z1183-800.(pg. 195). MI-SOLID-TA-7		
Z1183-900.(pg. 195). MI-SOLID-TA-8		
Z1183-DF(pg. 195) MI-SOLID-TA		
Z1183-FC(pg. 195) MI-SOLID-TA Z1183-FO(pg. 195) MI-SOLID-TA- Z1183-100 .(pg. 195) MI-SOLID-TA-SS-0		
25 183-200 (pq. 193) VII-50LID-1A-55-1		
ZS1183-300 (pg. 195) MI-SOLID-TA-SS-2 ZS1183-400 (pg. 195) MI-SOLID-TA-SS-3		
ZS1183-500 (pg. 195) MI-SOLID-TA-SS-4		
ZS1183-600 (pg. 195) MI-SOLID-TA-SS-5 ZS1183-700 (pg. 195) MI-SOLID-TA-SS-6		
ZS1183-800 (pg. 195) MI-SOLID-TA-SS-7		
7S1183-900 (ng 195) MI-SOLID-TA-SS-8		
Z1184(pg. 194) MI-SOLID-LB Za1184(pg. 194) MI-SOLID-LB Z1185(pg. 198) MI-LINT		
Z1185(pg. 194) MI-SOLID-LB		
Z1185-3(pg. 198) IVII-LIN I-1		
Z1185-7(pg. 198) MI-LINT-3		
Z1185-10(pg. 198) MI-LINT-4 Z1185-20(pg. 198) MI-LINT-6		
Z1185-30(pg. 198) MI-LINT-7		
71105 /n /ng 100\ MILINIT 0		
Z1185-50(pg. 198) MI-LINT-9		
71188-ST-400 (ng. 193) MI-O-HII-12		
Z1188-ST-450 (pg. 193) MI-O-HU-13		
Z1185-50(pg. 198) MI-LINT-9 Z1188-ST-350 (pg. 193) MI-O-HU-11 Z1188-ST-400 (pg. 193) MI-O-HU-12 Z1188-ST-450 (pg. 193) MI-O-HU-13 Z1189(pg. 194)MI-OS-1		
Z1189-12(pg. 194) MI-US-1		
Z1192(pg. 200) MI-G-AD Z1192-400(pg. 200) MI-G-AD-3		
Z1192-500(pa. 200) MI-G-AD-4		
Z1192-600(pg. 200) MI-G-AD-5 Z1192-700(pg. 200) MI-G-AD-6		
Z1192-700(pg. 200) IVII-G-AD-6 71194 (ng. 187) -HLA		
Z1194(pg. 187)HLA Z1199(pg. 200)MI-G-AD		

SOLID INTERCEPTOR OPTIONAL VARIATIONS

ZURN	MIFAB
-CPChrome plated	
-CSCustom screen	CS
-RSRepl. perf. Scr. for bu	cRS
-SSSS perf. screen	
-YReplacement bucket a	assSB
-Y (YR.Replacement SS bask	etSSB

OIL INTERCEPTORS

OIL INTERIOR TORIO			
Z	URN		MIFAB
Z1	186	.(pg. 192).	MI-0
71	186-300	.(pg. 192).	MI-0-A
71	186-400	.(pg. 192).	MI-0-B
71	186-500	.(pg. 192).	MI-0-C
71	186-600	(pg. 192)	MI-0-1
71	186-700	(pg. 192)	MI-0-2
71	186-800	(pg. 192)	MI-0-3
71	186-51	(pg. 193)	MI-0-HU
71	186-51-30	iu (pg. 193) MI-O-HU-A
Z I	186-51-40	iu (pg. 193) MI-O-HU-B
Z I	100-51-50	10 (pg. 193) MI-O-HU-C
71	100-51-00	io .(pg. 19.	3) MI-0-HU-1
71	100-51-70	io .(pg. 19.	3) MI-0-HU-2
71	100-51-00	(pg. 190).	3) MI-O-HU-3
71	100	.(pg. 192).	MI-0
71	188-100	(pg. 192)	MI-0-4
71	188-125	(pg. 192)	MI-0-5
71	188-150	(pg. 192)	MI-0-7
71	188-200	(pg. 192) (pg. 102)	MI-0-7
71	188-250	(pg. 132) (pg. 102)	MI-0-9
71	188-300	(pg. 132) (pg. 102)	MI-0-10
71	188-350	(ng 102)	MI-0-10
71	188-400	(ng 192)	MI-0-12
71	188-450	(ng. 192)	MI-0-13
71	188-500	(pg. 192)	MI-0-14
Z1	188-ST	(pg. 193)	MI-0-HU
Z1	188-ST-75	(pg. 193)	MI-0-HU-4
Z1	188-ST-10	0 .(pg. 19	3) MI-O-HU-5
Z1	188-ST-12	.5 .(pg. 19	3) MI-O-HU-6
Z1	188-ST-15	0 .(pg. 193	3) MI-O-HU-7
Z1	188-ST-20	0 .(pg. 19	3) MI-O-HU-8
	188-ST-25	0 .(pg. 19	3) MI-O-HU-9
	188-ST-30	0 .(pg. 19	3).MI-O-HU-10
	188-ST-35	0 .(pg. 19	3).MI-O-HU-11
	188-ST-40	0 .(pg. 19	3).MI-0-HU-12
Z1	188-ST-45	0 .(pg. 19	3).MI-0-HU-13
71	100-51-50	(pg. 194)	3).MI-0-HU-14 MI-0S
71	190 12	.(pg. 194). (pg. 104)	MI-05
71	180_60	.(pg. 134). (ng. 104)	MI-0S-1
71	189-100	(ng 194).	MI-03-2
71	189-200	(ng 194)	MI-0S-4
Z1	183-DF((pg. 195)	MI-SOLID-TA
Z1	188-ST-35	0.(pg. 193). MI-0-HU-11
Z1	188-ST-40	0.(pg. 193). MI-0-HU-12
Z1	188-ST-45	0.(pg. 193). MI-0-HU-13
). MI-0-HU-14
Z1	189	(pg. 194) MI-0S
Z1	189-12	(pg. 194) MI-0S-1
Z1	192	(pg. 200)	MI-G-AD
Z1	192-400	(pg. 200)	MI-G-AD-3
Z1	192-500	(pg. 200)	MI-G-AD-4
			MI-G-AD-5
Z1	192-700	(pg. 200)	MI-G-AD-6
			MI-G-AD-7
71	106 200	(pg. 202)	MI-E-0
71	190-300	(pg. 202)	MI-E-O-A MI-E-O-B
41	190-400	(py. 202)	IVII-E-U-B

OIL INTERCEPTOR OPTIONAL VARIATIONS

ZURN MI	FAB
-ARAcid rest. coated finish	. Std
-EAcid res. coated ext	C
-HDHD traffic cover	HD
-HTHolding tank	HT
-K+Anchor flange	FL
-KCAnch. flange w/clamp	-FLM
-SISolids Interceptor MI-S	OLID
-LSLess Solids Interceptor	"X"
-RPRigid draw off pipe	. "X"

SAND INTERCEPTORS

ZURN	MIFAB
Z1187(pg. 1	96) MI-SAND
Z1187-300(pg. 1	96) MI-SAND-1
Z1187-400(pg. 1	96) MI-SAND-2
Z1187-500(pg. 1	96) MI-SAND-3
Z1187-600(pg. 1	96) MI-SAND-4
Z1187-700(pg. 1	96) MI-SAND-5
Z1187-800(pg. 1	96) MI-SAND-6
Z1187-1000(pg.	196) MI-SAND-7
Z1187-SI(pg. 1	96) MI-SAND-TA
Z1187-SI-20 (pg. 1	96)MI-SAND-TA-1
Z1187-SI-50 (pg. 1	
Z1187-SI-150(pg.	196)MI-SAND-TA-3
Z1187-SI-250(pg.	196)MI-SAND-TA-4
Z1187-SI-500(pg.	196)MI-SAND-TA-5

SAND INTERCEPTORS OPTIONAL VARIATIONS

ZURN	MIFAB
-ARAcid rest finish	Std
-DGDuctile iron grate	Std
-E6" Extension	C
-HDHD reinforced cover	HD
-KAnchor flange	FL
-KAnch. fl. W/clamp	FLM
-NHNHinlet and outlet	Std
-VPVandal proof screws	6

FIXTURE CARRIERS

7E1203_HL/L(ng. 216) MC_10L_27_37_HS
7E1002 LD4 (pg. 216)MC 10D 27 27 LC
ZE1203-NN4 (pg. 210)WU-10N-21-31-N3
ZE1203-HL4 (pg. 216) MC-10L-27-37-HS ZE1203-HR4 (pg. 216)MC-10R-27-37-HS ZE1203-HD4 (pg. 216)MC-10D-27-37-HS
ZE1203-NL4 (pg. 216) MC-10L-27-37
ZE1203-NL4 (pg. 216) MC-10L-27-37 ZE1203-NR4(pg. 216) MC-10R-27-37
ZE1203-ND4 (pg. 216)MC-10D-27-37
7E1202 ND 1 (pg. 212) MC 10
ZF1203-N(pg. 212)MC-10
ZN1203-N4(pg. 212) MC-10
ZN1203-ND4(pg. 212)MC-10D
Z1204(pg. 218) MC-12*
Z1204-H4(pg. 219) MC-12-HS*
71004 HE "V"
Z1204-H5"X"
Z1204-H6""X" Z1204-HD4 .(pg. 219). MC-12D-HS*
Z1204-HD4 .(pg. 219). MC-12D-HS*
Z1204-HD5 "X"
Z1204-HD6"X"
71004 11D4 (~~ 001) MO 10D HO
Z1204-1HD4 .(pg. 221). MC-13D-HS
Z1204-1HD54`
Z1204-1HD55 "X"
Z1204-1HD64 "X"
Z1204-1HD65 "X"
Z1204-1HL4(pg. 221) MC-13L-HS
21204-17L4(pg. 221) MG-13L-75
Z1204-1HL54
Z1204-1HL55 "X"
Z1204-1HL64 "X"
Z1204-1HL65
71004 11D4 (no. 001) MC 10D HC
Z1204-1HR4 .(pg. 221). MC-13R-HS
Z1204-1HR54 "X"
Z1204-1HR55 "X"
Z1204-1HR64 "X"
Z1204-1HR65 "X"
Z1204-2H4(pg. 221) MC-13-2-HS
Z1204-2H4(pg. 221) MU-13-2-HS
Z1204-2H54
Z1204-2H55 "X"
Z1204-2H64 "X"
71204-2H65 "X"
Z1204-2H65"X" Z1204-2HD4 (pg. 221) MC-13D-2-HS
21204-2004 (pg. 221) MG-130-2-03
Z1204-2HD54
Z1204-2HD55 "X"
Z1204-2HD64 "X"
Z1204-2HD65 "X"
Z1204-N4(pg. 218)MC-12*
71004 NE "V"
Z1204-N5(pg. 218) MC-12*
Z1204-N-X(pg. 218) MC-12*
Z1204-ND4(pg. 218) MC-12D*
Z1204-N-XB(pg. 218) MC-12-HDX
71204-N-YH (ng. 218) MC-12-HD-750
Z1204-N-XH (pg. 218) MC-12-HD-750 Z1204-1NL4(pg. 220) MC-13L
71004 1NL4(µy. 220) NO 10L
Z1204-1NL43 .(pg. 220).MC-13L-1x3
Z1204-1NR43(pg. 220).MC-13R-1x3
Z1204-1NR4(pg. 220) MC-13R
Z1204-1NL54
Z1204-1NR54"X"
Z1ZU4-1ND34 A
74004 411 55 (0/1)
Z1204-1NL55"X"
Z1204-1NL55"X" Z1204-1NR55"X"
Z1204-1NR55 "X"
Z1204-1NR55"X" Z1204-1NL64"X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NL65 "X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NL65 "X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NR65 "X" Z1204-1NR65 "X" Z1204-1NR65 "X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NL65 "X" Z1204-1NR65 "X" Z1204-1ND4(pg. 220)
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NL65 "X" Z1204-1NR65 "X" Z1204-1ND4(pg. 220)
Z1204-1NR55
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NR65 "X" Z1204-1ND4(pg. 220) MC-13D Z1204-1ND43.(pg. 220)MC-13D-1x3 Z1204-1ND54 "X" Z1204-1ND55 "X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NL65 "X" Z1204-1NL65 "X" Z1204-1ND4(pg. 220) MC-13D Z1204-1ND43.(pg. 220)MC-13D-1x3 Z1204-1ND54 "X" Z1204-1ND55 "X" Z1204-1ND55 "X" Z1204-1ND55 "X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NL65 "X" Z1204-1NL65 "X" Z1204-1ND4(pg. 220) MC-13D Z1204-1ND43.(pg. 220)MC-13D-1x3 Z1204-1ND54 "X" Z1204-1ND55 "X" Z1204-1ND55 "X" Z1204-2N44(pg. 220) MC-13-2 Z1204-2N43. (pg. 220) MC-13-2
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NR65 "X" Z1204-1NR65 "X" Z1204-1ND43. (pg. 220) MC-13D Z1204-1ND54 "X" Z1204-1ND55 "X" Z1204-2N4 (pg. 220) MC-13-2 Z1204-2N4 (pg. 220) MC-13-2 Z1204-2N43. (pg. 220) MC-13-2-1x3
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NR65 "X" Z1204-1NR65 "X" Z1204-1ND43. (pg. 220) MC-13D Z1204-1ND54 "X" Z1204-1ND55 "X" Z1204-2N43. (pg. 220) MC-13-2 Z1204-2N43. (pg. 220) MC-13-2 X1204-2N55 "X"
Z1204-1NR55 "X" Z1204-1NL64 "X" Z1204-1NR64 "X" Z1204-1NR65 "X" Z1204-1NR65 "X" Z1204-1ND43. (pg. 220) MC-13D Z1204-1ND54 "X" Z1204-1ND55 "X" Z1204-2N43. (pg. 220) MC-13-2 Z1204-2N43. (pg. 220) MC-13-2-1x3

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

Z1196-500.....(pg. 202)..... MI-E-O-C

Toll Free 1-800-465-2736, Fax 773-341-3049

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







_		
Z1207-ND4	(pg. 214) (pg. 214) (pg. 214) (pg. 214) (pg. 222) (pg. 222) (pg. 222) (pg. 222) (pg. 222) (pg. 222) (pg. 223) (pg. 224) (pg. 224) (pg. 224) (pg. 224) (pg. 225)	MC-10D-EXT MC-101-EXT MC-10R-EXT MC-10R-EXT MC-14-4-V2-HS MC-14-4-V4-HS MC-14-4-V4 MC-14-4-V2 MC-15-MC-15D MC-15L MC-15D-HS MC-15R-HS MC-15B-HS
Z1212-B	(pg. 224)	MC-22
Z1215	(pg. 225) (pg. 225)	MC-27

WATER CLOSET CARRIER PREFIXES

ZURN		MIFAB
Z	Dura coated system with	Std
	ZZ coupling	
ZQ	Coupling system for	Std
	cutting to required length aft	er testing

WATER CLOSET CARRIER SUFFIXES

	En ococci ommici com	
ZURN		MIFAB
	Aux. support assembly	
	2" no hub vent connection	
-B	Blowout type fixt. support	Std
-CC	Corrosion resistant 6" long	G
	cast iron coupling	
-CL	Nipple len. great. than 12"	"X"
-CV	2" NH center vent conn	"X"
	Double (back to back)	
-F	Floor mtd. outlet cl. Conn	MC-21
-F0	Main fitting only	"X"
-F2	7-1208 fitting w/ 2" vent .MC	-62-4-V2
-F4	Z-1208 fittina w/ 4" ventMC	-62-4-V4
-FX	3" foot ext.assembly	"X"
-G	Galvanized cast iron	17
-H	Hub & spigot stack conn	HS
-J	45 degree aux. inlet	23
-JC	2" Auxiilary inlet	27
	Two 2" auxiliary inlets	
	2" left hand aux. inlet	
-JR	2" right hand aux. inlet	25
-JS	2" aux. inlet stack side	23
-JV	2" aux. inlet, vent side	24
-M	Aux. foot support for P	10
	dimension 10" - 18"	
-P	3" pl. fitting supporting	"X"
	system	//> /II
-PA	Adjustable coupling conn	"X"
	for penal fixture	"X"
-PB	Coupling connection for	"X"
	penal fixture Coupling conn. with 4"	"X"
-PG	cleanout for penal fixtures	Х
DNI	NH coup. Conn. with 4"	"X"
-FIV	cleanout for penal fixtures	^
т	Threaded stack conn	"Y"
-1	Left hand vent connection	^ "Y"
-V L	Vandal proof trim	^
	Adap. ass. for women's ur	
-VV -YH	Extra HD, 500lb carrier	-15 -HD
-X3	3" extension	"X"
	4" extension	
	Foot support system	
	Adap. ass.for womans ur	
	Extra HD, 500lb carrier	
-X4	4" extension	"X"

-Y	.Food support system	-10
-29	Mechanical test cap ass	-13
-45	Fin. Frsiphon jet closet	-01
-45B	Finishing fr blowout clos	-01
-50	Flush valve supply support	-20
-57	4" neo-seal clos. gask. Kit	-01
-60	Wrench for vp screws	."X"
-61	Adj. wrench for ZZ coup	-19
	Bowl saver washer	
-79	Parapelligic rough-in	"Х"

LAVATORY, URINAL AND SINK CARRIERS

ZURN		MIFAB
Z1217	(pg. 236)	MC-62-4-V2
Z1218	(pg. 236)	MC-61-T
ZX1220-BM3	(pg. 236)	MC-62-3-V2
ZX1220-BM4	(pg. 236)	MC-62-4-V2
Z1221	(pg. 226)	MC-31
Z1221-D	(pg. 226)	MC-31D
Z1222		
Z1222-D	(pg. 226)	MC-32D
Z1223	(pg. 227)	MC-33
Z1224	(pg. 226)	MC-31
Z1224-D		
Z1225		
		MC-33
Z1225-D	(pg. 226)	MC-32D
		MC-34D
Z1231		
Z1231-EZ	(pg. 229)	MC-41-TR
Z1231-D		
Z1231-EZR	(pg. 229)	MC-41-TR
Z1231-EZ-D		
Z1231-EZR-D	(pg. 229)	MC-41D-TR
Z1236	(pg. 230)	MC-40
Z1236-D	(pg. 230)	MC-40D
Z1251	(pg. 235)	MC-54
Z1253	(pg. 235)	MC-53
Z1254	(pg. 234)	MC-51
Z1255	(pg. 235)	MC-55
Z1256	(pg. 236)	MC-56
Z1257	(pg. 236)	MC-56-LP
Z1258		
Z1259	(pg. 228)	MC-36
Z1259-BP	(pg. 228)	MC-37
Z1259-D	(pg. 228)	MC-38D
Z1259-DB	(pg. 228)	MC-39D
Z1259-SP		
71250 2	(ng 228)	MC-36-2

Z1259-2......(pg. 228)...... MC-36-2 LAVATORY, URINAL AND SINK CARRIERS **OPTIONAL VARIATIONS**

-P3" pl. fitting supporting	ZURN PREFIX SUFFIX ZDura coated cast iron Std.	-X44" foot extension -YFoot support system	
-PB. Coupling connection for "X" -PC. Coupling conn. with 4" "X" -Cleanout for penal fixtures -PN. NH coup. Conn. with 4" "X" -Cleanout for penal fixtures -T. Threaded stack conn. "X" -VL. Left hand vent connection "X" -VP. Vandal proof trim -14	ALAdaptor lug	ZURN HYDRANTS Z1300 (pg. 247) Z1305 (pg. 247) Z1310 (pg. 247) Z1315 (pg. 247) Z1320 (pg. 247) Z1320-C (pg. 247) Z1320-EZ (pg. 247) Z1321 (pg. 247)	M M M M MHY-
-W. Adap. ass, for women's ur. -15 -XH. Extra HD, 500lb carrier -HD -X3. 3" extension "X" -X4. 4" extension Specify Y. Foot support system -10 -W. Adap. ass.for womans ur. -15 -XH Extra HD, 500lb carrier. -HD -X4. -4" extension "X" Design and dimensions are subject to modification. Prices do	-CUFloor to ceiling uprightB -DBack to back systemD -DBBack to back top & bottomStd. plates with bearing jacks -E2arm escutceons 2" long -E4arm escutceons 2" long -E4	Z1322-EZ	MHY- HY N N N act M

-E6	Chrome plated & concealed	E6
	arm escutcheons 6" long	
-F2	Z1208 fitting with 2" vent	Std.
	Z1208 fitting with 4" vent	
-FP	Top, front, back plate	Std.
	Galvanized	
-L	Stud or sleeve length	"X'
	greater than standard	
L2	Less bearing plate ass	"X"
	Stud length over 6"	
-VP	Vandal proof trim	14
-WS	Wall support valve plate	G
-W6	6" wide support plate	"X"
-XH	Extra HD 500 lb carrier	HD
-X3	3" extension	"X"
	4" extension	
-Y	Foot support system	10
-ZR	Tubular sup. for long studs	R
-1	Longer than standard	W
	urinal / sink lavatory	
-2	Bearing plate assembly	Std.
-5	Corner lavatory support	C
-6	Cast Iron coupling up to 6"	CI
	Mechanical test cap	
	Flush valve sup. for urinals	
	Paraplegic Rough-in	
D=015		

RESIDENTIAL WATER CLOSET SUPPORT SYSTEM

ZURN		MIFAB
Z1280	(pg. 224)	MC-24
Z1280-N3-2	(pg. 224)	MC-24
Z1280-N4-2	(pg. 224)	MC-24
Z1280-N4	(pg. 224)	MC-24
Z1282-H4	(pg. 224)	MC-24
Z1282-H4-2	(pg. 224)	MC-24
Z1282-HD-4	(pg. 224)	MC-24
Z1283-P3	(pg. 224)	MC-24
Z1284-N4	(pg. 224)	MC-21N
Z1285	(pg. 224)	MC-24
Z1290	(pg. 237)	MC-70

RESIDENTIAL WATER CLOSET OPTIONAL **VARIATIONS**

PREFIXE	ES SU	FFIXES
-Z	dura coated plate sys	Std.
ZURN		MIFAB
-CL	Coup. len. Great. than 4"	X"
-HT	Hangar type clos. adp	"X"
-X4	4" foot extension	"X"
-Y	Foot support system	10

ZURN	HYDRANTS	MIFAB
Z1300	(pg. 247)	MHY-20
Z1305	(pg. 247)	MHY-25
Z1310	(pg. 247)	MHY-10
	(pg. 247)	
Z1320	(pg. 247)	MHY-26
Z1320-C	(pg. 247)	MHY-26
Z1320-EZ	(pg. 247)	MHY-26-RB
Z1321	(pg. 247)	MHY-16
Z1322-EZ	(pg. 247)	MHY-26-RB
Z1322	(pg. CLPB)	HY-2000
Z1325	(pg. 249)	MHY-45
Z1327	(pg. 249)	MHY-45
Z1327	(pg. 249)	MHY-45
Z1330	(pg. 248)	MHY-35
	Cor	

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







HYDRANTS CON'T

Z1332-EZ(pg. 248) Z1333(pg. 248) Z1333-C-BFP .(pg. 248). Z1334-C(pg. 248). Z1334-C-BFP .(pg. 248). Z1335(pg. 248). Z1341(pg. 255)	MHY-30 MHY-30-52 MHY-30 MHY-30-52 MHY-35
Z1341-BFP(pg. 255)	MHY-90-52
Z1342(pg. 256)	MHY-95
Z1342-BFP(pg. 256)	MHY-95-52
Z1344(pg. CLPB)	HY-1000
Z1345(pg. CLPB)	
Z1346(pg. CLPB)	HY-1000
Z1347-BFP(pg. CLPB)	HY-1000
Z1349(pg. 250)	
Z1350(pg. 250)	
Z1350-EZ(pg. 250)	
Z1360(pg. 253)	
Z1361(pg. 253) Z1365(pg. 253)	
Z1370(pg. 253)	
Z1375(pg. 253)	MHV-60
Z1385(pg. 254)	MHY-65
Z1388(pg. 252)	MHY-58
Z1390(pg. 254)	MHY-66
Z1395(pg. 254)	MHY-68
Z1397(pg. 254)	MHY-68

HYDRANT OPTIONAL VARIATIONS

ZUR	
-AC	Al. casing guard42
-AN	Angled hose conn
-BC	Bronze casing Std.
-C	Cast iron box50
-CL	Cylinder key lockK
-DP1	1/2" Drain port in box9
-DP14	1/4" Drain port in box10
-DP38	3/8" Drain port in box11
-DII	.Comb. 3/4" female and 1"."X"
DO	male pipe thread conn.
-HD	.Heavy duty cover" "X"
-K	Anchor Flange
-KC	Anchor Flange with clampFLN
-KU	Loose key MHY-9004
-LIX	Polished NB box1
	Polished bronze box1
	Plain rough bronze box7
-PL	1/2" pex tubing connection-PX
-PA	1/2 PEX LUDING CONNECTION-PA
-KU	Rough chrome finish49
-KK	Hydrant parts repair kitMHY-CL
-9B	Statuary bronze face1
-2RD"	.Stat. Br. face - dark finish1
-2BL	Stat. Br. face - light finish1 Stat. Br. face - med. finish1
-2BINI	Stat. Br. race - med. finish1
-55	SS box and cover3
-AR	3/4" adaptor vb Std.
-WC	Wall clampWC
-WH	Wheel handle MHY-9002
-WK	Water cast onto cover "X"
-]"	.1" hose connection0
-1	.3/4" IP str.Fem. Inl. adap "X"
	.3/4" solder fem. inlet adap5
-4	.Wall clampWC
-5	.3/4" adaptor with vb8
-6	Less polished bronze face"X"
	.Plain bronze box1
	.Less dura coated CI box50
	.Polished NB box1
-11	.Statuary bronze face1
-12	.Cylinder key lock
-13	.3/4" IP 90 degree inlet6
	elbow with union nut
15	CC how and aguer 2

171/4" drain port in box9
18Wheel handleMHY-9002
20Aluminum casing guard42
213/8" drain port in box10
221/2" drain port in box11
34EL3/4" 90 deg. solder inlElb.Std
34FIP.3/4" Fem. pipe thr. Conn"X"
34FS3/4" Fem. solder inl. ConnStd.
34MIP3/4" male pipe thr. conn"X"
34UN3/4" IP 90 deg. inlet elbow6

CLEANOUTS

Z1400(pg. 156)...... C1100-R Z1400-K(pg. 156)...... C1100-R

MIFAB

ZURN

ZN1400(pg. 156) C1100-R-1
ZN1400-K(pg. 156) C1100-R-1 ZN1400(pg. 156) C1230
ZB1402(pg. 164) C1230-1
ZN1402(pg. 164) C1230-1
Z1404(pg. CLPB) C230-TS-1
Z1404(µg. GLPD) G230-13-1
ZB1404(pg. CLPB) C230-TS-1
ZN1404(pg. CLPB) C230-TS-1
71406 (pg. 160) C1100-XR
ZB1406(pg. 160) C1100-XR-1
ZN1406(pg. 160) C1100-XR-1
Z1440(pg. 170) C1450
71441 (pg. 170)
Z1441(pg. 171) C1450-RD ZB1441(pg. 171) C1450-RD
ZB1441(pg. 1/1) C1450-RD
Z1443(pg. 171) C1450-S
ZB1443(pg. 171) C1450-S
ZN1443(pg. 171) C1450-S
Z1444(pg. 170) C1450-R
ZN1444(pg. 170) C1450-R-1
Z1445(pg. 172) C1460
71440 (pg. 172) 01460 DD
Z1446(pg. 173) C1460-RD
ZB1446(pg. 173) C1460-RD
Z1447 (pg. 173) C1460-S
ZB1447(pg. 173) C1460-S
ZN1447(pg. 173) C1460-S Z1448 (pg. 172) C1460 w/C1300-R ZB1448. (pg. 172). C1460 w/C1300-R-1
71448 (ng 172) C1460 w/C1300-B
7B1448 (ng. 172). C1460 w/C1300-R-1
ZN1448.(pg. 172). C1460 w/C1300-R-1
71.440 (ng. 164) (1920
Z1449(pg. 164) C1230
Z1449(pg. 164) C1230 Z1454(pg. 156) C1100-C-R*
Z1449(pg. 164)

Z1468	(pg. 167) (pg. 167) (pg. 167) (pg. 167) (pg. 167) (pg. 167) (pg. 167) (pg. 167) (pg. 167) (pg. 262) (pg. 262) (pg. 262) (pg. 262) (pg. 262) (pg. 262) (pg. 262) (pg. 149) (pg. 149) (pg. 166) (pg. 166)	MI-VE C1430-RD C1430-RD C1400-RD C1400-RD C1400-RD C1400-RD C1400-RD C1430 MI-GRILL MI-GRILL MI-GRILL R1930 C1300-MF-3 C1300-MF-3
Z1475 Z1602 ZN1602 ZXN1612 Z1615 Z1666	(pg. 156) (pg. 156) (pg. 160) .(pg. 170) .(pg. 170) .(pg. 168)	"X" C1100-R C1100-R-1 . C1100-XR-1 C1450 C1440 C1440-RD

CLEANOUT OPTIONAL VARIATIONS

PRE	FIXES
-N	W/ internal cleanoutC1230
Z	Cast iron body and top4
ZB	Polished bronze top1
ZN	Nickel bronze top1
ZS	304 stainless steel top3
ZAB	Polished bronze top1
ZANB.	Nickel bronze top1
	FIXES
	Raised head plug
-AR	Acid resistant epoxy11
-BP	Bronze plug34B
-C	Membrane clamp
-CF	Carpet flange coverRFC
-CH	Cleanout Acc. Housing "X"
-CM	Carnet marker -RC
-CP	Chrome plated49
-DC	Ductile iron4
-DX	Extended wide flangeZ
-G	All galvanized13
-HC	Hinged cover "X"
-HD	All galvanized
-HH	Handle hole "X"
-IC	Inside caulk connection)
-IN	Internal cleanout "X' Anchor flange
-K	Anchor flange
-KC	Anchor fl. and clampFLC
-LC	Anchor fl. and clampFLC Less pipe clamp with "X"
	mounting holes in flangeLess internal mixing valve-LN
-LM	Less internal mixing valve-LN
	assembly
-NH	No hub outlet Std.
-NL	Push on outlet P
-PW	Push on outlet P Plug wrench "X" Scoriated cover Std
-SC	Scoriated cover Std.
	Gasketed cover Std.
-SL	Longer screw87
-SM	Special marking95
	stampedon top
-ST	Smooth top"X'
-SW	Spanner wrench H-1040

-TXSquare top recessed forTS
tile
-VPVandal proof6
-XRound top recessed forT
tile
-ZRound top recessed forUR

WATER HAMMER ARRESTORS

ZURN	MIFAB
Z1700 (pg. 274)	WHB
Z1700-100(pg. 274)	WHB-A
Z1700-200(pg. 274)	WHB-B
Z1700-300(pg. 274)	
Z1700-400(pg. 274)	WHB-D
Z1700-500(pg. 274)	WHB-E
Z1700-600(pg. 274)	WHB-F
Z1705(pg. 274)	
Z1705-A(pg. 274)	MWH-A
Z1705-B(pg. 274)	
Z1705-C(pg. 274)	MWH-C
Z1705-D(pg. 274)	
Z1705-E(pg. 274)	MWH-E
Z1705-F(pg. 274)	
Z1712(pg. 275)	
(10 /	

STAINLESS STEEL DRAINS

HYDRANT OPTIONAL VARIATIONS	ZB1441(pg. 171) C1450-RD ZB1441(pg. 171) C1450-RD Z1443(pg. 171) C1450-S	CLEANOUT OPTIONAL VARIATIONS	ZURN MIFAB 21715(pg. 125) R1200-28-M
VARIATIONS ZURN	Z1443(pg. 171)	VARIATIONS PREFIXES -N.	ZURN Z1715 (pg. 125) R1200-28-M ZC1715 (pg. 125) R1200-28-M ZM1715 (pg. 125) R1200-29-M ZM1717 (pg. 125) R1200-29-M Z1717 (pg. 125) R1200-29-M Z1719 (pg. 425) F1000-8-3-28-Z Z1720 (pg. 78) F1880 Z1721 (pg. 78) F1890 Z1723 (pg. 46) R548-3-28-NH Z1724 (pg. 46) F4-3 Z1724-4 (pg. 46) F6-3 ZC1724-4 (pg. 46) F6-3 ZC1724-6 (pg. 46) F6-3 ZC1724-6 (pg. 46) F6-3 ZM1724 (pg. 46) F6-3 ZM1725 (pg. 46) F3-29 Z1725 (pg. 46) G-3 ZM1725 (pg. 46) G-3 ZM1725 (pg. 46) G-3 ZM1726 (pg. 32) F1000-3-28 ZC1726 (pg. 32) F1000-3-28 ZC1727 (pg. 32) F1000-3-28 ZM1727 (pg. 32) F1000-S-3-28 ZM1727 (pg. 32) F1000-S-3-28 ZM1727 (pg. 32) F1000-S-3-28 ZM1730 (pg. 32) F1000-S-3-28 ZM1730 (pg. 32) F1000-S-3-28 ZM1731 (pg. 32) F1000-S-3-28 ZM1730 (pg. 32) F1000-S-3-28 ZM1731 (pg. 32) F1000-S-3-28 ZM1732 (pg. 32) F1000-S-3-28 ZM1735 (pg. 54) F1340-28-3 ZM1735 (pg. 54) F1340-28-3 ZM1736 (pg. 54) F1340-28-3 ZM1737 to Z1740
elbow with union nut -15SS box and cover3	Z1464(pg. 74) F1670 ZS1464(pg. 74) F1670	-SWSpanner wrench H-1040 -TSquare topT	Z1745(pg. 159) C1000-T6-3-28 "X"Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.







STAINLESS STEEL DRAIN OPTIONAL **VARIATIONS**

ZURN PREFIX	EQ	MIFAB
	Type 304 SS	-28
	ype A-27 carbon steel	
7M	Type 316 SS	-29
SUFFIX		20
	Galv. deck clamp	C-13
	Butt welded	
	Dome grate	
	SS dome strainer	
	Roof deck plate	
-DX	Extended wide flange	-7
-F	Galv. extension	15-13
-FG	Flush grate	Std
-HD	XHD top frame and grate	"X"
-HP	Heel proof grate	Std.
-IP	Female threaded outlet	T
-J	Auxiliary inlet	"X"
-K	Anchor flange	FL
	Anchor fl. with clamp	
	1/2" Trap primer conn	
	Galv.sump receiver	
	6" dia. stainless steel top	
	7" dia. stainless steel top	
	8" dia. stainless steel top	
	10" dia. stainless steel top	
	5" square stainless steel top	
	8" square stainless steel top	
-SC	Solid secured cover	"X"
-SF	Satin finish top	"X"
-SG	Solid gasketed cover	"X"
-SP	SS cleanout plug	34-28
-TS	Top secured with slotted	6
	screws	
-V	Bronze backwater valve	"X"
-VP	Vandal proof	6
-Y	SS Sediment bucket	5-28
-YM	Fabricated mesh bucket	"X"
-30	Bronze closure plug	34B
-31	Plastic closure plug	34
-33	Type 304 SS plug	34-28
-34	Bronze closure plug with	"X"
	3/4" test plug	
-90	90 degree side outlet	90

FLOOR SINKS

ZURN		MIFAB
Z1749	(pg. 106)	FS1920-FL
ZM1749	(pg. 106)	FS1920-PL-29
Z1750	(pg. 106)	FS1920-FL
	(pg. 106)	
Z1751	(pg. 106)	FS1930-FL
ZM1751	(pg. 106)	FS1930-FL-29
Z1752	(pg. 106)	FS1940-FL
ZM1752	(pg. 106)	FS1940-PL-29
Z1753	(pg. 106)	FS1920-FL
ZS1762		Proformer
Z1762		Proformer
Z1900	(pg. 99)	FS1720
	(pg. 99)	
Z1901	(pg. 100)	FS1730
ZN1901	(pg. 100)	FS1730-1
	(pg. 101)	
ZN1902	(pg. 101)	FS1740-1
	(pg. 97)	
ZN1910	(pg. 97)	FS1520-1

Z1920	(pg. 104)	FS1770
Z1926	(pg. 105)	FS1790
Z1930	(pg. 98)	FS1530
ZN1930	(pg. 98)	FS1530-1
Z1950	(pg. 103)	FS1760
ZN1950	(pg. 103)	FS1760-1
Z1960	(pg. 102)	FS1750
ZN1960	(pg. 102)	FS1750-1
Z1970	(pg. 38)F1	100-C-N9-50-11*
ZA1970	(pg. 38) F	1100-C-N9-1-11*
	(pg. 58)	
	(pg. 105)	
	(pg. 105)	

FLOOR SINK OPTIONAL VARIATIONS

ZURN PREFIXES		MIFAB
	.Type 304 Stainless steel	28
	.CI body, A.R.E. Interior	
7M	.Type 316 Stainless steel	-29
SUFFIXES	. 17 po 0 10 otamiooo otooi	20
·C	.Membrane clamp	C
-DX	.Dexotex flange	Z
-HD	.Extra heavy duty grate	"X"
-HP	Heel proof grate	"X"
-IP	Female threaded outlet	T
-K	Anchor flange	FL
-KC	.Anchor flange with clamp-Fl	_C
-LBT	Less bell trap	"X"
-LD	Less dome botom strainer	"X"
-LS	Less secondary strainer	"X"
-LY	Less sediment bucket	"X"
-P	1/2" Trap primer conn	7
-S	Secondary strainer	"X"
-SR	. 1/2" thick sanitary rim	"X"
-T	.Square frame + round gr	"X"
-VP	Vandal proof	6
-Y	Sediment bucket	5
-YS	.Suspended sediment buck	"X"
-1	.Less grate	22
-2	1/2 grate	150
-3	.3/4 grate	175
-4	.Full grate with center open	"X"
-5	Grate with 4" funnel	F4
-6	Grate with 6" funnel	F6
-7	Grate with 6"x3"x1" funn	J
-8	Grate with 4"x 9" funnel	G
-9	Angle frame and grate	"X"
-11	Vandal proof	6
-12	Depressed alum. Grate	"X"
-15	.Solid cover	"X"
-16	1/2 solid cover	"X"
-17	.3/4 solid cover	"X"
-18	.Solid cover with center op	"X"
-19	Full hinged grate	9
-23	Aluminum bucket	Std.
-25	hite A.R.E. bucket	"X"
-31	.SS mesh liner for bucket	"X"
-32	Aluminum dome strainer	Std.
-33	White A.R.E. anti-splash	"X"
	Bottom dome strainer	
-34	.N.B. anti-splash	"X"
	hottom dome strainer	
"X"	Contact	MIFAR

SUFFIX LISTING

0	Description
Suffix	Description
01 -1 -1	Neoprene bowl gasket (MC-10-PBG) Nickel bronze (drains and cleanouts) Tiling frame (carriers) (MC-10-1-PTFK)
-2	Polished brass
-3 -3	Stainless steel (Type 304) (drains) Rear anchor support (carriers) (MC-10-3-PRSFK)
-4	Ductile iron
-5 -5	Sediment bucket 3/4" female solder adapter (hydrants)
-6	Security screws (floor and area drains, cleanouts)
-6 -6	Vandal proof dome (roof drains)(H-1029) 3/4" IPS 90 degree elbow and union nut (hydrants)
-7	Trap seal primer tapping
-8 -8	Backwater valve (drains) (BV1250 Series) 3/4" adapter vacuum breaker (hydrants) (HY-9005-CP)
-9	Hinged grate (drains)
-9 -10	1/4" drain port in box (hydrants)
-10	Decorative polished top (10 piece minimum) (drains)
-10	Àuxiliary support (carriers) (MC-10-AFS)
-10	3/8" drain port in box (hydrants)
-11 -11	Acid resistant epoxy coating 1/2" drain port in box (hydrants)
-12	Galvanized metal dome (roof drains)
-12	Galvanized grate and frame
-12	(floor and area drains) (MC-10-PN12-31) 12" tapered thread ABS nipple (carriers)
-12	Wheel handle (hydrants) (HY-9003)
-12A	Galvanized body and membrane clamp
10	(roof drains)
-13 -13	Galvanized body (floor and area drains) Galvanized body, membrane clamp
10	and dome (roof drains)
-13	Test plug for custom and cast iron
-14	nipples (carriers) Flat strainer (drains)
-14	Vandal proof finish trim (carriers)
	(MC-10-PFH-14)
-15 -16	Extension Square top assembly
-17	with trap and cleanout (MI-05 Series)
-17	All galvanized (carriers)
-18	with trap and oil cone and cleanout
-19 -20	(MI-05 Series) Nipple wrench (carriers) (MC-10-PCW) Secondary dome strainer (drains)
-20	(FD-9600 Series) Flush valve support (carriers) (MC-10-FVS)
-21	Secondary flat stainless steel
00	strainer (2", 3", 4") (FD-9600 Series)
-22 -22	Less grate (drains) Less fitting (carriers)
-23	Chained grate (drains)
-23	45 degree auxiliary inlet (MC-28)
-24 -25	Solid secured cover 2" auxiliary inlet, right side
-26	2" auxiliary inlet, left side
-25-1	Solid secured hinged nickel bronze cover
-26 -27	Locking device (Same as -6) Rough bronze dome with stainless steel
-21	mesh screen
-28	Stainless steel body (Type 304)
-29 -30	Stainless steel body (Type 316) PVC socket connection body (2" 3" 4")
-30 -31	PVC socket connection body (2", 3", 4") ABS socket connection body (2", 3", 4")
-31	Two 2" auxiliary inlets (carriers)
-32	Integral deep seal trap (2", 3", 4")
-32	(MI-950 Series) No hub nipple with 4" cleanout for
	penal fixtures (MC-28)
-32	Foot pedal mounting plate (carriers)
-33 -34	Less flange, deduct Closure plug (C1440 Series)
٠.	p.ug (

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.









MIFAB SUFFIX LISTING

Suffix	Description	Suffix	Description
-34B	Brass closure plug (A4-34B)	-HT	Holding tank (interceptors)
-35	Stainless steel mesh over bucket	-l _.	3/8" threaded eye bolts for cast iron lavatories (carriers)
-38	Solids retaining baffle	-J	6" x 3" x 1" funnel
-40 -40	Underdeck clamp (drains) 1" brass casing (hydrants)	-JC	Ballast guard with secondary clamp
-40 -41	Sump receiver (drains)	-K	Cylinder key lock Less anchor flange
-41	3/8" brass operating rod (hydrants)	-M	Less anchor hange 8-AHY-1000 hydrant repair kit
-42	Perforated standpipe (drains)	-M-80	Low profile aluminum dome
-42	Decorative casing guard (hydrants)	NH	No hub outlets
-43	Solid standpipe	-0	1" hose connection
-44	2" no hub side inlet (specify location)	-0R8	8" rolling thread ABS nipple
-44T	1 1/2" no hub side inlet (specify location)	-0R12	12" rolling thread ABS nipple
-49	Chrome plated	Р	Push on outlet
-50	Cast iron	-PD	Polydome
-51	2 1/2" round center grate opening (floor sinks)	-PF	Prefabricated carrier bank, per carrier
-79	Standpipe over 8", per inch	-R	2" external water dam
-80	Low profile aluminum dome	-RB	Replacement bucket (interceptors)
-81 -83	Rough bronze dome Stainless steel mesh screen over dome	-RSSB	Replacement stainless steel baffle (interceptors)
-03 -87	Screw longer than 3 1/2", per inch	S	End side outlet (T1320 and T1350 Series)
-90	Threaded side outlet (2", 3", 4")	-S -SB	1" x 1/4" slots (includes 4 mounting brackets) (hydrants) Sediment bucket (interceptors)
-90NH	No hub side outlet (2", 3", 4")	-SS	Stainless steel (interceptors)
-91	Stainless steel standpipe (W-3)	-SSB	Replacement stainless steel sediment bucket (interceptors)
-95	Client logo	-SSM	Stainless steel mesh screen on bucket (interceptors)
-150	Half grate (floor sinks)	T	Threaded outlet
-175	Three quarter grate (floor sinks)	-TE	2" extension (F1510 Series)
-A	Loose set grate (drains)	-TL	Tile recess in lid (interceptors)
-A	Stud length over 8" (specify), Add per inch (carriers)	-U	Underdeck clamp
-AH8	8" ABS nipple with adjustable horn (MH-10-PN8AH-31)	-U3	Underdeck clamp with cutaway side
-AH12	12" ABS nipple with adjustable horn (MH-10-PN12AH-31)	-V	Fixed extension (2", 3", 4")
-B	Sump receiver (drains)	-VG	Galvanized fixed extension (2", 3", 4")
-B	Floor to ceiling uprights (carriers)	-W	Adjustable water dam
-В -В	Cast brass box (hydrants)	-WC	Wall clamp (hydrants)
-в -В-49	Integral bottom plate (backwater valves) Chrome plated brass box (hydrants)	-W-1	Water proofing flange
-B-43 -BK	Cast brass box with cylinder key lock (hydrants)	-W2 -W3	2" internal water dam 3" internal water dam
-BK-49	Chrome plated brass box with cylinder key lock (hydrants)	-ws -W4	4" internal water dam
-C	Membrane clamp (floor and area drains)	-VV-4 -Z	Extended wide elastomeric flange on top
-C	Secondary clamp (roof drains)	-Z	Add per each foot over 3' of upright (carriers)
-C	Extension (interceptors)	X	Inside caulk outlet
-CI-4	4" rolling thread cast iron nipple (MC-10-PN4R-50)	-X	Invert extension "C" dimension (F1560)
-CI-6	6" rolling thread cast iron nipple	-XH	Extra heavy duty ductile iron grates (1 1/2" x 12" x 12")
-CI-8	8" rolling thread cast iron nipple		
-CI-12	12" rolling thread cast iron nipple		
-CI-24	24" rolling thread cast iron nipple		
-C1 -CP	Low profile membrane clamp Chrome plated (interceptors)		
-Gr -E	Adjustable extension		
-EB	External strainer basket assembly (interceptors)		
-EG	Galvanized adjustable extension		
-E2	2" chrome plated escutcheons (pair)		
-F	Bar support valve plate (carriers)		
-F1, -F2, -F3	Accuflow parabolic weir		
-F4	4" diameter funnel		
-F6	6" diameter funnel		
-FL	Anchor flange		
-FLC	Anchor flange with membrane clamp		
-G	4" x 9" funnel (floor and area drains)		
-G	Ballast guard (roof drains)		
-G -G	Trap with flushing connection (F1660 Series) Wall support valve plate (carriers)		
-GS	Grounding strap		
-HC	Adjustable ballast guard with secondary clamp		
-HD	Heavy duty re-enforced lid (interceptors)		
-HD	500 lb. Rated heavy duty (carriers)		
-HM-2RB	High dome, rough bronze		
-HM-PB	High dome, polished bronze		
-HM-NB	High dome, nickel bronze		
-HSB	Hose storage box (hydrants)		
and the second of the second		\ ('-'t	

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.










MIFAB BINDER AND PRICE BOOKS







COMPLETE MIFAB BINDER

MPB-2012-USA

CLPB-2012-USA







BEECO 2011

C-PORT 2011

TRENCH DRAINS

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.













CAST IRON STAINLESS STEEL FLOOR DRAIN WITH 110MM PUSH FIT OUTLET CONNECTION AND COVER








F1154-SD CAST STAINLESS STEEL FLOOR DRAIN WITH 110MM PUSH FIT OUTLET CONNECTION AND COVER			
MODEL Number	WT. Lbs.	STRAINER Description	LIST PRICE CAST STAINLESS STEEL
F1154-SD	2.50	Grate with cover and frame	\$225.00

F1154 CAST STAINLESS STEEL FLOOR DRAIN WITH 110MM PUSH FIT OUTLET CONNECTION F1154 SERIES

SERIES






F1154 CAST STAINLESS S			
MODEL Number	WT. Lbs.	STRAINER Description	LIST PRICE CAST STAINLESS STEEL
F1154	2.00	Grate with frame	\$200.00

C1154 CAST STAINLESS STEEL FLOOR CLEANOUT WITH 110MM PUSH FIT OUTLET CONNECTION C1154 SERIES

SERIES





C1154 CAST STAINLESS S			
MODEL Number	WT. Lbs.	STRAINER Description	LIST PRICE CAST STAINLESS STEEL
C1154	3.00	Solid Cover with frame	\$225.00

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049


322

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.



MIFAB





Toll Free 1-800-465-2736, Fax 773-341-3049 www.mifab.com



MPB-2012



Engineered Plumbing and Drainage Products Price Guide www.mifab.com

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049 www.mifab.com