

MIFAB SAMPLE FIXTURE SCHEDULE & SPECIFICATIONS

| ITEM | FIXTURE | WASTE | WATER | DESCRIPTION | NOTES | OPTIONS |
|------|--|-------|-------|--|-------------------------------|---|
| FD-1 | FLOOR DRAIN w/ ROUND STRAINER & TRAP PRIMER | 2" | 1/2" | MIFAB # F1102-5-1-7 CAST IRON DRAIN, w/ 5" DIA. NICKEL BRONZE STRAINER | MIFAB TRAP PRIMER # MR-500 | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1102-C-5-1-7 |
| FD-2 | FLOOR DRAIN w/ ROUND STRAINER | 2" | - | MIFAB # F1102-5-1 CAST IRON DRAIN, w/ 5" DIA. NICKEL BRONZE STRAINER | | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1102-C-5-1 |
| FD-3 | FLOOR DRAIN w/ STAINLESS STEEL ROUND STRAINER | 2" | - | MIFAB # F1102-5-3 CAST IRON DRAIN, w/ 5" DIA. ROUND 7,499 LB. LOAD RATED STAINLESS STEEL STRAINER | | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1102-C-5-3 |
| FD-4 | FLOOR DRAIN w/SQUARE STRAINER & TRAP PRIMER | 2" | 1/2" | MIFAB # F1102-S5-1-7 CAST IRON DRAIN, w/ 5" SQUARE NICKEL BRONZE STRAINER | MIFAB TRAP PRIMER # MR-500 | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1102-C-S5-1-7 |
| FD-5 | FLOOR DRAIN w/SQUARE STRAINER | 2" | - | MIFAB # F1102-S5-1 CAST IRON DRAIN, w/ 5" SQUARE NICKEL BRONZE STRAINER | | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1102-C-S5-1 |
| FD-6 | FLOOR DRAIN w/ STAINLESS STEEL SQUARE STRAINER | 2" | - | MIFAB # F1102-S5-3 CAST IRON DRAIN, w/ 5" SQUARE 7,499 LB. LOAD RATED STAINLESS STEEL STRAINER | | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1102-C-S5-3 |
| FD-7 | FLOOR DRAIN w/ 8" DIA. ROUND STAINLESS STEEL STRAINER | 4" | - | MIFAB # F1104-8-3 CAST IRON DRAIN, w/ 8" DIA. ROUND 7,499 LB. LOAD RATED STAINLESS STEEL STRAINER | | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1104-C-8-3 |
| FD-8 | FLOOR DRAIN w/ FUNNEL & TRAP PRIMER | 2" | 1/2" | MIFAB # F1102-EF-1 CAST IRON DRAIN, w/ 5" DIA. NICKEL BRONZE STRAINER & FUNNEL | MIFAB TRAP PRIMER # MR-500 | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1102-C-EF-1 |
| FS-1 | FLOOR SINK, 8" Dia. w/ THREE QUARTER ROUND GRATE | 2" | | MIFAB # FS1752-175 8" DIA. x 6" DEEP ENAMELD CAST IRON FLOOR SINK w/ 3/4 GRATE | | FOR MEMBRANE FLOORS PROVIDE MIFAB # FS1752-FL-C-175 |
| FS-2 | FLOOR SINK, 12" Dia. w/ THREE QUARTER ROUND GRATE | 2" | | MIFAB # FS1762-175 12" DIA. x 8" DEEP ENAMELD CAST IRON FLOOR SINK w/ 3/4 GRATE | | FOR MEMBRANE FLOORS PROVIDE MIFAB # FS1762-FL-C-175 |
| FS-3 | FLOOR SINK, 8" Sq. w/ THREE QUARTER SQUARE GRATE | 2" | | MIFAB # FS1522-175 8" x 8" x 6" DEEP ENAMELD CAST IRON FLOOR SINK w/ 3/4 GRATE | | FOR MEMBRANE FLOORS PROVIDE MIFAB # FS1522-FL-C-175 |

MIFAB SAMPLE FIXTURE SCHEDULE & SPECIFICATIONS

| | | | | | | |
|------|--|------------|------|---|---|---|
| FS-4 | FLOOR SINK, 12" Sq. w/ HALF GRATE | 2" | | MIFAB # FS1722-150 12" x 12" x 6" DEEP ENAMELD CAST IRON FLOOR SINK w/ HALF GRATE | | FOR MEMBRANE FLOORS PROVIDE MIFAB # FS1722-FL-C-150 |
| FS-5 | FLOOR SINK, 12" Sq. w/ HALF GRATE | 4" | | MIFAB # FS1734-150 12" x 12" x 8" DEEP ENAMELD CAST IRON FLOOR SINK w/ HALF GRATE | | FOR MEMBRANE FLOORS PROVIDE MIFAB # FS1734-FL-C-150 |
| AD-1 | AREA DRAIN w/ 8" SQUARE STAINLESS STEEL STRAINER | 4" | - | MIFAB # F1104-S8-3 CAST IRON DRAIN, w/ 8" SQUARE 7,499 LB. LOAD RATED STAINLESS STEEL STRAINER | | FOR MEMBRANE FLOORS PROVIDE MIFAB F1004-C-S8-3 |
| AD-2 | AREA DRAIN w/ DUCTILE IRON ROUND STRAINER | 2" | 1/2" | MIFAB # F1303-4 CAST IRON DRAIN, w/ 7" DIA. ROUND 10,000 LB. DUCTILE IRON GRATE | MIFAB TRAP PRIMER # MR-500 | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1303-C-4 |
| AD-3 | AREA DRAIN w/ DUCTILE IRON ROUND STRAINER | 3" | - | MIFAB # F1324-4 CAST IRON DRAIN, w/ 9" DIA. ROUND 10,000 LB. DUCTILE IRON GRATE | FOR UNDER-DECK CLAMP PROVIDE MIFAB # F1324-C-4-40 | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1324-C-4 |
| AD-4 | AREA DRAIN w/ DUCTILE IRON ROUND STRAINER | 4" | - | MIFAB # F1344-4 CAST IRON DRAIN, 12-3/4" ROUND 10,000 LB. DUCTILE IRON GRATE | FOR UNDER-DECK CLAMP PROVIDE MIFAB # F1344-C-4-40 | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1344-C-4 |
| AD-5 | AREA DRAIN w/ DUCTILE IRON ROUND STRAINER | 6" | - | MIFAB # F1366-4 CAST IRON DRAIN, 15-3/4" ROUND 10,000 LB. DUCTILE IRON GRATE | FOR UNDER-DECK CLAMP PROVIDE MIFAB # F1366-C-4-40 | FOR MEMBRANE FLOORS PROVIDE MIFAB # F1366-C-4 |
| CO-1 | FLOOR CLEANOUT w/ 5" DIA. ROUND NICKEL BRONZE COVER | 2", 3", 4" | - | MIFAB # C1222-R-1 CAST IRON FERRULE CLEANOUT BODY w/ ADJ. 5" DIA. NICKEL BRNZ. COVER AND 3/2" BRASS PLUG | | 3" LINE SIZE: C1223-R-1 4" LINE SIZE: C1224-R-1 |
| CO-2 | FLOOR CLEANOUT w/ 5" DIA. ROUND STAINLESS STEEL COVER | 6"- 8" | - | MIFAB # C1226-4 CAST IRON CLEANOUT BODY w/ ADJ. 8" DIA. 10,000LB DUCTILE IRON COVER AND BRASS PLUG | | FOR 8" LINE SIZE: C1228-4 |
| CO-3 | FLOOR CLEANOUT w/ 5" SQUARE NICKEL BRONZE COVER | 2" | - | MIFAB # C1102-S-1 CAST IRON CLEANOUT BODY w/ ADJUSTABLE 5" SQUARE NICKEL BRONZE COVER | | FOR MEMBRANE FLOORS PROVIDE # C1102-C-S-1 FOR 4" LINE USE C1104-S-1 |
| CO-4 | FLOOR CLEANOUT w/ 5" SQUARE STAINLESS STEEL COVER | 2" | - | MIFAB # C1002-S-3 CAST IRON CLEANOUT BODY w/ ADJUSTABLE 5" SQUARE 7,499 lb RATED STAINLESS STEEL COVER | | FOR MEMBRANE FLOORS PROVIDE # C1002-C-S-3 FOR 4" LINE USE C1104-S-3 |

MIFAB SAMPLE FIXTURE SCHEDULE & SPECIFICATIONS

| | | | | | | |
|-------|---|----|---|---|--|--|
| CO-5 | WALL CLEANOUT w/ 6" DIA. ROUND STAINLESS STEEL COVER | - | - | MIFAB # C1434-RD6 6" DIA. STAINLESS STEEL WALL CLEANOUT COVER, WITH THREADED BRONZE LINE PLUG | | |
| DD-1 | DECK DRAIN w/ 8" SQUARE STAINLESS STEEL STRAINER | 4" | - | MIFAB # F1104-S8-3 CAST IRON DRAIN, w/ 8" SQUARE 7,499 LB. LOAD RATED STAINLESS STEEL STRAINER | FOR NICKEL BRONZE SQUARE STRAINER USE # F1104-S8-1 | FOR MEMBRANE FLOORS PROVIDE MIFAB F1004-C-S8-3 |
| RD-1 | 8" DIA. ROOF DRAIN | 2" | - | MIFAB # R1102-M-B-U , 8" DIA. CAST IRON DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | MIFAB EXPANSION COUPLING # R1902 | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN R1102-EU-M |
| RD-2 | 8" DIA. ROOF DRAIN | 3" | - | MIFAB # R1103-M-B-U , 8" DIA. CAST IRON DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | MIFAB EXPANSION COUPLING # R1903 | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN R1103-EU-M |
| RD-3 | 8" DIA. ROOF DRAIN | 4" | - | MIFAB # R1104-M-B-U , 8" DIA. CAST IRON DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | MIFAB EXPANSION COUPLING # R1904 | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN R1104-EU-M |
| RD-4 | 8" DIA. ROOF DRAIN CONDENSATE RECEIVER | 2" | - | MIFAB # R1102-RS-B-U 8" DIA. CAST IRON DRAIN, w/ NICKEL BRONZE STRAINER EXTERNAL DAM | MIFAB EXPANSION COUPLING # R1902 | |
| RD-5 | 8" DIA. ROOF DRAINS w/ OVERFLOW DRAIN COMBINATION | 2" | - | MIFAB # R1152-M-U , 12 x 24 SUMP RECEIVER, CAST IRON DRAINS, WITH OVERFLOW, METAL DOMES, UNDERDECK CLAMP | (2) MIFAB EXPANSION COUPLING # R1902 | |
| RD-6 | 8" DIA. ROOF DRAINS w/ OVERFLOW DRAIN COMBINATION | 4" | - | MIFAB # R1154-M-U , 12 x 24 SUMP RECEIVER, CAST IRON DRAINS WITH OVERFLOW, METAL DOMES, UNDERDECK CLAMP | (2) MIFAB EXPANSION COUPLING # R1904 | |
| RD-9 | 15" DIA. ROOF DRAIN | 4" | - | MIFAB # R1204-M-B-U , 15" DIA. CAST IRON DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | MIFAB EXPANSION COUPLING # R1904 | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN R1204-EU-M |
| RD-10 | 15" DIA. ROOF DRAIN | 5" | - | MIFAB # R1205-M-B-U , 15" DIA. CAST IRON DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN R1205-EU-M |
| | | | | | | |

MIFAB SAMPLE FIXTURE SCHEDULE & SPECIFICATIONS

| | | | | | | |
|-------|-----------------------------------|-----|---|--|--------------------------------------|--|
| RD-11 | 15" DIA. ROOF DRAIN | 6" | - | MIFAB # R1206-M-B-U , 15" DIA. CAST IRON DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN R1206-EU-M |
| RD-12 | 15" DIA. ROOF DRAIN | 8" | - | MIFAB # R1208-M-B-U , 15" DIA. CAST IRON DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN R1208-EU-M |
| RD-13 | 16" DIA. HIGH FLOW ROOF DRAIN | 10" | - | MIFAB # R1261-M-B-U , 16" DIA. CAST IRON HIGH FLOW ROOF DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN MIFAB MODEL R1261-EU-M |
| OD-1 | 8" DIA ROOF DRAIN OVERFLOW DRAIN | 2" | - | MIFAB # R1102-R-M-B-U 8" DIA. CAST IRON DRAIN w/ METAL DOME, 2" WATER DAM, SUMP RECEIVER & UNDERDECK CLAMP | (2) MIFAB EXPANSION COUPLING # R1902 | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN MIFAB MODEL R1102-EU-R-M |
| OD-2 | 8" DIA ROOF DRAIN OVERFLOW DRAIN | 4" | - | MIFAB # R1104-R-M-B-U 8" DIA. CAST IRON DRAIN w/ METAL DOME, 2" WATER DAM, SUMP RECEIVER & UNDERDECK CLAMP | (2) MIFAB EXPANSION COUPLING # R1902 | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN MIFAB MODEL R1104-EU-R-M |
| OD-5 | 15" DIA ROOF DRAIN OVERFLOW DRAIN | 4" | - | MIFAB # R1204-R-M-B-U 15" DIA. CAST IRON DRAIN w/ METAL DOME, 2" WATER DAM, SUMP RECEIVER & UNDERDECK CLAMP | (2) MIFAB EXPANSION COUPLING # R1904 | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN MIFAB MODEL R1204-EU-R-M |
| OD-6 | 15" DIA ROOF DRAIN OVERFLOW DRAIN | 6" | - | MIFAB # R1206-R-M-B-U 15" DIA. CAST IRON DRAIN w/ METAL DOME, 2" WATER DAM, SUMP RECEIVER & UNDERDECK CLAMP | | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN MIFAB MODEL R1206-EU-R-M |
| OD-7 | 15" DIA ROOF DRAIN OVERFLOW DRAIN | 8" | - | MIFAB # R1208-R-M-B-U 15" DIA. CAST IRON DRAIN w/ METAL DOME, 2" WATER DAM, SUMP RECEIVER & UNDERDECK CLAMP | | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN MIFAB MODEL R1208-EU-R-M |
| OD-8 | 16" DIA. HIGH FLOW OVERFLOW DRAIN | 10" | - | MIFAB # R1261-R-M-B-U , 16" DIA. CAST IRON HIGH FLOW OVERFLOW DRAIN, w/ METAL DOME, SUMP RECEIVER, & UNDERDECK CLAMP | | FOR INVERTED MEMBRANE & INSULATION, USE EXTENDED ROOF DRAIN MIFAB MODEL R1261-EU-R-M |

MIFAB SAMPLE FIXTURE SCHEDULE & SPECIFICATIONS

FIXTURE CARRIERS

| ITEM | FIXTURE CARRIER | WASTE | VENT | DESCRIPTION | NOTES | OPTIONS |
|------|---|-------|------|---|--|--|
| WC-1 | WALL-HUNG WATER CLOSET CARRIER (Horizontal Waste) | 4" | 2" | MIFAB # MC-10L/R SINGLE FLOOR SUPPORTED, LEFT/RIGHT-HAND HORIZONTAL WASTE, ADJUSTABLE WATER CLOSET CARRIER, 4" NO-HUB, 2" VENT | FOR ADA HEIGHT FIXTURES LOCATED IN THE MIDDLE OF A BATTERY OF CLOSETS USE MC-10L/R-EXT | FOR AN ADDITIONAL 2" VENT/INLET USE MC-10L/R-27. FOR CAST IRON 4" x 8" FLUSH CONNECTION NIPPLE USE MC-10L/R-CI-8 |
| WC-2 | BACK-TO-BACK WALL-HUNG WATER CLOSET CARRIER (Horizontal Waste) | 4" | 2" | MIFAB # MC-10L/R-D BACK-TO-BACK FLOOR SUPPORTED, LEFT/RIGHT-HAND HORIZONTAL WASTE, ADJUSTABLE WATER CLOSET CARRIER, 4" NO-HUB, 2" VENT | | FOR CAST IRON 4" x 8" FLUSH CONNECTION NIPPLE USE MC-10L/R-D-CI-8 |
| WC-3 | WALL-HUNG WATER CLOSET CARRIER (Vertical Waste) | 4" | 2" | MIFAB # MC-13L/R SINGLE FLOOR SUPPORTED ADJUSTABLE WATER CLOSET CARRIER, WITH VERTICAL WASTE, AND WITH LEFT/RIGHT-HAND INLET, WITH 4" NO-HUB CONNECTIONS, 2" VENT | | FOR CAST IRON 4" x 8" FLUSH CONNECTION NIPPLE USE MC-10L/R-CI-8 |
| WC-4 | BACK-TO-BACK WALL-HUNG WATER CLOSET CARRIER (Vertical Waste) | 4" | 2" | MIFAB # MC-13L/R-D BACK-TO-BACK FLOOR SUPPORTED ADJUSTABLE WATER CLOSET CARRIER, WITH VERTICAL WASTE, AND WITH LEFT/RIGHT-HAND INLET, WITH 4" NO-HUB CONNECTIONS, 2" VENT | | FOR CAST IRON 4" x 8" FLUSH CONNECTION NIPPLE USE MC-10L/R-D-CI-8 |
| WC-5 | WALL-HUNG WATER CLOSET CARRIER (Vertical Waste) | 4" | 2" | MIFAB # MC-12 FLOOR SUPPORTED, VERTICAL WASTE, ADJUSTABLE WATER CLOSET CARRIER, 4" NO-HUB, 2" VENT | | FOR CAST IRON 4" x 8" FLUSH CONNECTION NIPPLE USE MC-10L/R-D-CI-8 |
| WC-6 | BACK-TO-BACK WALL-HUNG WATER CLOSET CARRIER (Vertical Waste) | 4" | 2" | MIFAB # MC-12D BACK-TO-BACK FLOOR SUPPORTED, VERTICAL WASTE, ADJUSTABLE WATER CLOSET CARRIER, 4" NO-HUB, 2" VENT | | FOR CAST IRON 4" x 8" FLUSH CONNECTION NIPPLE USE MC-10L/R-D-CI-8 |
| UR-1 | WALL-HUNG URINAL CARRIER | 2" | 2" | MIFAB # MC-32 FLOOR SUPPORTED URINAL CARRIER, ADJUSTABLE HANGER PLATE WITH ADDITIONAL SUPPORT BEARING PLATE, | | FOR BACK-TO-BACK CARRIER ASSEMBLY USE # MC-32-D |
| L-1 | WALL-HUNG CONCEALED ARM LAVATORY CARRIER | 2" | 2" | MIFAB # MC-41 FLOOR SUPPORTED ADJUSTABLE, CONCEALED ARM LAVATORY CARRIER | | FOR BACK-TO-BACK CARRIER ASSEMBLY USE # MC-41-D |

MIFAB SAMPLE FIXTURE SCHEDULE & SPECIFICATIONS

| | | | | | | |
|-------|--|----|----|---|--|---|
| L-2 | WALL-HUNG LAVATORY CARRIER | 2" | 2" | MIFAB # MC-31 FLOOR SUPPORTED ADJUSTABLE LAVATORY CARRIER | | FOR BACK-TO-BACK CARRIER ASSEMBLY USE # MC-31-D |
| EWC-1 | SINGLE WALL-HUNG ELECTRIC WATER COOLER CARRIER | 2" | 2" | MIFAB # MC-31 FLOOR SUPPORTED ADJUSTABLE, ELECTRIC WATER COOLER CARRIER | | |
| EWC-2 | HI-LO WALL-HUNG ELECTRIC WATER COOLER CARRIER | 2" | 2" | MIFAB # MC-33 FLOOR SUPPORTED ADJUSTABLE, HIGH-LOW DUAL HEIGHT WATER COOLER CARRIER | | |

| ITEM | FIXTURE | WATER | DESCRIPTION | NOTES | OPTIONS |
|-------|--|-------|---|---------------------------------------|---|
| TP-1 | TRAP PRIMER | ½" | MIFAB # MR-500 PRESSURE DROP ACTIVATED TRAP SEAL PRIMER | PROVIDE ACCESS PANEL: MIFAB UA12X12SS | FOR DISTRIBUTION TO MULTIPLE DRAINS PROVIDE MIFAB # MI-DU |
| WHA-1 | WATER HAMMER ARRESTOR | ½" | MIFAB # MWH-A PISTON OPERATED SEAMLESS COPPER WATER HAMMER ARRESTOR | PROVIDE ACCESS PANEL: MIFAB UA10X10SS | FOR WHITE PRIMER COATED STEEL ACCESS PANEL, USE MIFAB UA10X10 |
| WHA-2 | WATER HAMMER ARRESTOR | ¾" | MIFAB # MWH-B (for 1 to 11 fixture units) PISTON OPERATED SEAMLESS COPPER WATER HAMMER ARRESTOR | PROVIDE ACCESS PANEL: MIFAB UA10X10SS | FOR WHITE PRIMER COATED STEEL ACCESS PANEL, USE MIFAB UA10X10 |
| WHA-3 | WATER HAMMER ARRESTOR | 1" | MIFAB # MWH-C (for 12 to 30 fixture units) PISTON OPERATED SEAMLESS COPPER WATER HAMMER ARRESTOR | PROVIDE ACCESS PANEL: MIFAB UA10X10SS | U/L LISTED FIRE RATED ACCESS PANEL, MIFAB MODEL MPFR10X10SS |
| WHA-4 | WATER HAMMER ARRESTOR | 1¼" | MIFAB # MWH-D (for 31 to 60 fixture units) PISTON OPERATED SEAMLESS COPPER WATER HAMMER ARRESTOR | PROVIDE ACCESS PANEL: MIFAB UA10X10SS | U/L LISTED FIRE RATED ACCESS PANEL, MIFAB MODEL MPFR12X12SS |
| WHA-5 | WATER HAMMER ARRESTOR | 1½" | MIFAB # MWH-E (for 61 to 113 fixture units) PISTON OPERATED SEAMLESS COPPER WATER HAMMER ARRESTOR | PROVIDE ACCESS PANEL: MIFAB UA12X12SS | U/L LISTED FIRE RATED ACCESS PANEL, MIFAB MODEL MPFR12X12SS |
| WHA-6 | WATER HAMMER ARRESTOR | 2" | MIFAB # MWH-F (for 114 to 154 fixture units) PISTON OPERATED SEAMLESS COPPER WATER HAMMER ARRESTOR | PROVIDE ACCESS PANEL: MIFAB UA12X12SS | U/L LISTED FIRE RATED ACCESS PANEL, MIFAB MODEL MPFR12X12SS |
| HB-1 | HOSE BIBB WALL MOUNT w/ VACUUM BREAKER | ¾" | MIFAB # MHY-9041 ¾" FIP ROUGH BRASS | PROVIDE WITH LOOSE TEE KEY | |
| HB-2 | HOSE BIBB WALL MOUNT w/ VACUUM BREAKER | ¾" | MIFAB # MHY-9241 ¾" FIP POLISHED CHROME PLATED BRASS | PROVIDE WITH LOOSE TEE KEY | |
| HB-3 | HOSE BIBB RECESSED BOX w/ VACUUM BREAKER | ¾" | MIFAB # MHY-95 ¾" FIP ROUGH BRASS HOSE BIBB AND CAST BRASS RECESSED BOX | PROVIDE WITH LOOSE TEE KEY | |

MIFAB SAMPLE FIXTURE SCHEDULE & SPECIFICATIONS

| | | | | | |
|------|--|-----------------|---|-------------------------------|--|
| HB-4 | HOSE HYDRANT RECESSED BOX W/ VACUUM BREAKER | $\frac{3}{4}$ " | MIFAB # MHY-55 $\frac{3}{4}$ " FIP POLISHED CHROME BRASS HYDRANT, NICKEL BRONZE BOX | PROVIDE WITH LOOSE TEE KEY | |
| HB-5 | HOSE HYDRANT RECESSED BOX W/ VACUUM BREAKER | $\frac{3}{4}$ " | MIFAB # MHY-55-3 $\frac{3}{4}$ " FIP POLISHED CHROME BRASS HYDRANT, STAINLESS STEEL BOX | PROVIDE WITH LOOSE TEE KEY | |

J. R. Smith to MIFAB General Series Comparison:

J. R. Smith

1010 -1089 Series Roof Drains
 1310 Series Roof Drains
 1330 & 1470 Series Roof Drains
 2005 Series Floor Drains
 2100 & 2200 Series Floor Drains
 2300 & 2400 Series Floor Drains
 3020 - 3060 Series Floor Sinks
 3100 & 3101 Series Floor Sinks
 3110 - 3161 Series Floor Sinks
 4000 - 4200 Series Cleanouts

MIFAB

R1200 Series Roof Drains
 R1220 Series Roof Drains
 R1100 Series Roof Drains
 F1100 Series Floor Drains
 F1300 Series Floor Drains
 F1400 Series Floor Drains
 FS1750 & FS1760 Floor Sinks
 FS1520 Series Floor Sinks
 FS1720 & FS1730 & FS1740
 C1100 Series Cleanouts