
Location: _____


MIFAB® F1460-Y-Q

SHALLOW BODY AREA DRAIN WITH 15 3/4" SQUARE, NON ADJUSTABLE HEAVY DUTY TRACTOR GRATE


Specification: MIFAB® Series F1460-Y-Q, lacquered cast iron shallow sump floor drain with anchor flange and non adjustable grate top assembly with standard 1" (25) thick, 15 3/4" square, (specify material finish) ADA compliant, heel proof, ductile iron tractor grate with 1/4" wide slots.

Function: Used in heavy traffic areas such as parking garages, factories and loading docks. Shallow body is ideal for poured in place concrete decks where space is limited.





(*) DENOTES STRAINER FINISH (-1, -3 OR -4)



PIPE SIZE	BODY HEIGHT			
	NO HUB (STANDARD)	INSIDE CAULK (X)	PUSH ON (P)	THREADED (T)
◉ 2" (52)	4 1/8" (105)	-	-	-
○ 3" (76)	4 1/8" (105)	5.05" (128)	4 9/16" (117)	-
○ 4" (102)	4 1/8" (105)	5.05" (128)	4 5/8" (118)	4 1/8" (105)
○ 5" (125)	-	5.05" (128)	-	4 1/8" (105)
○ 6" (152)	4 1/8" (105)	5.05" (128)	4 7/8" (124)	4 1/8" (105)
○ 8" (203)	4 7/8" (124)	-	-	-
○ 10" (254)	4 7/8" (124)	-	-	-

	SUFFIX	OPTIONAL VARIATIONS
☐	-1	Nickel bronze strainer (veneer)
☐	-3	Stainless steel strainer (veneer)
☐	-4	Ductile iron strainer (Standard)
☐	-5	Sediment bucket
☐	-6	Vandal proof secured grate (TR30 Torx and Pin)
☐	-7	1/2" trap seal primer connection
☐	-8	Backwater valve (2", 3", 4")
☐	-11	Acid resistant epoxy coated body
☐	-12	Galvanized top assembly
☐	-13	Galvanized body
☐	-15	Extension
☐	-21	Secondary flat stainless steel strainer (2", 3", 4")
☐	-28	Stainless steel body (Type 304)
☐	-34	Closure plug
☐	-40	Underdeck clamp
☐	-41	Sump receiver
☐	-50	Lacquered cast iron funnel
☐	-95	Client logo
☐	-BA	Buy American Act compliant product
☐	-F4	4" Round funnel
☐	-F6	6" Round funnel
☐	-G	Oval 4" x 9" funnel
☐	-P	Push on outlet (3", 4", 6")
☐	-J	6" x 3" x 1" funnel
☐	(Standard)	No hub outlet
☐	-MG	MI-GARD Floor Drain Trap Sealer (2", 3" or 4")
☐	-PSA	Pennsylvania Steel Act compliant product
☐	T	Threaded outlet (4", 5", 6")
☐	X	Inside caulk outlet (3", 4", 5", 6")
☐	-Z	Extended wide elastomeric flange

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Job Name: _____ Page No: _____

Section No: _____ Contractor: _____

Schedule No: _____ Purchase Order No: _____